BMW Media Information

06/2019 Page 1

Specifications. The new BMW 8 Series Gran Coupe. 840i.



| | | BMW 840i Gran Coupe |
|---|--------------------|---|
| | | |
| Body | | 415 |
| No of doors/seats | | 4/5 |
| Length/width/height (unladen) Wheelbase | mm | 5082 / 1932 / 1407 3023 |
| Track, front/rear | mm | |
| Ground clearance | mm mm | 128 |
| Turning circle | m | 12.3 |
| Fuel tank capacity | approx. I | 68 |
| Engine oil 1) | Г | 6.5 |
| Weight, unladen, to DIN/EU | kg | 1800 / 1875 |
| Max load to DIN | kg | 635 |
| Max permissible weight | kg | 2435 |
| Max axle load, front/rear | kg | 1170 / 1360 |
| Max trailer load, braked | kg | |
| (12%)/unbraked | Ü | -/- |
| Max roofload/max towbar | kg | |
| download | | |
| Luggage comp capacity | <u> </u> | 440 |
| Air resistance | c _d x A | 0.29 x 2.31 |
| Power Unit | | |
| Config/No of cyls/valves | | In-line / 6 / 4 |
| Engine technology | | BMW TwinPower Turbo technology: twin-scroll turbocharger, High Precision Injection, VALVETRONIC fully variable valve timing, Double-VANOS variable camshaft timing |
| Effective capacity | CC | 2998 |
| Stroke/bore | mm | 94.6 / 82.0 |
| Compression ratio | :1 | 11.0 |
| Fuel | | min RON 91 |
| Max output | kW/hp | 250 / 340 |
| at | rpm | 5000 – 6500 |
| Max torque | Nm | 500 |
| at | rpm | 1600 – 4500 |
| Electrical System | | |
| Battery/installation | Ah/- | 105 / luggage compartment |
| Driving Dynamics and Safe | tv | |
| Suspension, front | | Oouble-wishbone axle in aluminium construction with separate lower track arm and specific elastokinematics |
| Suspension, rear | Fi | ve-link axle in aluminium/steel lightweight construction with dual elastic bearing and specific elastokinematics |
| Brakes, front | | Vented disc brakes, with four-piston fixed callipers |
| Brakes, rear | | Vented disc brakes, with single-piston floating callipers |
| Driving stability systems | | itandard: DSC incl. ABS and DTC (Dynamic Traction Control), CBC (Cornering Brake Control), DBC (Dynamic Brake Control), Dry Braking function, Iding compensation, Start-Off Assistant, Adaptive M suspension, electronically controlled rear-axle differential lock; optional: active roll stabilisation |
| Safety equipment | | tandard: airbags for driver and front passenger, side airbags for driver and front assenger, head airbags for front and rear seats, three-point inertia-reel seatbelts on all seats with belt stopper, belt latch tensioner and belt force limiter in the front, crash sensors, tyre pressure indicator |
| Steering | | Electric Power Steering (EPS); |
| Steering ratio, overall | :1 | optional: Integral Active Steering 16.3 |
| Tyres, front/rear | - 11 | 245/45 R18 100Y XL/ |
| i yres, ii Uriviedi | | 275/40 R18 103Y XL |
| Rims, front/rear | | 8J x 18 light-alloy/ |
| , | | 9J x 18 light-alloy |
| | | |

| | | | BMW 840i Gran Coupe |
|------------------|---------------|----------|--|
| | | | |
| Transmission | | | |
| Type of transmis | ssion | | Eight-speed Steptronic transmission |
| Gear ratios | <u> </u> | :1 | 5.250 |
| | <u>II</u> | :1 | 3.360 |
| | III | :1 | 2.172 |
| - | IV | :1 | 1.720 |
| | V | :1 | 1.316 |
| | VI | :1 | 1.000 |
| | VII | :1 | 0.822 |
| | VIII | :1 | 0.640 |
| | R | :1 | 3.712 |
| Final drive | | :1 | 2.929 |
| Performance | | | |
| Power-to-weigh | t ratio (DIN) | kg/kW | 7.2 |
| Output per litre | • • | kW/l | 83.4 |
| Acceleration | 0-100 km/h | S | 5.2 |
| Top speed | | km/h | 250 |
| BMW Efficient | Dynamics | | |
| BMW EfficientD | ynamics | [| Brake Energy Regeneration with recuperation display, Electric Power Steering |
| standard feature | es | | EPS), Auto Start Stop function, Optimum Shift Indicator, ECO PRO mode with pasting function, BMW EfficientLightweight, optimised aerodynamics, active ai |
| | | | flap control, on-demand operation of ancillary units, map-regulated oil pump, |
| | | | rear differential with optimised warm-up behaviour |
| Fuel Consump | tion ECE | | |
| Urban | | I/100 km | 9.3 – 8.9 |
| Extra-urban | | I/100 km | 6.5 – 6.2 |
| Combined | | I/100 km | 7.5 – 7.2 |
| CO ₂ | | g/km | 170 – 164 |
| Emission rating | | | Euro 6d-TEMP |

The fuel consumption, CO₂ emissions and electric power consumption figures are determined according to the European Regulation (EC) 715/2007 in the version applicable. The figures refer to a vehicle with basic configuration in Germany. The range shown considers the different sizes of the selected wheels/tyres and the selected items of optional equipment, and may vary during configuration.

The values are based on the new WLTP test cycle and are translated back into NEDC-equivalent values in order to ensure comparability between the vehicles. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO₂ emissions, the CO₂ values may differ from the values stated here (depending on national legislation).

¹⁾ Oil change

Steering

Steering ratio, overall Tyres, front/rear

Rims, front/rear

:1

06/2019 Page 3

BMW 8 Series Gran Coupe. 840i xDrive.

| | | BMW 840i xDrive Gran Coupe | |
|--|--|--|--|
| Body | | | |
| No of doors/seats | | 4/5 | |
| Length/width/height (unladen) | mm | 5082 / 1932 / 1407 | |
| Wheelbase | mm | 3027 13327 1407 | |
| Track, front/rear | mm | 1627 / 1671 | |
| Ground clearance | mm | 128 | |
| Turning circle | m | 12.6 | |
| Fuel tank capacity | | 68 | |
| Engine oil 1) | approx. I | 6.5 | |
| <u> </u> | 1 | | |
| Weight, unladen, to DIN/EU | kg | 1855 / 1930 | |
| Max load to DIN | kg | 625 | |
| Max permissible weight | kg | 2480 | |
| Max axle load, front/rear | kg | 1220 / 1355 | |
| Max trailer load, braked (12%)/unbraked | kg | -1- | |
| Max roofload/max towbar download | kg | 751- | |
| Luggage comp capacity | - 1 | 440 | |
| Air resistance | c _d x A | 0.29 x 2.31 | |
| Power Unit | | | |
| Config/No of cyls/valves | | In-line / 6 / 4 | |
| Engine technology | | BMW TwinPower Turbo technology: twin-scroll turbocharger, High Precision Injection, VALVETRONIC fully variable valve timing, Double-VANOS variable camshaft timing | |
| Effective capacity | CC | 2998 | |
| Stroke/bore | mm | 94.6 / 82.0 | |
| Compression ratio | :1 | 11.0 | |
| Fuel | | min RON 91 | |
| Max output | kW/hp | 250 / 340 | |
| at | rpm | 5000 – 6500 | |
| Max torque | Nm | 500 | |
| at | rpm | 1600 – 4500 | |
| Electrical System | | | |
| Battery/installation | Ah/- | 105 / luggage compartment | |
| Driving Dynamics and Safe | ty | | |
| Suspension, front | | Double-wishbone axle in aluminium construction with separate lower track arm and specific elastokinematics | |
| Suspension, rear | | Five-link axle in aluminium/steel lightweight construction with dual elastic bearin and specific elastokinematics | |
| Brakes, front | | Vented disc brakes, with four-piston fixed callipers | |
| Brakes, rear | Vented disc brakes, with single-piston floating callipers | | |
| Driving stability systems | Standard: DSC incl. ABS and DTC (Dynamic Traction Control), CBC (Cornering Brake Control), DBC (Dynamic Brake Control), Dry Braking function, fading compensation, Start-Off Assistant, DSC linked with xDrive all-wheel drive Adaptive M suspension; optional: electronically controlled rear-axle differential | | |
| Safety equipment | | lock, active roll stabilisation Standard: airbags for driver and front passenger, side airbags for driver and front passenger, head airbags for front and rear seats, three-point inertia-reel seatbel on all seats with belt stopper, belt latch tensioner and belt force limiter in the front, crash sensors, tyre pressure indicator | |

front, crash sensors, tyre pressure indicator

Electric Power Steering (EPS), Integral Active Steering

14.9 245/45 R18 100Y XL/ 275/40 R18 103Y XL

8J x 18 light-alloy/ 9J x 18 light-alloy

| | | | BMW 840i xDrive Gran Coupe |
|---------------------------|----------|--------------|--|
| | | | |
| Transmission | | | |
| Type of transmission | | | Eight-speed Steptronic transmission |
| Gear ratios | I | :1 | 5.250 |
| | II | :1 | 3.360 |
| | III | :1 | 2.172 |
| | IV | :1 | 1.720 |
| | V | :1 | 1.316 |
| | VI | :1 | 1.000 |
| | VII | :1 | 0.822 |
| | VIII | :1 | 0.640 |
| | R | :1 | 3.712 |
| Final drive | | :1 | 2.929 |
| Performance | | | |
| Power-to-weight ratio (DI | IN) kg/l | ίW | 7.4 |
| Output per litre | k' | / //l | 83.4 |
| Acceleration 0-100 | km/h | S | 4.9 |
| Top speed | kr | n/h | 250 |
| BMW EfficientDynami | cs | | |
| BMW EfficientDynamics | | | ake Energy Regeneration with recuperation display, Electric Power Steering |
| standard features | | coa | PS), Auto Start Stop function, Optimum Shift Indicator, ECO PRO mode with sting function, BMW EfficientLightweight, optimised aerodynamics, active air |
| | | | ap control, on-demand operation of ancillary units, map-regulated oil pump, |
| | | | fficiency- and weight-optimised all-wheel drive, rear differential and transfer |
| | | ca | se with optimised warm-up behaviour, BMW Blue Performance technology |
| Fuel Consumption EC | | | |
| Urban | 1/100 | km | 9.8 – 9.5 |
| Extra-urban | 1/100 | кm | 6.7 – 6.3 |
| Combined | 1/100 | кm | 7.8 – 7.5 |
| CO ₂ | g/ | κm | 179 – 171 |
| Emission rating | | | Euro 6d-TEMP |

The fuel consumption, CO₂ emissions and electric power consumption figures are determined according to the European Regulation (EC) 715/2007 in the version applicable. The figures refer to a vehicle with basic configuration in Germany. The range shown considers the different sizes of the selected wheels/tyres and the selected items of optional equipment, and may vary during configuration.

The values are based on the new WLTP test cycle and are translated back into NEDC-equivalent values in order to ensure comparability between the vehicles. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO₂ emissions, the CO₂ values may differ from the values stated here (depending on national legislation).

¹⁾ Oil change

06/2019 Page 5

BMW 8 Series Gran Coupe. M850i xDrive.

| | | BMW M850i xDrive Gran Coupe |
|---|----------------------|--|
| | | |
| Body | | 415 |
| No of doors/seats | | 4/5 |
| Length/width/height (unladen) | mm | 5082 / 1932 / 1407 |
| Wheelbase | mm | 3023 |
| Track, front/rear | mm | 1627 / 1671 |
| Ground clearance | mm | 128 |
| Turning circle | m | 12.6 |
| Fuel tank capacity | approx. I | 68 |
| Engine oil 1) | l | 10.5 |
| Weight, unladen, to DIN/EU | kg | 1995 / 2070 |
| Max load to DIN | kg | 605 |
| Max permissible weight | kg | 2600 |
| Max axle load, front/rear | kg | 1300 / 1390 |
| Max trailer load, braked (12%)/unbraked | kg | -1- |
| Max roofload/max towbar download | kg | 75/- |
| Luggage comp capacity | J | 440 |
| Air resistance | c _d x A | 0.32 x 2.31 |
| , un redictaries | O _Q A. A. | OIGE X EIG 1 |
| Power Unit | | |
| Config/No of cyls/valves | | V/8/4 |
| Engine technology | | BMW TwinPower Turbo technology: two twin-scroll turbochargers, High |
| Lingine technology | | Precision Injection, VALVETRONIC fully variable valve timing, Double-VANOS variable camshaft timing |
| Effective capacity | CC | 4395 |
| Stroke/bore | mm | 88.3 / 89.0 |
| Compression ratio | :1 | 10.5 |
| Fuel | | min RON 91 |
| Max output | kW/hp | 390 / 530 |
| | | 5500 – 6000 |
| May targue | rpm | |
| Max torque | Nm | 750 |
| <u>at</u> | rpm | 1800 – 4600 |
| Flooris at Court and | | |
| Electrical System | A I. / | 405 / 1 |
| Battery/installation | Ah/– | 105 / luggage compartment |
| Driving Dynamics and Safe | tv | |
| Suspension, front | | Double-wishbone axle in aluminium construction with separate lower track arm |
| ouspension, none | | and specific elastokinematics |
| Suspension, rear | F | ive-link axle in aluminium/steel lightweight construction with dual elastic bearing and specific elastokinematics |
| Brakes, front | | Vented disc brakes, with four-piston fixed callipers |
| Brakes, rear | | Vented disc brakes, with single-piston floating callipers |
| Driving stability systems | | Standard: DSC incl. ABS and DTC (Dynamic Traction Control), CBC (Cornering |
| Driving stability systems | | Brake Control), DBC (Dynamic Brake Control), Dry Braking function, ading compensation, Start-Off Assistant, DSC linked with xDrive all-wheel drive, Adaptive M suspension, electronically controlled rear-axle differential lock; optional: active roll stabilisation |
| Safety equipment | | Standard: airbags for driver and front passenger, side airbags for driver and front assenger, head airbags for front and rear seats, three-point inertia-reel seatbelts on all seats with belt stopper, belt latch tensioner and belt force limiter in the front, crash sensors, tyre pressure indicator |
| Steering | | Electric Power Steering (EPS), Integral Active Steering |
| Steering ratio, overall | :1 | 14.9 |
| Tyres, front/rear | | 245/35 R20 95Y XL/ |
| | | 275/30 R20 97Y XL |
| Rims, front/rear | | 8J x 20 light-alloy/ |
| | | 9J x 20 light-alloy |

| | | DANA MOSO:D.i O |
|----------------------------|----------|--|
| | | BMW M850i xDrive Gran Coupe |
| Transmission | | |
| Type of transmission | | Eight-speed Steptronic transmission |
| Gear ratios | l :1 | 5.500 |
| deal ratios | II :1 | 3.520 |
| | :1 | 2,200 |
| | IV :1 | 1.720 |
| | V :1 | 1.317 |
| | V :1 | 1.000 |
| | VII :1 | 0.823 |
| | VIII :1 | 0.640 |
| | R :1 | 3.993 |
| Final drive | :1 | 2.813 |
| i iliai alive | | 2.010 |
| Performance | | |
| Power-to-weight ratio (DIN | N) kg/kW | 5.1 |
| Output per litre | kW/l | 88.7 |
| Acceleration 0–100 kg | m/h s | 3.9 |
| Top speed | km/h | 250 |
| BMW EfficientDynamic | s | |
| BMW EfficientDynamics | | Brake Energy Regeneration with recuperation display, Electric Power Steering |
| standard features | | (EPS), Auto Start Stop function, Optimum Shift Indicator, ECO PRO mode with coasting function, BMW EfficientLightweight, optimised aerodynamics, active air flap control, on-demand operation of ancillary units, map-regulated oil pump, efficiency- and weight-optimised all-wheel drive, rear differential and transfer case with optimised warm-up behaviour |
| | | add with optimized warm up behaviour |
| Fuel Consumption ECE | | |
| Urban | l/100 km | 13.9 – 13.7 |
| Extra-urban | l/100 km | 7.8 – 7.7 |
| Combined | l/100 km | 10.0 – 9.9 |
| CO ₂ | g/km | 229 – 226 |
| Emission rating | | Euro 6d-TEMP |
| | | |

The fuel consumption, CO₂ emissions and electric power consumption figures are determined according to the European Regulation (EC) 715/2007 in the version applicable. The figures refer to a vehicle with basic configuration in Germany. The range shown considers the different sizes of the selected wheels/tyres and the selected items of optional equipment, and may vary during configuration.

The values are based on the new WLTP test cycle and are translated back into NEDC-equivalent values in order to ensure comparability between the vehicles. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO₂ emissions, the CO₂ values may differ from the values stated here (depending on national legislation).

¹⁾ Oil change

BMW 8 Series Gran Coupe. 840d xDrive.

| 06/2019 |
|---------|
| Page 7 |

| | | BMW 840d xDrive Gran Coupe |
|---|--------------------|--|
| Body | | |
| No of doors/seats | | 4/5 |
| Length/width/height (unladen) | mm | 5082 / 1932 / 1407 |
| Wheelbase | mm | 3023 |
| Track, front/rear | mm | 1627 / 1671 |
| Ground clearance | mm | 128 |
| Turning circle | m | 12.6 |
| Fuel tank capacity | approx. I | 68 |
| Engine oil 1) | арргол. 1 | 6.5 |
| Weight, unladen, to DIN/EU | <u>'</u> | 1925 / 2000 |
| Max load to DIN | kg | 635 |
| Max permissible weight | kg | 2560 |
| Max axle load, front/rear | kg | |
| | kg | 1235 / 1425 |
| Max trailer load, braked (12%)/unbraked | kg | 1 |
| Max roofload/max towbar | l.a | |
| download | kg | 131- |
| | | 440 |
| Luggage comp capacity Air resistance | | 0.29 x 2.31 |
| All resistance | c _d x A | 0.29 % 2.31 |
| Downey I Init | | |
| Power Unit | | 1. 1 10.14 |
| Config/No of cyls/valves | | In-line / 6 / 4 |
| Engine technology | | BMW TwinPower Turbo technology: multi-stage turbocharging, high- and low- pressure turbochargers with variable intake geometry, common-rail direct injection with piezo injectors (max. injection pressure: 2500 bar) |
| Effective capacity | CC | 2993 |
| Stroke/bore | | 90.0 / 84.0 |
| | mm :1 | 90.0784.0 |
| Compression ratio Fuel | .1 | Diesel |
| | Id M//bro | 235 / 320 |
| Max output | kW/hp | |
| Movitorque | rpm Nm | 4400 680 |
| Max torque | | 1750 – 2250 |
| <u>at</u> | rpm | 1730 - 2230 |
| Electrical System | | |
| Electrical System | Ah/- | 10E / huggaga comportment |
| Battery/installation | An- | 105 / luggage compartment |
| Driving Dynamics and Safe | ety | |
| Suspension, front | | Double-wishbone axle in aluminium construction with separate lower track arm and specific elastokinematics |
| Suspension, rear | F | ive-link axle in aluminium/steel lightweight construction with dual elastic bearing and specific elastokinematics |
| Brakes, front | | Vented disc brakes, with four-piston fixed callipers |
| Brakes, rear | | Vented disc brakes, with single-piston floating callipers |
| Driving stability systems | | Standard: DSC incl. ABS and DTC (Dynamic Traction Control), CBC (Cornering |
| 2g 0.a2ty 0,0000 | | Brake Control), DBC (Dynamic Brake Control), Dry Braking function, ading compensation, Start-Off Assistant, DSC linked with xDrive all-wheel drive, Adaptive M suspension; optional: electronically controlled rear-axle differential lock, active roll stabilisation |
| Safety equipment | | Standard: airbags for driver and front passenger, side airbags for driver and front assenger, head airbags for front and rear seats, three-point inertia-reel seatbelts on all seats with belt stopper, belt latch tensioner and belt force limiter in the front, crash sensors, tyre pressure indicator |
| Steering | | Electric Power Steering (EPS), Integral Active Steering |
| G | | |
| | :1 | 14.9 |
| Steering ratio, overall Tyres, front/rear | :1 | |

| | | BMW 840d xDrive Gran Coupe |
|---------------------------|----------|---|
| | | Divivi 0400 XDIIVe Gran Ooupe |
| Transmission | | |
| Type of transmission | | Eight-speed Steptronic transmission |
| Gear ratios | 1 : | |
| | II : | 1 3.520 |
| | III : | 1 2.200 |
| | IV : | 1.720 |
| | V : | 1 1.317 |
| | VI : | 1.000 |
| | VII : | 0.823 |
| | VIII : | 0.640 |
| | R : | 1 3.993 |
| Final drive | : | 1 2.647 |
| Performance | | |
| Power-to-weight ratio (DI | N) kg/kV | V 8.2 |
| Output per litre | kW | Л 78.5 |
| Acceleration 0-100 | km/h | s 5.1 |
| Top speed | km/ | h 250 |
| BMW EfficientDynami | cs | |
| BMW EfficientDynamics | | Brake Energy Regeneration with recuperation display, Electric Power Steering |
| standard features | | (EPS), Auto Start Stop function, Optimum Shift Indicator, ECO PRO mode with coasting function, BMW EfficientLightweight, optimised aerodynamics, active air |
| | | flap control, on-demand operation of ancillary units, map-regulated oil pump, |
| | | efficiency- and weight-optimised all-wheel drive, rear differential and transfer |
| | | case with optimised warm-up behaviour, BMW Blue Performance technology |
| Fuel Consumption EC | | |
| Urban | l/100 kr | n 7.4 – 7.3 |
| Extra-urban | l/100 kr | n 5.7 – 5.1 |
| Combined | l/100 kr | n 6.3 – 5.9 |
| CO ₂ | g/kn | n 166 – 155 |
| Emission rating | | Euro 6d-TEMP |
| | | |

The fuel consumption, CO₂ emissions and electric power consumption figures are determined according to the European Regulation (EC) 715/2007 in the version applicable. The figures refer to a vehicle with basic configuration in Germany. The range shown considers the different sizes of the selected wheels/tyres and the selected items of optional equipment, and may vary during configuration.


The values are based on the new WLTP test cycle and are translated back into NEDC-equivalent values in order to ensure comparability between the vehicles. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO₂ emissions, the CO₂ values may differ from the values stated here (depending on national legislation).

¹⁾ Oil change

BMW Media Information 06/2019 Page 9


Output and torque diagrams. BMW 8 Series Gran Coupe. 840i.





BMW 8 Series Gran Coupe. 840i xDrive.






BMW Media Information


BMW 8 Series Gran Coupe. M850i xDrive.





BMW 8 Series Gran Coupe. 840d xDrive.

Engine speed [rpm]



BMW Media Information

Exterior and interior dimensions. BMW 8 Series Gran Coupe.



06/2019 Page 13

