

MINI CANADA PRODUCT GUIDE MY16



2016 MINI
MINI COOPER 3 DOOR
MINI COOPER S 3 DOOR
MINI JOHN COOPER WORKS

All specifications subject to change without prior notice.



2016 - MINI 3 DOOR.

TECHNICAL SPECIFICATIONS.








MINI 3 DOOR	COOPER	COOPER S	JOHN COOPER WORKS
DIMENSIONS (MM)			
Length/Width/Height	3837/1727/1414	3858/1727/1414	3874/1727/1414
Wheelbase	2495	2495	2495
Turning circle (m)	10.8	10.8	10.8
Track, front/rear	1485/1485	1485/1485	1485/1485
Shoulder room, front/rear	1284/1215	1284/1215	1284/1215
Legroom, front/rear	1052/783	1052/783	1052/783
Headroom, front/rear	1024/938	1024/938	1024/938
Luggage capacity (L)	211-731	211-731	211-731
Fuel capacity (L)	44	44	44
WEIGHT (KG)			
Curb weight, man/auto	1191/1220	1263/1281	1290/1309
Weight distribution, rear, man/auto (%)	38.9/37.9	37.7/36.8	36.9/36.4
Max. gross weight, man/auto	1617/1617	1642/1656	1687/1708
Max. payload	308	308	308
Max. axle load, front/rear [auto trans]	864/755 [896/755]	912/767 [928/767]	955/782 [935/782]
Max. roof load	60	60	60
ENGINE			
Type	Twin Power Turbo Technology (Twin Scroll) High Precision Direct Injection	Twin Power Turbo Technology (Twin Scroll) High Precision Direct Injection	Twin Power Turbo Technology (Twin Scroll) High Precision Direct Injection
	3Cyl (12v)	4Cyl (16v)	4Cyl (16v)
Engine management system	MEVD 17.2.3	MEVD 17.2.3	MEVD 17.2.3
Displacement (cm ³)	1499	1998	1998
Bore and stroke (mm)	82.0 x 94.6	82.0 x 94.6	82.0 x 94.6
Power (SAE hp @ rpm)	134 @ 4,500-6,000	189 @ 4,700-6,000	228 @ 5200-6000
Torque (ft/lb @ rpm)	162 @ 1,250	207 @ 1,250	236 @ 1250-4800
Compression ratio	11	10.5	10.2
Fuel grade	MIN: 89 Octane, Recommended: 91 Octane	MIN: 89 Octane, Recommended: 91 Octane	MIN: 89 Octane, Recommended: 91 Octane
DRIVETRAIN			
Drive configuration	Front Engine Front Drive	Front Engine Front Drive	Front Engine Front Drive
Transmission type	6-M/6-A Automatic Start/Stop	6-M/6-A Automatic Start/Stop	6-M/6-A Automatic Start/Stop
Gear ratios, man/auto (:1)			
1 st	3.615/4.459	3.923/4.459	3.923/4.459
2 nd	1.925/2.508	2.136/2.508	2.136/2.508
3 rd	1.241/1.555	1.393/1.555	1.276/1.555
4 th	0.969/1.142	1.088/1.142	0.921/1.142
5 th	0.806/0.851	0.892/0.851	0.756/0.851
6 th	0.683/0.672	0.756/0.672	0.628/0.672
Reverse	3.538/3.185	3.538/3.185	3.538/3.185
Final drive ratio	3.421/3.683	3.588/3.502	3.588/3.502
BODY / SUSPENSION			
Steering Type / Ratio	Rack & Pinion (EPS) / 14.2	Rack & Pinion (EPS) / 14.2	Rack & Pinion (EPS) / 14.2
Braking system	4 channel ABS	4 channel ABS	4 channel ABS
Front brake type / diameter (mm)	Ventilated disc /280	Ventilated disc /294	Ventilated disc /TBC
Rear brake type / diameter (mm)	Solid disc /259	Solid disc /259	Solid disc /TBC
Suspension, front	McPherson strut type	McPherson strut type	McPherson strut type
Suspension, rear	Independent multilink	Independent multilink	Independent multilink
Drag coefficient	0.28	0.31	0.34
Tire size, front	195/55 R 16 87W	195/55 R 16 87W	205/45 R17 88V XL AS
Wheel size, front	6.5J x 16	6.5J x 16	7 J x 17 LM
Tire size, rear	195/55 R 16 87W	195/55 R 16 87W	205/45 R17 88V XL AS
Wheel size, rear	6.5J x 16	6.5J x 16	7 J x 17 LM
ELECTRICAL			
Battery capacity (amp-hrs.)	80	80	80
Alternator output (amps/watts)	150/2100	150/2100	150/2100
PERFORMANCE			
Top speed, electronically limited, man/a	210/210	235/233	246/246
Acceleration 0-100 km/h, man/auto (sec.)	7.9/7.8	6.8/6.7	6.3/6.1
FUEL CONSUMPTION			
	5 CYCLE	5 CYCLE	5 CYCLE
City, man/auto (L/100km)	TBC	TBC	TBC
Highway, man/auto (L/100km)	TBC	TBC	TBC
Combined, man/auto (L/100km)	TBC	TBC	TBC
Combined CO2 (g/km)	TBC	TBC	TBC

All specifications subject to change without prior notice.

Wheel Overview

Model Year 2016








3 Door
Effective: 07/01/15

				Cooper 3 door	Cooper S 3 door	John Cooper Works
	Code: 2B0 Style: 2B0	17" Tentacle Spoke Silver	Front / Rear: 17x7.0, 205/45 R17		Optional (Requires ZY4)	
	Code: 2E8 Style: 2E8	18" Cone Spoke Silver	Front / Rear: 18x7.0, 205/40 R18		Optional (Not in combination with 508) (Requires ZB0 and ZY4)	
	Code: 2EE Style: 2EE	18" MINI Yours Vanity Spoke Silver	Front / Rear: 18x7.5, 205/40 R18		Optional ZY9 (Not in combination with 508) (Requires ZB0 and ZY4)	
	Code: 2F1 Style: 2F1	17" Cosmos Spoke Silver	Front / Rear: 17x7.0, 205/45 R17	Optional (Requires ZX4)	Optional (Requires ZY4)	
	Code: 2F2 Style: 2F2	17" Cosmos Spoke Black	Front / Rear: 17x7.0, 205/45 R17	Optional (Requires ZX4)	Optional (Requires ZY4)	
	Code: 2F3 Style: 2F3	16" Loop Spoke Silver	Front / Rear: 16x6.5, 195/55 R16		Standard	
	Code: 2G1 Style: 2G1	17" JCW Race Spoke Silver	Front / Rear: 17x7.0, 205/45 R17			Standard

Wheel Overview

Model Year 2016

3 Door
Effective: 07/01/15

				Cooper 3 door	Cooper S 3 door	John Cooper Works
	Code: 2GY Style: 2GY	16"Victory Spoke Silver	Front / Rear: 16x6.5, 195/55 R16	Standard		
	Code: 2GZ Style: 2GZ	16"Victory Spoke Black	Front / Rear: 16x6.5, 195/55 R16	Optional (Requires ZX4)		
	Code: 2HV Style: 2HV	17"Track Spoke Silver	Front / Rear: 17x7.5, 205/45 R17		ZY8	
	Code: 2HW Style: 2HW	17"Track Spoke Black	Front / Rear: 17x7.5, 205/45 R17		ZY8 ZY8 (upgrade)	
	Code: 2HX Style: 2HX	17"JCW Track Spoke Silver	Front / Rear: 17x7.0, 205/45 R17			Optional
	Code: 2HY Style: 2HY	17"JCW Track Spoke Black	Front / Rear: 17x7.0, 205/45 R17			Optional
	Code: 2LY Style: 2LY	18"JCW Cup Spoke Two- Tone	Front / Rear: 18x7.5, 205/40 R18			Optional (Not in combination with 508) (Requires ZB0)

Retail Pricing		3 Door	Cooper 3 door	Cooper S 3 door	John Cooper Works
Model Year 2016		Effective: 07/01/15	07/15 \$21,490	07/15 \$25,740	07/15 \$33,240
		Start of Production Base Price			
			</		

Retail Pricing

Model Year 2016

3 Door

Effective: 07/01/15

Start of Production
Base Price

Cooper 3
door
07/15
\$21,490

Cooper S
3 door
07/15
\$25,740

John
Cooper
Works
07/15
\$33,240

	4EU - Interior surfaces Firework Loaded Package	NA	NA	\$190
ZZ6	ZZ6 requires ordering ZZ4			\$1,200 (req'd)
ZZ8	Viability Package 5DP - Park Assistant (Incl 508 PDC Front/Rear) ZZ8 requires ordering ZZ3	\$1,300 \$500 (req'd)	\$1,300 \$500 (req'd)	\$1,300 \$500 (req'd)
ZZ9	MINI Yours Package 4GT - MINI Yours Cottonwood Interior 4GU - MINI Yours Fibre Alloy Interior ZZ9 and 4GS cannot be ordered with ZZ5	NA	NA	\$2,600 NC NC (req'd)
	Options			
205	Automatic Transmission	\$1,400	\$1,400	NA
223	Dynamic Damper Control 223 requires ordering ZX6	\$500 (req'd)	ZY6	ZZ6
225	Standard suspension 225 will delete STD or 100% equipment 226 225 cannot be ordered with ZZ6	NA	NA	NC (req'd) (req'd)
2B0	17" Tentacle Spoke Silver (17x7.0, 205/45 R17) 2B0 requires ordering ZY4	NA	\$740	NA
2E8	18" Cone Spoke Silver (18x7.0, 205/40 R18) 2E8 requires ordering ZB0 and ZY4 2E8 cannot be ordered with 508	NA	(req'd) \$1,430	NA
2EE	18" MINI Yours Vanity Spoke Silver (18x7.5, 205/40 R18) 2EE cannot be ordered with 508 Included in package 2EE requires ordering ZB0 and ZY4	NA	(req'd) \$1,430	NA
2F1	17" Cosmos Spoke Silver (17x7.0, 205/45 R17) 2F1 requires ordering ZY4 2F1 requires ordering ZX4	\$740 (req'd)	\$740	NA
2F2	17" Cosmos Spoke Black (17x7.0, 205/45 R17) 2F2 requires ordering ZY4 2F2 requires ordering ZX4	\$800 (req'd)	\$800	NA
2GZ	16" Victory Spoke Black (16x6.5, 195/55 R16) 2GZ requires ordering ZX4	\$200 (req'd)	NA	NA
2HX	17" JCW Track Spoke Silver (17x7.0, 205/45 R17)	NA	NA	NC
2HY	17" JCW Track Spoke Black (17x7.0, 205/45 R17)	NA	NA	\$200
2LY	18" JCW Cup Spoke Two-Tone (18x7.5, 205/40 R18) 2LY cannot be ordered with 508 2LY requires ordering ZB0	NA	NA	\$800 (req'd) (req'd)
2TB	Sport Auto Trans w/Paddles 2TB requires ordering ZY8	NA	\$1,650 (req'd)	\$1,650
2XB	MINI Yours Sport Leather Steering Wheel 2XB cannot be ordered with ZY8 Included in package	NA	\$250 (req'd)	\$250
302	Alarm System	\$500	\$500	ZZ9
319	Universal Remote Control 319 requires ordering ZX6 319 requires ordering ZY6 319 requires ordering ZZ6	\$250 (req'd)	\$250 (req'd)	\$500 \$250
327	White Bonnet Stripes 327 requires ordering 382	\$150 (req'd)	\$150 (req'd)	(req'd) \$150 (req'd)
329	Black Bonnet Stripes 329 requires ordering 383	\$150 (req'd)	\$150 (req'd)	\$150 (req'd)
359	Electric Front Window Defroster 359 requires ordering ZY6 359 requires ordering ZX6 359 requires ordering ZZ6	\$190 (req'd)	\$190 (req'd)	\$190
382	White Roof and Mirror Caps	NC	NC	(req'd) NC
383	Black Roof and Mirror Caps	NC	NC	NC
386	Roof Rails	\$250	\$250	\$250
3A3	Red Roof and Mirror Caps	NA	NA	NC
3AR	Rear Rack Prep 3AR cannot be ordered with ZY8	\$250	\$250 (req'd)	NA
3AZ	John Cooper Works Bonnet Stripes 3AZ requires ordering 3A3	NA	NA	\$150 (req'd)
481	Sport Seats	ZX6	STD	NC
493	Storage Compartment Package	\$250	\$250	\$250
4AA	Anthracite Roofliner Included in package	\$250	\$250	STD
4C0	Interior Colour Satellite Grey 4C0 cannot be ordered with NENX	\$150 (req'd)	\$150	\$150 (req'd)
4F3	Colour Line Glowing Red 4F3 cannot be ordered with 4GT, FYGK, NENX or T9GK 4F3 requires ordering ZY8	NA (req'd)	\$250 (req'd)	\$250 (req'd)
4GS	MINI Yours Porcelain White Interior 4GS cannot be ordered with ZZ5 4GS cannot be ordered with ZY5 Included in package	NA	\$350 (req'd) ZY9	\$350 (req'd) ZZ9
4GT	MINI Yours Cottonwood Interior In combination with ZZ9 4GT cannot be ordered with 4F3 In combination with ZY9	NA	\$350 (req'd) NC	\$350 (req'd) NC
4GU	MINI Yours Fibre Alloy Interior In combination with ZZ9 In combination with ZY9	NA	\$350 NC	\$350 NC
507	Park Distance Control, rear Included in package	\$500 ZZ8	\$500 ZZ8	\$500 ZZ8
547	Cockpit Chrono Package 547 cannot be ordered with ZZ8	NA	NA	\$250 (req'd)
5A4	LED Adaptive Headlights 5A4 requires ordering ZZ6 5A4 will add 8S4 to the order In combination with ZZ1	NA	NA	\$250 (req'd) (req'd)
5AS	Driving Assistant 5AS requires ordering ZZ8 5AS will add 541 to the order	\$250 \$1,000 (req'd) (req'd)	\$250 \$1,000 (req'd) (req'd)	\$250 \$1,000 (req'd) (req'd)
655	SiriusXM Satellite Radio Tuner	\$450	\$450	\$450
674	Harman Kardon Sound System	\$750	\$750	\$750
785	White Turn Signals Included in package	\$100 ZZ1	100% ZZ1	STD
ZB0	Performance Tires	\$50	\$50	\$50
ZSP	Special Order	\$400	\$400	\$400