

BMW i8.

2017MY PRODUCT GUIDE.

MY17 BMW i3 Technical Specifications

	Ī	
Engine type		i8 B38K15T0
Transmission type		automatic
Seats Number of Doors	 	4 2
drive type		AWD
Veh. length Width	mm mm	4697 1942
Height Width inc. mirrors	mm mm	1291 2218
Wheelbase	mm	2800
Overhang front	mm mm	960 937
Rear overhang Turning circle	m	12.3
Ground clearance Shoulder width front	mm mm	117 1440
Shoulder room rear	mm	1260
Elbow width front Elbowroom rear	mm mm	1522 1308
Front legroom	mm	1095
Rear legroom Max. headroom front	mm mm	717 983
Maximum headroom rear	mm	824
Knee clearance Luggage volume	mm m³	-113 0.154
Fuel tank capacity (approx.) series	liter	42
Rear weight distribution Curb weight	% lbs	51.2 3455
Gross veh. Weight	lbs	4120
Payload Front axle load limit	lbs lbs	620 1975
Rear axle load limit	lbs	2225
Motor function Engine type		Parallel B38K15T0
Cylinders	-	3
Valves p.cyl. Stroke	mm	4 94.6
Bore	mm	82 1499
Displacement Compression rate	cm³ :1	1499 9.5
Engine power	bHP 1/min	228 5800
at rpm Engine torque	ft lbs	236
at rpm	1/min	3700 gasoline
Fuel type Useable Fuel quality	-	AKI 91 MIN
recomm. Engine oil (filling quantity)	 liter	AKI 93 5
Motor function (1. E-engine)		front axle drive
Engine (1. E-engine) Engine Config (1. E-engine)		IB1P25B synchron
Peak power acc. to ECE R 85 (1. E-engine)	kW	96
highest output 30 min (1. E-engine) range at 30min peak power (1. E-engine)	kW 1/min	75 4800
maximum hourly output (1. E-engine)	kW	75
torque (1. E-engine) Motor function (2. E-engine)	Nm 	250 Starting-generator with additional boost and recufunction
Engine identification (2. E-engine)	-	EMP120.66
Engine Config (2. E-engine) Engine power(2. E-engine)	kW	synchron 8
at Range	1/min	6000
torque (2. E-engine) Engine power (cumul.)	Nm bHP	50 357
Electrification level Transmission type		PHEV AISIN F21-360 FT FOP
Transmission type		automatic transmission
Gear ratios 1st gear 2nd		4.459 2.508
3rd		1.556
4th 5th		1.142 0.851
6th	-	0.672
Reverse gear Final drive ratio	 	3.185 3.681
Transmission Identification	-	GE2I12GK
Translations 1st gear 2nd gear		11.3 5.85
Power-steering Steering transmission, overall	 :1	EPS 16
Recuperation power	:1 kW	60
Front tyres Front rims		195/50 R20 93 W 7J x 20 LM
Rear tyres	-	215/45 R20 95 W
Rear rims Track front	 mm	7.5J x 20 LM 1644
Width of the rear track	mm	1721
Wheel offset front Wheel offset rear	mm mm	36 40
A Cx	m²	2.15 0.26
Air resistance	m²	0.56
Top speed Top speed (electrical)	km/h km/h	250 120
0-100Km/h	s	4.4
Fuel cons. City Fuel cons. Highway	L/100km L/100km	2.6 4.2
Fuel cons. Combined	L/100km	20
Emission classification (type-certified) Battery Capacity (low voltage)	 Ah	ULEV II 50
System voltage (low voltage)	V	12
Battery Capacity (high voltage) System voltage (high voltage)	Ah V	20 355
Battery type high voltage		Li-lon
Gross battery content high voltage Net battery content high voltage	kWh kWh	7.1 5.2
		central tunnel subsoil
Battery Position high voltage		
Battery Position high voltage charging variation 1 charging current 1	 A	AC Typ 1; 3,7kW 16
Battery Position high voltage charging variation 1	-	AC Typ 1; 3,7kW

Wheel Overview

Model Year 2017

BMW i8

Effective: 07/01/16

<u> 8</u>



Code: 2HP Style: 625 20"BMW i Light Alloy Turbine

Wheels, Style 625, mixed

20x7.5, 215/45 R20

Rear:

Front:

20x8.5, 245/40 R20

Optional

Code: 2W8 Style: 470

20"BMW i Light Alloy W Spoke Wheels, Style 470,

mixed

Front: 20x7.5, 215/45 R20 Rear:

20x8.5, 245/40 R20

Standard

BMW i8 Protonic Red Effective: 07/01/16

i8 Protonic Red Edition



Code: 2B5 Style: 470

20" BMW i Lt/Aly W-Spoke Wheels w/ OrbitGrey Finish, Style 470, Mixed

Front: 20x7.5, 215/45 R20 Rear: 20x8.5, 245/40 R20

Standard

Retail Pricing

Model Year 2017

BMW i8

Effective: 07/01/16

		<u>®</u>
	Start of Production Base Price	
	20001.100	, 2,522
	Metallic	NC
B72	Ionic Silver Metallic w/BMW i Frozen Blue Accent	
B96 B97	Crystal White Pearl w/Frozen Grey Accent Crystal White Pearl w/BMW i Frozen BlueAccent	
C22	Sophisto Grey Metallic w/Frozen Grey Accent	
C23	Sophisto Grey Metallic w/BMW i Frozen Blue Accent	
	Upholstery	
	Spheric Leather/Cloth	NC
NFCJ	Carum Spice Grey Leather with Cloth Accent	
	NFCJ cannot be ordered with Z8H or Z8X	(req'd)
	Full Spheric Leather Perforate	NC
NGEK	Ivory White Full Perforated Leather	701/
NGHA	Included in package Amido Full Perforated Leather	Z8X
NGHA	In combination with Z8X	NC
	III OSINDINATON MINI 2070	110
	Natural Leather/Cloth	NC
NKFD	Dalbergia Brown Natural Leather with Cloth Accent	
	Included in package	Z8H
	Packages	
Z8H	Halo Interior World	\$6,700
70)/	Z8H requires ordering NKFD	(req'd)
Z8X	Carpo Interior World NGHA - Amido Full Perforated Leather	\$5,700 NC
	Z8X requires ordering NGEK or NGHA	(req'd)
	Love required ordering received from	(1040)
	Options	
2HP	20"BMW i Light Alloy Turbine Wheels, Style 625, mixed	NC
	(20x7.5, 215/45 R20 front and 20x8.5, 245/40 R20 rear)	40.533
5AZ	BMW Laserlight Headlights	\$8,000
	5AZ will delete 5A4 from the order	(req'd)

Retail Pricing

Model Year 2017

NFHD

BMW i8 Protonic Red Effective: 07/01/16

> Start of Production Base Price

100 is Protonic 91/20 Edition

U	р	h	ols	ste	ry
---	---	---	-----	-----	----

Spheric Leather/Cloth
Amido Leather with Red Highlights

Packages

ZPR Protonic Red Edition \$13,700

Options

5AZ BMW Laserlight Headlights \$8,500

5AZ will delete 5A4 from the order (req'd)

Z0R Protonic Red NC