

BMW X1.

2017MY PRODUCT GUIDE.

MY17 BMW X1 Technical Specifications

		X1 xDrive28i
Engine type Transmission type		B46A20O0 automatic transmission
Seats		5
Number of Doors		5
Veh. length	mm	4455
width height	mm mm	1821 1598
Width inc. mirrors	mm	2060
Wheelbase	mm	2670
Overhang front	mm	858
Rear overhang	mm	927
Turning circle Ground clearance	m mm	11.4 183
Shoulder width front	mm	1412
Shoulder room rear	mm	1402
Elbow width front	mm	1440
Elbowroom rear	mm	1453
Legroom front	mm mm	1026 941
Legroom rear Max. headroom front	mm	1065
Maximum headroom rear	mm	1002
Maximum headroom second	mm	970
Knee clearance	mm	57
Luggage volume	liter	505-1550
Fuel tank capacity (approx.) Rear Weight distribution (empty car)	liter %	61 43.5
US Curb weight	% lbs	43.5 3697
US Gross weight	lbs	4729
US revenue load	lbs	899
Front Axle Load Limit	lbs	2469
Rear Axle Load Limit Engine type	lbs 	2381 B46A2000
Engine type Engine type		in line
Cylinders		4
Valves p.cyl.		4
Fuel management		MEVD 17.2.3
Charging Type Charging Technique		TwinPower Turbo
Injection type		TwinPower Turbo Technology High precision direct injection
Injection technique		DI
Stroke	mm	94.6
Bore	mm	82
Displacement	cm ³	1998
Compression rate	:1 HP	10.2 228
Engine power at rpm	1/min	5000
Engine torque	ft lbs	258
at rpm	1/min	1250
Fuel type		gasoline
recomm.	 Utaa	AKI 91
Engine oil (filling quantity) Output per litre	liter kW/dm³	5.25 85.1
Transmission type		Aisin F22
Gear ratios 1st gear		5.25
2nd		3.029
3rd		1.95
4th 5th		1.457 1.221
6th		1.221
7th		0.809
8th		0.673
Reverse gear		4.015
Final drive ratio Suspension type front		3.2
Rear suspension		1-link drive suspension strut axle central pivot axle
Steering type		1-link drive suspension strut axle central pivot axle rack-and-pinion
Steering type Power-steering	 	1-link drive suspension strut axle central pivot axle rack-and-pinion EPS
Steering type Power-steering Steering transmission, overall	 :1	1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16
Steering type Power-steering Steering transmission, overall Front brake	 	1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated
Steering type Power-steering Steering transmission, overall	 :1 	1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16
Steering type Power-steering Steering transmission, overall Front brake Rear brake Front Track Rear Track	 :1	1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated disc ventilated
Steering type Power-steering Steering transmission, overall Front brake Rear brake Front Track Rear Track Run flat tyres	 :1 mm mm	1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated disc ventilated 1561 1562 no
Steering type Power-steering Steering transmission, overall Front brake Rear brake Front Track Rear Track Run flat tyres A	 :1 mm mm 	1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated disc ventilated 1561 1562 no 2.46
Steering type Power-steering Steering transmission, overall Front brake Rear brake Front Track Rear Track Run flat tyres A Cx	 :1 mm mm m²	1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated disc ventilated 1561 1562 no 2.46 0.31
Steering type Power-steering Steering transmission, overall Front brake Rear brake Front Track Rear Track Rear Track Run flat tyres A Cx Air resistance	 :1 mm mm m² m²	1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated disc ventilated 1561 1562 no 2.46 0.31 0.76
Steering type Power-steering Steering transmission, overall Front brake Rear brake Front Track Rear Track Run flat tyres A Cx	 :1 mm mm m²	1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated disc ventilated 1561 1562 no 2.46 0.31
Steering type Power-steering Steering transmission, overall Front brake Rear brake Front Track Rear Track Run flat tyres A Cx Air resistance Top speed Top speed Top speed Top 1-0100Km/h	 :1 mm mm m² m² km/h	1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated disc ventilated 1561 1561 1562 no 2.46 0.31 0.76 210
Steering type Power-steering Steering transmission, overall Front brake Rear brake Front Track Rear Track Run flat tyres A Cx Air resistance Top speed Top speed optional 0-100Km/h Fuel cons. City		1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated disc ventilated 1561 1562 no 2.46 0.31 0.76 210 230 6.5
Steering type Power-steering Steering transmission, overall Front brake Rear brake Front Track Rear Track Run flat tyres A Cx Air resistance Top speed Top speed Top speed optional 0-100Km/h Fuel cons. City Fuel cons. Highway		1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated disc ventilated 1561 1562 no 2.46 0.31 0.76 210 230 6.5 10.5 7.4
Steering type Power-steering Steering transmission, overall Front brake Rear brake Front Track Rear Track Reun flat tyres A Cx Air resistance Top speed Top speed optional 0-100Km/h Fuel cons. City Fuel cons. City Fuel cons. Combined		1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated disc ventilated 1561 1562 no 2.46 0.31 0.76 210 230 6.5 10.5 7.4 9.1
Steering type Power-steering Steering transmission, overall Front brake Rear brake Front Track Rear Track Run flat tyres A Cx Air resistance Top speed Top speed optional 0-100Km/h Fuel cons. City Fuel cons. Cliy Fuel cons. Combined Emission classification (type-certified)		1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated disc ventilated 1561 1562 no 2.46 0.31 0.76 210 230 6.5 10.5 7.4 9.1
Steering type Power-steering Steering transmission, overall Front brake Rear brake Front Track Rear Track Reun flat tyres A Cx Air resistance Top speed Top speed optional 0-100Km/h Fuel cons. City Fuel cons. City Fuel cons. Combined		1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated disc ventilated 1561 1562 no 2.46 0.31 0.76 210 230 6.5 10.5 7.4 9.1
Steering type Power-steering Steering transmission, overall Front brake Rear brake Front Track Rear Track Run flat tyres A Cx Air resistance Top speed Top speed optional 0-100Km/h Fuel cons. City Fuel cons. Combined Emission classification (type-certified) Generator amperage		1-link drive suspension strut axle central pivot axle rack-and-pinion EPS 16 disc ventilated disc ventilated 1561 1562 no 2.46 0.31 0.76 210 230 6.5 10.5 7.4 9.1 ULEV II

Wheel Overview

Model Year 2017 X1 Effective: 07/01/16 18" M Lt/Aly Wheels, Double-Code: 21D Front / Rear: Spoke 570 M,Bicolour, A/S ZCH Style: 570 M 18x7.5, 225/50 R18 Tire Code: 21E 19" M Lt/Aly Wheel, Double-Front / Rear: ZCH **Style: 572 M** Spoke 572 M,Perf. Tire 19x8.0, 225/45 R19 Code: 28B 19" Lt/Aly Wheel, Y-Spoke Front / Rear: ZCE Style: 511 511, Perf RFT 19x8.0, 225/45 R19 Code: 28C 18" Lt/Aly Wheel, Y-Spoke Front / Rear: Standard Style: 566 566, A/S Tire 18x7.5, 225/50 R18

Retail	Pric	cinq

Model Year 2017

Packages

Premium Package Essential

ZCA

X1

Effective: 01/01/17

01/17 \$39,750

\$3,250

Start of	Production		
	Base Price		

		Base Price	\$39,750
	Non-Metallic		STD
300	Alpine White		
	300 requires ordering ZDO		(req'd)
668	Jet Black		
475	Metallic		\$895
475	Black Sapphire Metallic		
A83	Glacier Silver Metallic		
A96	Mineral White Metallic		
B39	Mineral Grey Metallic		
B45	Estoril Blue Metallic B45 requires ordering ZCH		(rog'd)
B53	Sparkling Brown Metallic		(req'd)
C07	Sparkling Storm Metallic		
C08	Platinum Silver Metallic		
C09	Atlantic Grey Metallic		
C10	Mediterranean Blue Metallic		
C29	Chestnut Bronze Metallic		
	Upholstery		
	Perforated Dakota Leather		\$950
	In combination with ZCD		NC
	Included in package		ZCD
PDFY	Canberra Beige Dkt Lthr Perforated		
PDMZ	Mocha Dkt Lthr Perforated		
PDN4	Black Dkt Lthr Perforated w/Blue Stitching		
DD 0.4	PDN4 requires ordering ZCH		(req'd)
PDOA	Oyster Dkt Lthr Perforated		
PDSW	Black Dkt Lthr Perforated		
	Leatherette		NC
KCFY	Canberra Beige Leatherette		
	KCFY cannot be ordered with ZCH		(req'd)
	KCFY and 481 cannot be ordered with ZCA or ZCC		(req'd)
KCSW	Black Leatherette		
	Lines		
ZCH	Sport Line		\$2,250
	21E - 19" M Lt/Aly Wheel, Double-Spoke 572 M,Perf. Tire		\$500
	4LS - Brushed Aluminum Trim w/Chrome Highlight		NC
	4LU - High-Gloss Black Trim w/Satin Chrome Highlight		NC NC
	4WE - Aluminum Hexagon Trim w/Pearl Chrome Highlight		NC NC
	4WF - Aluminum Hexagon Trim w/Matte Blue Highlight		NC
	ZCH requires ordering ZCA or ZCC		(req'd)
	ZCH will delete STD or 100% equipment 255, 28C, 3AT, 3L8 and 7HW ZCH requires ordering 300, 475, A83, A96, B39 or B45		(req'd) (req'd)
	2011 104alios diaciling 000, 470, 700, 700, 500 di 540		(roqu)

	Pricing ear 2017 X1 Effective: 01/01/17		X1 xDrive28i
		Start of Production	01/17
		Base Price	\$39,750
	ZDV - Sport Seat Deletion		NC
	In combination with ZDV		\$3,000
ZCC	Premium Package Enhanced		\$5,500
	ZDV - Sport Seat Deletion		NC
	ZCC cannot be ordered with ZCA		(req'd)
705	In combination with ZDV		\$5,250
ZCD	Executive Package		\$2,950
	5AT - Driving Assistant Plus		\$1,000
705	ZCD requires ordering ZCA or ZCC		(req'd)
ZCE	Sport Performance Package		\$950
	ZCE will delete STD or 100% equipment 927 ZCE cannot be ordered with ZCH		(req'd) (req'd)
	ZOL Calliot be ordered with ZOTT		(requ)
	Options		
300	Compact Spare Tire		\$150
	300 requires ordering ZDO		(req'd)
316	Automatic Trunk		\$500
	Included in package		ZCA, ZCC
441	Smoker's Package		\$100
4F7	Oak Grain Wood Trim w/Chrome Hightlight		NC
	4F7 cannot be ordered with ZCH		(req'd)
4LS	Brushed Aluminum Trim w/Chrome Highlight		NC
	In combination with ZCH		NC
4LU	High-Gloss Black Trim w/Satin Chrome Highlight		NC
	In combination with ZCH		NC
4UY	Ski And Snowboard Bag		\$350
502	Headlight Washers		\$300
674	Harman Kardon Sound System		\$950
	Included in package		ZCD
7LK	Sliding/Reclining Rear Seats w/Cargo Nets		\$895
700	7LK cannot be ordered with ZCH		(req'd)
ZDO	Non-Runflat Tires		NC
	ZDO requires ordering 300		(req'd)
	ZDO will delete STD or 100% equipment 258		(req'd)
	ZDO cannot be ordered with 21E or 28B		(req'd)