

BMW X3.
2019MY PRODUCT GUIDE.

MY19 X3 Technical Specifications

Gear ratios 1st gear 5 5 2nd 3.2 3.2 3rd 2.143 2.143 4th 1.72 1.72 5th 1.314 1.314 6th 1 1 1 7th 0.822 0.822 8th Reverse gear 0.64 0.64 0.64 Reverse gear 2.56 0.81 0.68 1.68 1.68 1.68 1.68 1.68 1.68 1.68 1.68 1.68			X3 xDrive30i	M3 M40i
Number of Doors				
Web. length				
Height		mm		20
Width inc. mirror with thind. mirror diver mm 1080				
Width ind.mirror driver				
Wheelbase				
Front Overhang mm mm 870 870 870 870 mm 988 992 1 12-1		mm		
Rear Overhang				
Turning circle				
Front Shoulder Width mm 1462 1462 1462 1762 1522 1522 1522 1522 1522 1522 1522 15				
Rear Shoulder Width				
Front Elbow Width mm 1522 1522 1522 1747 1477 1477 1477 1477 1477 1477 14				
Rear Elbow Width				
Rear Legroom				
Max. Headroom Front mm 1045 1045 Max. Headroom Rear mm 994 994 Knee Clearance mm 58 58 Luggage Volume m³ 50 .0.55 - 1.6 .0.55 - 1.6 Fording Depth mm 500 500 500 Climbing Ability % 32 32 32 Fuel tank capacity (approx.) series liter 65 65 65 65 Rear Weight Distribution (Empty Car) (% 1880 1958 48 6 48 6 65 48 6 65			1024	1024
Max. Headroom Rear mm 994 mm 58 58 58 58 58 58 58				
Nene Clearance				
Luggage Volume				
Fording Depth mm 500 500 500 500 500 500 500 500 32 32 32 32 32 32 32				
Fuel tank capacity (approx.) series liter 65 65 Rear Weight Distribution (Empty Car) 76 50.5 49.6 Curb Weight kg 1890 1958	Fording Depth	mm		
Rear Weight Distribution (Empty Car)				
Curb Weight kg 1890 1958 Gross Vehicle Weight kg 2400 2455 Payload kg 405 415 Load Limit of the Front Avxle kg 1160 1190 Load Limit of the Rear Avxle kg 1390 1395 Engine type B4682000 BS8830M0 Valves p.cyl. 4 4 Stroke mm 94.6 94.6 Bore mm 82 82 Displacement :1 10.2 11 Compression rate :1 10.2 11 Engine power (bHP] bHP 248 355 at rpm 1/min 5200-6500 5500-6500 maximum Engine speed at maximum torque 1/min 5258 365 namimum Engine speed at maximum torque 1/min 1450-4800 1520-4800 sat rpm 1/min 1450-4800 1520-4800 Fuel type 4K1 91 1450-4800				
Gross Vehicle Weight Payload				
Payload Load Limit of the Front Avxle Load Limit of the Front Avxle Load Limit of the Rear Avxle kg 1160 1190 1395 13				
Load Limit of the Front Avxle			2.00	
Engine type			1160	1190
Cylinders - 4 6 Valves p.cyl. - 4 4 Stroke mm 94.6 94.6 Bore mm 94.6 94.6 Displacement cm² 1998 2998 Compression rate :1 10.2 11 Engine power (bHP) bHP 248 355 Engine power (bHP) bHP 248 355 at rpm 1/min 5200 5500-6500 5500-6500 maximum Engine speed at maximum power maximum Engine speed at maximum torque fully pe 1/min 6500 6500 6500 st rpm 1/min 1450-4800 1520-4800 1520-4800 1520-4800 Fuel type 1/min 4800		kg		
Valves p.cyl.		-		
Stroke mm 82 82 82 82 82 82 82		-	·	
Displacement cm³ 1998 2998 Compression rate :1 10.2 11 Engine power [bHP] at rpm bHP 248 355 minimum Engine speed at maximum power maximum Engine speed at maximum power at rminimum Engine speed at maximum torque this comminimum Engine speed at maximum torque maximum Engine speed at maximum torque maximum Engine speed at maximum torque maximum Engine speed at maximum torque fuel type 1/min 1450-4800 1520-4800 Useable Fuel quality AKI 89 MIN AKI 89 MIN AKI 89 MIN AKI 89 MIN AKI 90 4800 4800 Useable Fuel quality AKI 89 MIN AKI 91		mm		
Compression rate		mm		
Engine power [bHP] at rpm				
at rpm				
minimum Engine speed at maximum power maximum Engine speed at maximum power Engine torque 1/min flow flow flow flow flow flow flow flow				
Engine torque at rpm				
at typin minimum Engine speed at maximum torque maximum Engine speed at maximum torque maximum Engine speed at maximum torque fuel type Useable Fuel quality recomm. Engine oil (filling quantity) Electrification level Transmission type Transmission type Transmission type Gear ratios 1st gear 2nd 2nd 2nd 2nd 2nd 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2		.,		
minimum Engine speed at maximum torque maximum Engine speed at maximum torque Pul type 1/min 4800 4800 Useable Fuel quality recomm. AKI 89 MIN AKI 89 MIN Forgine oil (filling quantity) litter AKI 91 Engine oil (filling quantity) litter 5.25 6.5 Electrification level mone 8HP50 8HP50 Sport Transmission type BHP50 8HP50 Sport automatic transmission 5 5 Gear ratios 1st gear 3.2 <t< td=""><td></td><td></td><td></td><td></td></t<>				
maximum Engine speed at maximum torque 1/min 4800 4800 gasoline Fuel type				
Fuel type		.,		
Ferrorm				
Engine oil (filling quantity)				
Electrification level				
Transmission type		iitei		6.5
Transmission type		-		8HP50 Sport
2nd 3.2 3.2 3.2 3rd 2.143 2.143 2.143 4th 1.72 1.72 1.72 5th 1.314 1.314 1.314 6th 1 1 1 7th 0.822 0.822 0.822 8th 0.64 0.64 0.64 Reverse gear 0.64 0.64 0.64 Final drive ratio 3.385 3.385 3.385 Power-steering EPS EPS EPS Steering transmission, overall :1 16.8			automatic transmission	automatic transmission
3rd				
4th 1.72 1.72 5th 1.314 1.314 6th 1 1 7th 0.822 0.822 8th 0.64 0.64 Reverse gear 0.64 0.64 Reverse gear 3.456 3.456 Final drive ratio 3.385 3.385 Power-steering EPS EPS Steering transmission, overall :1 16.8 245/50 R19 105W XI Front tyres 225/60 R18 104H XL AS 245/50 R19 105W XI 7,5 x 19 LM 7,5 x 18 LM 7,5 x 18 LM		-		
5th 1.314 1.314 1.314 1 3.456 3.456 3.456 3.385 3.385 9.385 3.385 3.385 9.385 3.385 9.385 3.385 9.385 3.385 9.385 3.385 9.385 3.385 9.385 3.385 9.385 3.385 9.385 3.385 9.385 3.385 9.385 3.385 9.385 3.385 9.385 3.385 9.385 3.385 9.385 3.385 9.385 3.385 9.285 1.582 1.582 1.68 <td></td> <td></td> <td></td> <td></td>				
7th 0.822 0.822 0.822 8th 0.64 0.64 0.64 Reverse gear 0.64 0.64 0.64 Reverse gear 3.456 3.456 3.456 Final drive ratio 3.385 3.385 3.385 Steering transmission, overall :1 16.8 16.8 16.8 16.8 16.8 15.7 17.7 18.1 7.51 19.5 <td>5th</td> <td></td> <td></td> <td></td>	5th			
8th 0.64 0.64 Reverse gear 3.456 3.456 Final drive ratio 3.385 3.385 Power-steering EPS EPS Steering transmission, overall :1 16.8 16.8 Front tyres 225/60 R18 104H XL AS 245/50 R19 105W XI Front tims 7.3 x 18 LM 7,5 J x 19 LM Rear tries 225/60 R18 104H XL AS 245/50 R19 105W XI Rear tries 225/60 R18 104H XL AS 245/50 R19 105W XI Rear tries 225/60 R18 104H XL AS 245/50 R19 105W XI Rear tries 225/60 R18 104H XL AS 245/50 R19 105W XI Rear tries 225/60 R18 104H XL AS 245/50 R19 105W XI Rear tries 1860 1660 245/50 R19 105W XI Rear tries 225/60 R18 104H XL AS 245/50 R19 105W XI 245/50 R19 105W XI Track front mm 1620 1605 1605 245			·	
Reverse gear				
Final drive ratio				
Steering transmission, overall 1			1 . 1	
Front tyres				
Front rims Rear tyres Rear tyres Rear rims Track front Width of the rear track Wheel offset front Wheel offset rear Run flat tyres A Top speed T				
Rear tyres 225/60 R18 104H XL AS 245/50 R19 105W XI Rear rims 7J x 18 LM 7,5J x 19 LM Track front mm 1620 1605 Width of the rear track mm 1636 1616 Wheel offset front mm 22 32 Wheel offset rear mm 22 32 Run flat tyres yes yes A m² 2.65 2.65 Cx 0.33 0.34 Top speed km/h 210 210 Top speed optional km/h - 250 0-100km/h s 6.3 4.8 Fuel cons. City L/100km 10.8 - Fuel cons. Highway L/100km 8 - Full cons. Combined L/100km 9.6 - Emission classification (type-certified) SULEV30 ULEV70 SCR (Yes/No) No No Battery Capacity (low voltag				
Rear rims 7J x 18 LM 7,5J x 19 LM Track front mm 1620 1605 Width of the rear track mm 1636 1616 Wheel offset front mm 22 32 Wheel offset rear mm 22 32 Run flat tyres yes yes A m² 2.65 2.65 Cx 0.33 0.34 Top speed km/h 210 210 Top speed optional km/h - 250 0-100Km/h s 6.3 4.8 Fuel cons. City L/100km 10.8 - Fuel cons. Highway L/100km 8 - Fuel cons. Combined L/100km 9.6 - Emission classification (type-certified) SULEV30 ULEV70 SCR (Yes/No) No No Battery Capacity (low voltage) Ah 105 105 System voltage (low voltage)				
Track front mm 1620 1605 Width of the rear track mm 1636 1616 Wheel offset front mm 22 32 Wheel offset rear mm 22 32 Run flat tyres yes yes A m² 2.65 2.65 Cx 0.33 0.34 Top speed km/h 210 210 Top speed optional km/h - 250 0-100km/h s 6.3 4.8 Fuel cons. City L/100km 10.8 - Fuel cons. Highway L/100km 8 - Fuel cons. Combined L/100km 9.6 - Emission classification (type-certified) SULEV30 ULEV70 SCR (Yes/No) No No Battery Capacity (low voltage) Ah 105 105 System voltage (low voltage) V 12 12 Facing surface [t²] ft </td <td></td> <td></td> <td></td> <td>7,5J x 19 LM</td>				7,5J x 19 LM
Wheel offset front mm 22 32 Wheel offset rear mm 22 32 Run flat tyres yes yes A m² 2.65 2.65 Cx 0.33 0.34 Top speed km/h 210 210 Top speed optional km/h - 250 0-100Km/h s 6.3 4.8 Fuel cons. City L/100km 10.8 - Fuel cons. Highway L/100km 8 - Fuel cons. Combined L/100km 9.6 - Emission classification (type-certified) SULEV30 ULEV70 SCR (Yes/No) No No Battery Capacity (low voltage) Ah 105 105 System voltage (low voltage) V 12 12 Facing surface [f²] ft 28.53	Track front		1620	
Wheel offset rear mm 22 32 Run flat tyres yes yes A m² 2.65 2.65 Cx 0.33 0.34 Top speed km/h 210 210 Top speed optional km/h - 250 0-100Km/h s 6.3 4.8 Fuel cons. City L/100km 10.8 - Fuel cons. Highway L/100km 8 - Fuel cons. Combined L/100km 9.6 - Emission classification (type-certified) SULEV30 ULEV70 SCR (Yes/No) No No Battery Capacity (low voltage) Ah 105 105 System voltage (low voltage) V 12 12 Facing surface [t²] ft 28.53				
Run flat tyres				
A m² 2.65 2.65 Cx 0.33 0.34 Top speed km/h 210 2210 Top speed optional km/h - 250 0-100Km/h s 6.3 4.8 Fuel cons. City L/100km 10.8 - Fuel cons. Highway L/100km 8 - Fuel cons. Combined L/100km 9.6 - Emission classification (type-certified) SULEV30 ULEV70 SCR (Yes/No) No No Battery Capacity (low voltage) Ah 105 105 System voltage (low voltage) V 12 12 Facing surface [f²] ft 28.53 28.53				
Top speed	A	m²	2.65	2.65
Top speed optional				
0-100km/h s 6.3 4.8 Fuel cons. City L/100km 10.8 - Fuel cons. Highway L/100km 8 - Fuel cons. Combined L/100km 9.6 - Emission classification (type-certified) SUEV30 ULEV70 SCR (Yes/No) No No Battery Capacity (low voltage) Ah 105 105 System voltage (low voltage) V 12 12 Facing surface [t²] ft 28.53 28.53				
Fuel cons. City L/100km 10.8 - Fuel cons. Highway L/100km 8 - Fuel cons. Combined L/100km 9.6 - Emission classification (type-certified) SULEV30 ULEV70 SCR (Yes/No) No No Battery Capacity (low voltage) Ah 105 105 System voltage (low voltage) V 12 12 Facing surface [f²] ft 28.53 28.53				
Fuel cons. Highway L/100km 8 - Fuel cons. Combined L/100km 9.6 - Emission classification (type-certified) SULEV30 ULEV70 SCR (Yes/No) No No Battery Capacity (low voltage) Ah 105 105 System voltage (low voltage) V 12 12 Facing surface [f²] ft 28.53 28.53				
Fuel cons. Combined L/100km 9.6 - Emission classification (type-certified) SUEV70 ULEV70 SCR (Yes/No) No No Battery Capacity (low voltage) Ah 105 105 System voltage (low voltage) V 12 12 Facing surface [f²] ft 28.53 28.53				
Emission classification (type-certified) SULEV30 ULEV70 SCR (Yes/No) No No Battery Capacity (low voltage) Ah 105 105 System voltage (low voltage) V 12 12 Facing surface [f²] ft 28.53 28.53				
SCR (Yes/No) No No Battery Capacity (low voltage) Ah 105 105 System voltage (low voltage) V 12 12 Facing surface [f²] ft 28.53 28.53				ULEV70
Battery Capacity (low voltage) Ah 105 105 System voltage (low voltage) V 12 12 Facing surface [f²] ft 28.53 28.53				
Facing surface [f²] ft 28.53 28.53	Battery Capacity (low voltage)			105
	Facing surface [f²] CxA[ft²]	ft ft	28.53	28.53

Х3

Effective: 01/01/19

			× ×	
Code: 22U Style: 698M	19" M Lt/Aly Wheels, Double-Spoke 698M,A/S RFT	Front / Rear: 19x7.5, 245/50 R19		Optional
Code: 22W Style: 699M	20" M Lt/Aly Wheels, Double-Spoke 699M,Perf. RFT	Front: 20x8.0, 245/45 R20 Rear: 20x9.5, 275/40 R20	ZK5	
Code: 22Z Style: 718M	21" M Lt/Aly Wheels, Double-Spoke 718M,Perf. RFT	Front: 21x8.5, 245/40 R21 Rear: 21x9.5, 275/35 R21		Standard
Code: 25Y Style: 692	19" Lt/Aly Wheels, V-Spoke 692, A/S Tires	Front / Rear: 19x7.5, 245/50 R19	Standard	
Code: 28L Style: 695	20" Lt/Aly Wheels, Y-Spoke 695, Perf. RFT	Front: 20x8.0, 245/45 R20 Rear: 20x9.5, 275/40 R20	Optional	
Code: 2NQ Style: 726i	21" BMW Individual Lt/Aly Wheels, V- Spoke 726i, Perf. RFT	Front: 21x8.5, 245/40 R21 Rear: 21x9.5, 275/35 R21	Optional ZK5	Optional
Code: ZF1 Style: 698M	19" M Lt/Aly Wheels, Double-Spoke 698M,A/S RFT	Front / Rear: 19x7.5, 245/50 R19	ZK5	

X3 M40i

Retail Model Ye	Pricing ear 2019 X3 Effective: 01/01/19	X3 xDrive30i	X3 M40i
	CA Model Coo AG Model Coo Start of Productio Base Pri	de 1983 de TR93 on 09/18	1985 TS33 09/18 \$62,950
	Non-Metallic	STD	STD
300 668	Alpine White Non Metallic Jet Black Non-Metallic Metallic	\$895	NA \$895
416 475	Carbon Black Metallic 416 requires ordering ZK5 Black Sapphire Metallic	(req'd)	
A83	Glacier Silver Metallic		
A90 A96	Dark Graphite Metallic Mineral White Metallic		NA
	A96 cannot be ordered with ZK5	(req'd)	
C07	Sparkling Storm Metallic C07 cannot be ordered with ZK5	(req'd)	NA
C1L	Terra Brown Metallic		NA
C1M	C1L cannot be ordered with ZK5 Phytonic Blue Metallic	(req'd)	
C1N	Sunstone Metallic	\$1,450	\$1,450
	Upholstery		
	Vernasca Leather Included in package	\$1,500 ZKE	\$1,500 ZKF
	In combination with ZKE	NC	NC
MAFO	In combination with ZKF Canberra Beige Vernasca Leather	NC	NC
MAH7	Black Vernasca Leather		
MAMU MANL	Mocha Vernasca Leather	NA	
MAOQ	Black Vernasca Leather w/ Blue ContrastStitching Oyster Vernasca Leather	INA	
MAPQ	Cognac Vernasca Leather		
K8FY	Leatherette Canberra Beige Leatherette	NC	NC
K8SW	Black Leatherette		
	BMW Individual Extended Merino BMW Individual Extended Merino will add 4AW to the order	\$2,900 (req'd)	\$2,900
	BMW Individual Extended Merino and not ZK5 will add 778 to the order In combination with ZKE In combination with ZKF	(req'd) \$700	\$700
VAEW VAHZ VATQ	BMW Individual - Ivory White Extended Merino Leather BMW Individual - Fiona Red/Black Extended Merino Leather BMW Individual - Tartufo Extended MerinoLeather		
	Lines		
ZK5	M Sport Line 223 - Dynamic Damper Control	\$3,500 \$1,000	NA
	2NQ - 21" BMW Individual Lt/Aly Wheels, V-Spoke 726i, Perf. RFT	\$1,500	
	ZF1 - 19" M Lt/Aly Wheels, Double-Spoke 698M,A/S RFT ZK5 requires ordering ZJ6 or ZJ7	NC (req'd)	
	ZK5 will delete STD or 100% equipment 3MB and 7HW	(req'd)	
	Packages		
ZJ6	Premium Package Essential ZJ6 cannot be ordered with ZJ7	\$3,900 (req'd)	\$3,900
	ZJ6 cannot be ordered with ZKA		(req'd)
ZJ7	Premium Package Enhanced ZJ7 cannot be ordered with ZJ6	\$5,500 (req'd)	NA
ZKA	Premium Package Enhanced	(Teq a) NA	\$5,750
7I/D	ZKA cannot be ordered with ZJ6	¢2,000	(req'd)
ZKB	Advanced Driver Assistance Package 5DM - Parking Assistant	\$2,900 NC	\$2,900 NC
	ZKB requires ordering ZJ6 or ZKA	CO. 400	(req'd)
	In combination with 5DM ZKB requires ordering ZJ6 or ZJ7	\$2,400 (req'd)	\$2,400
ZKE	Ultimate Package	\$12,100	NA
	5DM - Parking Assistant In combination with 5DM	NC \$11,600	
	ZKE requires ordering BMW Individual Extended Merino and Vernasca Leather	(req'd)	
ZKF	ZKE cannot be ordered with ZJ6, ZJ7, ZKB or ZKC Ultimate Package	(req'd) NA	\$11,750
-	5DM - Parking Assistant		NC NC

	I Pricing Year 2019 X3	X3 xDrive30i	ō
	Effective: 01/01/19	, i	3 M40i
	0.14.110.1		8
	CA Model Code AG Model Code		1985 TS33
	Start of Production		09/18
	Base Price		\$62,950
	ZKF requires ordering BMW Individual Extended Merino or Vernasca Leather		(req'd)
	In combination with 5DM		\$11,250
	ZKF cannot be ordered with ZJ6, ZKA or ZKB		(req'd)
	Options		
22U	19" M Lt/Aly Wheels, Double-Spoke 698M,A/S RFT (19x7.5, 245/50 R19)	NA	NC
28L	20" Lt/Aly Wheels, Y-Spoke 695, Perf. RFT (20x8.0, 245/45 R20 front and 20x9.5, 275/40 R20 rear)	\$500	NA
2NQ	21" BMW Individual Lt/Aly Wheels, V-Spoke 726i, Perf. RFT (21x8.5, 245/40 R21 front and 21x9.5, 275/35 R21 rear)	\$1,500	\$1,500
	In combination with ZK5	\$1,500	
2T4	M Sport Differential	NA	\$1,300
	2T4 cannot be ordered with 22U		(req'd)
3AC	Trailer tow hitch	\$750	\$750
3AT	Satin Aluminum Roof Rails	\$250 ZJ6,	NA
	Included in package	ZJ7, ZK	
	OAT ALL IN INTE	E (*** **!**)	
3DS	3AT cannot be ordered with ZK5 BMW Display Key	(req'd) \$300	\$300
441	Smoker's Package	\$100	\$100
461	Adjustable Rear Seats	\$500	\$500
	Included in package	ZKE	ZKF
488	Lumbar Support	\$300	\$300
493	Included in package Storage Compartment Package	ZJ7, ZKE \$400	ZKA, ZKF \$400
433	Included in package	ZJ7, ZKE	ZKA, ZKF
4FH	Ventilated Front Seats	\$450	\$450
	4FH requires ordering MAFO, MAH7 or MAMU	(req'd)	(req'd)
4K1	High-Gloss Dark Oak Trim w/ Pearl ChromeHighlight	STD	NC
4K7	4K1 cannot be ordered with ZK5	(req'd) NC	STD
4117	Aluminum Rhombic Trim w/Satin Chrome Highlight 4K7 requires ordering ZK5	(req'd)	310
4K9	Brushed Aluminum Trim w/Satin Chrome Highlight	NC	NC
4LH	Cove Wood Trim w/Satin Chrome Highlight	NC	NC
4LQ	Poplar Grey Wood Trim w/Satin Chrome Highlight	NC	NC
4ML	Piano Black Wood Trim w/Satin Chrome Highlight	\$400	\$400
4NM	Ambient Air Package Included in package	\$500 ZKE	\$500 ZKF
4UY	Ski And Snowboard Bag	\$350	\$350
552	Adaptive Full LED Headlights	\$1,500	100%
	Included in package	ZKE	
5DN	Parking Assistant Plus w/Surround View	\$1,000	\$1,000
600	Included in package	ZKB, ZKE	ZKB, ZKF
688	Harman/Kardon Sound System Included in package	\$1,000 ZKE	\$1,000 ZKF
	688 requires ordering ZJ6 or ZJ7	(req'd)	2131
	688 requires ordering ZJ6 or ZKA		(req'd)
6NW	Wireless Charging w/Extended Bluetooth and USB	\$350	\$350
	6NW requires ordering ZJ6 or ZKA	71/5	(req'd)
	Included in package 6NW requires ordering 6WD	ZKE (req'd)	ZKF (req'd)
	6NW requires ordering ZJ6 or ZJ7	(req'd)	(. 24 2)
6U8	BMW Gesture Control	\$300	\$300
	6U8 requires ordering ZJ6, ZJ7 or ZKE	(req'd)	_
	Included in package	ZKE	ZKF
6WD	6U8 requires ordering ZJ6, ZKA or ZKF WiFi Hotspot	NC	(req'd) NC
טעעט	WiFi Hotspot Included in package	ZKE	ZKF
	6WD requires ordering 6NW	(req'd)	(req'd)
ZSP	Special Order	\$400	\$400