

BMW 3 Series.

2020MY PRODUCT GUIDE.

DMW/2 Corios Codos	5072	- FU02
BMW 3 Series Sedan	5R73 BMW 330i xDrive	5U93 BMW M340i xDrive
Basic data summary Transmission type	Automatic	Automatic
Engine description	B46B20O1	B58B30O1
Seats Number of doors	5 4-door car	5 4-door car
Engine type	Four-wheel drive	Four-wheel drive
Dimensions Exterior		
Length, mm Width, mm	4717 1827	4718 1827
Height, mm	1448	1440
Width inc. mirrors, mm Width incl.mirror driver, mm	2068 1040	2068 1040
Width incl.mirror passengers side, mm	1028	1028
Wheelbase, mm Overhang front, mm	2851 807	2851 807
Rear overhang, mm	1059	1060
Turning circle, m Ground clearance, mm	12 138	12 130
Interior		
Shoulder width front, mm Shoulder room rear, mm	1422 1387	1422 1387
Elbow width front, mm Elbowroom rear, mm	1456	1456 1460
effective legroom front (L34), mm	1460 1066	1066
effective legroom rear second seating row (L51-2), mm Headroom front/SR, mm	893 984	893 984
Maximum headroom second, mm	955	955
Knee clearance, mm Seats	56 5	56 5
seats second row	3	3
Luggage volumes Press Trunk volume, ft ³	16,9	16,9
Weight		
Vehicle weights Curb weight (without driver), kg	1711	1800
vehicle curb weight without driver (front axle), kg	896	946
vehicle curb weight without driver (rear axle), kg Axle load limit front, kg	815 1055	854 1115
rear axle load limit, kg	1180	1230
rear Weight distribution (empty car), % Gross veh. weight, kg	47.6 2165	47.4 2245
Payload, kg	375	400
US weights gross vehicle weight, Ibs	4773	4949
Payload lbs, lbs	827	882
Front axle load lbs, lbs Axle load limit rear, lbs	2326 2601	2458 2712
vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -RA, lbs	3675 1722	3871 1808
vehicle weight without driver empty fuel tank -FA, lbs	1953	2064
vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco.	3772	3968
Performance		
Final drive ratio Top speed, km/h	2.813 210/250 (Optional)	2.813 210/250 (Optional)
Top speed, km/h 0-100Km/h, s		
Top speed, km/h	210/250 (Optional)	210/250 (Optional)
Top speed, km/h D-100Km/h, s Motor data Communication Power to weight ratio, kg/kW	210/250 (Optional) 5.6	210/250 (Optional) 4.3 6.3
Top speed, km/h D-100Km/h, s Motor data Communication Power to weight ratio, kg/kW Dutput per litre, kW/dm²	210/250 (Optional) 5.6 9 95.1	210/250 (Optional) 4.3 6.3 95.1
Top speed, km/h D-100Km/h, s Motor data Communication Power to weight ratio, kg/kW Output per litre, kW/dm³ Motor Engine type	210/250 (Optional) 5.6 9 95.1	210/250 (Optional) 4.3 6.3 95.1 B5883001
Top speed, km/h D-100km/h, s Wotor data Communication Power to weight ratio, kg/kW Dutput per litre, kW/dm³ Motor Engine type Cylinders Valves p.cyl.	210/250 (Optional) 5.6 9 95.1 84682001 4 4	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4
Top speed, km/h 0-100km/h, s Motor data Communication Power to weight ratio, kg/kW Output per litre, kW/dm³ Motor Engine type Cylinders Valves p.cyl. Stroke, mm	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6
Top speed, km/h D-100km/h, s Motor data Communication Owner to weight ratio, kg/kW Output per litre, kW/dm³ Motor Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Blisplacement, cm³	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6 82 1998	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6 82 2998
Top speed, km/h 0-100Km/h, s Motor data Communication Power to weight ratio, kg/kW Output per litre, kW/dm³ Motor Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Doisplacement, cm³ Compression rate, :1	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6 82 1998 10.2	210/250 (Optional) 4.3 6.3 95.1 B5883001 6 4 94.6 82 2998 10.2
Top speed, km/h -0-100km/h, s Motor data Communication Power to weight ratio, kg/kW Output per litre, kW/dm³ Motor Ingine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Bore, mm Bore, men Lated engine power (kW), kW Engine power (kHP), PS	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6 82 1998 10.2 190 258	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6 82 2998 10.2 285 387
Top speed, km/h 0-100Km/h, s Motor data Communication Power to weight ratio, kg/kW Dutput per litre, kW/dm³ Motor Engine type Cylinders Valves p.cy.l Stroke, mm Bore, mm Bore, mm Bore angine power (kW), kW Engine power (kW), PS Engine power (hPP), PS Engine power (hPP), DS	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6 82 1998 10.2 190	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6 82 2998 10.2 285
Top speed, km/h	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6 82 1998 10.2 190 258 255 5000-6500 5000	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800
Top speed, km/h 0-100km/h, s Wotor data Communication Devoer to weight ratio, kg/kW Dutput per litre, kW/dm³ Motor Fingine type Yelniders Yalves p.cyl. Stroke, mm Josplacement, cm³ Compression rate, :1 Rated engine power (kW), kW Ingine power (HP), PS Ingine power (HP), PS Ingine power (HP), DH Ipm at maximum power, 1/min Imminima Engine speed at maximum power, 1/min Topinima maximum Engine speed at maximum power, 1/min Topinima maximum Engine speed at maximum power, 1/min	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6 82 1998 10.2 190 258 255 5000-6500	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500
Top speed, km/h	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6 82 1998 10.2 190 258 255 5000-6500 5000 6500 400 1550-4400	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 500
Top speed, km/h	210/250 (Optional) 5.6 9 95.1 84682001 4 4 4 94.6 82 1998 10.2 190 258 255 5000-6500 5000 6500 400 1550-4400 1550 4400	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 500 1800-5000 1800-5000 5000
'Cop speed, km/hDoubkm/h, sWort to weight ratio, kg/kWDower to weight ratio, kg/kWDower to weight ratio, kg/kWDower to weight ratio, kg/kW	210/250 (Optional) 5.6 9 95.1 84682001 4 4 4 94.6 82 1998 10.2 190 258 255 5000-6500 5000 6500 400 1550-4400 1550 4400 gasoline	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 500 1800-5000 1800-5000 1800-5000 gasoline
Top speed, km/h	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6 82 1998 10.2 190 258 255 5000-6500 5000 6500 400 1550-4400 1550 4400 gasoline AKI 89 MIX ES MAX AKI 91	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 500 1800-5000 1800-5000 1800-5000 gasoline AKI 89 INI, E25 MAX AKI 91
Top speed, km/h	210/250 (Optional) 5.6 9 95.1 B46B2001 4 4 94.6 82 1998 10.2 199 258 255 5000-6500 5000 6500 400 1550-4400 1550 4400 gasoline AKI 89 MIN, EZ5 MAX	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 5000 1800-5000 1800 5000 gasoline AKI 89 MIN, E25 MAX
Top speed, km/h	210/250 (Optional) 5.6 9 95.1 84682001 4 4 4 94.6 82 1998 10.2 190 258 255 5000-6500 5000 6500 400 1550-4400 1550 4400 gasoline AKI 89 MIN, E25 MAX AKI 91 5.25	210/250 (Optional) 4.3 6.3 95.1 B5883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 500 1800-5000 1800-5000 1800-5000 1800-5000 4XI 89 MIN, £25 MAX AKI 91 6.5
Top speed, km/h	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6 82 1998 10.2 190 258 255 5000-6500 5000 6500 400 1550-4400 1550 4400 gasoline AKI 89 MIX ES MAX AKI 91	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 500 1800-5000 1800-5000 1800-5000 gasoline AKI 89 INI, E25 MAX AKI 91
Top speed, km/h -0-100km/h, s Motor data Communication Power to weight ratio, kg/kW Output per litre, kW/dm³ Motor Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (hP), PS Engine power (hP), bHP rym at maximum power, 1/min minimum Engine speed at maximum power, 1/min Engine torque, Nm prm at maximum torque, 1/min minimum Engine speed at maximum power, 1/min Engine torque, Nm Form at maximum torque, 1/min Fine torque, Nm Engine torque, Nm En	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6 82 1998 10.2 190 258 255 5000-6500 5000 6500 400 1550-4400 1550 4400 gasoline AKI 89 MIN, E25 MAX AKI 91 5.25 GA8X51CZ Automatic 8	210/250 (Optional) 4.3 6.3 95.1 BS8B3001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 5000 1800-5000 1800-5000 1800-5000 1800-5000 6500 5000 Gasoline AKI 89 MIN, EZS MAX AKI 91 6.5
Top speed, km/h -top-lookm/h, s Motor data Communication Owwer to weight ratio, kg/kW Output per litre, kW/dm³ Motor Ingine type Sylinders Alaves p.cyl. Stroke, mm Sore, mm Ingine power (HPP), PS Engine power (HPP), DHP Tom at maximum power, 1/min minimum Engine speed at maximum power, 1/min maximum Engine speed at maximum torque, 1/min sore more speed at maximum torque, 1/min sore sore sore sore sore sore sore sore	210/250 (Optional) 5.6 9 95.1 84682001 4 4 4 94.6 82 1998 10.2 190 258 255 5000-6500 5000 6500 400 1550-4400 1550-4400 1550 4400 gasoline AKI 89 MIN, E25 MAX AKI 91 5.25 GA8X51CZ Automatic	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 5800 6500 1800-5000 1800-5000 1800 5000 1800 5000 4XI 89 MIN, E25 MAX AKI 91 6.5
Top speed, km/h	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6 82 1998 10.2 190 258 255 5000-6500 5000 6500 400 1550-4400 1550 44400 gasoline AKI 89 MIN, E25 MAX AKI 91 5.25 GA8X51CZ Automatic 8 5.25 3.36 2.172	210/250 (Optional) 4.3 6.3 95.1 B5883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 5000 1800-5000 1800-5000 1800-5000 1800-5000 6500 500 6500 500 6500 500 6500 500
Top speed, km/h	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6 82 1998 10.2 190 258 255 5000-6500 5000 6500 400 1550-4400 1550 4400 gasoline AKI 89 MIX ES MAX AKI 91 5.25 GARXSICZ Automatic 8 5.25 3.36	210/250 (Optional) 4.3 6.3 95.1 BS883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 500 1800-5000 1800-5000 1800-5000 1800-5000 Gasoline AKI 89 MIN, E25 MAX AKI 91 6.5
Top speed, km/h	210/250 (Optional) 5.6 9 95.1 846B2001 4 4 4 94.6 82 1998 10.2 1998 10.2 190 258 255 5000-6500 6500 400 1550-4400 1550-4400 1550 4400 gasoline AKI 89 MIN, E25 MAX AKI 91 5.25 GABX51CZ Automatic 8 5.25 3.36 2.172 1.72 1.316	210/250 (Optional) 4.3 6.3 95.1 B5883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 5000 1800-5000 1800-5000 gasoline AKI 89 MIN, E25 MAX AKI 91 6.5 GA8X51CZ Automatic 8 5.25 3.36 2.172 1.72 1.72 1.316
Top speed, km/h	210/250 (Optional) 5.6 9 95.1 84682001 4 4 94.6 82 1998 10.2 190 258 255 5000 6500 5000 6500 400 1550-4400 1550 4400 gasoline AKI 89 MIN, E25 MAX AKI 91 5.25 GABNS1CZ Automatic 8 5.25 3.36 2.172 1.72	210/250 (Optional) 4.3 6.3 95.1 BS883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 5000 1800-5000 1800-5000 1800-5000 4XI 89 MIN, E25 MAX AKI 91 6.5 GARX51CZ Automatic 8 5.25 3.36 2.172 1.316
Top speed, km/h	210/250 (Optional) 5.6 9 95.1 84682001 4 4 4 94.6 82 1998 10.2 190 258 255 5000-6500 5000 6500 400 1550-4400 1550 4400 gasoline AKI 89 MIN, E25 MAX AKI 91 5.25 GARX51CZ Automatic 8 5.25 3.36 2.172 1.72 1.316 1 0.822	210/250 (Optional) 4.3 6.3 95.1 85883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 5000 1800-5000 1800-5000 1800-5000 1800 5000 Gasoline AKI 89 MIN, E25 MAX AKI 91 6.5 GA8X51CZ Automatic 8 5.25 3.36 2.172 1.72 1.316 1 0.822
Top speed, km/h 0-100Km/h, s Motor data Communication Power to weight ratio, kg/kW Output per litre, kW/dm³ Motor Ingine type Cylinders Valves p.cyl. Stroke, mm Sore, mm India maximum power, 1/min minimum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min Engine torque, Num Engine torqu	210/250 (Optional) 5.6 9 95.1 84682001 4 4 4,4 94.6 82 1998 10.2 190 258 255 5000-6500 5000 6500 400 1550-4400 1550-4400 1550 4400 gasoline AKI 89 MIN, E25 MAX AKI 91 5.25 GA8X51CZ Automatic 8 5.25 3.36 2.172 1.72 1.72 1.72 1.72 1.316 1 0.822 0.64	210/250 (Optional) 4.3 6.3 95.1 BS883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 5000 1800-5000 1800-5000 1800-5000 6500 5000 Gasoline AKI 89 MIN, E25 MAX AKI 91 6.5 GARX51CZ Automatic 8 5.25 3.36 2.172 1.72 1.72 1.316 1 0.822 0.64
Top speed, km/h	210/250 (Optional) 5.6 9 95.1 84682001 4 4 4,4 94.6 82 1998 10.2 190 258 255 5000-6500 5000 6500 400 1550-4400 1550-4400 1550 4400 gasoline AKI 89 MIN, E25 MAX AKI 91 5.25 GA8X51CZ Automatic 8 5.25 3.36 2.172 1.72 1.72 1.72 1.72 1.316 1 0.822 0.64	210/250 (Optional) 4.3 6.3 95.1 BS883001 6 4 94.6 82 2998 10.2 285 387 382 5800-6500 5800 6500 5000 1800-5000 1800-5000 1800-5000 6500 5000 Gasoline AKI 89 MIN, E25 MAX AKI 91 6.5 GARX51CZ Automatic 8 5.25 3.36 2.172 1.72 1.72 1.316 1 0.822 0.64

BMW 3 Series Sedan	5R73	5U93
bivivi 3 Series Sedan	BMW 330i xDrive	BMW M340i xDrive
Cx x A		
Cx x A Min, m ² Cx x A Max, m ²	0.6 0.69	0.62 0.71
Stirnflaeche	0.05	0.71
Facing surface , m ²	2.22	2.22
Emission Emission classification (type-certified)***	SULEV30	ULEV70
chassis		
Wheel/tires Front tires	225/45 R18 95 H XL AS, 225/45 R18 95 Y XL	225/45 R18 95 Y XL
Front tires var.1	225/45 R18 95 H XL AS, 225/45 R18 95 Y XL	225/45 R18 95 H XL AS, 225/40 R19 93 Y XL
Front tires var.2 Front tires var.3	225/40 R19 93 Y XL, 225/40 R19 93 H XL AS 225/45 R18 95 Y XL	225/45 R18 95 H XL AS 225/40 R19 93 H XL AS
Front tires var.4	225/40 R19 93 Y XL	225/40 R19 93 Y XL
Front rims Front rims var.1	7,5J x 18 LM, 7,5Jx18 LM	7,5Jx18 LM 8Jx19 LM, 7,5Jx18 LM
Front rims var.2	7,5J x 18 LM, 7,5Jx18 LM 8J x 19 LM, 8Jx19 LM	7,5Jx18 LM
Front rims var.3	7,5J x 18 LM	8Jx19 LM
Front rims var.4 Rear tires	8J x 19 LM 225/45 R18 95 H XL AS, 225/45 R18 95 Y XL	8Jx19 LM 255/40 R18 99 Y XL
Rear tires var.1	225/45 R18 95 H XL AS, 255/40 R18 99 Y XL	225/45 R18 95 H XL AS, 255/35 R19 96 Y XL
Rear tires var.2 Rear tires var.3	255/35 R19 96 Y XL, 225/40 R19 93 H XL AS 255/40 R18 99 Y XL	225/45 R18 95 H XL AS 225/40 R19 93 H XL AS
Rear tires var.4	255/35 R19 96 Y XL	255/35 R19 96 Y XL
Rear rims	7,5J x 18 LM, 7,5Jx18 LM	8,5Jx18 LM
Rear rims var.1 Rear rims var.2	7,5J x 18 LM, 8,5Jx18 LM 8J x 19 LM, 8,5Jx19 LM	8,5Jx19 LM, 7,5Jx18 LM 7,5Jx18 LM
Rear rims var.3	8,5J x 18 LM	8Jx19 LM
Rear rims var.4	8,5J x 19 LM 1583	8,5Jx19 LM 1583
Track front, mm Track front var.1, mm	1583 1583	1583 1583
Track front var.2, mm	1579	1583
Track front var.3, mm Track front var.4, mm	1583 1579	1579 1579
Width of the rear track, mm	1597	1567
Track rear var.1, mm Track rear var.2, mm	1597	1597
Track rear var.2, mm Track rear var.3, mm	1593 1567	1597 1593
Track rear var.4, mm	1567	1567
Wheel offset front, mm Wheel offset front var.1, mm	25 25	25 25/27
Wheel offset front var.2, mm	27	25/27
Wheel offset front var.3, mm	25	27
Wheel offset front var.4, mm Wheel offset rear, mm	27 25	27 40
Wheel offset rear var.1, mm	25/40	25/40
Wheel offset rear var.2, mm Wheel offset rear var.3, mm	27/40 40	25 27
Wheel offset rear var.4, mm	40	40
Run flat tires	no, yes	yes
Run flat tires var.1 Run flat tires var.2	yes yes	no, yes yes
Run flat tires var.3	yes	yes
Run flat tires var.4, - Steering	yes	yes
Power-steering	EPS	EPS
Steering transmission, overall, :1	14.9	13.6
Tank Fuel tank capacity (approx.) , l	59	59
US Tank capacity (gallons) - series, gal	15.6	15.6
Battery Rattery Canacity (low voltage) Ah	70	80
Battery Capacity (low voltage), Ah System voltage (low voltage), V	70 12	80 12
SCR		
SCR (Yes/No) US driving dynamic conversion	No	No
Track front (inch), inch	62.3	62.3
Rear track (inch), inch	62.9	61.7
Track front var.1 (inch), inch Rear track var.1 (inch), inch	62.3 62.9	62.3 62.9
Track front var.2 (inch), inch	62.2	62.3
Rear track var.2 (inch), inch Track front var.3 (inch), inch	62.7 62.3	62.9 62.2
Rear track var.3 (inch), inch	61.7	62.7
Track front var.4 (inch), inch	62.2	62.2
Rear track var.4 (inch), inch Aerodynamics conversion	61.7	61.7
CXA min (ft²), ft	6.45	6.69
CXA max (ft²), ft	7.41 23.9	7.65 23.9
Facing surface (f²), ft Dimensions conversion	23.9	23.9
Veh. length (inch), inch	185.7	185.7
Veh. width (inch), inch Width incl mirrors (inch), inch	71.9 81.4	71.9 81.4
Veh. height (inch), inch	57	56.7
Wheelbase (inch), inch	112.2	112.2
Overhang front (inch), inch Rear overhang (inch), inch	31.8 41.7	31.8 41.7
Ground clearance (inch), inch	5.4	5.1
Legroom 2nd row (inch), inch	42 25.2	42 35.2
Legroom 2nd row (inch), inch Turning circle (ft), ft	35.2 39.4	35.2 39.4
Shoulder room front (inch), inch	56	56
Shoulder room rear (inch), inch Headroom front with Sunroof (inch), inch	54.6 38.7	54.6 38.7
Maximum headroom 2st row with sunroof (inch), inch	37.6	37.6
Luggage vol. (EPA) - only for homologation, ft ³	13	13

Wheel	Overview
	0000

Model Year 2020

3 Series Effective: 08/01/19

rive	
30i xDrive sedan	

Sedan

Code: 1PK Style: 791M	19" M Lt/Aly Wheels,Double- Spoke 791 M,Bicolour, Perf. Non- RFT	Front: 19x8.0, 225/40 R19 Rear: 19x8.5, 255/35 R19	ZMP ZMP (upgrade) (Requires 2VC on indicated models) (Standard equipment 258 will be deleted)	ZGW ZGW (upgrade)
Code: 1PM Style: 791M	19" M Lt/Aly Wheels,Double- Spoke 791 M,Bicolour, A/S RFT	Front / Rear: 19x8.0, 225/40 R19	ZMP	
Code: 1PN Style: 791M	19" M Lt/Aly Wheels,Double- Spoke 791 M,Black, Perf. Non- RFT	Front: 19x8.0, 225/40 R19 Rear: 19x8.5, 255/35 R19		Optional ZGW ZGW (upgrade)
Code: 1PP Style: 791M	19" M Lt/Aly Wheels,Double- Spoke 791 M,Black, Perf. RFT	Front: 19x8.0, 225/40 R19 Rear: 19x8.5, 255/35 R19	ZMP ZMP (upgrade)	
Code: 1PR Style: 791M	19" M Lt/Aly Wheels,Double- Spoke 791 M,Black, A/S RFT	Front / Rear: 19x8.0, 225/40 R19	ZMP ZMP (upgrade)	
Code: 1PT Style: 793i	19" BMW Indiv.Lt/Aly Wheels,Double-Spoke793 I,Bicolour, Perf. RFT	Front: 19x8.0, 225/40 R19 Rear: 19x8.5, 255/35 R19		Optional (Standard equipment 2VC will be deleted)
Code: 1PU Style: 793i	19" BMW Indiv.Lt/Aly Wheels,Double-Spoke793 I,Bicolour, A/S RFT	Front / Rear: 19x8.0, 225/40 R19	Optional ZMP ZMP (upgrade)	
Code: 1PV Style: 792M	19" M Lt/Aly Wheels,Double- spoke 792 M,Perf. Non-RFT	Front: 19x8.0, 225/40 R19 Rear: 19x8.5, 255/35 R19		Standard ZGW
Code: 1PW Style: 792M	19" M Lt/Aly Wheels,Double- spoke 792 M,Perf. RFT	Front: 19x8.0, 225/40 R19 Rear: 19x8.5, 255/35 R19		Optional (Standard equipment 2VC will be deleted)
Code: 1PX Style: 792M	19" M Lt/Aly Wheels,Double- spoke 792 M,A/S RFT	Front / Rear: 19x8.0, 225/40 R19		Optional (Standard equipment 2VC and 840 will be deleted)
Code: 1T4 Style: 780	18" Lt/Aly Wheels, V-Spoke, Style 780 Bicolour, A/S RFT	Front / Rear: 18x7.5, 225/45 R18	Standard	
Code: ZS0 Style: 780	18" Lt/Aly Wheels, V-Spoke, Style 780 Bicolour, A/S Non-RFT	Front / Rear: 18x7.5, 225/45 R18	Optional (Standard equipment 258 will be deleted) (Requires 2VC and 1T3 on indicated models)	
Code: ZZD Style: 791M	19" M Lt/Aly Wheels,Double- Spoke 791 M,Bicolour, Perf. RFT	Front: 19x8.0, 225/40 R19 Rear: 19x8.5, 255/35 R19	ZMP ZMP (upgrade) (Requires 1PL on indicated models)	

	uct Configuration Year 2020	3 Series Effective: 08/01/19		330i xDrive Sedan	M340i xDrive Sedan
			CA Model Code AG Model Code	2030 5R73	2032 5U93
			Start of Production	07/19	03/19
	Options				
1CR	Remote Engine Start			X	100%
	Included in package			ZMB	
				ZMC ZMD	
1PK		ole-Spoke 791 M,Bicolour, Per and 19x8.5, 255/35 R19 rear)	f. Non-RFT	ZIVID	
	1PK will add 2VC to the o	order		х	
	1PK will delete STD or 10	00% equipment 258		X	
	Alternate in package			ZMP	ZGW
1PM	(19x8.0, 225/40 R19)	ole-Spoke 791 M,Bicolour, A/S	RFT		
400	Included in package	1 0 1 704 M DI 1 D (A	. DET	ZMP	
1PN	-	ole-Spoke 791 M,Black, Perf. N and 19x8.5, 255/35 R19 rear)	ion-RFI		x
	Alternate in package	and 10x0.0, 200/00 1(10 10di)			ZGW
1PP	19" M Lt/Aly Wheels,Doub	ole-Spoke 791 M,Black, Perf. F and 19x8.5, 255/35 R19 rear)	RFT		2011
1PR	Alternate in package	ole-Spoke 791 M,Black, A/S RI	- T	ZMP	
11 10	(19x8.0, 225/40 R19)	ole-opoke 731 W, Dlack, A/O K	•		
1DT	Alternate in package	aala Daubla Spaka702 l Biaala	ur Dorf DET	ZMP	
1PT	(19x8.0, 225/40 R19 front	eels,Double-Spoke793 I,Bicolo and 19x8.5, 255/35 R19 rear)	oui, Peii. RF1		X
4511	1PT will delete STD or 10		4 (O DET		X
1PU	19" BMW Indiv.Lt/Aly Who (19x8.0, 225/40 R19)	eels,Double-Spoke793 I,Bicolo	our, A/S RFT	х	
	Alternate in package			ZMP	
1PV		ole-spoke 792 M,Perf. Non-RF	Т	Zivii	
	-	and 19x8.5, 255/35 R19 rear)			100%
	Included in package				ZGW
1PW		ole-spoke 792 M,Perf. RFT			x
	•	and 19x8.5, 255/35 R19 rear)			
1PX	1PW will delete STD or 1 19" M Lt/Aly Wheels,Doub				X
11 /	(19x8.0, 225/40 R19)	510 Spoke 752 W,7 VO TKI 1			x
	1PX will delete STD or 10	00% equipment 2VC and 840			X
1T4		ke, Style 780 Bicolour, A/S RF	Т	STD	
	(18x7.5, 225/45 R18)				
205	Automatic Transmission			STD	
225	Standard Suspension Alternate in package			ZMP	
248	Heated Steering Wheel			ZIVIF X	100%
	Included in package			ZMB	10070
				ZMC	
255	Leather Sport Steering W	heel		ZMD STD	
258	Runflat Tires	iiooi		STD	
2NH	M Sport Brakes				STD
	Alternate in package			ZMP	
2T4	M Sport Differential			x	STD
	2T4 requires ordering ZM			х	
	2T4 cannot be ordered w	itn 225		X	

	luct Configuration Year 2020	3 Series Effective: 08/01/19		330i xDrive Sedan	M340i xDrive Sedan
			CA Model Code	2030	2032
			AG Model Code	5R73	5U93
2TB	Sport Auto Trans w/Paddle		Start of Production	07/19	03/19
21D	Included in package	8		ZMP	STD
2VB	Tire Pressure Monitor			100%	100%
2VC	Tire Repair Kit			X	100%
	2VC requires ordering 1Ph	C or ZS0		x	
	2VC will delete STD or 10	0% equipment 258		x	
2VF	Adaptive M Suspension				X
	Alternate in package			ZMP	
2VL	Variable Sport Steering				STD
	Included in package			ZMP	
302	Alarm System			100%	100%
316	Automatic Trunk			ZMC	ZGT
	Included in package			ZMD	ZGU
319	Universal Remote Control			X	200 X
	Included in package			ZMC	ZGT
				ZMD	ZGU
322	Comfort Access			71.40	
	Included in package			ZMB ZMC ZMD	ZGT ZGU
337	M Sport Package			2.11.5	
	Included in package			ZMP	
33T	M Technology Package				
	Included in package				ZGW
3AG	Rear View Camera			STD	STD
3BE	Black Mirror Caps	770		X	X
	3BE requires ordering 7Ms			Х	
3DZ	3BE requires ordering 7Ms				X
SDZ	Without Exterior Lines Des Included in package	ignation		ZMP	
3MB	Satin Aluminum Window S	urround		100%	
403	Glass Sunroof	arround		STD	STD
430	Auto Dimming Exterior Miri	ors		100%	100%
431	Auto Dimming Interior Mirro			100%	100%
441	Smoker's Package			x	x
459	Electric Seats w/ Driver Me	m.		100%	100%
465	Through Loading System			STD	STD
481	Sport Seats			STD	STD
488	Lumbar Support			71.40	X
	Included in package			ZMB ZMC	ZGT
				ZMD	ZGU
493	Storage Compartment Pac	kage		100%	100%
494	Heated Front Seats			100%	100%
4AT	High-Gloss Black Trim			STD	
	4AT cannot be ordered with	th ZMP		x	
4AW	Leatherette Dashboard			X	
41.1.	Included in package			ZMD	ZGT
4HA	Seat Heating, Front and Re			X	
	4HA cannot be ordered wi	ın Leatnerette		Х	ZGT
	Included in package			ZMD	ZGU

	luct Configuration	2 Carico		v	<u>.</u>
INIOGEI	Year 2020	3 Series Effective: 08/01/19		330i xDrive Sedan	M340i xDrive Sedan
			CA Model Code	2030	2032
			AG Model Code	5R73	5U93
			Start of Production	07/19	03/19
4KA	Oak Grain Open-Pored W			X	X
4KB	Maple Open-Pored Wood			Х	X
4KC 4KK	Ash Grey-Brown High-Glo Aluminum Tetragon Trim	SS WOOD Trim		X	X STD
41111	4KK requires ordering ZM	1P		X X	310
4KL	Aluminum Mesh Trim	11		X	x
4M5	Walknappa Leather Dashl	board		X	x
	4M5 cannot be ordered w			X	,
	Included in package				ZGU
4ML	Piano Black Wood Trim w	/Satin Chrome Highlight		х	x
4U0	Galvanic Controls				x
	Included in package			ZMD	ZGU
4UR	Ambient Lighting			7140	70.7
	Included in package			ZMC ZMD	ZGT ZGU
508	Park Distance Control, fro	nt and rear		100%	100%
534	Automatic Climate Contro			STD	STD
544	Dynamic Cruise Control			STD	STD
5A1	LED Fog Lights				
	Included in package			ZMB	
				ZMC ZMD	
				ZMP	
5A4	LED Headlights w/Corneri	ng Function		100%	100%
5AC	High-Beam Assistant				
	Included in package			ZMD	ZGU
5AL	Active Protection			ZMJ 100%	ZMJ 100%
5AR	Traffic Jam Assistant			100%	100%
0/111	Included in package			ZMD	ZGU
	g			ZMJ	ZMJ
5AS	Driving Assistant			100%	100%
5AU	Driving Assistant Profession	onal		71.45	70
	Included in package			ZMD ZMJ	ZGU ZMJ
5AV	Active Guard - Frontal Col	llision Warning		100%	100%
5AZ	BMW Laserlight Headlight			X	X
	5AZ will add 5AC to the o	rder		x	
	Included in package			ZMD	ZGU
5DC	Rear-seat headrests, foldi	-		100%	
5DN	Parking Assistant Plus w/S	Surround View			x
	Included in package			ZMC ZMD	ZGU
				ZMJ	ZMJ
5DS	Luggage-Compartment Er	mergency Unlocking		STD	STD
610	Head-Up Display				
	Included in package			ZMC	ZGT
655	SiriusXM Satellite Radio T	uner		ZMD 100%	ZGU 100%
676	HiFi Sound System	unol		100%	100%
688	Harman/Kardon Sound Sy	/stem		100% X	100 /0
550	Included in package				ZGT
				ZMD	ZGU
6AC	Intelligent Emergency Cal			100%	100%

	uct Configuration Year 2020 3 Ser Effect	ies tive: 08/01/19		330i xDrive Sedan	M340i xDrive Sedan
				330i xI Sedan	//34(
			CA Model Code	2030	2032
			AG Model Code	5R73	5U93
			Start of Production	07/19	03/19
6AE	Teleservices			100%	100%
6AK	ConnectedDrive Services			100%	100%
6C3	Connected Package Professiona	I		100%	100%
6DR	BMW Drive Recorder				
	Included in package			ZMD	ZGU
6NW	Wireless Charging w/Extended B	luetooth and USB		x	X
	6NW will add 6WD to the order			x	x
	Included in package			ZMC	ZGT
01.10	DMM Live Cooler's Destructional			ZMD	ZGU
6U3	BMW Live Cockpit Professional			100%	100%
6U8	BMW Gesture Control			X	7011
6WD	Included in package WiFi Hotspot			, ,	ZGU
טעעט	6WD requires ordering 6NW			X	X
	Included in package			X ZMC	x ZGT
	ilicidded ili package			ZMD	ZGU
704	M Sport Suspension			2.11.2	STD
	Included in package			ZMP	
710	M Leather Steering Wheel				STD
	Included in package			ZMP	
715	M Aerodynamics Package				STD
	Included in package			ZMP	
754	M Rear Spoiler				STD
760	High-Gloss Black Window Surrou	ınd			STD
	Included in package			ZMP	
775	Anthracite Roofliner			100%	100%
7AC	Sport Line			100%	
7M9	High-Gloss Black Kidney Grille w	/ Extended Contents		X	X
	7M9 requires ordering ZMP			X	
0.40	7M9 requires ordering 3BE				X
840	High speed maximum with perf. to	ires			100%
XED	Aluminum Fabric Trim	On an David		X	Х
XEU	Black Wood Trim w/Silver Effect, Satin Aluminum Window Surroun	-		X	X
Z6C		lu		ZMD	
ZED	Alternate in package European Delivery			ZMP	v
ZR7	Cross-Traffic Alert (Rear)			X 100%	x 100%
ZS0	18" Lt/Aly Wheels, V-Spoke, Style	e 780 Bicolour, A/S Non-RET		100 /6	100 /6
200	(18x7.5, 225/45 R18)	e 700 Blooloui, 700 Noil IXI I		X	
	ZS0 will delete STD or 100% equ	uipment 258		x	
	ZS0 will add 1T3 and 2VC to the	-		X	
ZSP	Special Order			X	X
ZWC	Collision Warning w/ City Braking	I		100%	100%
ZWF	Lane Departure Warning			100%	100%
ZWM	Blind Spot Warning			100%	100%
ZXG	Rear Collision Prevention			100%	100%
ZXY	Speed Limit Info			100%	100%
ZZD	19" M Lt/Aly Wheels, Double-Spot (19x8.0, 225/40 R19 front and 19				
	ZZD will add 1PL to the order	,		x	
	Alternate in package			ZMP	
ZZO	High-Gloss Black Window Surrou	ınd		X	
	g C.CCC Black William Callot			^	

Prod	Product Configuration					
	Year 2020	3 Series Effective: 08/01/19	CA Model Code AG Model Code Start of Production	2030 2030 5R73 07/19	3709 W340i xDrive 2032 5093 03/19	
	ZZO will add 760 to the o	order		X		
ZZW	Standard Brakes			70.40		
	Included in package			ZMP		
	Non-Metallic			STD	STD	
300	Alpine White Non Metallic	•		X	x	
668	Jet Black Non-Metallic	,		×	^	
				^		
	Metallic			X	x	
475	Black Sapphire Metallic			Х	x	
A75	Melbourne Red Metallic			x		
A83	Glacier Silver Metallic			x		
A96	Mineral White Metallic			X	x	
B39	Mineral Grey Metallic			x	x	
C10	Mediterranean Blue Meta	Ilic		X		
C1X	Sunset Orange Metallic			X	X	
C1Z	Vermont Bronze Metallic			X		
C31	Portimao Blue Metallic	40		X	X	
C36	C31 requires ordering ZN	MP		X		
C3E	Dravit Grey Metallic Tanzanite Blue Metallic			X	X	
C49	Citrine Black II Metallic			X X	X X	
C4A	Oxide Grey II Metallic			x	×	
•	omus orsy ii metame			^	^	
	Upholstery					
KC	Leatherette			Х		
KCFY	Canberra Beige Leathere	tte		x		
	KCFY cannot be ordered	I with ZMP		X		
KCSW	Black Leatherette			X		
MA	Vernasca Leather			X	x	
14450	Included in package	a Lagathan		ZMD		
	Canberra Beige Vernasca Black Vernasca Leather	a Leatner		X		
MAH7	Mocha Vernasca Leather			X	X	
MANJ				X	X	
1717 (140	MANJ cannot be ordered	_		X X		
MANL				x	x	
	MANL requires ordering	_		X	^	
	MANL requires ordering				x	
MAOI	Oyster Vernasca Leather			x	x	
MAPQ	Cognac Vernasca Leathe			X	x	
VA	BMW Ind. Extended Meri	no		X	x	
		no cannot be ordered with 4M5		x	x	
		no cannot be ordered with ZGU			x	
	Ivory White Extended Me			Х	x	
	Fiona Red/Black Extende			X	x	
VATQ	Tartufo Extended Merino	Leather		X	X	

	uct Configuration Year 2020	3 Series Effective: 08/01/19	CA Model Code AG Model Code	330i xDrive Sedan 5R73	2002 M340i xDrive 2002 Sedan
\/D	DMMA/ In al. Forth Marria a		Start of Production	07/19	03/19
VB	BMW Ind. Full Merino	- ath an			X
VBEW	,				X
VBHZ	Fiona Red/Black Full Meri				X
VBTQ	Tartufo Full Merino Leathe	er			X
ZA	BMW Individual Extended	Merino		X	x
		Merino cannot be ordered with 4M5		X	x
		Merino cannot be ordered with ZGU		^	x
ZAFV	Fjord Blue/Black Extended			x	x
ZASW				x	x
2,1011	Black Exteriora Wellie Et			^	^
ZB	BMW Individual Full Merin	10			x
ZBFV	Fjord Blue/Black Full Meri	no Leather			x
ZBSW					x
	Packages				
ZGT	Premium Enhanced Pac	kage			X
	316 - Automatic Trunk				
	319 - Universal Remote C	control			
	322 - Comfort Access				
	488 - Lumbar Support				
	4AW - Leatherette Dashb				
	4HA - Seat Heating, Front	and Rear			
	4UR - Ambient Lighting				
	610 - Head-Up Display	10			
	688 - Harman/Kardon Sou	•			
		w/Extended Bluetooth and USB			
	6WD - WiFi Hotspot	ith ZOLL			
ZGU	ZGT cannot be ordered w Premium Excellence Page				X
200	316 - Automatic Trunk	chaye			X
	319 - Universal Remote C	Control			
	322 - Comfort Access	ontrol			
	488 - Lumbar Support				
	4HA - Seat Heating, Front	and Rear			
	4M5 - Walknappa Leather				
	4U0 - Galvanic Controls	Daonboara			
	4UR - Ambient Lighting				
	5AC - High-Beam Assista	nt			
	5AR - Traffic Jam Assistar				
	5AU - Driving Assistant Pr	rofessional			
	5AZ - BMW Laserlight He				
	5DN - Parking Assistant P				
	610 - Head-Up Display				
	688 - Harman/Kardon Sou	und System			
	6DR - BMW Drive Record	er			
	6NW - Wireless Charging	w/Extended Bluetooth and USB			
	6U8 - BMW Gesture Cont	rol			
	6WD - WiFi Hotspot				
	ZGU cannot be ordered v	vith ZGT			x
ZGW	M Enhanced Track Pack	age			x

	Product Configuration				. ≥
Model Year 2020		3 Series Effective: 08/01/19		330i xDrive Sedan	M340i xDrive Sedan
			CA Model Code	ສ ທ 2030	≥ ທ 2032
			AG Model Code	5R73	5U93
			Start of Production	07/19	03/19
	(19x8.0, 225/40 R19 front 1PK - 19" M Lt/Aly W	s,Double-spoke 792 M,Perf. No and 19x8.5, 255/35 R19 rear) heels,Double-Spoke 791 M,Bio heels,Double-Spoke 791 M,Bio	colour, Perf. Non-RFT		
	33T - M Technology Pack	_			
71.45		nm front brake rotors (+26mm)	and dedicated engine oilcool		
ZMB	Premium Package Esse 1CR - Remote Engine Sta	X			
	248 - Heated Steering WI				
	322 - Comfort Access				
	488 - Lumbar Support				
	5A1 - LED Fog Lights				
	ZMB cannot be ordered	with ZMC or ZMD		x	
ZMC	Premium Package Enha			x	
	1CR - Remote Engine Sta				
	248 - Heated Steering WI	neel			
	316 - Automatic Trunk 319 - Universal Remote C	Control			
	322 - Comfort Access	CONTROL			
	488 - Lumbar Support				
	4UR - Ambient Lighting				
	5A1 - LED Fog Lights				
	5DN - Parking Assistant F	Plus w/Surround View			
	610 - Head-Up Display				
		w/Extended Bluetooth and US	В		
	6WD - WiFi Hotspot	with ZNAD ZNAD			
ZMD	ZMC cannot be ordered very Premium Excellence Pa			X	
ZIVID	1CR - Remote Engine Sta	_		Х	
	248 - Heated Steering WI				
	316 - Automatic Trunk				
	319 - Universal Remote C	Control			
	322 - Comfort Access				
	488 - Lumbar Support				
	4AW - Leatherette Dashb				
	4HA - Seat Heating, Fron 4U0 - Galvanic Controls	t and Rear			
	4UR - Ambient Lighting				
	5A1 - LED Fog Lights				
	5AC - High-Beam Assista	ınt			
	5AR - Traffic Jam Assista				
	5AU - Driving Assistant P	rofessional			
	5AZ - BMW Laserlight He	_			
	5DN - Parking Assistant F	Plus w/Surround View			
	610 - Head-Up Display	on d October			
	688 - Harman/Kardon Sol	-			
	6DR - BMW Drive Record	ier i w/Extended Bluetooth and US	R		
	6WD - WiFi Hotspot	w/Exterided Didetootil and US			
	MA - Vernasca Leather				
	ZMD cannot be ordered	with ZMB, ZMC or ZMJ		x	
ZMJ	Advanced Driver Assist			x	х

Product Configuration Model Year 2020		3 Series Effective: 08/01/19		330i xDrive Sedan	M340i xDrive Sedan
		CA Moo	del Code	2030	2032
		AG Moo	del Code	5R73	5U93
		Start of Pro	roduction	07/19	03/19
	5AC - High-Beam Assista	int			
	5AR - Traffic Jam Assista	nt			
	5AU - Driving Assistant P	rofessional			
	5DN - Parking Assistant F	Plus w/Surround View			
	Note: 5AU includes active	les active stop/go cruise control, semi-autonomous steering andlāne			
	ZMJ cannot be ordered v	vith ZMD		X	
	ZMJ cannot be ordered v	vith ZGU			X
ZMP	M Sport Package			x	
	1PM - 19" M Lt/Aly Wheels, Double-Spoke 791 M, Bicolour, A/S RFT				
	(19x8.0, 225/40 R19)				
	1PK - 19" M Lt/Aly Wheels,Double-Spoke 791 M,Bicolour, Perf. Non-RFT 1PP - 19" M Lt/Aly Wheels,Double-Spoke 791 M,Black, Perf. RFT				
		/heels,Double-Spoke 791 M,Black, Pen. RF1 /heels,Double-Spoke 791 M,Black, A/S RFT			
		Lt/Aly Wheels,Double-Spoke793 I,Bicolour, A/S R	RFT		
		/heels,Double-Spoke 791 M,Bicolour, Perf. RFT			
	•	•			
	2TB - Sport Auto Trans w				
	2VL - Variable Sport Stee	ring			
	337 - M Sport Package	.			
	3DZ - Without Exterior Lin	nes Designation			
	5A1 - LED Fog Lights				
	704 - M Sport Suspension 225 - Standard Susp				
	2VF - Adaptive M Su				
	•	•			
	710 - M Leather Steering				
	715 - M Aerodynamics Pa	•			
	760 - High-Gloss Black W Z6C - Satin Aluminur				
	ZZW - Standard Brakes				
	2NH - M Sport Brake				
	•	ension options lower ride height by 10mm.			
	ZMP requires ordering 3	00, 475, A96, B39, C1X, C31, C36 or C3Z		X	

Model Ye	Effective: 08/01/19 CA Model Code AG Model Code Start of Production	2030 5R73 07/19	2032 5093 5093 5093 5093 5093 5093 5093 5093
	Base Price Non-Metallic	\$49,100 STD	\$61,850 STD
300 668	Alpine White Non Metallic Jet Black Non-Metallic Metallic	\$895	NA \$895
475	Black Sapphire Metallic	φ093	
A75 A83	Melbourne Red Metallic Glacier Silver Metallic		NA NA
A96 B39	Mineral White Metallic Mineral Grey Metallic		
C10	Mediterranean Blue Metallic		NA
C1X C1Z	Sunset Orange Metallic Vermont Bronze Metallic		NA
C31	Portimao Blue Metallic	(req'd)	
C36	C31 requires ordering ZMP Dravit Grey Metallic	\$1,450	\$1,450
C3Z C49	Tanzanite Blue Metallic Citrine Black II Metallic	\$1,450 \$1,450	\$1,450 \$1,450
C4A	Oxide Grey II Metallic	\$1,450	\$1,450
	Upholstery		
	Vernasca Leather Included in package	\$1,500 ZMD	NC
MAFO MAH7	Canberra Beige Vernasca Leather Black Vernasca Leather		NA
MAMU	Mocha Vernasca Leather		
MANJ	Black Vernasca Leather w/Contrast Stitching MANJ cannot be ordered with ZMP	(req'd)	NA
MANL	Black Vernasca Leather w/ Blue ContrastStitching	(loqu)	
	MANL requires ordering 4M5, ZGT or ZGU MANL requires ordering 4AW and ZMP	(req'd)	(req'd)
MAOI MAPQ	Oyster Vernasca Leather w/Contrast Stitching Cognac Vernasca Leather	(1040)	
IVIAF Q	·	40.700	***
	BMW Ind. Extended Merino BMW Ind. Extended Merino cannot be ordered with ZGU	\$2,700	\$1,200 (req'd)
	In combination with ZMD	\$1,200	
VAEW	BMW Ind. Extended Merino cannot be ordered with 4M5 Ivory White Extended Merino Leather	(req'd)	(req'd)
VAHZ VATQ	Fiona Red/Black Extended Merino Leather Tartufo Extended Merino Leather		
	BMW Ind. Full Merino	NA	\$3,100
	In combination with ZGU		\$1,900
VBEW VBHZ	Ivory White Full Merino Leather Fiona Red/Black Full Merino Leather	NA NA	
VBTQ	Tartufo Full Merino Leather	NA	
	BMW Individual Extended Merino	\$2,700	\$1,200
	In combination with ZMD BMW Individual Extended Merino cannot be ordered with ZGU	\$1,200	(req'd)
	BMW Individual Extended Merino cannot be ordered with 4M5	(req'd)	(req'd)
ZAFV ZASW	Fjord Blue/Black Extended Merino Leather Black Extended Merino Leather		
	BMW Individual Full Merino	NA	\$3,100
ZBFV	In combination with ZGU Fjord Blue/Black Full Merino Leather	NA	\$1,900
ZBSW	Black Full Merino Leather	NA NA	
	Leatherette	NC	NA
KCFY	Canberra Beige Leatherette KCFY cannot be ordered with ZMP	(req'd)	NA
KCSW	Black Leatherette	(NA
70.	Packages	NA	£4.500
ZGT	Premium Enhanced Package ZGT cannot be ordered with ZGU		\$4,500 (req'd)
ZGU	Premium Excellence Package ZGU cannot be ordered with ZGT	NA	\$8,500 (req'd)
ZGW	M Enhanced Track Package	NA	\$950
	1PK - 19" M Lt/Aly Wheels, Double-Spoke 791 M, Bicolour, Perf. Non-RFT 1PN - 19" M Lt/Aly Wheels, Double-Spoke 791 M, Black, Perf. Non-RFT		NC \$500
ZMB	Premium Package Essential	\$1,900 (rog/d)	NA
ZMC	ZMB cannot be ordered with ZMC or ZMD Premium Package Enhanced	(req'd) \$4,900	NA
ZMD	ZMC cannot be ordered with ZMB or ZMD Premium Excellence Package	(req'd) \$9,100	NA
	ZMD cannot be ordered with ZMB, ZMC or ZMJ	(req'd)	
ZMJ	Advanced Driver Assistance Package In combination with ZMC	\$2,100 \$1,500	\$2,100
	ZMJ cannot be ordered with ZGU		(req'd)
ZMP	ZMJ cannot be ordered with ZMD M Sport Package	(req'd) \$2,000	NA
	1PK - 19" M Lt/Aly Wheels, Double-Spoke 791 M, Bicolour, Perf. Non-RFT	NC	
	1PP - 19" M Lt/Aly Wheels, Double-Spoke 791 M, Black, Perf. RFT 1PR - 19" M Lt/Aly Wheels, Double-Spoke 791 M, Black, A/S RFT	\$500 \$500	
	1PU - 19" BMW Indiv.Lt/Aly Wheels, Double-Spoke 793 I, Bicolour, A/S RFT	\$500	
	225 - Standard Suspension 2NH - M Sport Brakes	NC \$650	
	2VF - Adaptive M Suspension	\$600	
	ZZD - 19" M Lt/Aly Wheels, Double-Spoke 791 M, Bicolour, Perf. RFT ZMP requires ordering 300, 475, A96, B39, C1X, C31, C36 or C3Z	NC	

	Pricing lear 2020		330i xDrive Sedan	M340i xDrive Sedan
		CA Model Code AG Model Code Start of Production Base Price	2030 5R73 07/19 \$49,100	2032 5U93 03/19 \$61,850
1CR	Options Remote Engine Start	Dasc i nec	\$500	100%
	Remote Engine Start Included in package		ZMB, ZMC, ZMD	
1PN	19" M Lt/Aly Wheels, Double-Spoke 791 M,Black, Perf. Non-RFT (19x8.0, 225/40 R19 front and 19x8.5, 255/35 R19 rear) In combination with ZGW		NA	\$500 \$500
1PT	19" BMW Indiv.Lt/Aly Wheels, Double-Spoke793 I, Bicolour, Perf. R (19x8.0, 225/40 R19 front and 19x8.5, 255/35 R19 rear)	FT	NA	\$500
1PU	1PT will delete STD or 100% equipment 2VC 19" BMW Indiv.Lt/Aly Wheels, Double-Spoke793 I, Bicolour, A/S RF (19x8.0, 225/40 R19)	т	\$500	(req'd) NA
1PW	In combination with ZMP 19" M Lt/Aly Wheels, Double-spoke 792 M,Perf. RFT (19x8.0, 225/40 R19 front and 19x8.5, 255/35 R19 rear)		\$500 NA	NC
1PX	1PW will delete STD or 100% equipment 2VC 19" M Lt/Aly Wheels,Double-spoke 792 M,A/S RFT (19x8.0, 225/40 R19)		NA	(req'd) NC
248	1PX will delete STD or 100% equipment 2VC Heated Steering Wheel		\$250	(req'd) 100%
	Included in package		ZMB, ZMC, ZMD	
2T4	M Sport Differential 2T4 cannot be ordered with 225		\$1,300 (reg'd)	STD
	2T4 requires ordering ZMP		(req'd)	
2VC	Tire Repair Kit 2VC will delete STD or 100% equipment 258		NC (reg'd)	100%
	2VC requires ordering 1PK or ZS0		(req'd)	
2VF	Adaptive M Suspension In combination with ZMP		NA \$600	\$600
319	Universal Remote Control		\$300	\$300
зве	Included in package Black Mirror Caps 3BE requires ordering 7M9		ZMC, ZMD NC	ZGT, ZGU NC (req'd)
	3BE requires ordering 7M9 or ZZO		(req'd)	
441 488	Smoker's Package Lumbar Support		\$100 NA	\$100 \$300
	Included in package		ZMB, ZMC, ZMD	ZGT, ZGU
4AW	Leatherette Dashboard Included in package		\$500 ZMD	NA ZGT
4HA	Seat Heating, Front and Rear		\$400	NA
	Included in package 4HA cannot be ordered with Leatherette		ZMD (req'd)	ZGT, ZGU
4KA	Oak Grain Open-Pored Wood Trim		NC	NC
4KB 4KC	Maple Open-Pored Wood Trim Ash Grey-Brown High-Gloss Wood Trim		NC NC	NC NC
4KK	Aluminum Tetragon Trim		NC	STD
4KL	4KK requires ordering ZMP Aluminum Mesh Trim		(req'd) NC	NC
4M5	Walknappa Leather Dashboard		\$1,200	\$1,200
	In combination with ZGT In combination with BMW Ind. Full Merino			\$800 NC
	Included in package			ZGU
	In combination with ZMD		\$700 (rog'd)	
	4M5 cannot be ordered with Leatherette In combination with BMW Individual Full Merino		(req'd)	NC
4ML 4U0	Piano Black Wood Trim w/Satin Chrome Highlight Galvanic Controls		\$500 NA	\$500 \$100
400	Included in package		ZMD	ZGU
5AZ	BMW Laserlight Headlights		\$1,500	\$1,500
	Included in package 5AZ will add 5AC to the order		ZMD (reg'd)	ZGU
5DN	Parking Assistant Plus w/Surround View		NA	\$1,000
688	Included in package Harman/Kardon Sound System		ZMC, ZMD, ZMJ \$1,000	ZGU, ZMJ NA
	Included in package		ZMD	ZGT, ZGU
6NW	Wireless Charging w/Extended Bluetooth and USB Included in package		\$350 ZMC, ZMD	\$350 ZGT, ZGU
	6NW will add 6WD to the order		(req'd)	(req'd)
6U8 6WD	BMW Gesture Control WiFi Hotspot		\$250 NC	ZGU NC
-	Included in package		ZMC, ZMD	ZGT, ZGU
7M9	6WD requires ordering 6NW High-Gloss Black Kidney Grille w/ Extended Contents		(req'd) \$250	(req'd) \$250
	7M9 requires ordering ZMP		(req'd)	
XED	7M9 requires ordering 3BE Aluminum Fabric Trim		\$500	(req'd) \$500
XEU	Black Wood Trim w/Silver Effect, Open-Pored		\$500 \$500	\$500 \$500
ZED	European Delivery		NC NC	NC NA
ZS0	18" Lt/Aly Wheels, V-Spoke, Style 780 Bicolour, A/S Non-RFT (18x7.5, 225/45 R18)		NC	NA
	ZS0 will delete STD or 100% equipment 258		(req'd)	
ZSP	ZS0 will add 1T3 and 2VC to the order Special Order		(req'd) \$400	\$400
ZZO	High-Gloss Shadow Line		NC	NA
	ZZO will add 760 to the order		(req'd)	