



BMW 7 Series Sedan,	7W43 BMW 745Le xDrive	7R83 BMW 750i xDrive	BMW 750Li xDrive	Alpina B7	7U63 BMW M760Li xDrive
Fransmission type Engine description	Automatic XB1151M1	Automatic N63B44T3	Automatic N63B44T3	Automatic N63B44T3	Automatic N74866U2
Seats Number of doors	4/5	4/5	4/5	4/5	4/5
Engine type	xDrive (AWD)	xDrive (AWD)	xDrive (AWD)	xDrive (AWD)	xDrive (AWD)
Dimensions Exterior					
Length, mm Width, mm	5267 1902	5127 1902	5267 1902	5268 1902	5267 1902
Height, mm Width inc. mirrors, mm	1479 2169	1467 2169	1491 2169	1479 2169	1479 2169
Width incl.mirror driver, mm Width incl.mirror passengers side, mm	1090 1079	1090 1079	1090 1079	1090 1079	1090 1079
Wheelbase, mm Overhang front, mm	3210 909	3070 909	3210 909	3210 909	3210 909
Rear overhang, mm Furning circle, m	1148 13.1	1148 12.6	1148 13.1	1149 12.9	1148 13.1
Ground clearance, mm	135	135	141	135	135
Interior Shoulder width front, mm	1503	1503	1503	1503	1503
Shoulder room rear, mm Elbow width front, mm	1466 1554	1467 1554	1466 1554	1466 1554	1466 1554
Elbowroom rear, mm effective legroom front (L34), mm	1550 1051	1544 1051	1550 1051	1550 1051	1550 1051
effective legroom rear second seating row (L51-2), mm Max. headroom front, mm	1128 N/A	980 1043	1128 N/A	1128 N/A	1128 N/A
Headroom front/SR, mm Maximum headroom second, mm	1013 989	1009 977	1013 989	1013 989	1013 989
Maximum headroom rear, mm	N/A 267	980 126	N/A 267	N/A 267	N/A 267
Knee clearance, mm Seats	4/5	5	4/5	4/5	4/5
seats second row	2/3	3	2/3	2/3	2/3
Luggage volumes (V210-2), l Press Trunk volume, ft ^a	420 14.8	515 18.2	515 18.2	515 18.2	515 18.2
Weight Vehicle weights					
Curb weight (without driver), kg vehicle curb weight without driver (front axle), kg	2199 1104	2085	2142 1145	2207 1166	2340 1272
vehicle curb weight without driver (rear axle), kg	1095	954 1330	997 1330	1041	1068
Axle load limit front, kg rear axle load limit, kg	1310 1500	1380	1395	1348 1424	1410 1490
rear Weight distribution (empty car), % Gross veh. weight, kg	49.8 2705	45.8 2640	46.5 2675	47.2 2688	45.6 2840
Payload, kg	378	440	411	390	461
gross vehicle weight, Ibs Payload Ibs, Ibs	5964 833	5820 970	5897 905	5925 860	6261 1016
Front axle load lbs, lbs Axle load limit rear, lbs	2888 3307	2932 3042	2932 3075	2972 3140	3109 3285
vehicle weight without driver empty fuel tank, lbs	4773	4469	4594	4594	5031
vehicle weight without driver empty fuel tank -RA, lbs vehicle weight without driver empty fuel tank -FA, lbs	2352 2421	2002 2467	2094 2500	2094 2500	2251 2780
vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco.	4848	4597	4722	4866	5159
	3.231	2.813	2.813	2.813	2.813
Performance /fuel eco. Performance Final drive ratio Top speed , km/h Top speed (electrical), km/h					
Performance /fuel eco. Performance Final drive ratio Fop speed, km/h	3.231 210/250 (Optional)	2.813 210/250 (Optional)	2.813 210/330 (Optional)	2.813 210/330 (Optional)	2.813 210/250 (Optional)
Performance //uel eco. Performance inal drive ratio Grop speed (electrical), km/h 2-100Km/h, s 1-100Km/h, s 1-10km/tige battery Statery (Dapacity (high voltage), Ah	3.231 210/250 (Optional) 140 5.1 34	2.813 210/250 (Optional) N/A 4 N/A	2.813 210/330 (Optional) N/A 4.1 N/A	2.813 210/330 (Optional) N/A 3.6 N/A	2.813 210/250 (Optional) N/A 3.8 N/A
Performance / fuel eco. Performance Final drive ratio Grop speed (electrical), km/h D-100Km/h, s ji-byolizep a battery Battery Capacity (high voltage), A System voltage (high voltage), V Sattery type high voltage	3.231 210/250 (Optional) 140 5.1 34 354.2 I-lon	2.813 210/250 (Optional) N/A 4 N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 3.6 N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A
Performance / fuel eco. Performance / Tind drive ratio Top speed (effectrical), km/h 1-100Km/h, s mil/svoltage battery Battery Capacity (high voltage), Ah Stertery Capacity (high voltage), V Battery Vonage (high voltage), V Battery Von	3.231 210/250 (Optional) 140 5.1 34 354.2 1-ion 12 8.84	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance Final drive ratio forp speed (effectrical), km/h)-100km/h, s mijk-voltage battery Battery Capacity (high voltage), Ah ystern voltage (high voltage), V Battery type high voltage Gross Battery content high voltage, kWh Stattery Sostion high voltage thattery obsition high voltage Stattery Content high voltage Hording variation 1	3.231 210/250 (Optional) 140 5.1 34 354.2 Ii-lon 12 8.84 underfloor Vechicle rear part 3, 7kW, Mode 3 Wallbox, AC Typ 1	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance Final drive ratio fop speeds (effectrical), km/h 0 op speed (effectrical), km/h 0-100km/h, s miljk-voltage battery Battery Cpapacity (high voltage), Ah ystern voltage (high voltage), V Battery type high voltage forsos battery content high voltage, kWh Net battery rosition 1 Migh voltage harding variation 1 charging variation 3	3.221 210/250 (Optional) 140 5.1 354.2 II-ion 12 8.84 underfloor Vechicle rea part 3,7KW, Moeä 3 Wallbox, AC Typ 1 AC Typ 1; 1,1 KW Modeä Ladekabel 1ph	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance / fuel eco. Performance / Performance	3.221 210/250 (Optional) 140 5.1 34. 354.2 140 354.2 140 12 8.84 underfloor Vechicle rea part 3,7 kW, Mode 3 Wallion, AC Typ 1 AC Typ 1; 1,1 kW Mode 2 Ladekabel 1ph - 2.1 2.9	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance Performance For speed, km/h Top speed (electrical), km/h 2-000m/h, s 2-000m/h,	3.231 210/250 (Optional) 40 5.1 34 354.2 Histon 12 8.84 underfloor Vechicle rear part 3,7 KW, Mode 3 Wallbox, AC Typ 1 AC Typ 1; 1,1 KW Mode 2 Ladekabel 1ph -	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance Performance Performance For speed, km/h For speed (electrical), km/h 2-1000m/h,s stattey / Capacity, (high voltage), Ah yoth Voltage Stattey / Speak, N/h Stattey / Speak, N/h voltage, A/h Stattey / Speak, N/h voltage, K/M Stattey / Speak,	3.231 210/250 (Optional) 140 5.1 34 354.2 Histor 12 8.84 underfloor Vechicle rear part 3,7 kW, Mode 3 Wallbox, AC Typ 1 AC Typ 1; 1,1 kW Mode 2 Ladekbel 1ph - 2.1 2.9 7.8 10.9 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance /fuel eco. Performance / Performance	3.231 210/250 (Optional) 5.0 34 354.2 H-ion 12 8.84 underfloor Vechicle rear part 3,7 kW, Mode 3 Vallico, AC Typ 1 AC Typ 1; 1,1 kW Mode 2 Ladekel 1ph - 2.1 2.9 7.8 10.9 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance / Performance	3.231 210/250 (Optional) 140 5.1 34 354.2 16.00 12.00 8.28 underfloor Vechicle ray part 3.7 kW, Mode 3 walloor, AC Typ 1 AC Typ 1, 1, 1 kW Mode 2 Ladekbel 1ph - 2.1 2.9 7.8 10.9 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance / Performance	3.231 210/250 (Optional) 140 5.1 34 35.2 15.2 16.00 17.2 37.4 WJ, Mode 3 Wallbox, AC Typ 1 AC Typ 1; 1, 1 W Mode 2 Lackshel 1ph 21 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance /fuel eco. Performance /fuel eco. Performance Performa	3.231 210/250 (Optional) 140 5.1 34 354.2 11-50 8.8 underfloor Vechicle rear part 3.7 kW, Mode2 Javailloor, AC Typ 1 AC Typ 1, 1, 1 kW Mode2 Lavailloor, AC Typ 1 AC Typ 1, 1, 1 kW Mode2 Lavailloor, AC Typ 1 2.1 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Verformance /fuel eco.	3.231 210/250 (Optional) 140 5.1 34 354.2 140 120 8.2 120 8.2 120 120 120 120 120 120 120 12	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Verformance Verformance inal drive ratio (on speed, km/h (on speed (electrical), km/h >100km/h, s inal drive ratio (inproduced (electrical), km/h >100km/h, s intery (inproduced (electrical), km/h intery (inproduced (electrical), km/h intery (inproduced (electrical), km/h electrical), km/h electrical), km/h intery (electrical), km	3.231 3.210/250 (Optional) 140 5.1 34 354.2 Ii-ion 12 8.84 underfloor Vechicle rear part 3.7 kW, Mode 3 Wallbox, AC Typ 1 AC Typ 1; 1,1 kW Mode 2 Ladekabel 1ph - 2. 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance //tell eco. Final drive ratio For speed, km/h For speed (electrical), km/h > 100km/h, s Mither / Statter / Dapacky, h/h Statter / Dapacky, (high voltage), A/h Statter / Speed (electrical), km/h Statter (electrical), km/h	3.231 3.231 210/250 (Optional) 140 5.1 34 354.2 Histon 12 8.84 underfloor Vechicle rar part 3.7 kW, Mode 3 Wallbox, AC Typ 1 AC Typ 1; 1,1 kW Mode 2 Ladekabel 1ph - 2.1 2.9 7.8 10.9 0 PHEV electrical traction maschine GC 1925A 83 113 3170 265 0.3170 3170 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2,813 210/30 (Optional) N/A 3,6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //well eco. Performance //well eco. inal drive ratio (on speed, km/h (on speed (electrical), km/h >100km/h, s (bitwollarg) exhibiting Stattery Capacity (high voltage), Ah stattery Capacity (high voltage), V stattery hey high voltage Sross battery content high voltage, kWh set battery vontent high voltage, kWh set battery vontent high voltage, kWh set battery vontent high voltage, kWh set battery on the high voltage, kWh set battery battery battery battery harging ture 2 (0-80% SoC), h charging ture 2 (0-80% SoC), h charging ture 3 (0-80% SoC), h charging ture	3.231 3.231 210/250 (Optional) 140 5.1 34 354.2 Histon 12 8.84 underfloor Vechicle rear part 3.7 kW, Mode 3 Wallbox, AC Typ 1 AC Typ 1; 1,1 kW Mode 2 Ladekabet 1ph - 2.1 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance //tell eco. Performance Perfor	3.231 3.231 210/250 (Optional) 140 5.1 34 354.2 Hidon 12 8.84 underfloor Vechicle rear part 3,7 kW, Mode3 Vadilsox, AC Typ 1 AC Typ 1; 1,1 kW Mode2 Ladekabel 1ph - 2.1 2.9 7.8 10.9 0 PHEV electrical traction maschine GC1P25A 83 113 3170 265 0 0 55	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance //tell eco. Performance Perfor	3.231 3.231 210/250 (Optional) 140 5.1 34 354.2 Hidon 12 8.84 underfloor Vechicle rear part 3,7 kW, Mode2 Jawlinov, AC Typ 1 AC Typ 1; 1,1 kW Mode2 Ladekbel 1ph - 2.1 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //well eco. Performance //well eco. inal drive ratio (on speed, km/h (on speed (electrical), km/h) // Domn(h, s) // Domn(h	3.231 3.210/250 (Optional) 140 5.1 34 354.2 110 12 8.84 underfloor Vechicle rear part 3,7 kW, Mode2 Jawlinov, AC Typ 1 AC Typ 1; 1,1 kW Mode2 Ladekbel 1ph - 2.1 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance //tell eco. Final drive ratio For speed, km/h For speed (electrical), km/h 2-2006m/h, s 2-2006m/h, s	3.231 210/250 (Optional) 140 5.1 34 354.2 Hion 12 8.84 underfloor Vechicle rear part 3,7 kW, Mode3 Ladekbel 1ph - C 2.1 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance //tell eco. Find cityre ratio (Top speed, km/h (Top speed, km/h (Top speed, len/h (Top speed, len/h (Len/h (Len/h (Top speed, len/h (Len/h	3.231 3.210/250 (Optional) 140 5.1 34 354.2 110 12 8.84 underfloor Vechicle rear part 3,7 kW, Mode2 Jawlinov, AC Typ 1 AC Typ 1; 1,1 kW Mode2 Ladekbel 1ph - 2.1 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance //tell ec	3.231 210/250 (Optional) 140 5.1 140 341 354 2 140 120 8.84 underfloor Vechile rear part 37, KW, Mode 3 Willitox, AC Typ 1 AC Typ 1, 1, 1KW Mode 21 addexied 1 ph 2.1 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance /fuel eco.	3.231 210/250 (Optional) 140 5.1 140 341 354 2 140 120 8.84 underfloor Vechile rear part 37. KW, Mode 3 Willbox, AC Typ 1 AC Typ 1, 1, 1KW Mode2 Ladekabel 1ph 21 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance /fuel eco. Performance /fuel	3.231 210/250 (Optional) 140 5.1 140 341 354 2 140 120 824 underfloor Vechicle rear part 37. KW, Mode 3 Willbox, AC Typ 1 AC Typ 1, 1, 1KW Mode2 Ladekabel 1ph - 21 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance /fuel eco. Performance /fuel	3.231 210/250 (Optional) 140 5.1 34 354.2 I-inion 12 8.84 underfloor Vechicle rear part 3,7 kW, Mode 3 Vallbox, AC Typ 1 AC Typ 1; 1,1 kW Mode 2 Ladekbel 1ph - 2.1 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance //tell eco. Find city ratio (Top speed, Iwn/h (Top speed, Iwn/h (Top speed, Iwn/h (Top speed, Iwn/h Spearen voltage (high voltage), M Sattery Opacify (Migh Voltage), M Sattery (Migh V	3.231 210/250 (Optional) 140 5.1 34 35.2 14 35.4 14 35.4 14 35.4 14 37.4W, Mode 3 Willbox, AC Typ 1 3.7 WW, Mode 3 Willbox, AC Typ 1 3.7 WW, Mode 3 Willbox, AC Typ 1 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A N/A N/A N/A N/A N/A N/A N/A
Performance /fuel eco. Performance /fuel eco. Performance /fuel eco. Performance /fuel / Performance // Perf	3.231 210/250 (Optional) 140 5.1 34 354.2 1-1 12 8.84 underfloor Vechicle rear part 3,7kW, Mode 3 Vallibox, AC Typ 1 AC Typ 1; 1,1 kW Mode 2 Ladekbel 1ph - 2.1 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance //tell eco. Performance //tell eco. Performance //tell eco. Prog speed, km/h For speed (electrical), km/h > Jobown/h, S bithwofinga history/ Battery Capacity (high voltage), Ah yetern voltage (high voltage), Ah yetern voltage (high voltage), V Battery Appen high voltage, Wh Battery Counten high voltage, kWh Battery Position High voltage, KWh Battery Battery Position High Voltage, KWh Battery Battery Position High Voltage, KWh Battery Battery Battery Battery Battery Battery Battery Battery Battery Battery Battery Battery Ba	3.231 210/250 (Optional) 140 5.1 34 354.2 H-lon 12 8.44 underfloor Vechicle rear part 3.7 kW, Mode 2 Walliox, AC Typ 1 AC Typ 1; 1, 1 kW Mode 2 Lackbel 1ph - 2.1 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 113 3170 265 0-3170 3170 105 55 105 50000 55 105 324 339 105 70 <t< td=""><td>2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A</td><td>2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A</td><td>2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A</td><td>2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A</td></t<>	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance //tell eco. Performance //tell eco. Performance //tell eco. Prog speed, km/h For speed (electrical), km/h > Joborn/h, s Jichwofnza, bittery/ battery Capacity (high voltage), Ah yetern voltage (high voltage), Ah yeters / Capacity (high voltage), A Stattery Tope high voltage Stattery Fosion high voltage, kWh stattery Posion high voltage, kW stattery Posion high voltage, kW stattery Posion high voltage, kW stat prover (1.E-engine), KW stat prover (1.E-engine), KW stat prover (1.E-engine), KW stattery (1.E-engine), KW strem voltage taped at Peak torque (1.E-Motor), J/min maximum engine speed at Peak torque (1.E-Motor), J/min maximum hourly output (1.E-engine), KW spina tofomin pape hower (1.E-engine), KW strem voltage taped tape at torque (1.E-Motor), J/min maximum hourly output (1.E-engine), KW strem voltage taped tape at torque (1.E-Motor), J/min strem hourly power (1.E-Motor), J/Min strem hou	3.231 210/250 (Optional) 140 5.1 34 354.2 H-Ion 12 8.44 underfloor Vechicle rear part 3.7 kW, Mode 2 Walliox, AC Typ 1 AC Typ 1; 1, 1 kW Mode 2 Ladekbel 1ph - 2.1 2.9 7.8 10.9 0 133 3370 0 155 105 105 105 105 105 1	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance //tell eco. Performance //tell eco. Performance //tell eco. Prog speed, km/h Top speed (electrical), km/h > Jobown/h, s Jichwolnza, bhitary Jichwolnza, Jichwolnza, Ji	3.231 210/250 (Optional) 140 5.1 34 354.2 H-Ion 12 8.44 underfloor Vechicle rear part 3.7 kW, Mode 2 Maillow, AC Typ 1 AC Typ 1; 1, 1 kW Mode 2 Lackabel 1ph - 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 113 3170 0 0 0 0 105 55 105 55 105 105 105 105 105 <td< td=""><td>2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A</td><td>2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A</td><td>2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A</td><td>2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A</td></td<>	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Performance /fuel eco. Performance /fuel eco. Performance For spread, km/h Gro spread (lectrical), km/h Joboschize battery Description (high votage), Ab Sattery Capacity (high votage), Ab Sattery Capacity (high votage), V Sattery (high votage), V Sat	3.231 210/250 (Optional) 140 5.1 34 35.2 14 35.4 34 35.4 14 35.4 14 37.4W, Mode 3 Willbox, AC Typ 1 3.7 WW, Mode 3 Willbox, AC Typ 1 3.7 WW, Mode 3 Willbox, AC Typ 1 AC Typ 1, 1, 1 KW Mode 2 Ladekabel 1 ph 2.1 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A
Performance /fuel eco. Performance /fuel eco. Performance Performa	3.231 210/250 (Optional) 140 5.1 34 35.2 84 35.4 84 underfloor Vechice are part 3.7 WM Arobs 3 Willbox, AC Typ 1 AC Typ 1; 1,1 kW Mode2 Ladekabel 1ph 21 2.9 7.8 10.9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A
Performance //tell eco. Performance //tell eco. Performance //tell eco. Performance //tell eco. Prog speed, km/h Top speed (lectrical), km/h > Jobown/h, & Jichwolnza, bittory/ Battery Capacity (high voltage), Ah yeters / Capacity (high voltage), Ah yeters / Capacity (high voltage), Ah yeters / Capacity (high voltage), V Battery from high voltage Stattery Position high voltage, kWh Battery Position high voltage, KW Battery Position high voltage, KW Battery Position high voltage, Lengtine, LYmin mainum engine speed at Peak torque (1.E-Motor), J/min mainum engine speed t	3.231 210/250 (Optional) 140 5.1 34 354,2 H-ton 12 824 underfloor Vechicle rar part 3,7 WW, Morés Willbox, ACT pp 1 AC Typ 1; 1,1 kW Morés Willbox, ACT pp 1 7,8 10,9 0 0 0 0 0 0 0 0 0 0 0 0 0	2.813 210/250 (Optional) N/A 4 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/330 (Optional) N/A 4.1 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/30 (Optional) N/A 3.6 N/A N/A N/A N/A N/A N/A N/A N/A	2.813 210/250 (Optional) N/A 3.8 N/A N/A N/A N/A N/A N/A N/A N/A

NameAlign DescriptionAlign <b< th=""><th></th><th></th><th></th><th></th><th></th><th></th></b<>						
North Control<	BMW 7 Series Sedan,	7W43	7R83	7U23	7U23	7U63
And set of the se						
Name ControlAppendix App	minimum Engine speed at maximum torque, 1/min					
controlandandandandandandandandInternationalIInternational	Fuel type	gasoline	gasoline	gasoline	gasoline	gasoline
Open larger protectionOpen larger pro	Useable Fuel quality					
Advance <t< td=""><td>Engine oil (exchange quantity), I</td><td></td><td></td><td></td><td></td><td></td></t<>	Engine oil (exchange quantity), I					
Harmshore Interaction Barton <b< td=""><td></td><td></td><td>_</td><td></td><td></td><td></td></b<>			_			
Induce Barbon	Transmission type V					
Strands Jord1 (1)1 (2) </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
mp space13.813.213.313.313.3mp space13.813.213.213.313.3mp space13.813.213.213.313.3mp space13.813.213.213.313.3mp space13.213.213.213.213.2mp space13.213.213.213.213.2mp space13.214.214.214.214.214.2mp space1414.214.214.214.214.2mp space1414.214.214.214.214.2mp space1414.214.214.214.214.2mp space1414.214.214.214.214.2mp space1414.214.214.214.214.2mp space1414.214.214.214.214.2mp space14.214.214.214.214.214.214.2mp space14.214.214.214.214.214.214.214.2mp space14.214.214.214.214.214.214.214.214.214.2mp space14.2 <td>Gear ratios 1st gear**</td> <td>4.714</td> <td>5.5</td> <td>5.5</td> <td>5.5</td> <td>5</td>	Gear ratios 1st gear**	4.714	5.5	5.5	5.5	5
mar.1.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.101.10mar.1.101.101.101.101.101.101.101.10mar.1.101.101.1	2nd** 3rd**					
Marty strain1 a b1 	4th**	1.667	1.72	1.72	1.72	1.72
M ^A B ₁₀ SecondBBBBBBBBSecondBBBBBBBBBBSecondBBB<						
Name of the set o	7th**	0.839	0.823	0.823	0.823	0.823
Name Nome Nome <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td></th<>						
OddOddOddOddOddOddOddStateOddOddOddOddOddOddStateOddOddOddOddOddOddStateOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddOddOddStateOddOddOddOddOdd <td>Aerodynamics</td> <td></td> <td></td> <td></td> <td></td> <td></td>	Aerodynamics					
OddOddOddOddOddOddOddStateOddOddOddOddOddOddStateOddOddOddOddOddOddStateOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddOddStateOddOddOddOddOddOddOddOddOddOddOddStateOddOddOddOddOdd <td>Cx Cx Min</td> <td>0.29</td> <td>0.29</td> <td>0.28</td> <td>0.32</td> <td>0.33</td>	Cx Cx Min	0.29	0.29	0.28	0.32	0.33
kar l bar l ba	Cx Max		0.33	0.33		
Control<		0.29-0.33	0.29-0.33	0.28-0.33	0.32-0.33	0.33-0.35
is a latis a latjatjatjatjatjatSet to set to s	Cx x A Min, m ²					
Name of the set o	Cx x A Max, m² Stirnflaeche	0.8		0.8	0.81	0.85
		2.42		2.41 2.42	2.44	2.42
	Emission Emission classification (type-certified)***	ULEV125	ULEV125	ULEV125	ULEV125	ULEV125
InstrumALM BERNEY ALL JOOR ISL JOURNMAJAM BERNEY ALL JOOR ISL JOURNALM BERNEY ALL JOOR ISL JOURNAMALM BERNEY ALL JOURNAMALM ALL JOURNAM <td>chassis</td> <td></td> <td></td> <td></td> <td></td> <td></td>	chassis					
Index of the set		45/45 R19 102 V XL AS. 245/50 R18 100 V #	N/A	255/40 ZR20 (101Y)	N/A	245/40 ZR20 99 Y XL
ModelModelAddAddModelMode	Front tires var.1	245/45 R19 102 V XL AS, 245/45 R19 98 Y	N/A	255/35 ZR21 (98Y)	255/35 ZR21 (98Y)	N/A
Instrum 	Front tires var.2 Front tires var.3					
Instrumental Instrumental Barbar Barb	Front rims	8Jx18 LM, 8,5Jx19 LM	N/A	8,5J x 20	N/A	8,5Jx20 LM
Instrument Improvement <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Katelional2000 BOUND (M. 2000)300 BOUND (M. 2000) </td <td>Front rims var.3</td> <td>N/A</td> <td>8,5Jx20 LM</td> <td>8,5Jx20 , 8,5Jx20 LM</td> <td>N/A</td> <td>N/A</td>	Front rims var.3	N/A	8,5Jx20 LM	8,5Jx20 , 8,5Jx20 LM	N/A	N/A
Instrumental Instrumental Instrumental Instrumental 	Rear tires Rear tires var 1					
IntramInt Bala A MontalAn and a Bala and a Constraint of a second of	Rear tires var.2	275/40 R19 101 Y	275/35 R20 102 Y XL	295/35 R20 105V AS, 275/35 R20 102 Y XL	N/A	275/35 R20 102 Y XL
kar mark and the start of th	Rear tires var.3					
kir min and mi	Rear rims var.1	9,5Jx19 LM, 8,5Jx19 LM	N/A	10J x 21		N/A
Inst. Inter. I	Rear rims var.2					
Inst. Amer. Am.IA3IA3IA3IA3IA3IA3IA3IA3Inst. Amer. Am.IA4IA3IA3IA3IA3IA3IA3Inst. Amer. Am.IA4IA3 <td>Track front, mm</td> <td>1611</td> <td>N/A</td> <td>1619</td> <td>N/A</td> <td>1621</td>	Track front, mm	1611	N/A	1619	N/A	1621
Tach may						
Tak. war, n, min150N/A152162162N/A154152152152N/A154Wed short war, min170N/A120N/A154Wed short war, min170N/A120N/A120Wed short war, min170170170170170Wed short war, min170170170170170170Wed short war, min170170170170170170Wed short war, min170170170170170170Wed short war, min170170170170170170Wed short war, min170170170170170170170Wed short war, min170170170170170170170170170Wed short war, min170<	Track front var.3, mm					
Tak ner are are are are are are are are are a						
Wasel and result12/9N/A12/9N/A25N/A11N/A11N/A1N/AN/AWasel and resort and many and resort and	Track rear var.2, mm	1622		1622	N/A	1618
Wand for form 2.1, and wand for any 2.4, and wand for any 2.4, and wand for any 2.4, and 						
WeakNANANANANAVeak21/0NA22/0NA30ALWeak21/0NA22/0NA30ALWeakNA1440NANANAWeakNA14NANANANAWeakNANANANANANAMultiple traver J, maNANANANANAMultiple traver J, maNANANANANANAMultiple traver J, maNANANANANANANAMultiple traver J, maNAN						
Whed effer ray with and and the start of the start	Wheel offset front var.2, mm					
Watch for car with a set of the set of	Wheel offset rear, mm					
WeakNA4141NANANANAInstarts ray 21, and 21, an	Wheel offset rear var.1, mm					
Index torus 1.1'ng''NA'ng, 'ng''NA'NABart torus 2.1'ng''ng, 'ng''NA'ng''NABart torus 2.1'ng, 'ng''NA'NA'NABart torus 2.1'NA'NA'NA'NABart torus 2.1'NA'NA'NA'NA'NABart to	Wheel offset rear var.3, mm					
<table-container>Band and any and any any any any any any any any any any</table-container>	Run flat tires Run flat tires var 1					
Were stering we	Run flat tires var.2					
base-testing testing transmission centre, 1AA APSAA APSAA APSAA APStransmission centre, 11.4.81.4.81.4.81.4.81.4.8transmission centre, 100 centre		N/A	yes	no, yes	N/A	N/A
Term <td>Power-steering</td> <td></td> <td></td> <td></td> <td></td> <td></td>	Power-steering					
bit Park agardy (galon) -seeine, gal21.120.620.620.620.6Battery (casery (low vallage), An509090909090Set battery (casery (low vallage), An60N/AN/AN/AN/ASystem vallage (low vallage), An60N/AN/AN/AN/ASystem vallage (low vallage), An60N/A101010System vallage (low vallage), An636363636363System vallage (low vallage), An63 <td< td=""><td>Steering transmission, overall, :1</td><td>14.8</td><td>14.8</td><td>14.8</td><td>14.8</td><td>14.8</td></td<>	Steering transmission, overall, :1	14.8	14.8	14.8	14.8	14.8
bit Park agardy (galon) -seeine, gal21.120.620.620.620.6Battery (casery (low vallage), An509090909090Set battery (casery (low vallage), An60N/AN/AN/AN/ASystem vallage (low vallage), An60N/AN/AN/AN/ASystem vallage (low vallage), An60N/A101010System vallage (low vallage), An636363636363System vallage (low vallage), An63 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td></td<>						
Bathery Capatry (involtage), Ah90909090Strattery Capatry (involtage), Ah60NANANANAYather witzey (involtage), Ah60NANANANAStrattery Capatry (involtage), Ah72121212Strattery Capatry (involtage), AhNoNoNoNoStrattery (involtage), AhNoNoNoNoStrattery (involtage), Ah6463/616NAAhStrattery (involtage), Ah6463/616NA63Strattery (involtage), Ah656563/6166363Bear tradt var (involt, Inch656563/615NA63Bear tradt var (involt, Inch656563/615NA63Bear tradt var (involt, Inch6363638463/763NA63Bear tradt var (involt, Inch6363638463/763NA63Bear tradt var (involt, Inch646363/63NA6363Rear tradt var (involt, Inch746363763NA70Rear tradt var (involt, Inch747474747474Various concernation747474747474Various concernation747474747474Various concernation737374737374Various concernation (Inch), Inch74 <td< td=""><td></td><td>12.1</td><td>20.6</td><td>20.6</td><td>20.6</td><td>20.6</td></td<>		12.1	20.6	20.6	20.6	20.6
India terry Capacity (low voltage), A60NANANANAStree working (low voltage), A1212121212Stree working (low voltage), ANoNoNoNoStree working (low voltage), ANoNoNoNoStree working (low voltage), ANoNoNoNoStree working (low voltage), ANoStree working (low voltage), ANoStree working (low voltage), AStree working (low voltage), ANoStree working (low voltage), AStree working (low voltage), A <td< td=""><td>Battery Capacity (low voltage), Ah</td><td></td><td></td><td></td><td></td><td></td></td<>	Battery Capacity (low voltage), Ah					
Sch No No No No U5 dirking dynamic conversion	2nd battery Capacity (low voltage) , Ah					N/A 12
Uš donug dynamic sonversion	SCR			<u>a</u> t.		12
Track tront (inch), inchG34G34G34, G3, G34, G3, G34, G34, G37NAG38Beer track (inch), inchG38G46G3, G34, G53, G53, G53, G53, G53, G53, G53, G53	SCR (Yes/No)	No	No	No	No	No
Rentrack (inch), inch64.663.9 (6363.9 (63)63.763.7Rentrack var.1 (inch), inch6363.863.8 (63.9 (63.9)63.963.8Rentrack var.1 (inch), inch63.863.863.7 (63.8 (63.9)NA63.8Rentrack var.2 (inch), inch63.963.963.9NA63.7Rentrack var.2 (inch), inch63.963.963.9NA63.7Rentrack var.2 (inch), inch63.963.963.9NA63.7Rentrack var.2 (inch), inch0.NA63.863.763.7NA63.7Rentrack var.2 (inch), inchNA63.863.763.9NA63.7Rentrack var.2 (inch), inchNA63.863.763.9NANA63.7Rentrack var.2 (inch), inchNA63.863.763.7NANANANARentrack var.2 (inch), inch26.57.27	US driving dynamic conversion Track front (inch), inch	63.4	63.4	63.4/63.7	N/A	63.8
Rear tax x1 (inch), inch656563.9(5563.963.965Rear tax x1 (inch), inch63.863.863.7(63.8)N/A63.8Rear tax x1 (inch), inchN/A63.863.7(63.9)N/AN/ARear tax x1 (inch), inch7.57.27.298.48.6CA max (iff), iff.8.68.568.68.68.68.6Rear tax x1 (inch), inch8.48.548.68.68.6Viel, inst(inch), inch8.68.548.68.68.68.6Viel, inst(inch), inch8.68.548.548.548.548.548.54Viel, inst(inch), inch8.68.548.548.548.548.548.548.54Viel, inst(inch), inch8.68.548.548.543.583.593.593.593.593.593.593.593.593.593.593.593.59	Rear track (inch), inch	64.6	64.6	63.9/64.6	N/A	63.7
Track for thur 2. (inch), inch63.863.863.7 (63.8N/A63.8Beer track v.2. (inch), inchN/A63.963.963.9N/A63.7Feer track v.3. (inch), inchN/A63.763.7 (63.8N/AN/AArrody track for thur 2. (inch), inchN/A63.763.7 (63.8N/AN/AArrody track for thur 2. (inch), inchN/A63.763.7 (63.8N/AN/AArrody track for thur 2. (inch), inchN/A63.763.7 (63.88.66.66.6CA mai (It ¹), It3.65.58.68.68.66.79.12CA mai (It ¹), It3.62.542.652.62.62.6CA mai (It ¹), It3.62.68.68.68.63.63.6Unitation (Itin), Inch2.742.742.742.742.742.74Veh, bight (inch), Inch7.497.497.497.497.497.49Vich bight (inch), Inch5.83.5.83.5.83.5.83.53.53.5Rear Overhang (inch), Inch2.642.642.642.642.642.64Veh endig (inch), Inch3.5.83.5.83.5.83.5.83.53.53.5Rear Overhang (inch), Inch4.544.544.544.544.544.54Upergroun 2.775.7.85.7.85.7.75.7.75.7.75.7.75.7.75.7.7Shoulder room real (inch), Inch4.544.5	Rear track var.1 (inch), inch	65	65	63.9/65	63.9	65
Track forch, inch NA 63.8 63.7(63.8 NA NA Ber track var.3 (nch), inch NA 63.7 63.7(63.8) NA NA Attrady functions concersion - - - - - Attrady functions concersion 6.6 8.56 8.6 8.67 9.12 CAA min (ft), ft 26.05 26.26 26.05 26.05 26.05 Dismassions concersion - <td>Track front var.2 (inch), inch</td> <td>63.8</td> <td>63.8</td> <td>63.7/63.8</td> <td>N/A</td> <td></td>	Track front var.2 (inch), inch	63.8	63.8	63.7/63.8	N/A	
Ren track var.3 (inch), inch NA 6,37 6,37 6,37 6,37 6,37 6,37 6,37 6,37 6,37 6,37 7,39 8,4 8,6 CAM ma (H), fh 7,55 7,52 7,29 8,4 8,6 6,6 CAM ma (H), fh 8,6 8,56 8,6 8,67 9,12 CAM ma (H), fh 2,605 2,605 2,66 2,605 2,605 Dimensions conversion 7,49 7,49 7,49 7,49 7,49 Vieh heigh (Inch), Inch 7,49 7,49 7,49 7,49 7,49 Vieh heigh (Inch), Inch 2,62 5,78 5,6,7 5,8,2 5,2 Vieh heigh (Inch), Inch 12,6,4 12,09 12,6,4 12,6,4 12,6,4 Vieh heigh (Inch), Inch 3,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 3,8,8 <td>Rear track var.2 (inch), inch Track front var.3 (inch), inch</td> <td></td> <td></td> <td></td> <td></td> <td></td>	Rear track var.2 (inch), inch Track front var.3 (inch), inch					
Coxing (IP), It 7.55 7.52 7.29 8.4 8.6 Coxing (IP), It 8.6 8.56 8.67 9.12 Coxing (IP), It 26.05 25.94 26.05 26.26 26.05 Dimensions Conversion 26.05 26.26 26.05 26.05 Dimensions Conversion 207.4 207.4 207.4 207.4 Vels. heigh (Inch), Inch 74.9 74.9 74.9 74.9 Vels. heigh (Inch), Inch 85.4 85.4 85.4 85.4 Vels. heigh (Inch), Inch 56.2 57.8 56.7 58.2 58.2 Vels. heigh (Inch), Inch 35.8 35.8 35.8 35.8 35.8 35.8 Vershang (Inch), Inch 45.2 45.2 45.2 45.2 45.2 45.2 Vershang (Inch), Inch 53 5.3 5.6 5.3 53.3 53.3 Ground Gearance (Inch), Inch 43.4 41.4 41.4 41.4 41.4 Legroom Tront (Inch), Inch 4	Rear track var.3 (inch), inch					
CAM mat (P), Ph 8.6 8.6 8.6 8.6 8.67 9.12 CAM mat (P), Ph 26.05 25.94 26.05 26.36 26.05 26.05 Chanse scruters ion V V 26.05 26.05 26.05 26.05 Viels height (inch), inch 27.4 201.8 207.4 207.4 207.4 Viels height (inch), inch 26.4 26.4 85.4 85.4 85.4 85.4 85.4 85.4 85.4 85.4 85.4 85.4 85.4 85.4 85.4 85.4 85.4 85.6 35.8 35.9 35.9 35.9	CXA min (ft²), ft	7.55	7.52	7.29		8.6
Dimensions were in the interval of the interval interva	CXA max (ft²), ft	8.6	8.56	8.6	8.67	9.12
Yeb. with indmix inchi, inchYeb. Yeb, Yeb, Yeb, Yeb, Yeb, Yeb, Yeb, Yeb,	Dimensions conversion					
Width indiriors (inch), inch85.485.485.485.485.485.4Wheth seght (inch), inch58.257.858.758.258.258.2Wheth seght (inch), inch126.4126.4126.4126.4126.4Overhang fort (inch), inch35.835.835.835.835.8Bear overhang (inch), inch45.245.245.245.245.2Ground classner (inch), inch5.35.35.35.35.3Lagroom froot (inch), inch44.441.441.441.441.4Lagroom froot (inch), inch4.34.34.34.34.3Shoulder room regri (inch), inch59.259.259.259.259.2Shoulder room regri (inch), inch57.757.857.757.757.7Headroom froot (inch), inchNA43.639.939.9NAMaximum headroom 2nd row (inch), inch36.938.538.938.939.9Maximum headroom 2nd row (inch), inch36.338.538.938.938.9Maximum headroom 2nd row (inch), inch38.938.538.938.938.938.9Maximum headroom 2nd row (inch), inch38.938.538.938.938.938.9Maximum headroom 2nd row (inch), inch38.538.238.938.938.938.9Maximum headroom 2nd row (inch), inch38.538.238.938.938.938.9Maximum headroom 2nd row (in	Veh. length (inch), inch					
Veh. height (inch), inchS2S2S2S2S2Overhang (inch), inch1264120126412641264Overhang (inch), inch35.835.835.835.835.8Near overhang (inch), inch45.245.245.245.2Ground exance (inch), inch5.35.35.65.35.3Legroom Torro (inch), inch44.444.441.441.444.4Legroom Torro (inch), inch44.438.644.441.444.4Legroom Torro (inch), inch59.259.259.259.2Shoulder room Torro (inch), inch59.759.259.259.2Shoulder room Torro (inch), inch59.759.259.259.2Shoulder room Torro (inch), inch89.939.739.939.939.9Headroom Torro (inch), inch89.939.739.939.939.9Maximum headroom 2hd row (inch), inch39.938.538.938.938.938.9Maximum headroom 2hd row (inch), inch38.938.238.938.938.938.9Ken's to Volume (ift), fråNA58.2NANANANA	Width incl mirrors (inch), inch					
Overhampford Mode S8	Veh. height (inch), inch	58.2	57.8	58.7	58.2	58.2
Rear overhamp (inch), inch 45.2 45.2 45.2 45.2 45.2 45.2 Legroom front (inch), inch 5.3 5.3 5.6 5.3 5.3 Legroom front (inch), inch, inch 4.4 4.14 4.14 4.14 4.14 Legroom front (inch), inch, inch 4.44 3.86 4.44 4.14 4.14 Stoulder room front (inch), inch 4.3 4.13 4.23 4.3 4.3 Stoulder room front (inch), inch 59.2 59.2 59.2 59.2 59.2 Stoulder room front (inch), inch NA 4.1.1 39.9 39.9 NA Headroom front (inch), inch NA 3.6.6 38.9 38.9 38.9 38.9 Maximum headroom 2nd row (inch), inch 38.4 38.5 38.9						
Legroom from (inch), inch 41.4 41.4 41.4 41.4 41.4 Legroom Torrow (inch), inch 44.4 36.6 44.4 44.0 44.0 Turning circle (ft), ft 43.4 38.6 44.3 43.0 43.0 Stoulder com from (inch), inch 59.2 59.2 59.2 59.2 59.2 Stoulder com from (inch), inch 57.7 57.8 57.7 57.7 57.7 Stoulder com from (inch), inch N/A 41.1 39.9 39.9 39.9 39.9 Maximum headroom forth (inch), inch N/A 36.6 38.9 38.9 38.9 38.9 Maximum headroom forth (inch), inch 38.9 36.2 38.9	Rear overhang (inch), inch	45.2	45.2	45.2	45.2	45.2
Legroom 2nd row (inch), inch 44.4 36.6 44.4 44.4 44.4 Turning criter (th), th 43 43 43 43 43 Moulder room from (inch), inch 59.2 59.2 59.2 59.2 59.2 Shoulder room from (inch), inch 57.7 57.8 57.7 57.7 57.7 Headroom from (inch), inch 09.9 39.7 39.9 39.9 39.9 Headroom from (inch), inch 09.9 38.7 39.9 39.9 39.9 Headroom from tim Sunroof (inch), inch 09.9 38.6 38.9 38.9 39.9 Headroom from tim Sunroof (inch), inch 04.9 38.6 38.9 38.9 38.9 Maximum headroom 2nd row (inch), inch 38.9 38.5 38.9 38.9 38.9 Maximum headroom 2nd row (inch), inch 38.6 38.9 NA NA NA Maximum headroom 2nd row (inch), inch 38.9 38.9 38.9 38.9 38.9 38.9 38.9 38.9 38.9 38						
Shaulder room front (inch), inch 59.2 59.2 59.2 59.2 59.2 59.2 Shaulder room rear (inch), inch 57.7 57.8 57.7 57.7 57.7 Beadroom front (inch), inch N/A 41.1 39.9 39.9 N/A Headroom front (inch), inch 39.9 39.7 39.9 39.9 39.9 Maximum headroom 2nd row (inch), inch N/A 38.6 38.9 38.9 N/A Maximum headroom 2nd row (inch), inch N/A 38.6 38.9 </td <td>Legroom 2nd row (inch), inch</td> <td>44.4</td> <td>38.6</td> <td>44.4</td> <td>44.4</td> <td>44.4</td>	Legroom 2nd row (inch), inch	44.4	38.6	44.4	44.4	44.4
Shoulder room rear (inch), inch 57.7 57.8 57.7 57.7 57.7 Headroom front (inch), inch N/A 41.1 39.9 39.9 N/A Headroom front (inch), inch 39.9 39.7 39.9 39.9 39.9 Maximum headroom 2nd row (inch), inch N/A 8.6 38.9 38.9 N/A Maximum headroom 2nd row (inch), inch 38.9 38.5 38.9 38.9 38.9 Kanimum headroom 2nd row (inch), inch 38.9 38.5 38.9 38.9 38.9 Kenr Set Volume (I ⁺), th ⁴ N/A 52.2 N/A N/A N/A N/A	Turning circle (ft), ft Shoulder room front (inch), inch					
Headroom front with Sunroof (inch), inch 39.9 39.9 39.9 39.9 39.9 Maximum headroom 2nd row (inch), inch NA 38.6 38.9 38.9 NA Maximum headroom 2nd row (inch), inch 38.9 38.5 38.9 38.9 38.9 Maximum headroom 2nd row (inch), inch 38.9 38.5 38.9 38.9 38.9 Rear Set Volume (I ⁺), ft ⁴ N/A 52.2 N/A N/A N/A Rear Set Volume (I ⁺), ft ⁴ N/A 43.8 N/A N/A N/A	Shoulder room rear (inch), inch	57.7	57.8	57.7	57.7	57.7
Maximum headroom 2nd row (inch), inch N/A 38.6 38.9 38.9 N/A Maximum headroom 2xt row with surroof (inch), inch 38.9 38.5 38.9 38.9 38.9 Front Seat Volume (t ¹), t ¹ N/A 58.2 N/A N/A N/A Rear Seat Volume (t ¹), t ¹ N/A 43.8 N/A N/A N/A						
Front Seat Volume (ft ²), ft ³ N/A S8.2 N/A N/A N/A Rear Seat Volume (ft ²), ft ³ N/A 49.8 N/A N/A N/A	Maximum headroom 2nd row (inch), inch	N/A	38.6	38.9	38.9	N/A
Rear Seat Volume (ft ¹), ft ³ N/A 49.8 N/A N/A N/A N/A	Maximum headroom 2st row with sunroof (inch), inch					
	Rear Seat Volume (ft ^a), ft ^a	N/A	49.8	N/A	N/A	N/A
	Luggage vol. (EPA) - only for homologation, ft ³	10	14	14	14	14

Wheel Overview Model Year 2020	7 Series Effective: 09/01/19		745Le xDrive Sedan	750i xDrive Sedan	750Li xDrive Sedan	M760Li xDrive Sedan
	Code: 21F19" M Lt/Aly Wheels, Double- Spoke 647M,Bicolour, Perf.Style: 647MRFT	Front: 19x8.5, 245/45 R19 Rear: 19x9.5, 275/40 R19	Standard			
	Code: 22M20" M Lt/Aly Wheels,Double-Style: 760MSpoke 760 M,Perf. RFT	Front: 20x8.5, 245/40 R20 Rear: 20x10.0, 275/35 R20				Optional
	Code: 22N20" M Lt/Aly Wheels,Double-Style: 760MSpoke 760 M,Perf. Non-RFT	Front: 20x8.5, 245/40 R20 Rear: 20x10.0, 275/35 R20				Standard
	Code: 29S20" M Lt/Aly Wheels,Star-SpokeStyle: 817M817 M, Black, Perf. RFT	Front: 20x8.5, 245/40 R20 Rear: 20x10.0, 275/35 R20		Optional	Optional	Optional
	Code: 29V20" M Lt/Aly Wheels,Star-SpokeStyle: 817M817 M,Bicolour, Perf. RFT	Front: 20x8.5, 245/40 R20 Rear: 20x10.0, 275/35 R20		Standard	Standard	Optional
	Code: Z1V21" Lt/Aly Wheels, Double-Style: 650MSpoke 650M, Perf. RFT	Front: 21x8.5, 245/35 R21 Rear: 21x10.0, 275/30 R21	Optional ZFG (840 will delete from the order) (Requires 21G on indicated models)	Optional ZFG (840 will delete from the order) (Requires 21G on indicated models)	Optional ZFG (840 will delete from the order) (Requires 21G on indicated models)	
	Code: Z1W 21" Lt/Aly Wheels, Multi-Spoke Style: 629 629, Perf. RFT	Front: 21x8.5, 245/35 R21 Rear: 21x10.0, 275/30 R21	Optional (840 will delete from the order) (Requires 21G on indicated models)	Optional (840 will delete from the order) (Requires 21G on indicated models)	Optional (840 will delete from the order) (Requires 21G on indicated models)	
	Code: ZF319" M Lt/Aly Wheels, Double-Style: 647MSpoke 647M,Bicolour, A/S RFT	Front / Rear: 19x8.5, 245/45 R19	Optional (Requires 21G on indicated models)			

Wheel Overview Model Year 2020

ALPINA B7 Effective: 07/01/19



Code: Z2B Style: N/A 21" ALPINA Multi-Spoke Wheel, Perf. Non-RFT Front: 21x8.5, 255/35 R21 Rear: 21x10.0, 295/30 R21

Standard

	luct Configuration Year 2020 7 Series		Driv	š	rive	Dri
_	Effective: 09/01/19	CA Model Code AG Model Code Start of Production	745Le xDrive 3400 2401 26dan 61/20	2001 XDrive 2020 2501 XDrive 7883 03/19	1700Li xDrive 200Li xDrive 201 201 201 201 201 201 201 201	M160Li xDrive 2002 2003 2003 2043 2031 2031
СС	Options Automatic Start/Stop function		STD	STD	STD	STD
CR	Remote Engine Start			100%	100%	100%
MA	M Sport Exhaust System			100%	100%	STD
21F	19" M Lt/Aly Wheels, Double-Spoke 647M,Bicolour, Perf. RFT (19x8.5, 245/45 R19 front and 19x9.5, 275/40 R19 rear)		100%			
22M	20" M Lt/Aly Wheels,Double-Spoke 760 M,Perf. RFT (20x8.5, 245/40 R20 front and 20x10.0, 275/35 R20 rear)					х
22N	20" M Lt/Aly Wheels,Double-Spoke 760 M,Perf. Non-RFT (20x8.5, 245/40 R20 front and 20x10.0, 275/35 R20 rear)					100%
248	Heated Steering Wheel		100%	100%	100%	100%
258	Runflat Tires		STD	STD	STD	
29S	20" M Lt/Aly Wheels, Star-Spoke 817 M, Black, Perf. RFT (20x8.5, 245/40 R20 front and 20x10.0, 275/35 R20 rear)			x	x	x
29V	20" M Lt/Aly Wheels,Star-Spoke 817 M,Bicolour, Perf. RFT (20x8.5, 245/40 R20 front and 20x10.0, 275/35 R20 rear)			100%	100%	х
2NH	M Sport Brakes		x	x	х	
2TB	Sport Auto Trans w/Paddles		100%	100%	100%	100%
2VB	Tire Pressure Monitor		100%	100%	100%	100%
2VH	Integral Active Steering		х	ZDE	705	100%
VS	Included in package Active Comfort Drive with Road Preview			ZDE	ZDE	100%
	Included in package			ZDE	ZDE	10078
802	Alarm System		STD	STD	STD	STD
19	Universal Remote Control		STD	STD	STD	STD
22	Comfort Access		100%	100%	100%	100%
323	Soft Close Doors		STD	STD	STD	STD
37	M Sport Package		100%	100%	100%	
56	Climate Comfort Laminated Glass					STD
	Included in package		ZCO	ZCO	ZCO	OTD
58	Climate Comfort Windscreen Included in package		ZCO	ZCO	ZCO	STD
BAG	Rear View Camera		100%	100%	100%	100%
DE	Without Exterior Lines Designation		100%	10078	100 /8	10078
DS	BMW Display Key		100%	100%	100%	100%
DZ	Without Exterior Lines Designation		100%	100%	100%	
02	Panorama Sunroof		100%		STD	
-03	Glass Sunroof			STD		
07	Sky Lounge Panoramic Glass Sunroof		х		х	100%
45	407 requires ordering ZCO		X	4000	X	
15	Electric Rear Sunshade		STD	100%	STD	STD STD
16	Side and Rear Sunshades Included in package		zco	ZCO	ZCO	510
23	Velour Floor Mats		STD	STD	STD	STD
41	Smoker's Package		x	x	x	x
53	Ventilated Seats					100%
	Included in package		ZCO	ZCO	ZCO	
54	Ventilated Seats Rear					100%
	Included in package		ZDH		ZDH	
56	Comfort Seats, Front		ZDP 100%	STD	ZDP STD	STD
60	Comfort Seats, Front Comfort Seats Rear		100%	עופ	310	100%
00	Included in package		ZDH ZDP		ZDH ZDP	100 /0
65	Through Loading System		100%	100%	100%	100%
.88	Lumbar Support		100%	100%	100%	100%
AS	Grey Poplar Wood Trim		x	x	X	x
AX	Ash Grain Chestnut Wood Trim w/Wooden Inlay		x	x	х	х
IF4	Executive Lounge Seating					

	Uct Configuration Year 2020 7 Series	rive	é	ive	Driv
Model	Effective: 09/01/19	745Le xDrive Sedan	750i xDrive Sedan	750Li xDrive Sedan	M760Li xDrive Sedan
	CA Model Code	ເ ≻ັ ທິ 207E	2070	ሯ ወ 2071	ک ک 2072
	AG Model Code	7W43	7R83	7U23	7U63
	Start of Production	03/19	03/19	03/19	03/19
	Included in package	ZDP		ZDP	ZQQ
4F5	Executive Lounge Rear Console				
	Included in package	ZDP		ZDP	ZQQ
4HA	Seat Heating, Front and Rear	100%	100%	100%	
4HB	Heat Comfort Package, Front		х		
4HC	Heat Comfort Package				100%
	Included in package	ZDH		ZDH	
4KE	American Oak Dark Wood Trim w/Metal Inlay	ZDP x	x	ZDP x	
4KE 4KF	Grey-Metallic Poplar Wood Trim	×	x	x	
4LM	Fineline Black Wood Trim w/Metal Effect	100%	100%	100%	100%
4ML	Piano Black Wood Trim w/Satin Chrome Highlight	x	x	x	x
	Included in package	ZEB	ZEB	ZEB	~
4NB	Auto 4-Zone Climate Control	100%	STD	STD	STD
4ND	Leather Instrument Panel				STD
	Included in package	ZCO	ZCO	ZCO	
4NM	Ambient Air Package				х
	Included in package	ZCO	ZCO	ZCO	
4T6	Massage Function, Rear Seats				100%
	Included in package	ZDH		ZDH	
477	Manage Function for Driver and December	ZDP		ZDP	100%
4T7	Massage Function for Driver and Passenger	ZCO	ZCO	ZCO	100%
4U1	Included in package Ceramic Controls	200	200	200	100%
+01	Included in package	ZCO	ZCO	ZCO	100 %
4U9	Acoustic Protection for Pedestrians	100%	200	200	
4UR	Ambient Lighting	100%	100%	100%	STD
4UY	Ski And Snowboard Bag	x	x	x	x
	4UY cannot be ordered with ZDP	x		x	
	4UY cannot be ordered with ZQQ				x
508	Park Distance Control, front and rear	STD	STD	STD	STD
552	Adaptive Full LED Headlights	100%	100%	100%	
5AC	High-Beam Assistant	100%	100%	100%	100%
5AL	Active Protection	100%	100%	100%	100%
5AR	Traffic Jam Assistant				100%
	Included in package	ZFI	ZFI	ZFI	
5AS	Driving Assistant	100%	100%	100%	4000/
5AU	Driving Assistant Professional	751	751	751	100%
5AZ	Included in package	ZFI	ZFI x	ZFI	100%
5AZ 5DN	BMW Laserlight Headlights Parking Assistant Plus w/Surround View	х	~	Х	100%
JUN	Included in package	ZCO	ZCO	ZCO	10078
5DS	Luggage-Compartment Emergency Unlocking	STD	STD	STD	STD
5DV	Remote Control Parking	0.2	x	x	X
	-		x	x	
	5DV requires ordening 200				100%
610	5DV requires ordering ZCO Head-Up Display	100%	100%	100%	100 /6
		100% 100%	100% 100%	100%	100%
610	Head-Up Display				
610 655	Head-Up Display SiriusXM Satellite Radio Tuner	100%	100%	100%	100%
610 655 688 6AC 6AE	Head-Up Display SiriusXM Satellite Radio Tuner Harman/Kardon Sound System Intelligent Emergency Call Teleservices	100% 100% 100% 100%	100% 100%	100% 100%	100% 100%
610 655 688 6AC 6AE 6AG	Head-Up Display SiriusXM Satellite Radio Tuner Harman/Kardon Sound System Intelligent Emergency Call Teleservices eDrive Services	100% 100% 100% 100% 100%	100% 100% 100% 100%	100% 100% 100% 100%	100% 100% 100% 100%
610 655 688 6AC 6AE 6AG 6C3	Head-Up Display SiriusXM Satellite Radio Tuner Harman/Kardon Sound System Intelligent Emergency Call Teleservices eDrive Services Connected Package Professional	100% 100% 100% 100% 100% 100%	100% 100% 100% 100%	100% 100% 100% 100%	100% 100% 100% 100%
610 655 688 6AC 6AE 6AG 6C3 6CP	Head-Up Display SiriusXM Satellite Radio Tuner Harman/Kardon Sound System Intelligent Emergency Call Teleservices eDrive Services Connected Package Professional Apple CarPlay Preparation	100% 100% 100% 100% 100% 100%	100% 100% 100% 100% 100%	100% 100% 100% 100% 100%	100% 100% 100% 100% 100%
610 655 688 6AC 6AE 6AG 6C3 6CP 6F1	Head-Up Display SiriusXM Satellite Radio Tuner Harman/Kardon Sound System Intelligent Emergency Call Teleservices eDrive Services Connected Package Professional Apple CarPlay Preparation Bowers and Wilkins Diamond Surround Sound System	100% 100% 100% 100% 100% 100% x	100% 100% 100% 100%	100% 100% 100% 100% 100% x	100% 100% 100% 100% 100% x
610 655 688 6AC 6AE 6AG 6C3 6CP	Head-Up Display SiriusXM Satellite Radio Tuner Harman/Kardon Sound System Intelligent Emergency Call Teleservices eDrive Services Connected Package Professional Apple CarPlay Preparation Bowers and Wilkins Diamond Surround Sound System Rear Entertainment System	100% 100% 100% 100% 100% 100% x x x	100% 100% 100% 100% 100% x	100% 100% 100% 100% 100% x x x	100% 100% 100% 100% 100% x x x
610 655 688 6AC 6AE 6AG 6C3 6CP 6F1 6FR	Head-Up Display SiriusXM Satellite Radio Tuner Harman/Kardon Sound System Intelligent Emergency Call Teleservices eDrive Services Connected Package Professional Apple CarPlay Preparation Bowers and Wilkins Diamond Surround Sound System Rear Entertainment System Included in package	100% 100% 100% 100% 100% 100% x x x ZDP	100% 100% 100% 100% 100% x ZDQ	100% 100% 100% 100% 100% x x x ZDP	100% 100% 100% 100% 100% x x x ZQQ
610 655 688 6AC 6AE 6AG 6C3 6CP 6F1	Head-Up Display SiriusXM Satellite Radio Tuner Harman/Kardon Sound System Intelligent Emergency Call Teleservices eDrive Services Connected Package Professional Apple CarPlay Preparation Bowers and Wilkins Diamond Surround Sound System Rear Entertainment System	100% 100% 100% 100% 100% 100% x x x	100% 100% 100% 100% 100% x	100% 100% 100% 100% 100% x x x	100% 100% 100% 100% 100% x x x

	uct Configuration Year 2020 7 Series	lrive	é	rive	Driv
Weder	Effective: 09/01/19	745Le xDrive Sedan	750i xDrive Sedan	750Li xDrive Sedan	M760Li xDrive Sedan
	CA Model Code	207E	2070	2071	2072
	AG Model Code	7W43	7R83	7U23	7U63
01.10	Start of Production	03/19	03/19	03/19	03/19
6U9	BMW Touch Command	7011	700	7011	100%
	Included in package	ZDH ZDP	ZDQ	ZDH ZDP	
6UK	Night Vision w/pedestrian det.	x	x	X	x
6WD	WiFi Hotspot	100%	100%	100%	100%
710	M Leather Steering Wheel	100%	100%	100%	STD
715	M Aerodynamics Package	100%	100%	100%	100%
754	M Rear Spoiler	100%	100%	100%	100%
760	High-Gloss Black Window Surround	100%	100%	100%	,
775	Anthracite Roofliner	100%	100%	100%	
	775 cannot be ordered with ZDG	x			
	775 cannot be ordered with ZEB		x	x	
776	Anthracite Alcantara Roofliner		x	x	100%
	Included in package	ZCO	zco	ZCO	
	Alternate in package	ZDG	ZEB	ZDG	
		ZEB		ZEB	
791	Cooling Box in Rear Seat Backrest		х	х	х
	791 will delete STD or 100% equipment 465		х	х	х
	791 cannot be ordered with 4UY		х	х	х
7GZ	4 Seat Configuration				
	Included in package	ZDP		ZDP	ZQQ
7M9	High-Gloss Black Kidney Grille w/ Extended Contents	х	х	х	х
	Included in package	ZFG	ZFG	ZFG	
7S0	Interior Design				
	Included in package	ZDG	4000/	ZDG	1000/
840 XQ5	High speed maximum with perf. tires		100%	100%	100%
XC5	M Sport Individual	750	750	750	
XD5	Included in package BMW Individual Alcantara Roofliner	ZEB	ZEB	ZEB	v
XD3	XD5 requires ordering ZBFU, ZBKS or ZBTQ	x x	x x	x x	x x
	Alternate in package	ZDG	ZEB	ZDG	~
		ZEB	220	ZEB	
XEA	Smoke Brown Eucalyptus Wood Trim	 X	x	x	х
	Alternate in package	ZEB	ZEB	ZEB	
XEB	Ash Grain Black Red Wood Trim	х	x	x	х
	Alternate in package	ZEB	ZEB	ZEB	
Z01	Fashion Grey				
	Alternate in package	ZFG	ZFG	ZFG	
Z07	Frozen Dark Grey				
	Z07 will delete ZTQ from the order	х	x	x	x
	Alternate in package	ZFG	ZFG	ZFG	
Z1R	Seatbelt Withdrawal Cover in Wood Trim				
	Included in package	ZDG		ZDG	
Z1S	Rear Center Armrest with Wood Trim				
	Included in package	ZDG		ZDG	
Z1T	Alcantara Roofliner in Coordinated Colour				
	Included in package	ZDG		ZDG	
Z1U	Grab Handle Clasps in Wood Trim				
7414	Included in package	ZDG		ZDG	
Z1V	21" Lt/Aly Wheels, Double-Spoke 650M, Perf. RFT (21x8.5, 245/35 R21 front and 21x10.0, 275/30 R21 rear)	х	x	Х	
	Z1V will delete 840 from the order	x	X	X	
	Z1V will add 21G to the order Included in package	X ZEG	x ZFG	x ZFG	
Z1W	21" Lt/Aly Wheels, Multi-Spoke 629, Perf. RFT	ZFG x	ZFG X	ZFG X	
<u>~</u> 1 V V	(21x8.5, 245/35 R21 front and 21x10.0, 275/30 R21 rear)	^	^	^	
		v	×	x	
	/1W/ will delete 84() from the order				
	Z1W will delete 840 from the order Z1W will add 21G to the order	x x	x x	x	

	Iuct Configuration Year 2020 7 Series		Driv	ive	Drive	XDri
	Effective: 09/01/19		745Le xDrive Sedan	750i xDrive Sedan	750Li xDrive Sedan	M760Li xDrive Sedan
		CA Model Code AG Model Code Start of Production	207E 7W43 03/19	2070 7R83 03/19	2071 7U23 03/19	2072 7U63 03/19
	Alternate in package	Start of Froduction	ZEB	ZEB	ZEB	00/10
Z39	Frozen Grey		ZFG x	ZFG x	ZFG x	х
_00	Alternate in package		ZEB	ZEB	ZEB	~
			ZFG	ZFG	ZFG	
Z3K	Frozen Arctic Grey		x	X	x	x
	Z3K will delete ZTQ from the order Alternate in package		X ZEB	x ZEB	x ZEB	х
	Alternate in package		ZFG	ZFG	ZFG	
Z3P	Delete M Rear Spoiler		х	х	x	
278	Pure Metal Silver					х
	Z78 will delete ZTQ from the order		X	x ZEB	x ZEB	х
ZF3	Alternate in package 19" M Lt/Aly Wheels, Double-Spoke 647M,Bicolour, A/S RFT		ZEB x	ZED	ZED	
	(19x8.5, 245/45 R19)		~			
	ZF3 will add 21G to the order		х			
ZIF	Brilliant White Metallic		х	х	x	х
	ZIF will delete ZTQ from the order		x	x	x	х
ZIV	Alternate in package BMW Individual Paintwork		ZEB	ZEB	ZEB	
210	Included in package		ZEB	ZEB	ZEB	
ZL2	Chrome Exterior Trim		x	x	x	
	ZL2 will delete STD or 100% equipment 760		х	x	x	
	ZL2 cannot be ordered with 7M9 or ZFG		х	х	x	
ZML	Steering and Lane Control					
ZN6	Included in package Nardo Grey		ZFI	ZFI	ZFI	
LINO	ZN6 will delete ZTQ from the order		х	х	x	х
	Alternate in package		ZFG	ZFG	ZFG	~
ZSF	Cross Traffic Alert (Front)					
	Included in package		ZFI	ZFI	ZFI	
ZSM	Active Cruise Control w/ Stop and Go		751		751	
zsw	Included in package Frozen Brilliant White		ZFI	ZFI	ZFI x	v
2000	ZSW will delete ZTQ from the order		x x	x x	x	x x
	Alternate in package		ZEB	ZEB	ZEB	~
			ZFG	ZFG	ZFG	
ZVO	Grey Black		750	750	750	
ZZH	Alternate in package Frozen Black		ZFG x	ZFG x	ZFG x	x
	Included in package		ZFG	ZFG	ZFG	~
	Alternate in package		ZEB	ZEB	ZEB	
ZZR	Lane Keep Assistant					
	Included in package		ZFI	ZFI	ZFI	
	Non-Metallic		STD	STD	STD	STD
300	Alpine White Non Metallic		Х	x	X	х
	Metallic		Х	x	X	х
16	Carbon Black Metallic		v	х	х	х
+16 175	Black Sapphire Metallic		x x	x x	x	x x
483	Glacier Silver Metallic		x	x	x	x
496	Mineral White Metallic		x	х	х	х
228	Donington Grey Metallic		х	х	х	х
236	Dravit Grey Metallic		x	X	x	x
C3E C3Z	Bernina Grey Amber Metallic Tanzanite Blue Metallic		x	X	x	x
ມ	Almandine Brown Metallic		x x	x x	x x	x x

	uct ConfigurationYear 20207 SeriesEffective: 09/01/19	CA Model Code AG Model Code	745Le xDrive 3207 26dan	1201 XDrive 2601 XDrive 2000 2883	120Li xDrive 750Li xDrive 50dan	MT60Li xDrive Sedan
		Start of Production	03/19	03/19	03/19	03/19
	Alternate in package		ZEB	ZEB	ZEB	
C47	Azurite Black Metallic		х	x	x	x
	Alternate in package		ZEB	ZEB	ZEB	
X1C	Aventurine Red Metallic Alternate in package		x ZEB	x ZEB	x ZEB	х
	Allemale in package		ZED	ZED	260	
	Upholstery					
NA	Extended Nappa Leather		х	x	x	
NACY	Canberra Beige Extended Nappa Leather		x	х	х	
NADQ	Canberra Beige/Dark Coffee Extended Nappa Leather		X	х	x	
	Ivory White/Black Extended Nappa Leather		x	x	x	
NAFZ NAMY	Zagora Beige/Black Extended Nappa Leather		X	x	x	
NARI	Mocha Extended Nappa Leather Cognac Extended Nappa Leather		x x	x x	x x	
	Black Extended Nappa Leather		×	x	×	
NM	Extended Nappa Leather		х		х	
NMMY	Mocha Extended Nappa Leather w/ Full Cross-Stitching		х		х	
	NMMY requires ordering ZDH or ZDP		х		х	
NMRI	Cognac Extended Nappa Leather w/ Full Cross-Stitching		х		х	
	NMRI requires ordering ZDH or ZDP		Х		x	
ZB	BMW Individual Full Merino		x	х	х	х
20	BMW Individual Full Merino requires ordering ZCO		x	x	x	X
	BMW Individual Full Merino will delete 4ND from the order		x	x	x	х
	Included in package		ZEB	ZEB	ZEB	
ZBF2	Amarone Full Merino Leather		х	х	x	х
	Alternate in package		ZEB	ZEB	ZEB	
ZBFQ	Fiona Red Full Merino Leather		х	х	x	х
	Alternate in package		ZEB	ZEB	ZEB	
ZBFU	Smoke White Full Merino Leather		X ZEB	x ZEB	x ZEB	х
ZBKS	Alternate in package Cashmere Beige Full Merino Leather		Х		X	v
ZDRO	Alternate in package		ZEB	x ZEB	ZEB	Х
ZBSW	Black Full Merino Leather		x	x	x	х
	Alternate in package		ZEB	ZEB	ZEB	
ZBTQ	Tartufo Brown Full Merino Leather		x	х	x	х
	Alternate in package		ZEB	ZEB	ZEB	
zco	Packages Executive Package		X	x	x	
	356 - Climate Comfort Laminated Glass					
	358 - Climate Comfort Windscreen					
	416 - Side and Rear Sunshades					
	453 - Ventilated Seats					
	4ND - Leather Instrument Panel					
	4NM - Ambient Air Package					
	4T7 - Massage Function for Driver and Passenger					
	4U1 - Ceramic Controls					
	5DN - Parking Assistant Plus w/Surround View 776 - Anthracite Alcantara Roofliner					
ZDE	Dynamic Handling Package			х	x	
<i>_∪</i> ∟	2VH - Integral Active Steering			^	^	
	2VS - Active Comfort Drive with Road Preview					
ZDG	Interior Design Package		x		x	
	7S0 - Interior Design					
	Z1R - Seatbelt Withdrawal Cover in Wood Trim					
	Z1S - Rear Center Armrest with Wood Trim					

	uct Configuration Year 2020 7 Series	Driv	ive	Drive	XDri
	Effective: 09/01/19 CA Model Code	7 45Le xDrive 3208 36dan	750i xDrive Sedan	750Li xDrive Sedan	M760Li xDrive Sedan
	AG Model Code	7W43 03/19	7R83 03/19	7U23 03/19	7U63 03/19
	Z1T - Alcantara Roofliner in Coordinated Colour Start of Production	03/19	03/19	03/19	03/19
	776 - Anthracite Alcantara Roofliner XD5 - BMW Individual Alcantara Roofliner				
	Z1U - Grab Handle Clasps in Wood Trim				
ZDH	**Note: Includes High-Pile Luxury Rear Floormats Executive Lounge Tier 1 454 - Ventilated Seats Rear	x		x	
	460 - Comfort Seats Rear				
	4HC - Heat Comfort Package				
	4T6 - Massage Function, Rear Seats				
	6U9 - BMW Touch Command				
	ZDH will delete STD or 100% equipment 248 and 4HA	x		x	
ZDP	ZDH requires ordering ZCO Executive Lounge Tier 2	x		X	
DF	454 - Ventilated Seats Rear	х		х	
	460 - Comfort Seats Rear				
	4F4 - Executive Lounge Seating				
	4F5 - Executive Lounge Rear Console				
	4HC - Heat Comfort Package				
	4T6 - Massage Function, Rear Seats				
	6FR - Rear Entertainment System				
	6U9 - BMW Touch Command				
	7GZ - 4 Seat Configuration				
	*7GZ removes the front passenger seat's side bolster adjustment, lumbaradjustment, ZDP cannot be ordered with NAFZ or ZDH	х		x	
	ZDP will delete STD or 100% equipment 465 and 4HA	x		x	
	ZDP requires ordering ZCO	x		x	
ZDQ	Rear Entertainment Package		x		
	6FR - Rear Entertainment System				
	6U9 - BMW Touch Command				
ĽΕΒ	BMW Individual Package	х	х	x	
	4ML - Piano Black Wood Trim w/Satin Chrome Highlight XEA - Smoke Brown Eucalyptus Wood Trim XEB - Ash Grain Black Red Wood Trim				
	XC5 - M Sport Individual				
	XD5 - BMW Individual Alcantara Roofliner 776 - Anthracite Alcantara Roofliner				
	ZIV - BMW Individual Paintwork				
	C46 - Almandine Brown Metallic C47 - Azurite Black Metallic				
	X1C - Aventurine Red Metallic				
	Z2X - Frozen Dark Brown				
	Z39 - Frozen Grey				
	Z3K - Frozen Arctic Grey Z78 - Pure Metal Silver				
	ZIF - Brilliant White Metallic				
	ZSW - Frozen Brilliant White				
	ZZH - Frozen Black				
	ZB - BMW Individual Full Merino				
	ZBF2 - Amarone Full Merino Leather ZBFQ - Fiona Red Full Merino Leather				
	ZBFU - Smoke White Full Merino Leather				
	ZBKS - Cashmere Beige Full Merino Leather				
	ZBSW - Black Full Merino Leather ZBTQ - Tartufo Brown Full Merino Leather				
	ZEB and ZBFQ cannot be ordered with XD5	x	x	x	
ZFG	Dark Optics Package	х	х	х	
	7M9 - High-Gloss Black Kidney Grille w/ Extended Contents				

	uct Configuration Year 2020	7 Series Effective: 09/01/19		745Le xDrive Sedan	750i xDrive Sedan	750Li xDrive Sedan	M760Li xDrive Sedan
			CA Model Code	207E	2070	2071	2072
			AG Model Code	7W43	7R83	7U23	7U63
		own Grey	Start of Production	03/19	03/19	03/19	03/19
		01, Z07, Z39, ZN6, ZSW, ZVO or ZZH		х	x	х	
	ZFG and ZN6 will delete			х	х	x	
ZFI ZQQ	Advanced Driver Assista 5AR - Traffic Jam Assista 5AU - Driving Assistant P ZML - Steering and Lane ZSF - Cross Traffic Alert (ZSM - Active Cruise Cont ZZR - Lane Keep Assistan Executive Lounge Tier 2 4F4 - Executive Lounge S 4F5 - Executive Lounge R 6FR - Rear Entertainment 7GZ - 4 Seat Configuratio ZQQ will delete STD or 1	nt rofessional Control Front) rol w/ Stop and Go nt Geating Rear Console : System n		X	X	X	x

Prod	luct Configuration	
	Year 2020 ALPINA B7	B7
	Effective: 07/01/19	ALPINA B7
		Ĩ
		AL
	CA Model Code	207B
	AG Model Code	7U23
	Start of Production	07/19
	Options	
1CC	Automatic Start/Stop function	STD
1CR	Remote Engine Start	100%
248	Heated Steering Wheel	100%
2TB	Sport Auto Trans w/Paddles	100%
2VB	Tire Pressure Monitor	100%
2VH	Integral Active Steering	100%
2VS	Active Comfort Drive with Road Preview	100%
302	Alarm System	STD
319	Universal Remote Control	STD
322	Comfort Access	100%
323	Soft Close Doors	STD
356	Climate Comfort Laminated Glass	STD
358	Climate Comfort Windscreen	STD
3AG	Rear View Camera	100%
3DS	BMW Display Key	100%
407	Sky Lounge Panoramic Glass Sunroof	100%
415	Electric Rear Sunshade	STD
416	Side and Rear Sunshades	STD
423	Velour Floor Mats	STD
441	Smoker's Package	x
453	Ventilated Seats	100%
454	Ventilated Seats Rear	100%
456	Comfort Seats, Front	STD
460	Comfort Seats Rear	100%
465	Through Loading System	100%
488	Lumbar Support	100%
4AS	Grey Poplar Wood Trim	X
4AX	Ash Grain Chestnut Wood Trim w/Wooden Inlay	x
4F4	Executive Lounge Seating	~
	Included in package	ZQQ
4F5	Executive Lounge Rear Console	200
10	Included in package	ZQQ
4HC	Heat Comfort Package	100%
4ML	Piano Black Wood Trim w/Satin Chrome Highlight	X
4NB	Auto 4-Zone Climate Control	STD
4ND	Leather Instrument Panel	STD
4NM	Ambient Air Package	x
4T6	Massage Function, Rear Seats	100%
4T7	Massage Function, Real Seals	100%
4U1	Ceramic Controls	100%
401 4UR	Ambient Lighting	STD
40R 4UY	Ski And Snowboard Bag	
401	4UY cannot be ordered with ZQQ	X
508	Park Distance Control, front and rear	x STD
500	ר מות בוסגמווטה סטוונוטו, ווטווג מוע וכמו	310

Prod	luct Configuration		
Model	Year 2020 ALP	NA B7	B7
	Effec	tive: 07/01/19	ALPINA B7
			E.
			AL
		CA Model Code	207B
		AG Model Code	7U23
		Start of Production	07/19
5AC	High-Beam Assistant		100%
5AL	Active Protection		100%
5AR	Traffic Jam Assistant		100%
5AU	Driving Assistant Professional		100%
5AZ	BMW Laserlight Headlights		100%
5DN	Parking Assistant Plus w/Surrou	nd View	100%
5DS	Luggage-Compartment Emerger	ncy Unlocking	STD
5DV	Remote Control Parking		Х
610	Head-Up Display		100%
655	SiriusXM Satellite Radio Tuner		100%
688	Harman/Kardon Sound System		100%
6AC	Intelligent Emergency Call		100%
6AE	Teleservices		100%
6C3	Connected Package Professiona	al	100%
6CP	Apple CarPlay Preparation		100%
6F1	Bowers and Wilkins Diamond Su	Irround Sound System	Х
6FR	Rear Entertainment System	,	Х
	Included in package		ZQQ
6NW	Wireless Charging w/Extended I	Bluetooth and USB	100%
6U3	BMW Live Cockpit Professional		STD
6U8	BMW Gesture Control		100%
6U9	BMW Touch Command		100%
6UK	Night Vision w/pedestrian det.		X
6WD	WiFi Hotspot		100%
776	Anthracite Alcantara Roofliner		100%
791	Cooling Box in Rear Seat Backre	est	X
	791 cannot be ordered with 4U		x
	791 will delete STD or 100% eq		X
7GZ	4 Seat Configuration		
	Included in package		ZQQ
840	High speed maximum with perf.	tires	100%
920	ALPINA Package		100%
9XA	ALPINA profile		100%
XD5	BMW Individual Alcantara Roofli	ner	X
	XD5 requires ordering ZBFU, Z		X
XEA	Smoke Brown Eucalyptus Wood		X
XEB	Ash Grain Black Red Wood Trim		X
XEY	ALPINA Myrtle Wood Trim		X
XEZ	ALPINA Piano Black Trim		100%
Z2B	21" ALPINA Multi-Spoke Wheel,	Perf. Non-RFT	100%
	(21x8.5, 255/35 R21 front and 2		
Z2X	Frozen Dark Brown		Х
Z39	Frozen Grey		Х
Z3K	Frozen Arctic Grey		Х
Z78	Pure Metal Silver		Х

Non-Metallic STD STD STD 000 Apine With Non Meallic NC NC NC NC 416 Cathon Back Meallic NC NC NC NC 313 Glader Shew Meallic State Saphire Meallic State Saphire Meallic State Saphire Meallic 328 Berning Gray Anber Meallic State Sample State Sample State Sample 328 Berning Gray Anber Meallic State Sample State Sample State Sample 329 Daratit Gray Meallic State Sample State Sample State Sample 324 Autine Back Meallic State Sample State Sample State Sample 324 Autine Back Meallic State Sample NC NC NC 324 Autine Back Meallic State Sample NC NC NC 324 Extended Nappa Leather NC NC NC NC NAC Canber SalegaBack Changle Nappa Leather NA (reqd) (reqd) NAC Canber SalegaBack Changle Nappa Leath	STD NC \$1,000 \$1,000 \$1,000 \$1,000 NA NA NA NA NA NA NA NA NA NA NA NA NA
416 Carbon Black Metallic Jack Spir Metallic AB3 Glacier Siver Metallic Singer Siver Metallic AB3 Glacier Siver Metallic Singer Siver Metallic C28 Dornington Grey Metallic Singer Siver Metallic C28 Tarzenine Blauk Metallic Singer Siver Metallic C28 Tarzenine Blauk Metallic Singer Siver Metallic C28 Tarzenine Blauk Metallic Singer Siver Metallic C31 Azurite Black Metallic Singer Singer Siver Metallic C47 Azurite Black Metallic Singer Singer Siver Metallic C47 Azurite Black Metallic Singer Singer Siver Singer	\$1,000 \$1,000 \$1,000 NA NA NA NA NA NA NA NA NA NA NA NA (req'd)
475 Black Sapphre Metallic AG Glack Shew Metallic C38 Ominon Gray Mallic C38 Drawit Gray Metallic C38 Drawit Gray Matellic C39 Drawit Gray Matellic C32 Tanzanite Blue Metallic C32 Tanzanite Blue Metallic C32 Tanzanite Blue Metallic C32 Tanzanite Blue Metallic C47 Azurite Black Metallic NC NC NC S1.000 NC NC NC Carborna Beage Ended Nappa Leather NACZ Carborna Beage Ended Nappa Leather NACZ Carborna Beage Ended Nappa Leather NAR Cognac Extended Nappa Leather NAR Cognac Extended Nappa Leather NAR Cognac Extended Nappa Leather NAR	\$1,000 \$1,000 NA NA NA NA NA NA NA NA NA NA NA (req'd)
AB3 Gladier Siver Metallic S1,000 S1,000 S1,000 S1,000 C28 Donington Grey Metallic S1,000 S1,000 NC NC C32 Tanzanite Blow Metallic S1,000 S1,000 NC NC C34 Amandhe Brown Metallic S1,000 S1,000 NC NC C34 Amandhe Brown Metallic S1,000 S1,000 S1,000 S1,000 In combination with ZEB NC NC NC NC C4 Amandhe Brown Metallic NC NC NC In combination with ZEB NC NC NC NC VLA Aventurine Red Meallic NC NC NC NACY Canbera Beige Extended Nappa Leather NC NC NC NACY Canbera Beige Black Catended Nappa Leather NA (req'd) NACY Capabe Extended Nappa Leather NA (req'd) NACY Capabe Extended Nappa Leather NA (req'd) NARY Mocha Extended Nappa Leather VFull Cross-Sitching NA (req'd) NMM Mocha Extended Nappa Leather VFull Cross-Sitching NA (req'd) NMM Mocha Extended Nappa Leather NC NC NC	\$1,000 \$1,000 NA NA NA NA NA NA NA NA NA NA NA (req'd)
ABB Mineral While Metallic Image: Constraint of the metallic in t	\$1,000 \$1,000 NA NA NA NA NA NA NA NA NA NA NA (req'd)
C38 Donington Grey Metallic S1.000 \$1.000 <td< td=""><td>\$1,000 \$1,000 NA NA NA NA NA NA NA NA NA NA NA (req'd)</td></td<>	\$1,000 \$1,000 NA NA NA NA NA NA NA NA NA NA NA (req'd)
C2E Bernina Grey Amber Metallic \$1.000	\$1,000 \$1,000 NA NA NA NA NA NA NA NA NA NA NA (req'd)
C22 Tanzanite Bius Metallic S1.000 S1.000 S1.000 S1.000 C46 Aranite Brown Malz EB S1.000 S1.000 S1.000 S1.000 In combination with ZEB S1.000 S1.000 S1.000 S1.000 S1.000 In combination with ZEB NC NC NC NC NC Avente Brack Metallic Avente Metallic NC NC NC NC In combination with ZEB NC NC NC NC NC Value Uphoistery Extended Nappa Leather NC NC NC NC NACC Canberra Beige Extended Nappa Leather NAC NC NA NC NAMW Mocha Extended Nappa Leather NA NC NA (req1d) (req1d) NA NAR Cognac Extended Nappa Leather NL NA (req1d) NA (req1d) NA NMW Mocha Extended Nappa Leather VIII Cross-Sitching NA (req1d) NA (req1d) (req1d) (req1d) (req1d) (req1d) (req1d) (req1d) (req1d)	\$1,000 \$1,000 NA NA NA NA NA NA NA NA NA NA NA (req'd)
C46 Almandne Brown Metallic \$1,000 \$1,000 \$1,000 \$1,000 In combination with ZEB \$1,000 \$1,000 \$1,000 \$1,000 \$1,000 In combination with ZEB \$1,000 \$1,000 \$1,000 \$1,000 \$1,000 In combination with ZEB \$1,000 \$1,000 \$1,000 \$1,000 \$1,000 In combination with ZEB White Black Metallic \$1,000 \$1,000 \$1,000 \$1,000 Vector Combination with ZEB White Black Extended Nappa Leather NC NC NC NC NACY Canberra Beige Extended Nappa Leather NAC NC NC NC NAEY Zagora Extended Nappa Leather NAC NA (req1) NAFZ Zagora Extended Nappa Leather NA (req2) NARI Cognac Extended Nappa Leather NA (req3) NMMY Mocha Extended Nappa Leather NA (req3) NMMR Redering ZDH or ZDP (req3) (req3) (req3) NMRI Rodination with ZEB NC NC NC BMW Individual Full Merino requires ordering ZCO ZEB ZEB ZEB BMW Individual Full Merino Leather NC NC NC <t< td=""><td>\$1,000 \$1,000 NA NA NA NA NA NA NA NA NA NA NA (req'd)</td></t<>	\$1,000 \$1,000 NA NA NA NA NA NA NA NA NA NA NA (req'd)
In combination with ZEB NC NC NC S1.000 S1.000 </td <td>\$1,000 \$1,000 NA NA NA NA NA NA NA NA NA NA NA (req'd)</td>	\$1,000 \$1,000 NA NA NA NA NA NA NA NA NA NA NA (req'd)
In combination with ZEB NC NC NC NC X1C Avenutrine Red Metallic In combination with ZEB NC S1.000 S1.000 NC Upholstery Extended Nappa Leather NC NC NC NC NC NACV Conberra Beige Extended Nappa Leather NC NC NC NC NC NACW Conviburite/Back Extended Nappa Leather NACY Conberra Beige Extended Nappa Leather NACY Conberra Beige Extended Nappa Leather NAC Construction NARY Mocha Extended Nappa Leather NAR Cognac Extended Nappa Leather NA (req/d) NARY Black Extended Nappa Leather VEII Cross-Stitching NA (req/d) (req/d) NMM Mocha Extended Nappa Leather VFIII Cross-Stitching NA (req/d)	\$1,000 NA NA NA NA NA NA NA NA NA (req'd)
X1C Aventurine Red Metallic In combination with ZEB \$1,000 NC \$1,000 NC \$1,000 NC Upholstery Extended Nappa Leather NC NC NC NC NACY Canberra Beige Extended Nappa Leather NC NC NC NACY Canberra Beige Diack Extended Nappa Leather NACY NACY NC NC NATZ Zagora Beige/Black Extended Nappa Leather NACY NACY Cognac Extended Nappa Leather NARY Mocha Extended Nappa Leather NAR NC NA NARY Batk Extended Nappa Leather NL NA (req'd) NMMY Mocha Extended Nappa Leather W Full Cross-Stitching NA NA (req'd) NMRI Cognac Extended Nappa Leather W Full Cross-Stitching NA (req'd) (req'd) NMRI Cognac Extended Nappa Leather W Full Cross-Stitching NA (req'd) (req'd) NMRI Individual Full Merino requires ordering ZOH or ZDP ZEB ZE	NA NA NA NA NA NA NA NC (req'd)
In combination with ZEB NC NC NC NC Upholstery Extended Nappa Leather NC NC NC NC NC NACV Canberra Beige Endended Nappa Leather NACV Conberra Beige Endended Nappa Leather NAC NC NC NARC Cancer Extended Nappa Leather NAC NC NC NC NAR Cognace Extended Nappa Leather NA NC NA NAR Cognace Extended Nappa Leather NA NC NA NAR Cognace Extended Nappa Leather NA NC NA NMMY Mocha Extended Nappa Leather NA NC NA NMMY Mocha Extended Nappa Leather NA (req1) (req2) NMMY Modia Extended Nappa Leather NA (req2) NA NMMY Modia Standed Nappa Leather NA (req2) NA NMMY Modia Standed Nappa Leather VFUI Cross-Stitching NA (req2) (req2) req2) NMM Individual Full Merino Leather NC NC NC NC NC Incombination with ZEB	NA NA NA NA NA NA NA NC (req'd)
Extended Nappa LeatherNCNCNCNCNACY Canberra Beige Extended Nappa LeatherNACY Canberra Beige/Dark Coffee Extended Nappa LeatherNACYNCNCNCNAEV Vory White/Black Extended Nappa LeatherNACY Morpa Beige/Black Extended Nappa LeatherNACYNACNANCNARI Cognac Extended Nappa LeatherNASVBlack Extended Nappa LeatherNANANCNASV Wite/Black Extended Nappa LeatherNCNANA(req'd)NANMMY requires ordering ZDH or ZDP(req'd)NA(req'd)(req'd)(req'd)NMRI Cognac Extended Nappa Leather w/ Full Cross-Stitching NMRI requires ordering ZDH or ZDPS4.900S4.900S4.900NMRI Cognac Extended Nappa Leather w/ Full Cross-Stitching Included in packageS4.900S4.900S4.900BMW Individual Full Merino Included in packageS4.900ZEBZEBZEBBMW Individual Full Merino vill delete 4ND from the order(req'd)(req'd)(req'd)EZFQ Fiona Red Full Merino Leather In combination with ZEBNCNCNCNCRES Cashmere Beige Full Merino Leather In combination with ZEBNCNCNCNCROC Distation with ZEBNCNCNCNCNCZBFQ Io combination with ZEBNCNCNCNCNCZBFUTartuto Brow Full Merino Leather In combination with ZEBNCNCNCNCZDFTartuto Brow Full Merino Leather In comb	NA NA NA NA NA NA NA NA (req'd)
NACY Canberra Beige Extended Nappa Leather NADU Concerna Beige/Dark Coffee Extended Nappa Leather NADE Kended Nappa Leather NAFZ Zagora Beige/Dark Extended Nappa Leather NAFZ Zagora Beige/Dark Extended Nappa Leather NARY Mocha Extended Nappa Leather NARY Gognac Extended Nappa Leather NARY Mocha Extended Nappa Leather NARY Mocha Extended Nappa Leather NARY Mocha Extended Nappa Leather NARY Cognac Extended Nappa Leather NARY Mocha Extended Nappa Leather NARY Mocha Extended Nappa Leather NARY Cognac Extended Nappa Leather W/Full Cross-Stitching NMRY requires ordering ZDH or ZDP MMRI Cognac Extended Nappa Leather W/Full Cross-Stitching NMRI requires ordering ZDH or ZDP MMRI Cognac Extended Nappa Leather W/Full Cross-Stitching NMRI requires ordering ZDH or ZDP BMW Individual Full Merino Included in package BMW Individual Full Merino requires ordering ZCO BMW Individual Full Merino tequires ordering ZCO BMW Individual Full Merino Leather In combination with ZEB ZEF ZEF ZEF ZEF ZEF ZEF SZFO Fiona Red Full Merino Leather In combination with ZEB NC NC NC ZEF ZEF ZEF ZEF ZEF ZEF SZFO Fiona Red Full Merino Leather In combination with ZEB NC NC NC NC ZEFU ZEFU Tartude Brow Full Merino Leather In combination with ZEB NC NC NC NC ZEFU ZEFU Tartude Brow FUIL Merino Leather In combination with ZEB NC NC NC NC NC NC NC NC NC NC NC NC NC NC NC N	NA NA NA NA NA NA NA NA (req'd)
NAEW hory White/Black Extended Nappa Leather NAFZ Zagora Beige/Black Extended Nappa Leather NAFZ Zagora Extended Nappa Leather NC NA NAWY Mocha Extended Nappa Leather NA NAWW Black Extended Nappa Leather NA NMMY Mocha Extended Nappa Leather NA NMMY Mocha Extended Nappa Leather w/ Full Cross-Stitching NA NMRI requires ordering ZDH or ZDP (req'd) NA NMRI requires ordering ZDH or ZDP (req'd) (req'd) NMRI requires ordering ZDH or ZDP (req'd) (req'd) Included in package ZEB ZEB ZEB BMW Individual Full Merino requires ordering ZCO (req'd) (req'd) (req'd) In combination with ZEB NC NC NC NC ZBF2 Amarone Full Merino Leather NC NC NC NC In combination with ZEB NC NC NC NC NC NC ZBF2 Staporo White Full Merino Leather NC NC NC NC In combination with ZEB NC NC NC	NA NA NA NA NA NA NA NC (req'd)
NAFZ Zagora Beige/Black Extended Nappa Leather NAM' Mocha Extended Nappa Leather NARI Cognac Extended Nappa Leather NC NA NAMY Mocha Extended Nappa Leather NC NA NMW Mocha Extended Nappa Leather NA (req'd) NA NMMY Mocha Extended Nappa Leather w/ Full Cross-Stitching NA (req'd) NA NMRI cognac Extended Nappa Leather w/ Full Cross-Stitching NA (req'd) (req'd) NMRI requires ordering ZDH or ZDP ZEB	NA NA NA NA NA NA (req'd)
NAMY Nocha Extended Nappa Leather NARI Cognac Extended Nappa Leather NARW Black Extended Nappa Leather NC NA NMMY Mocha Extended Nappa Leather NC NA NMMY Mocha Extended Nappa Leather NC NA NMMY Mocha Extended Nappa Leather w/ Full Cross-Stitching NA (req'd) NMRI requires ordering ZDH or ZDP NA (req'd) (req'd) NMRI requires ordering ZDH or ZDP NA (req'd) (req'd) (req'd) BMW Individual Full Merino \$4,900 \$4,900 \$4,900 \$4,900 Included in package ZEB ZEB ZEB ZEB ZEB BMW Individual Full Merino requires ordering ZCO (req'd) (req'd) (req'd) (req'd) ZBF2 Amarone Full Merino Leather NC NC NC NC In combination with ZEB NC NC NC NC NC ZBF2 Cashmere Beige Full Merino Leather NC NC NC NC In combination with ZEB NC NC NC NC NC	NA NA NA NA NA NC (req'd)
NARI Cognac Extended Nappa Leather NC NA NMWY Extended Nappa Leather NC NA NC NMMY Mocha Extended Nappa Leather w/ Full Cross-Stitching NA (req'd) NA NMMY requires ordering ZDH or ZDP (req'd) NA (req'd) NA NMRI Cognac Extended Nappa Leather w/ Full Cross-Stitching NA (req'd) NA Included in package ZBB ZEB	NA NA NA NA NC (req'd)
NMMY Kextended Nappa Leather w/ Full Cross-Stitching NMMY NA NA NA NMMY Cognac Extended Nappa Leather w/ Full Cross-Stitching NMRI Cognac Extended Nappa Leather w/ Full Cross-Stitching NMRI NA (req'd) NA Included in package ZEB ZEB ZEB ZEB ZEB ZEB BMW Individual Full Merino requires ordering ZCO (req'd) (req'd) (req'd) (req'd) BMW Individual Full Merino veil delete 4ND from the order (req'd) (req'd) (req'd) ZBF2 Amarone Full Merino Leather (req'd) (req'd) (req'd) In combination with ZEB NC NC NC NC ZBFQ Fiona Red Full Merino Leather NC NC NC In combination with ZEB NC NC NC NC ZBFU Smoke White Full Merino Leather NC NC NC In combination with ZEB NC NC NC NC ZBSW Black Full Merino Leather NC NC NC In combination with ZEB NC NC NC NC ZBSW Black Full Merino Leather NC NC NC In combination with ZEB NC NC NC NC	NA NA NC (req'd)
NMMY NMMY Mocha Extended Nappa Leather w/ Full Cross-Stitching NMRI Cognac Extended Nappa Leather w/ Full Cross-Stitching NMRI requires ordering ZDH or ZDPNA(req'd)NABMW Individual Full Merino Included in package BMW Individual Full Merino requires ordering ZCO Included in package BMW Individual Full Merino requires ordering ZCO BMW Individual Full Merino util delete 4ND from the order\$4,900 (req'd)\$4,900 (req'd)\$4,900 (req'd)\$4,900 (req'd)ZBF2 ZEB Amarone Full Merino Leather In combination with ZEBNCNCNCNCZBF0 BKW Individual Full Merino Leather In combination with ZEBNCNCNCNCZBF1 STR0ke White Full Merino Leather In combination with ZEBNCNCNCNCZBF2 STR0ke White Full Merino Leather In combination with ZEBNCNCNCNCZBF3 Stroke White Full Merino Leather In combination with ZEBNCNCNCNCZBF4 Stroke VHII Full Merino Leather In combination with ZEBNCNCNCNCZBF4 Stroke VHII Merino Leather In combination with ZEBNCNCNCNCZBF4 ZBF4Tartufo Brown Full Merino Leather In combination with ZEBNCNCNCNCZBF4 ZBF4Tartufo Brown Full Merino Leather In combination with ZEBNCNCNCNCZDFDynamic Handling Package\$1,950\$1,950\$1,950\$4,500\$4,500ZDFExecutive Package T76 - Anthracite Alcantara Roofliner ZDFNC <td< td=""><td>NA NA NC (req'd)</td></td<>	NA NA NC (req'd)
NMMY Cognac Extended Nappa Leather w/ Full Cross-Stitching NMRI(req'd)(req'd)(req'd)BMW Individual Full Merino Included in package BMW Individual Full Merino requires ordering ZCO BMW Individual Full Merino requires ordering ZCO BMW Individual Full Merino Leather In combination with ZEB\$4,900 (req'd)\$4,900 (req'd)\$4,900 (req'd)\$4,900 (req'd)ZBF2 Amarone Full Merino Leather In combination with ZEB In combination with ZEBNCNCNCNCZBF2 Amarone Full Merino Leather In combination with ZEBNCNCNCNCZBF4 Cognac Extended Nappa Leather In combination with ZEBNCNCNCNCZBF5 Cognac Extended Nappa Leather In combination with ZEBNCNCNCNCZBF4 Cognac Extended Nappa Leather In combination with ZEBNCNCNCNCZBF5 Cognac Extended Nappa Leather In combination with ZEBNCNCNCNCZBF5 Cognac Extended Nappa Leather In combination with ZEBNCNCNCNCZBF0 Cognac Extended Nappa Leather In combination with ZEBNCNCNCNCZCO Cognac Extended Nappa Leather In combination with ZEBStoppa NA\$4,500\$4,500 </td <td>NA NC (req'd)</td>	NA NC (req'd)
NMRI Cognac Extended Nappa Leather w/ Full Cross-Stitching NMRI requires ordering ZDH or ZDP NA (req'd) BMW Individual Full Merino requires ordering ZCO Included in package BMW Individual Full Merino requires ordering ZCO BMW Individual Full Merino teather In combination with ZEB \$4,900 ZEB ZEB \$1,000 ZEB ZEB NC NC NC NC ZBFQ Fiona Red Full Merino Leather In combination with ZEB NC NC NC NC NC ZBFW Black Full Merino Leather In combination with ZEB NC NC NC NC NC ZBTQ Tartof Brown Full Merino Leather In combination with ZEB NC NC NC NC ZBTQ Tartof Brown Full Merino Leather In combination with ZEB NC NC NC NC ZBTQ Tartof Brown Full Merino Leather In combination with ZEB NC NC NC NC ZDE Package \$7,500 T76 - Anthracite Alcantara Roofliner XD5 - BMW Individual Alca	NC (req'd)
BMW Individual Full Merino \$4,900 Included in package \$2,890 BMW Individual Full Merino requires ordering ZCO (req'd) BMW Individual Full Merino requires ordering ZCO (req'd) BMW Individual Full Merino will delete 4ND from the order (req'd) ZBF2 Amarone Full Merino Leather (req'd) In combination with ZEB NC NC ZBFQ Fiona Red Full Merino Leather NC In combination with ZEB NC NC ZBKS Cashmere Beige Full Merino Leather NC In combination with ZEB NC NC ZBKS Cashmere Beige Full Merino Leather NC In combination with ZEB NC NC ZBSW Black Full Merino Leather NC In combination with ZEB NC NC ZBTQ Tartufo Brown Full Merino Leather NC In combination with ZEB NC NC ZCO Executive Package \$7,500 ZDG Interior Design Package \$1,950	(req'd)
Included in packageZEBZEBZEBZEBBMW Individual Full Merino requires ordering ZCO(req'd)(req'd)(req'd)(req'd)ZBF2Amarone Full Merino Leather(req'd)(req'd)(req'd)(req'd)In combination with ZEBNCNCNCNCZBF2Smoke White Full Merino LeatherNCNCNCNCIn combination with ZEBNCNCNCNCNCZBFUSmoke White Full Merino LeatherNCNCNCNCIn combination with ZEBNCNCNCNCNCZBKSCashmere Beige Full Merino LeatherNCNCNCNCIn combination with ZEBNCNCNCNCNCZBKWBlack Full Merino LeatherNCNCNCNCIn combination with ZEBNCNCNCNCNCZBTQTartufo Brown Full Merino LeatherNCNCNCNCIn combination with ZEBNCNCNCNCNCZBTQTartufo Brown Full Merino LeatherNCNCNCNCZDEDynamic Handling Package\$7,500\$7,500\$7,500\$4,500ZDEDynamic Handling PackageNCNCNCNCZDEStopsign PackageNCNCNCNCZDEExecutive Lounge Tier 1StopsionNCNCNCZDHrequires ordering ZCO(req'd)(req'd)(req'd)	(req'd)
BMW Individual Full Merino requires ordering ZCO BMW Individual Full Merino will delete 4ND from the order(req'd)	
ZBF2 Amarone Full Merino Leather In combination with ZEB NC NC NC SEPQ Filona Red Full Merino Leather In combination with ZEB NC NC NC ZBFU Smoke White Full Merino Leather In combination with ZEB NC NC NC ZBFU Smoke White Full Merino Leather In combination with ZEB NC NC NC ZBKS Cashmere Beige Full Merino Leather In combination with ZEB NC NC NC ZBWW Black Full Merino Leather In combination with ZEB NC NC NC ZBTQ Tartufo Brown Full Merino Leather In combination with ZEB NC NC NC ZBTQ Tartufo Brown Full Merino Leather In combination with ZEB NC NC NC ZBTQ Tartufo Brown Full Merino Leather In combination with ZEB NC NC NC ZDE Dynamic Handling Package \$7,500 \$7,500 \$7,500 ZDE Dynamic Handling Package \$1,950 NA \$1,950 ZDE Interior Design Package NC NC NC ZDH requires ordering ZCO (req'd) (req'd) (req'd) ZDH requires ordering ZCO (req'd) (req'd) (req'd) ZDH requires ordering ZCO (req'd) (
In combination with ZEB NC	NC
In combination with ZEB NC	NC
In combination with ZEB NC	
ZBKS Cashmere Beige Full Merino Leather In combination with ZEB NC NC NC SWW Black Full Merino Leather In combination with ZEB NC NC NC ZBTQ Tartufo Brown Full Merino Leather In combination with ZEB NC NC NC ZBTQ Tartufo Brown Full Merino Leather In combination with ZEB NC NC NC ZBTQ Tartufo Brown Full Merino Leather In combination with ZEB NC NC NC ZBTQ Tartufo Brown Full Merino Leather In combination with ZEB NC NC NC ZDT Executive Package \$7,500 \$7,500 \$7,500 ZDE Dynamic Handling Package \$1,950 NA \$1,950 ZDG Interior Design Package NC NC NC ZDG Interior Design Package NC NC NC ZDF Executive Lounge Tie 1 NC NC NC ZDH requires ordering ZCO (req'd) (req'd) (req'd) ZDP Executive Lounge Tie 2 \$10,000 NA \$10,000 ZDP Requires ordering ZCO (req'd) (req'd)	NC
In combination with ZEB Black Full Merino Leather In combination with ZEB ZBTQ Tartufo Brown Full Merino Leather In combination with ZEB ZCO Executive Package ZCO Executive Canage ZCO Executive Canage Combination with ZEB ZCO Executive Canage ZCO Executive Canage ZCO Executive Canage ZCO Executive Canage ZDF Interior Design Package ZCO Executive Canage ZCO Executive Canage ZDF Interior Design Package ZCO Executive Canage ZCO Executive Canage Tier 1 ZDH Executive Canage Tier 1 ZDH will delete STD or 100% equipment 248 and 4HA ZDP Executive Canage Tier 2 ZDP requires ordering ZCO ZDP requires ordering ZCO XDP	NC
In combination with ZEB NC	
In combination with ZEB NC NC NC NC NC NC Packages ZCO Executive Package ZDE Dynamic Handling Package ZDG Interior Design Package T76 - Anthracite Alcantara Roofliner XD5 - BMW Individual Alcantara Roofliner XD5 - BMW Individual Alcantara Roofliner ZDH Executive Lounge Tier 1 ZDH requires ordering ZCO ZDH vill delete STD or 100% equipment 248 and 4HA (req'd) ZDP Executive Lounge Tier 2 ZDP requires ordering ZCO (req'd)	
ZCO Executive Package \$7,500 \$7,500 \$7,500 ZDE Dynamic Handling Package \$1,950 NA \$4,500 ZDG Interior Design Package \$1,950 NA \$1,950 776 - Anthracite Alcantara Roofliner NC NC NC XD5 - BMW Individual Alcantara Roofliner NC NC NC ZDH requires ordering ZCO (req'd) (req'd) ZDH will delete STD or 100% equipment 248 and 4HA (req'd) (req'd) ZDP Executive Lounge Tier 1 \$10,000 NA \$10,000 ZDP requires ordering ZCO (req'd) (req'd) (req'd)	NC
ZDE Dynamic Handling Package NA \$4,500 \$4,500 ZDG Interior Design Package \$1,950 NA \$1,950 ZDG Anthractic Alcantara Roofliner NC NC ZDF BMW Individual Alcantara Roofliner NC NC ZDH Executive Lounge Tier 1 \$5,250 NA \$5,250 ZDH requires ordering ZCO (req'd) (req'd) (req'd) ZDP Executive Lounge Tier 2 \$10,000 NA \$10,000 ZDP requires ordering ZCO (req'd) (req'd)	
ZDG Interior Design Package \$1,950 NA \$1,950 776 - Anthracite Alcantara Roofliner NC NC XD5 - BMW Individual Alcantara Roofliner NC NC ZDH Executive Lounge Tier 1 \$5,250 NA \$5,250 ZDH requires ordering ZCO (req'd) (req'd) (req'd) ZDP Executive Lounge Tier 2 \$10,000 NA \$1,000 ZDP requires ordering ZCO (req'd) (req'd) (req'd) ZDP requires ordering ZCO (req'd) (req'd)	NA NA
XD5 - BMW Individual Alcantara Roofliner NC NC ZDH Executive Lounge Tier 1 \$5,250 NA \$5,250 ZDH requires ordering ZCO (req'd) (req'd) ZDH vill delete STD or 100% equipment 248 and 4HA (req'd) (req'd) ZDP requires ordering ZCO \$10,000 NA \$10,000 ZDP requires ordering ZCO (req'd) (req'd) (req'd)	NA
ZDH Executive Lounge Tier 1 \$5,250 NA \$5,250 ZDH requires ordering ZCO (req'd) (req'd) (req'd) ZDH requires ordering ZCO (req'd) (req'd) ZDH requires ordering ZCO (req'd) (req'd) ZDP Executive Lounge Tier 2 \$10,000 NA \$10,000 ZDP requires ordering ZCO (req'd) (req'd) (req'd)	
ZDH requires ordering ZCO (req'd) (req'd) ZDH will delete STD or 100% equipment 248 and 4HA (req'd) (req'd) ZDP Executive Lounge Tier 2 \$10,000 NA \$10,000 ZDP requires ordering ZCO (req'd) (req'd) (req'd)	NA
ZDH will delete STD or 100% equipment 248 and 4HA (req'd) (req'd) ZDP Executive Lounge Tier 2 \$10,000 NA \$10,000 ZDP requires ordering ZCO (req'd) (req'd) (req'd)	
ZDP requires ordering ZCO (req'd) (req'd)	
	NA
ZDP cannot be ordered with NAFZ or ZDH (req'd) (req'd)	
ZDP will delete STD or 100% equipment 465 and 4HA (req'd) (req'd)	
ZDQ Rear Entertainment Package NA \$2,750 NA ZEB BMW Individual Package \$4,900 \$4,900 \$4,900	NA NA
ZEB BMW Individual Package \$4,900 \$4,	IN/A
C46 - Almandine Brown Metallic NC NC NC	
C47 - Azurite Black Metallic NC NC NC	
X1C - Aventurine Red Metallic NC NC NC XEA - Smoke Brown Eucalyptus Wood Trim NC NC NC	
XEB - Ash Grain Black Red Wood Trim NC NC NC	
Z2X - Frozen Dark Brown NC NC NC	
Z39 - Frozen Grey NC NC NC Z3K - Frozen Arctic Grey NC NC NC NC	
Z78 - Pure Metal Silver NC NC NC	
ZBF2 - Amarone Full Merino Leather NC NC NC	
ZBFQ - Fiona Red Full Merino Leather NC NC NC ZBFU - Smoke White Full Merino Leather NC NC NC	
ZBF0 - Smoke White Full Merino Leather NC NC NC NC ZBKS - Cashmere Beige Full Merino Leather NC NC NC	
ZBSW - Black Full Merino Leather NC NC NC	
ZBTQ - Tartufo Brown Full Merino Leather NC NC NC ZIF - Brilliant White Metallic NC NC NC NC	
ZIF - Brilliant White Metallic NC NC NC ZSW - Frozen Brilliant White NC NC NC	
ZZH - Frozen Black NC NC NC	
ZEB and ZBFQ, cannot be ordered with XD5 (req'd) (req'd) (req'd) (req'd) (req'd) (req'd)	NIA
ZFG Dark Optics Package \$4,000 \$4,000 \$4,000 Z01 - Fashion Grey NC NC NC	NA
Z07 - Frozen Dark Grey NC NC NC	
Z2X - Frozen Dark Brown NC NC NC	
Z39 - Frozen Grey NC NC NC Z3K - Frozen Arctic Grey NC NC NC	
Z3K - Frozen Arctic Grey NC NC NC ZN6 - Nardo Grey NC NC NC	
ZSW - Frozen Brilliant White NC NC NC	
ZVO - Grey Black NC NC NC	
ZFG requires ordering Z01, Z07, Z39, ZN6, ZSW, ZVO or ZZH (req'd) (req'd) (req'd) ZFG and ZN6 will delete ZTQ from the order (req'd) (req'd) (req'd)	
ZFI Advanced Driver Assistance Package \$2,000 \$2,000 \$2,000	
ZQQ Executive Lounge Tier 2 NA NA NA	NA \$4,750

lodel Y	ear 2020 7 Series			Drive	, D	
	Effective: 09/01/19		745Le xDrive Sedan	750i xDrive Sedan	750Li xDrive Sedan	M760Li xDrive Sedan
			745 xDr Sed	750 Sed	750 Sed	X Dr Sed
		CA Model Code	207E	2070	2071	2072
		AG Model Code Start of Production	7W43 03/19	7R83 03/19	7U23 03/19	7U63 03/19
		Base Price	\$122,300	\$119,800	\$126,400	\$173,100
	ZQQ will delete STD or 100% equipment 465					(req'd)
	Options					
М	20" M Lt/Aly Wheels, Double-Spoke 760 M, Perf. RFT		NA	NA	NA	NC
s	(20x8.5, 245/40 R20 front and 20x10.0, 275/35 R20 rear) 20" M Lt/Aly Wheels,Star-Spoke 817 M, Black, Perf. RFT		NA	NC	NC	NC
•	(20x8.5, 245/40 R20 front and 20x10.0, 275/35 R20 rear)					
V	20" M Lt/Aly Wheels, Star-Spoke 817 M, Bicolour, Perf. RFT		NA	100%	100%	NC
н	(20x8.5, 245/40 R20 front and 20x10.0, 275/35 R20 rear)		\$750	\$750	\$750	NA
н	M Sport Brakes Integral Active Steering		\$750 \$1,900	3750 ZDE	ZDE	100%
7	Sky Lounge Panoramic Glass Sunroof		\$1,000	NA	\$1,000	100%
	407 requires ordering ZCO		(req'd)	* 100	(req'd)	* 400
1 S	Smoker's Package Grey Poplar Wood Trim		\$100 NC	\$100 NC	\$100 NC	\$100 NC
x	Ash Grain Chestnut Wood Trim w/Wooden Inlay		NC	NC	NC	NC
З	Heat Comfort Package, Front		NA	\$250	NA	NA
	American Oak Dark Wood Trim w/Metal Inlay		NC	NC	NC	NA
= L	Grey-Metallic Poplar Wood Trim Piano Black Wood Trim w/Satin Chrome Highlight		NC \$1,000	NC \$1,000	NC \$1,000	NA \$1,000
•	Included in package		ZEB	ZEB	ZEB	÷.,000
М	Ambient Air Package		ZCO	zco	ZCO	\$500
(Ski And Snowboard Bag		\$350 (rog'd)	\$350	\$350 (rog'd)	\$350
	4UY cannot be ordered with ZDP 4UY cannot be ordered with ZQQ		(req'd)		(req'd)	(req'd)
Z	BMW Laserlight Headlights		\$1,500	\$1,500	\$1,500	100%
V	Remote Control Parking		NA	\$600	\$600	\$600
	5DV requires ordering ZCO Bowers and Wilkins Diamond Surround Sound System		\$4,900	(req'd) \$4,900	(req'd) \$4,900	\$4,900
1 R	Rear Entertainment System		\$4,900 \$2,500	\$4,900 NA	\$4,900 \$2,500	\$4,900 \$2,500
	Included in package		ZDP	ZDQ	ZDP	ZQQ
K S	Night Vision w/pedestrian det.		\$2,500	\$2,500	\$2,500	\$2,500
	Anthracite Alcantara Roofliner Included in package		NA ZCO	\$950 ZCO	\$950 ZCO	100%
	In combination with ZEB		NC	NC	NC	
	In combination with ZDG		NC		NC	
I	Cooling Box in Rear Seat Backrest		NA	\$1,400	\$1,400	\$1,400
	791 will delete STD or 100% equipment 465 791 cannot be ordered with 4UY			(req'd) (req'd)	(req'd) (req'd)	(req'd) (req'd)
)	High-Gloss Black Kidney Grille w/ Extended Contents		\$500	\$500	\$500	\$500
	Included in package		ZFG	ZFG	ZFG	
,	BMW Individual Alcantara Roofliner		\$950 ZEB	\$950 ZEB	\$950 ZEB	\$950
	Included in package XD5 requires ordering ZBFU, ZBKS or ZBTQ		(req'd)	(req'd)	(req'd)	(req'd)
	In combination with ZDG		NC	(- 1 - 7	NC	(- 1 - 7
\	Smoke Brown Eucalyptus Wood Trim		\$1,000	\$1,000	\$1,000	\$1,000
	In combination with ZEB Ash Grain Black Red Wood Trim		NC \$1,000	NC \$1,000	NC \$1,000	\$1,000
,	In combination with ZEB		\$1,000 NC	\$1,000 NC	NC	\$1,000
'	21" Lt/Aly Wheels, Double-Spoke 650M, Perf. RFT		\$3,000	\$3,000	\$3,000	NA
	(21x8.5, 245/35 R21 front and 21x10.0, 275/30 R21 rear)		750	750	750	
	Included in package Z1V will delete 840 from the order		ZFG (req'd)	ZFG (req'd)	ZFG (req'd)	
	Z1V will add 21G to the order		(req'd)	(req'd)	(req'd)	
N	21" Lt/Aly Wheels, Multi-Spoke 629, Perf. RFT		\$3,000	\$3,000	\$3,000	NA
	(21x8.5, 245/35 R21 front and 21x10.0, 275/30 R21 rear)		(readel)	(real-h)	(reals)	
	Z1W will delete 840 from the order Z1W will add 21G to the order		(req'd) (req'd)	(req'd) (req'd)	(req'd) (req'd)	
<	Frozen Dark Brown		\$2,000	\$2,000	\$2,000	\$2,000
	In combination with ZFG		NC	NC	NC	
	In combination with ZEB Frozen Grey		NC \$2,000	NC \$2,000	NC \$2,000	\$2,000
	In combination with ZFG		\$2,000 NC	\$2,000 NC	\$2,000 NC	ψ2,000
	In combination with ZEB		NC	NC	NC	
(Frozen Arctic Grey		\$2,000	\$2,000	\$2,000	\$2,000
	Z3K will delete ZTQ from the order In combination with ZFG		(req'd) NC	(req'd) NC	(req'd) NC	(req'd)
	In combination with ZEB		NC	NC	NC	
,	Delete M Rear Spoiler		NC	NC	NC	NA
	Pure Metal Silver		NA (rog/d)	NA (rog/d)	NA (rog'd)	\$3,900
	Z78 will delete ZTQ from the order In combination with ZEB		(req'd) NC	(req'd) NC	(req'd) NC	(req'd)
3	19" M Lt/Aly Wheels, Double-Spoke 647M,Bicolour, A/S RFT		NC	NA	NA	NA
	(19x8.5, 245/45 R19)					
	ZF3 will add 21G to the order		(req'd)	¢4.000	C1 000	Ø4 000
	Brilliant White Metallic ZIF will delete ZTQ from the order		\$1,000 (req'd)	\$1,000 (req'd)	\$1,000 (req'd)	\$1,000 (req'd)
	In combination with ZEB		NC	NC	NC	
2	Chrome Exterior Trim		NC	NC	NC	NA
	ZL2 will delete STD or 100% equipment 760 ZL2 cannot be ordered with 7M9 or ZFG		(req'd)	(req'd)	(req'd)	
w	Frozen Brilliant White		(req'd) \$2,000	(req'd) \$2,000	(req'd) \$2,000	\$2,000
	In combination with ZFG		NC	NC	NC	
	ZSW will delete ZTQ from the order		(req'd)	(req'd)	(req'd)	(req'd)
	In combination with ZEB		NC	NC	NC	
н	Frozen Black		\$2,000	\$2,000	\$2,000	\$2,000

Retail Model Ye	Pricing ear 2020	ALPINA B7		IA B7
		Effective: 07/01/19		ALPINA
			CA Model Code	₹ 207B
			AG Model Code	7U23
			Start of Production	07/19
			Base Price	\$173,100
	Non-Metallic			STD
300	Alpine White Non Meta	lic		
	Metallic			NC
416	Carbon Black Metallic			
475	Black Sapphire Metallic			
A83	Glacier Silver Metallic			
A96 C28	Mineral White Metallic Donington Grey Metallic			
C28 C36	Dravit Grey Metallic	, ,		
C3E	Bernina Grey Amber M	atallic		
C3Z	Tanzanite Blue Metallic			
S34	Azurite Black Metallic			
001	In combination with ZEI			
	In combination with ZEI			
X06	ALPINA Blue Metallic			
X09	ALPINA Green Metallic			
X14	Almandine Brown Meta	llic		
	In combination with ZEI			
	In combination with ZEI	3		
X1C	Aventurine Red Metallio			
	In combination with ZEI	3		
	Upholstery BMW Individual Full N	arina		NC
		rino will delete 4ND from the order		
ZBF2	Amarone Full Merino Le			(req'd)
ZBFQ	Fiona Red Full Merino I			NC
ZBFU	Smoke White Full Merir			NC
ZBKS	Cashmere Beige Full N			NC
ZBSW	Black Full Merino Leath			
ZBTQ	Tartufo Brown Full Meri	no Leather		NC
	Packages			
ZQQ	Executive Lounge Tie			\$4,750
	ZQQ will delete STD or	100% equipment 465		(req'd)
	Options			• • • •
441	Smoker's Package			\$100
4AS	Grey Poplar Wood Trim			NC
4AX		od Trim w/Wooden Inlay		NC
4ML		w/Satin Chrome Highlight		NC
4NM	Ambient Air Package	~		\$500 \$350
4UY	Ski And Snowboard Ba 4UY cannot be ordered			\$350 (req'd)
5DV	Remote Control Parking			(req a) \$600
6F1		Imond Surround Sound System		\$600 \$4,900
6FR	Rear Entertainment Sys	-		\$2,500
	Included in package			ZQQ
6UK	Night Vision w/pedestria	an det.		\$2,500
791	Cooling Box in Rear Se			\$1,400
	791 will delete STD or			(req'd)
	791 cannot be ordered			(req'd)
XD5	BMW Individual Alcanta	ira Roofliner		\$950
	XD5 requires ordering	ZBFU, ZBKS or ZBTQ		(req'd)
XEA	Smoke Brown Eucalypt	us Wood Trim		NC
XEB	Ash Grain Black Red W	lood Trim		NC
XEY	ALPINA Myrtle Wood T	rim		NC
Z2X	Frozen Dark Brown			NC
Z39	Frozen Grey			NC
Z3K	Frozen Arctic Grey			NC
Z78	Pure Metal Silver			NC
ZIF	Brilliant White Metallic			NC
ZSW	Frozen Brilliant White			NC
ZZH	Frozen Black			NC