

BMW X5.
2020MY PRODUCT GUIDE.

Seminar Semina	BMW SC MONEY Comment	rs, mm rd river, mm rpassengers side, mm mm mm mm mm mm mm	BMW X5 xOrive40i Automatic B58830M1 5 5 xOrive (AWD) 4936 2004 1753	BMW X5 xDrive40i Automatic 858830M1 7 5	
Martination	Marie	rs, mm rdriver, mm passengers side, mm mm mm mm mm e, mm	Automatic 858830M1 5 5 xDrive (AWD) 4936 2004 1753	Automatic BS8B30M1 7 5	
Sementary (1968)	Regime description SSSSIAMI SSSSSIAMI SSSSSIAMI SSSSSIAMI SSSSSSIAMI SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	rs, mm rd river, mm rpassengers side, mm mm mm mm	858830M1 5 5 xDrive (AWD) 4936 2004 1753	B58B30M1 7 5	Automotic
Part	Standard programme Standar	rs, mm r driver, mm r passengers side, mm mm mm	5 xDrive (AWD) 4936 2004 1753	5	N63B44T3
STATE OF THE STATE	Selection	r driver, mm r passengers side, mm mm e, mm	4936 2004 1753		5
	Langh, mm	r driver, mm r passengers side, mm mm e, mm	2004 1753	xDrive (AWD)	xDrive (AWD)
Makem 280	Wesh, mm 2004 2004 2004 2015	r driver, mm r passengers side, mm mm e, mm	2004 1753	4936	4936
With Continue 7,740 7,76	Wish the cinner of short with the cinner of sh	r driver, mm r passengers side, mm mm e, mm		2004	2004
Marchant 1800	With Incident year passegers side, mm	r passengers side, mm mm nnm e, mm		2218	2218
March Marc	See	mm nm e, mm	1096	1096	1096
	Rest overheigh, mm	nm e, mm			
Semi Control, and Control and Angle of the Control	Second Secondary, mm	e, mm	1073	1073	1073
Person P	Second Process Seco		221	212	221
Seaker with fire profession of the control of the c	1525 1525 1526				
1852 1852	Process 1476 1476 1476 1476 1476 1476 1500	ront. mm	1525	1525	1525
The second common 105 10		ear, mm	1476	1476	1476
The control of the co	Interfective Integroun Front (1-34), mm	mm	1525	1525	1525
Medical Programs wounderlying with 51 mm 10 mm 1	Iffective legroom rear second seating row (IS-12), mm 950 950 15.31 sige poom of the aid seating row, mm 1741 741				
see Australen Marches (1997) 1907	Jase headroom front, mm 1037 1037 Jeadroom front, mm 1033 1033 Jeashoum headroom second, mm 1001 1001 Jeashoum headroom rear, mm 984 984 984 ffeetive head room 3. 5k (Hel-13), mm 886 886 NA seets 5 7 5 seets second row 3 3 3 seets third row 2 2 2 seets third row 3 3 3 seets third row 2 2 7 seets third row 2 2 7 seets third row 3 3 3 2 seets third row 2 2 7 7 5 seets third row 3 3 3 3 2 2 seets third row 3 9 7.2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 <	n rear second seating row (L51-2), mm	950	950	950
Section 1,000 1,	Asaimum haadroom second, min 1001 Affective head room 3. SR (H61-3), mm 886 886 N/A neet search or me clearance, min (106) 96 108 east second row 3 3 3 3 earts third row 2 2 N/A N/A Probability (100) 3 3 3 3 Agentative angle front MLI (A106-1).* 22.9 23.9 23.9 23.9 Special angle front MLI (A106-1).* 21.6 21.6 21.6 21.6 Lamp angle MAL ,** 19.1 21.9 23.9	front, mm	1037	1037	1037
Section Sect	dastimum headroom rear, mm 984 984 flettlethe head room 3.5ft (helf-3.3) mm 886 386 108 eets searon frow 108 96 108 eath second row 3 3 3 acts third row 2 2 2 m/A History 23.9 23.3 27.23 33.9-72.3 33.9-72.3 33.9-72.3 33.9-72.3 33.9-72.3 33.9-72.3 33.9-72.3 33.9-72.3 33.9-72.3 33.9-72.3 33.9-	oom second, mm	1001	1001	1001
## Marsaura, may 198	cines claserane, mm 108 96 108 clast sector frow 3 3 3 Sealts sector frow 3 3 3 Sealts sector frow 3 3 3 Supprach angle from MLI (A106-1),** 23.9 23.9 23.9 22.0 22.0 <td>oom rear, mm</td> <td>984</td> <td>984</td> <td>984</td>	oom rear, mm	984	984	984
## MARCHAIN ## 19	eath sector drive 3 3 3 Affice Affice 2 2 NA Affice Affice 2 2 3 3 Appear Lang Inform MLI (Al10-51),** 23.9 <td></td> <td>108</td> <td>96</td> <td>108</td>		108	96	108
Process Proc	### ### ### ### ### ### ### ### ### ##	,	3	3	3
yearsh angle for 141 1260-3.1 ' 125			2	2	N/A
Page	Jamp agege Will.** 19.1 19.1 yeas Trunk volume, ft* 33.9 - 72.3 33.9 - 72.3 33.9 - 72.3 Versity trunk volume, ft** 33.9 - 72.3 33.9 - 72.3 33.9 - 72.3 Versity Versity Versity Versity without driver), kg 2183 2264 2386				
The Third House Angle	Press Trunk volume, ft ** 33,9 - 72,3 33,9 - 72,3 A Signary ** Verbick everyths Verbick everythe Without driver, kg 2 183 2264 2386 verbicke curb weight without driver (rear axie), kg 1 193 11103 1212 verbicke curb weight without driver (rear axie), kg 1 1993 11335 1470 verbicke curb weight without driver (rear axie), kg 1 1909 11335 1470 verbicke curb weight without driver (rear axie), kg 1 1909 11335 1470 verbic duction (mith, kg 1 1640 1 750 1 660 are Weight distribution (empty car), % 49.9 51.3 49.2 verbic verbic weight, kg 2 795 3035 2975 400 verbic verbic weight, kg 2 790,3270 (3AC) 2 700/3270 (3AC) <t< td=""><td>*</td><td></td><td></td><td></td></t<>	*			
The stands The		s me, ft³	33,9 - 72,3	33,9 - 72,3	33,9 - 72,3
site supplier former denotes denotes 19	Link weight (without driver), kg 2183 2264 2386 whickie curb weight (without driver (front axie), kg 1090 1161 1174 whick curb weight without driver (froar axie), kg 1090 1161 1174 whice load limit front, kg 1325 1335 1470 ear axie load limit, kg 1640 1750 1660 ear weight distribution (empty car), % 49.9 51.3 49.2 ross weh. weight, kg 2795 3035 2975 ayload, kg 385 565 400 Trailer operator Trailer all barked 12%, kg 2700/370 (3AC) 2700/3270 (3AC) 2800/3270 (3AC) 2800/3270 (3AC) 2800/3270 (3AC) 2800/3270 (3AC) 2800/3270 (3AC) 2800/32				
Trick can be served we should a merk	whick cub weight without driver (rear axie), kg 1090 1161 1174 wake load limit front, kg 1325 1335 1470 ear ake load limit, kg 1640 1750 1660 ear Weight distribution (empty car), % 49.9 51.3 49.2 sayload, kg 385 565 400 Trailer operation Trailer all barked 12%, kg 2700/3270 (3AC) 2700/3270 (3AC) 2700/3270 (3AC) 2700/3270 (3AC) 2700/3270 (3AC) 2700/3270 (3AC) 250 5675/6245 Trailer operation 595 605 6575/6245 659 659 655 6575/6245 659 655 6575/6245 659 659 6575/6245 659 <td>hout driver), kg</td> <td></td> <td></td> <td></td>	hout driver), kg			
is the darful front, for, for a control and min. Mr. Ser. and made min. Mr. Ser. and	wle load limit front, kg 1325 1335 1470 ear Weight distribution (empty car), % 1540 1750 1660 ear Weight distribution (empty car), % 49.9 51.3 49.2 rasos sevh. weight, kg 2795 3035 2975 rayload, kg 385 565 400 Tailer load braked 12%, kg 2700/3270 (3AC) 2700/3270 (3AC) 2700/3270 (3AC) 2700/3270 (3AC) 2700/3270 (3AC) 2700/3270 (3AC) 250	ght without driver (rear axle), kg	1090	1161	1174
w wogel durb boson (mys of 1, 16 a. 19.2 a. 1	sear Weight distribution (empty car), % 49.9 51.3 49.2 Frose web, weight, ge 2795 3035 2975 Sayload, kg 385 565 400 Tealler poerwisely Tealler poerwisely Tealler poerweight, kg 2700/3270 (3AC) 2700/327	ont, kg			
Profess 185	saybad, kg 385 565 400 rapiler operation Trailer ion darked 12%, kg 2700/3270 (3AC) 2700/3270	ribution (empty car), %	49.9	51.3	49.2
with read of 12% Lig. 2790/378 [MX] 2790/3	railer load braked 12%, kg 2700/3270 [AC)				
Ses whelle enging with rather 12% fact, 1.2 g	your years whelfed weight with trailer 12% Kat1, kg 5495 6305 567/6245 15 weight 250 250 250 15 weight 590 250 250 25 years whelf weight, lbs 6691 6593 6593 2 years whelf weight, lbs 849 1246 882 5 ton cata ke load lbs, lbs 2921 2943 3241 3 ke load limit rear, lbs 3616 3858 3660 whick eweight without driver empty fuel tank, RA, lbs 2293 2449 2478 whick eweight without driver empty fuel tank -RA, lbs 2383 2333/2405 2646 wellote curb weight with 10, 100% Ska und 33% Ska, lbs 4813 4991 5260 ***Intermiter yier leto. ***Performance ***Performance *** 3,385 3,154 ***op speed, km/h 210/243 (Optional) 210/250		2700/3270 (3AC)	2700/3270 (3AC)	2700/3270 (3AC)
Section Sect	Sa weights Sa weight, lbs 6162 6691 6595 9490 6162 6891 6892 9490 6162 6892 9490	ght with trailer 12% Kat1, kg	5495	6305	5675/6245
ywood by, hs. '	ayload Ibs, Ibs 849 1246 882 ront able load limit rear, Ibs 2921 2943 3241 vale load limit rear, Ibs 3616 3858 3660 whicke weight without driver empty fuel tank, Ibs 4676 4855 5124 whick evelight without driver empty fuel tank -RA, Ibs 2.293 2449 2478 whicke curb weight without driver empty fuel tank -FA, Ibs 2.383 2333/2405 2666 whicke curb weight without driver empty fuel tank -FA, Ibs 4813 4991 5260 water manage //well exc. 2478 4813 4991 5260 water manage //well exc. 2478 4813 4991 5260 water manage //well exc. 2478 3.385 3.154 op speed, km/h 210/243 (Optional) 210/243 (Optional) 210/250				
see least further rane, 10s	Auke load limit rear, ibs 36.6 385.8 366.0 Whick weight without driver empty fuel tank, lbs 4676 485.5 512.4 whick weight without driver empty fuel tank, RA, lbs 2.93 2.449 247.8 whick eveight without driver empty fuel tank, RA, lbs 2.383 2.383,740.5 2.66 elected curb weight inkl. 1,00% 54a und 33% SAS, lbs 481.3 499.1 526.0 ***Commandaries** ***Commandaries** ***Commandaries** ***Commandaries** ***Commandaries** ***Performance** ***S 3.385 3.154 ***cop speed, km/h 2.10/243 (Optonal) 2.10/250	ght, lbs	849		
hicke weight without driver empty fue tank, lbs	wehick ewight without driver empty fuel tank, lbs 4676 4855 5124 wehick ewight without driver empty fuel tank- RA, lbs 2293 2449 2486 wehick ewight without driver empty fuel tank- RA, lbs 2383 2383/2405 266 wehick eur bweight inkl. 100% SAa und 33% SAs, lbs 4813 4991 5260 Performance / fuel eco. 2000 Sea und 33% SAs, lbs 3154 3154 reformance / fuel eco. 3.385 3.385 3.154 op speed, km/h 210/243 (Optional) 210/243 (Optional) 210/243 (Optional)				
thick weight without driver empty for later A-ft, flo 288 288/12405 268/12400	Weblick weight without driver empty fuel tank -FA, lbs 2.83 2383/2405 2646 Weblick curb weight without driver empty fuel tank -FA, lbs 2.83 4991 5260 Vertormance // Uniformatic 3.35 3.385 3.154 For peed, km/h 210/243 (Optional) 210/243 (Optional) 210/243 (Optional)	ithout driver empty fuel tank, lbs	4676	4855	5124
######################################	Performance / fuel eco. Final drive ratio 3.385 3.385 3.154 fop speed, km/h 210/243 (Optional) 210/243 (Optional) 210/250	ithout driver empty fuel tank -FA, lbs	2383	2383/2405	2646
Information 3.385 3.355	Performance 3.154 Final drive ratio 3.385 3.385 3.154 Top speed, km/h 210/243 (Optional) 210/243 (Optional) 210/250		4813	4991	5260
ps speek, lm/h 210/743 (Optional) 210/745 (Optional) 210/755 100 (Distribu)s 5.5 5.7 4.3 100 (Distribu)s 5.5 5.7 4.3 100 (Distribu)s 5.0 5.0 100 (Distribu)s 5.0 6.1 100 (Distribu)s 8.1 8.1 100 (Distribu)s 8.1 8.1 8.1 8.1 8.2 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 9.2 8.3 9.2 9.2 9.2 9.2 9.2 9.2 9.2 9.2 9.2 9.2 9.2 9.2 9.2	Top speed, km/h 210/243 (Optional) 210/243 (Optional) 210/250		2 205	2.205	2454
Mary	0-100Km/h, s 5.5 5.7 4.3		210/243 (Optional)	210/243 (Optional)	210/250
Second Content	Motor data		5.5	5.7	4.3
	Communication		9.7	9.1	6.1
Season S	output per litre, kW/dm ³ 83.4 83.4 88.7				
finders	ngine type B58830M1 B58830M1 N63844T3				
roke, mm	ylinders 6 6 8				
splacement, m** 2998 2998 4395 mpression rate, 1 11 15 105 390 teted engine power (kW), kW 250 250 390 390 gine power (kHP), bHP 336 335 523 at maximum power, J/min 5500 5500 5500 infinitum Engine speed at maximum power, J/min 5500 5500 5500 signe to requere at maximum power, J/min 5500 5500 6000 signe to reque, Nm 450 450 750 at maximum torque, J/min 1500 1500 1500 1800 simum Engine speed at maximum torque, J/min 1500 1500 1800 4600 sell yee gasoline gasoline gasoline gasoline 4800 4600 sell yee AK1 9MIN, E25 MAX AK1 9MIN	troke, mm 94.6 94.6 88.3		94.6	94.6	88.3
tited engine power (ht/N), kW 250 390 gine power (HiP), P5 340 340 530 gine power (HiP), BHP 335 335 523 gine power (HiP), BHP 550 5500-6500 5500-6000 inimum Engine speed at maximum power, 1/min 5500 5500 5500 sativation (Engine speed at maximum power, 1/min 6500 6500 6500 6000 up at maximum torque, 1/min 1500 1500 1800-600 1800-600 1800-600 up at maximum torque, 1/min 1500 1500 1800-600 <td>Displacement, cm³ 298 298 4395</td> <td></td> <td>2998</td> <td>2998</td> <td>4395</td>	Displacement, cm ³ 298 298 4395		2998	2998	4395
ginge power (HP), FS 340 530 ginge power (HP), BHP 335 335 523 m at maximum power, Jmin 5500-6500 5500-6500 5500-6500 aximum Engine speed at maximum power, Jmin 6500 6500 6000 aximum Engine speed at maximum power, Jmin 6500 6500 6000 m at maximum torque, Jmin 1500 250 1800-4600 initimum Engine speed at maximum torque, Jmin 1500 1500-5200 1800-4600 initimum Engine speed at maximum torque, Jmin 5200 2500 4600 seable Fuel quality AKI 89 MIN, 225 MAX AKI 89 MIN, 225 MAX AKI 89 MIN, 225 MAX ceable Fuel quality 65 55 10.5 comm AKI 89 MIN, 225 MAX AKI 89 MIN, 225 MAX AKI 89 MIN, 225 MAX comm 65 68 STSCZ 68XT602 assension to pee Automatic Automatic Automatic assension to pee 8 8 8 cof gens 8 8 8 cof gens 5.5					
mat maximum power, I/min \$500-6500 \$500-6500 \$500-6600 aximum Engine speed at maximum power, I/min 6500 6500 6000 aximum Engine speed at maximum power, I/min 6500 450 750 m at maximum torque, I/min 1500-5200 1800-4600 1800-4600 minimum Engine speed at maximum torque, I/min 1500 1500-5200 1800-4600 minimum Engine speed at maximum torque, I/min 1500 2500 4600 self yee gasoline gasoline 3800-600 self yee May SMIN, E25 MAX AKI 89 MIN, E25 MAX AKI 89 MIN, E25 MAX comm. AKI 91 AKI 91 AKI 91 gine oil (exhange quantity), I 6.5 6.5 10.5 self-torage quantity), I 6.8 8 8 self-torage quantity), I 6.8 4.0 4.0 ansmission type V GABX51CZ GABX51CZ GABX76DZ ansmission type V 8 8 8 cut general maximum to general maximu	ngine power (HP), PS 340 340 530	e, :1	340	340	530
aximum Engine speed at maximum power, I/min 5500 6500 6000 mat maximum torque, I/min 1500 5200 1500 5200 1800 4600 mat maximum torque, I/min 1500 2500 1800 4600 pair penge speed at maximum torque, I/min 1500 5200 4600 pair penge speed at maximum torque, I/min 5200 5200 4600 pair penge speed at maximum torque, I/min 5200 5200 4600 pair penge speed at maximum torque, I/min 5200 5200 4600 pair penge speed at maximum torque, I/min 5200 5200 4600 pair penge speed at maximum torque, I/min 5200 5200 4600 pair penge speed at maximum torque, I/min 5200 5200 4600 pair penge speed at maximum torque, I/min 5200 5200 4819 pair penge speed at maximum torque, I/min 5201 5200 5200 520 520 520 520 520 520 520 520 520 520 520 520 520 520 520 520	pm at maximum power, 1/min 5500-6500 5500-6500 5500-6000	e, :1 wer (kW), kW P), PS		5500-6500	5500-6000
sighe torque, Nm 450 450 750 mat maximum torque, 1/min 1500-5200 1800-6200 1800-6200 simum Engine speed at maximum torque, 1/min 1500 1500 4600 samum Engine speed at maximum torque, 1/min 5200 4600 set by region of gasoline gasoline gasoline seable Fuel quality AKI 89 MIN, E25 MAX AKI 89 MIN, E25 MAX corm. AKI 91 AKI 91 AKI 91 THE CONTROLL OF THE	naximum Engine speed at maximum power, 1/min 6500 6500 6000	e, :1 wer (kW), kW P), PS HP), bH p power, 1/min	5500-6500		6000
Infinitum Engine speed at maximum torque, 1/min 1500 1500 1800 admum Engine speed at maximum torque, 1/min 5200 5200 4600 seathur Engine speed at maximum torque, 1/min 5200 5200 4600 seathur Engine speed at maximum torque, 1/min 5200 5200 4600 seathur Engine speed at maximum torque, 1/min 5200 5200 4600 seather Full quality Aki 89 MIN, E25 MAX Aki 89 MIN, E25 MAX Aki 89 MIN, E25 MAX corm Aki 99 Aki 90	ngine torque, Nm 450 450 750	e, :1 P), PS P), PS P), NP power, 1/min speed at maximum power, 1/min	5500-6500 5500 6500	6500	750
seltype gasoline gasoline gasoline seable Fuel qualityy AKI 98 MIM, EZ5 MAX AKI 98 MIN, EZ5 MAX AKI 98 MIN, EZ5 MAX AKI 99 MIN, EZ5 MAX AKI 99 MIN, EZ5 MAX AKI 99 MIN, EZ5 MAX AKI 91 MIS 90 MIS	ninimum Engine speed at maximum torque, 1/min 1500 1500 1800	e, :1 P), FS HP), bHP p, power, 1/min speed at maximum power, 1/min speed at maximum power, 1/min	5500-6500 5500 6500 450	6500 450	
seable Fuel quality AKI 89 MIN, E25 MAX AKI 89 MIN, E25 MAX AKI 89 MIN, E25 MAX AKI 91 AKI 92 AKI	uel type gasoline gasoline gasoline gasoline	e, :1 wer (kW), kW P), PS HP), bHP power, 1/min speed at maximum power, 1/min speed at maximum power, 1/min m ntorque, 1/min speed at maximum power, 1/min	5500-6500 5500 6500 450 1500-5200 1500	6500 450 1500-5200 1500	1800-4600 1800
spine oil (exchange quantity), I 6.5 6.5 10.5 Institution engine Institution engine Automatic	Iseable Fuel quality AKI 89 MIN, E25 MAX	e, :1 Wer (kW), kW P), PS HP), bHP power, 1/min speed at maximum power, 1/min n n torque, 1/min speed at maximum power, 1/min speed at maximum power, 1/min	5500-6500 5500 6500 450 1500-5200 1500 5200 gasoline	6500 450 1500-5200 1500 5200 gasoline	1800-4600 1800 4600 gasoline
ansmission type (ABXSICZ) GABXSICZ (ABXSICZ) Automatic (ABXSICZ) Automatic (ABXSICZ) AUTOMATICAL (ABXSICZ)		e, :1 Wer (kW), kW P), PS HP), bHP power, 1/min speed at maximum power, 1/min n n torque, 1/min speed at maximum power, 1/min speed at maximum power, 1/min	\$500-6500 \$500 6500 450 1500-5200 1500 5200 gasdine AKI 89 MIN, E25 MAX	6500 450 1500-5200 1500 5200 gasoline AAI 89 MIN, £25 MAX	1800-4600 1800 4600 gasoline AKI 89 MIN, E25 MAX
ansmissiontype Automatic Automatic Automatic . of gears 8 8 8 ser ratios 1st gear** 5.25 5.25 5.5 d** 3.36 3.36 3.52 d** 2.172 2.172 2.2 h** 1.72 1.72 1.72 h** 1 1 1 h** 0.822 0.822 0.823 h** 0.64 0.64 0.64 veerse gear* 3.712 3.712 3.993 voodynamics veerse gear* 3.712 3.712 3.993 KM 0.35 0.35 0.36	entrox ombustion engine	e, :1 wer (kW), kW p), PS pl, BP p, bHP power, 1/min speed at maximum power, 1/min speed at maximum power, 1/min m torque, 1/min speed at maximum torque, 1/min speed at maximum torque, 1/min	5500-6500 5500 6500 450 1500-5200 1500 5200 gasoline AKI 89 MIN, E5 MAX AKI 91	6500 450 1500-5200 1500 5200 gasoline AXI 89 MIN, E25 MAX AXI 91	1800-4600 1800 4600 gasoline AKI 89 MIN, EZS MAX AKI 91
.of gears 8 8 8 ara ratios 1st gear** 5.25 5.25 5.5 dt** 3.36 3.36 3.52 dt** 2.172 2.172 2.2 h** 1.72 1.72 1.72 h** 1.316 1.316 1.317 h** 0.822 0.822 0.823 h** 0.64 0.64 0.64 everse gear** 3.712 3.712 3.712 3.93 rodynamic *** <		e, :1 Wer (kW), kW P), PS HP), bHP power, 1/min speed at maximum power, 1/min speed at maximum power, 1/min n torque, 1/min speed at maximum torque, 1/min speed at quantity), I speed at quantity), I speed quantity), I speed quantity), I speed quantity), I	\$500-6500 \$500 \$500 \$50 1500-5200 1500 5200 gasoline AKI 89 MIN, EZS MAX AKI 91 6.5	6500 450 1500-5200 1500 5200 gasoline AXI 88 MIN, ES MAX AXI 91 6.5	1800-4600 1800 4600 gasoline AKI 89 MIN, E25 MAX AKI 91 10.5
nd** 3.36 3.36 3.52 d** 2.172 2.272 2.2 h** 1.72 1.72 1.72 1.72 h** 1.316 1.316 1.317 1 <	Ir. of gears 8 8 8	e, :1 P), PS PP), PS PP), PS PP), PS PP), PS PP), PS PP), PS PP) PP) PP) PP) PP) PP) PP) PP) PP) P	5500-6500 5500 6500 450 1500-3200 1500-3200 5200 gasoline AKI 89 MIN, E25 MAX AKI 91 6.5	6500 450 1500-5200 1500 5200 gasoline AXI 89 MIN, 255 MAX AXI 91 6.5	1800-4600 1800 4600 gasoline AKI 89 MIN, E25 MAX AKI 91 10.5
h** 1.72 1.72 1.72 h** 1.316 1.316 1.317 h** 1 1 1 h** 0.822 0.822 0.823 h** 0.64 0.64 0.64 veverse geer* 3.712 3.712 3.993 3.993 5.00 W 6.00 <td>nd** 3.36 3.36 3.52</td> <td>e, :1 P), PS P) P)</td> <td>5500-6500 5500 6500 450 1500-3200 1500-3200 5200 gasoline AKI 89 MIN, E25 MAX AKI 91 6.5 GA8X51CZ Automatic 8</td> <td>6500 450 1500-5200 1500 5200 gasoline AXI 89 MIN, 25 MAX AXI 91 6.5 GA8XS1CZ Automatic 8</td> <td>1800-4600 1800 4600 gasoline AKI 89 MIN, E25 MAX AKI 91 10.5 GA8X76DZ Automatic 8</td>	nd** 3.36 3.36 3.52	e, :1 P), PS P)	5500-6500 5500 6500 450 1500-3200 1500-3200 5200 gasoline AKI 89 MIN, E25 MAX AKI 91 6.5 GA8X51CZ Automatic 8	6500 450 1500-5200 1500 5200 gasoline AXI 89 MIN, 25 MAX AXI 91 6.5 GA8XS1CZ Automatic 8	1800-4600 1800 4600 gasoline AKI 89 MIN, E25 MAX AKI 91 10.5 GA8X76DZ Automatic 8
h** 1.316 1.316 1.317 1.317 h.** 1.316 1.316 1.317 h.** 1.317 h.** 1.31 1.317 h.** 1.317 h.** 1.318 1.318 1.319 1.318 1.319 1.318 1.319 1.318 1.319 1.318 1.319 1.318 1.		e, :1 P), PS P)	\$500-6500 \$500 \$500 \$500 \$500 \$200 \$200 \$300line AKI 89 MIN, 25 MAX AKI 91 6.5 GA8X51CZ Automatic 8 \$.25 \$.33	6500 450 1500-5200 1500 5200 gasoline ANI 89 MIN, E25 MAX AXI 91 6.5 GABXS1CZ Automatic 8 5.25 3.36	1800-4600 1800 4600 4600 gssoline AKI 89 MIN, E25 MAX AKI 91 10.5 GA8X760Z Automatic 8 5.5 3.52
h** 0.822 0.822 0.823		e, :1 P), PS P)	5500-6500 5500 6500 450 1500-5200 1500-5200 gasoline AKI 89 MIN, E25 MAX AKI 91 6.5 GA8KSLCZ Automatic 8 5.25 3.36 2.172	6500 450 1500-5200 1500 5200 gasoline AKI 89 MIN, E25 MAX AKI 91 6.5 GA8XS1CZ Automatic 8 5.25 3.36 2.172	1800-4600 1800 4600 gasoline AKI 89 MIN, EZS MAX AKI 91 10.5 GABX76DZ Automatic 8 5.5 3.52 2.2
verse gear* 3,712 3,712 3,993 ***Todayamic*** *********************************	ith** 1.316 1.316 1.317	e, :1 P), PS P)	5500-6500 5500 6500 450 1500-5200 1500-5200 1500 5200 gasoline AKI 93 MIN, 255 MAX AKI 91 6.5 GA8X51CZ Automatic 8 5.25 3.36 2.172 1.72 1.316	6500 450 1500-5200 1500 5200 gasoline AXI 89 MIN, 255 MAX AXI 91 6.5 GA8XS1CZ Automatic 8 5.25 3.36 2.172 1.316	1800-4600 1800 4600 gasoline AKI 89 MIN, E25 MAX AKI 91 10.5 GA8X76DZ Automatic 8 5.5 3.52 2.2 1.72 1.317
terodynamics KIIII 0.35 0.35 0.36 Milm 0.38 0.38 0.38	th**	e, :1 P), PS P)	5500-6500 5500 6500 450 1500-5200 1500-5200 1500 5200 gasoline AKI 89 MIN, E25 MAX AKI 91 6.5 GA8X51CZ Automatic 8 5.25 3.36 2.172 1.72 1.316 1 0.822	6500 450 1500-5200 1500 5200 gasoline AXI 89 MIN, 254 MAX AXI 91 6.5 GA8X51CZ Automatic 8 5.25 3.36 2.172 1.72 1.316 1 0.822	1800-4600 1800 4600 1800 4600 8401 AKI 89 MIN, E25 MAX AKI 91 10.5 GA8X7602 Automatic 8 5.5 3.52 2.2 1.72 1.317 1 0.823
Min 0.35 0.35 0.36 LMax 0.38 0.38 0.38	th** 1.316 1.316 1.317 th** 1 1 1 th** 0.822 0.822 0.823 th** 0.64 0.64 0.64	e, :1 P), PS P)	\$500-6500 \$500 \$500 \$500 \$500 \$1500-5200 \$1500 \$2000 \$2000 \$2000 \$AKI 89 MIN, 25 MAX AKI 91 \$6.5 \$6.5 \$6.5 \$7.00	6500 450 1500-5200 1500-5200 5200 gasoline AKI 89 MIN, EZS MAX AKI 91 6.5 GAB/SICZ Automatic 8 5.25 3.36 2.172 1.72 1.316 1 0.822 0.64	1800-4600 1800 4600 gasoline AKI 89 MIN, E25 MAX AKI 91 10.5 GA8X/6DZ Automatic 8 5.5 3.52 2.2 1.72 1.317 1 0.823 0.64
	th** 1.316 1.316 1.317 th** 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	e, :1 P), PS P)	\$500-6500 \$500 \$500 \$500 \$500 \$1500-5200 \$1500 \$2000 \$2000 \$2000 \$AKI 89 MIN, 25 MAX AKI 91 \$6.5 \$6.5 \$6.5 \$7.00	6500 450 1500-5200 1500-5200 5200 gasoline AKI 89 MIN, EZS MAX AKI 91 6.5 GAB/SICZ Automatic 8 5.25 3.36 2.172 1.72 1.316 1 0.822 0.64	1800-4600 1800 4600 gasoline AKI 89 MIN, E25 MAX AKI 91 10.5 GA8X/6DZ Automatic 8 5.5 3.52 2.2 1.72 1.317 1 0.823 0.64
TOTAL	th** 1.316 1.316 1.317 th** 1 1 1 th** 0.822 0.822 0.823 th** 0.64 0.64 0.64 vecodynamics 3.712 3.993 x x Min 0.35 0.35 0.36	e, :1 P), PS P)	\$500-6500 \$500 \$500 \$500 \$500 \$1500-5200 \$1500 \$200 \$200 \$200 \$200 \$400	6500 450 1500-5200 1500 5200 gasoline ANI 88 MIN, E25 MAX ANI 91 6.5 GA8XS1CZ Automatic 8 5.25 3.36 2.177 1.72 1.316 1 0.822 0.64 3.712	1800-4600 1800 4600 4600 gasoline AKI 89 MIN, E25 MAX AKI 91 10.5 GA8X76DZ Automatic 8 5.5 3.52 2.2 1.72 1.317 1 0.823 0.64 3.993

BMW X5 Sports Activity Vehicle,	CR63	CR63	JU43
	BMW X5 xDrive40i	BMW X5 xDrive40i	BMW X5 M50i
Cx x A Min, m ² Cx x A Max, m ²	1.02 1.1	1.02 1.1	1.04 1.1
Stirnflaeche			
Facing surface , m ² Emission	2.9	2.9	2.9
Emission classification (type-certified)***	ULEV125	ULEV125	ULEV125
chassis Wheel/Tyres			
Front tyres	N/A	N/A	275/40 R21 107 Y XL
Front tyres var.1 Front tyres var.2	275/45 R20 110 H XL AS 275/45 R20 110 H XL AS, 275/40 R21 107 Y XL, 275/40 R21 107 Y XL 2	275/45 R20 110 H XL AS	275/45 R20 110 H XL AS 275/35 R22 104 Y XL
Front tyres var.3	275/35 R22 104 Y XL, 275/40 R21 107 Y XL	275/35 R22 104 Y XL, 275/40 R21 107 Y XL	N/A
Front tyres var.4 Front rims	275/35 R22 104 Y XL N/A	275/35 R22 104 Y XL N/A	N/A 9,5Jx21 LM
Front rims var.1	9Jx20 LM	9Jx20 LM	9Jx20 LM
Front rims var.2 Front rims var.3	9Jx20 LM, 9,5Jx21 LM 9,5Jx22 LM, 9,5Jx21 LM	9Jx20 LM, 9,5Jx21 LM 9,5Jx22 LM, 9,5Jx21 LM	9,5Jx22 LM N/A
Front rims var.4	9,5Jx22 LM	9,5Jx22 LM	N/A
Rear tyres Rear tyres var.1	N/A 275/45 R20 110 H XL AS	N/A 275/45 R20 110 H XL AS	315/35 R21 111 Y XL 275/45 R20 110 H XL AS
Rear tyres var.2	275/45 R20 110 H XL AS, 315/35 R21 111 Y XL	275/45 R20 110 H XL AS, 315/35 R21 111 Y XL	315/30 R22 107 Y XL
Rear tyres var.3 Rear tyres var.4	315/35 R21 111 Y XL, 315/30 R22 107 Y XL 315/30 R22 107 Y XL	315/35 R21 111 Y XL, 315/30 R22 107 Y XL 315/30 R22 107 Y XL	N/A N/A
Rear rims	N/A	N/A	10,5Jx21 LM
Rear rims var.1 Rear rims var.2	9Jx20 LM 9Jx20 LM, 10,5Jx21 LM	9Jx20 LM 9Jx20 LM, 10,5Jx21 LM	9Jx20 LM 10,5Jx22 LM
Rear rims var.3 Rear rims var.4	10,51x21 LM, 10,51x22 LM 10,51x22 LM	10,5Jx21 LM, 10,5Jx22 LM 10,5Jx22 LM	N/A N/A
Track front, mm	N/A	N/A	1680/1684
Track front var.1, mm Track front var.2, mm	1678/1684 1680/1684	1678/1684 1680/1684	1684/1688 1680/1684
Track front var.3, mm	1680	1680	N/A
Track front var.4, mm Width of the rear track, mm	1680 N/A	1680 N/A	N/A 1688/1689
Track rear var.1, mm	1698/1704	1698/1704	1704/1705
Track rear var.2, mm Track rear var.3, mm	1688/1704 1688/1689	1688/1704 1688/1689	1688/1689 N/A
Track rear var.4, mm	1688/1689	1688/1689	N/A
Wheel offset front, mm Wheel offset front var.1, mm	N/A 35/38	N/A 35/38	37 35
Wheel offset front var.2, mm	35/37	35/37	37
Wheel offset front var.3, mm Wheel offset front var.4, mm	37 37	37 37	N/A N/A
Wheel offset rear, mm Wheel offset rear var.1, mm	N/A 35/38	N/A 35/38	43 35
Wheel offset rear var.1, mm Wheel offset rear var.2, mm	35/38 35/43	35/38 35/43	35 43
Wheel offset rear var.3, mm Wheel offset rear var.4, mm	43 43	43 43	N/A N/A
Run flat tyres	N/A	N/A	yes
Run flat tyres var.1 Run flat tyres var.2	yes yes	yes yes	yes no
Run flat tyres var.3	no, yes	no, yes	N/A
Run flat tyres var.4, - Steering	no	no	N/A
Power-steering	EPS	EPS	EPS
Steering transmission, overall, :1 Tank	16.4/18.7	16.4/18.7	16.4/18.7
Fuel tank capacity (approx.) , I US Tank capacity (gallons) - series, gal	83 21.9	83 21.9	83 21.9
Battery Battery Capacity (low voltage), Ah	80	80	80
System voltage (low voltage), V	12	12	12
SCR (Yes/No)	No	No	No
US Motor conversion	2.72	2.72	2.40
Lifting (inch), inch Bore (inch), inch	3.72 3.23	3.72 3.23	3.48 3.5
Capacity (inch ³), inch Engineoil	182.92 6.9	182.92 6.9	268.17 11.1
Engine torque, ftlbs	330	330	553
Offroad data FI fording depth (without auxiliary heating), mm	500	500	500
climbing ability starting, %	32	32	32
US driving dynamic conversion Track front (inch), inch			66.1/66.3
Rear track (inch), inch			66.5
Track front var.1 (inch), inch Rear track var.1 (inch), inch	66.1/66.3 66.9/67.1	66.1/66.3 66.9/67.1	66.3/66.5 67.1
Track front var.2 (inch), inch Rear track var.2 (inch), inch	66.1/66.3	66.1/66.3	66.1/66.3
Track front var.3 (inch), inch	66.5/67.1 66.1	66.5/67.1 66.1	66.5 N/A
Rear track var.3 (inch), inch Track front var.4 (inch), inch	66.5 66.1	66.5 66.1	N/A N/A
Rear track var.4 (inch), inch	66.5	66.5	N/A N/A
Aerodynamics conversion CXA min (ft²), ft	10.93	10.93	11.24
CXA max (ft²), ft	11.86	11.86	11.86
Facing surface (f²), ft Dimensions conversion	31.22	31.22	31.22
Veh. length (inch), inch	194.3	194.3	194.3
Veh. width (inch), inch Width incl mirrors (inch), inch	78.9 87.3	78.9 87.3	78.9 87.3
Veh. height (inch), inch	68.7/69	68.7/69	68.7/69
Wheelbase (inch), inch Overhang front (inch), inch	117.1 35	117.1 35	117.1 35
Rear overhang (inch), inch Ground clearance (inch), inch	42.2 8.3/8.7	42.2 8.3/8.7	42.2 8.3/8.7
Legroom front (inch), inch	39.8	39.8	39.8
Legroom 2nd row (inch), inch Turning circle (ft), ft	37.4 41.3	37.4 41.3	37.4 41.3
Shoulder room front (inch), inch	60	60	60
Shoulder room rear (inch), inch Headroom front (inch), inch	58.1 40.8	58.1 40.8	58.1 40.8
Headroom front with Sunroof (inch), inch	40.7	40.7	40.7
Maximum headroom 2nd row (inch), inch Maximum headroom 2st row with sunroof (inch), inch	38.7 39.4	38.7 39.4	38.7 39.4
Front Seat Volume (ft³), ft³	56.5	56.5	56.5
Rear Seat Volume (ft ³), ft ³ Luggage vol. (EPA) - only for homologation, ft ³	48.7 33.9	48.7 33.9	48.7 33.9

Wheel Overview
Model Year 2020

Model Year 2020	X5 Effective: 08/01	/19		X5 xDrive4	X5 M50i
	Code: 1PA Style: 742M	22" M Lt/Aly Wheels, Double- Spoke 742M,Bicolour, Perf Non-RFT	Front: 22x9.5, 275/35 R22 Rear: 22x10.5, 315/30 R22	ZQX ZQX (upgrade) (Not in combination with 4UB)	Optional
lmage Not Available	Code: 1PQ Style: 742M	22" M Lt/Aly Wheels,Double- Spoke 742 M,Black, Perf. Non RFT	Front: 22x9.5, 275/35 R22 Rear: 22x10.5, 315/30 R22	ZQX ZQX (upgrade) (Not in combination with 4UB)	Optional
	Code: 1S9 Style: 746l	22" BMW Individual Lt/Aly Wheels, V-Spoke 746I, Perf Non-RFT	Front: 22x9.5, 275/35 R22 Rear: 22x10.5, 315/30 R22	Optional (Not in combination with 4UB)	Optional
900	Code: 1SF Style: 738	20" Lt/Aly Wheels, V-Spoke 738, Bicolour, A/S RFT	Front / Rear: 20x9.0, 275/45 R20	Standard	
	Code: 1SM Style: 747M	22" M Lt/Aly Wheels, V-Spoke 747M, Bicolour, Perf. Non-RFT	Front: 22x9.5, 275/35 R22 Rear: 22x10.5, 315/30 R22		Standard
	Code: 1TD Style: 740M	20" M Lt/Aly Wheels, Star- Spoke 740M, Bicolour, A/S RFT	Front / Rear: 20x9.0, 275/45 R20	ZQX ZQX (upgrade)	Optional
	Code: 1XB Style: 744	21" Lt/Aly Wheels, Y-Spoke 744, Orbit Grey, Perf RFT	Front: 21x9.5, 275/40 R21 Rear: 21x10.5, 315/35 R21	Optional (Not in combination with ZQX)	
	Code: 1XN Style: 741M	21" M Lt/Aly Wheels, Y-Spoke 741M, Bicolour, Perf RFT	Front: 21x9.5, 275/40 R21 Rear: 21x10.5, 315/35 R21	ZQX	
	Code: ZZT Style: 741M	21" M Lt/Aly Wheels, Y-Spoke 741M, Bicolour, Perf RFT	Front: 21x9.5, 275/40 R21 Rear: 21x10.5, 315/35 R21		Optional (Requires 1XN on indicated models)

	uct Configuration Year 2020 X5 Effective: 08/01/19		X5 xDrive40i	X5 M50i
		CA Model Code AG Model Code Start of Production		20E1 JU43 08/19
	Options			
1CR	Remote Engine Start		STD	STD
1MA	M Sport Exhaust System		701/	STD
	Included in package		ZQX	
1PA	22" M Lt/Aly Wheels, Double-Spoke 742M, Bicolour, Perf Non-RFT (22x9.5, 275/35 R22 front and 22x10.5, 315/30 R22 rear)			x
	1PA cannot be ordered with 4UB		v	
	Alternate in package		X ZQX	
	22" M Lt/Aly Wheels, Double-Spoke 742 M, Black, Perf. Non RFT		ZQA	
1PQ	(22x9.5, 275/35 R22 front and 22x10.5, 315/30 R22 rear)			Х
	1PQ cannot be ordered with 4UB		X	
	Alternate in package		ZQX	
	22" BMW Individual Lt/Aly Wheels, V-Spoke 746I, Perf Non-RFT			
1S9	(22x9.5, 275/35 R22 front and 22x10.5, 315/30 R22 rear)		X	Х
	1S9 cannot be ordered with 4UB		X	
405	20" Lt/Aly Wheels, V-Spoke 738, Bicolour, A/S RFT		CTD	
1SF	(20x9.0, 275/45 R20)		STD	
1SM	22" M Lt/Aly Wheels, V-Spoke 747M, Bicolour, Perf. Non-RFT			STD
1 SIVI	(22x9.5, 275/35 R22 front and 22x10.5, 315/30 R22 rear)			310
1TD	20" M Lt/Aly Wheels, Star-Spoke 740M, Bicolour, A/S RFT			X
110	(20x9.0, 275/45 R20)			^
	Alternate in package		ZQX	
1XB	21" Lt/Aly Wheels, Y-Spoke 744, Orbit Grey, Perf RFT		X	
	(21x9.5, 275/40 R21 front and 21x10.5, 315/35 R21 rear)			
	1XB cannot be ordered with ZQX		X	
1XN	21" M Lt/Aly Wheels, Y-Spoke 741M, Bicolour, Perf RFT			
	(21x9.5, 275/40 R21 front and 21x10.5, 315/35 R21 rear)		ZQX	
255	Included in package Leather Sport Steering Wheel		STD	
258	Runflat Tires		STD	
2NH	M Sport Brakes		310	STD
21111	Included in package		ZQX	015
2T4	M Sport Differential			STD
	Included in package		ZLK	_
2TB	Sport Auto Trans w/Paddles		STD	STD
2VB	Tire Pressure Monitor		STD	STD
2VC	Tire Repair Kit			STD
2VF	Adaptive M Suspension			STD
	Alternate in package		ZGT ZGU	
	· · · · ·		ZQX	
2VH	Integral Active Steering		X	x
	2VH requires ordering 2VW or ZSK			x
	Included in package			ZSK
2VR	Adaptive 2-axle air suspension			
	2VR cannot be ordered with 2VF or 2VW		X	Х
	Included in package		ZGT	ZSK
	, -		ZGU	
27 // 7/	Alternate in package Adaptive M Suspension w/Active Bell Stabilization and Boar Steer	na	ZQX	
2VW	Adaptive M Suspension w/Active Roll Stabilization and Rear Steeri 2VW cannot be ordered with 2VF or ZSK	ng		X
	2VW requires ordering 2VH			X X
	ZVVV TOQUILOS OTUOTING ZVIT			^

	luct Configuration I Year 2020 X5 Effective: 08/01/19	X5 xDrive40i	X5 M50i
	CA Model Co AG Model Co Start of Product	ode CR63	20E1 JU43 08/19
302	Alarm System	STD	STD
319	Universal Remote Control		
	Included in package	ZGR ZGT ZGU	ZGR ZGT ZGU
322	Comfort Access		
	Included in package	ZGR ZGT ZGU	ZGR ZGT ZGU
323	Soft Close Doors	200	
	Included in package	ZGR ZGT ZGU	ZGR ZGT ZGU
328	Aluminium Running Boards	X	
	328 cannot be ordered with ZQX	X	
337	M Sport Package Included in package	ZQX	
3AC	Trailer tow hitch	ZQA X	x
3AG	Rear View Camera	STD	STD
3AT	Satin Aluminum Roof Rails	STD	
3DS	BMW Display Key	X	х
3DZ	Without Exterior Lines Designation		
	Included in package	ZQX	
3E3	xOffroad Package	71.14	
3MB	Included in package Satin Aluminum Shadow Line	ZLK	
3MC	High Gloss Black Roof Rails	STD	STD
SIVIC	Included in package	ZQX	טוט
402	Panorama Sunroof	STD	STD
407	Sky Lounge Panoramic Glass Sunroof	X	x
	Included in package	ZGU	ZGU
417	Side Sunshades		
		ZGR	ZGR
	Included in package	ZGT	ZGT
440	Luggaga Comportment Dealcage	ZGU	ZGU
418 420	Luggage Compartment Package Sun Protection Glazing	X STD	X STD
420 423	Velour Floor Mats	STD	STD
441	Smoker's Package	X	X
44A	Heated and Cooled Cupholders	A	^
		ZGR	ZGR
	Included in package	ZGT	ZGT
		ZGU	ZGU
453	Ventilated Seats	X	х
	453 requires ordering ZGT or ZGU	X 7011	X
456	Included in package Comfort Seats, Front	ZGU	ZGU
450		ZGT	ZGT
	Included in package	ZGU	ZGU
459	Electric Seats w/ Driver Mem.	STD	STD
481	Sport Seats	STD	STD
488	Lumbar Support	X	x

	uct Configuration Year 2020 X5 Effective: 08/01/19	X5 xDrive40i	X5 M50i
	CA Model Code AG Model Code Start of Production	20E0 CR63 08/19	20E1 JU43 08/19
4A2 4AW	488 cannot be ordered with ZGT or ZGU Included in package Glass Application 'CraftedClarity' for Interior Elements Included in package Leatherette Dashboard Travel and Comfort System	X ZGR X ZGU STD	X ZGR X ZGU STD
4FL	Travel and Comfort System Included in package	ZGT	ZGT
4HA	Seat Heating, Front and Rear	ZGU	ZGU
4HB	Included in package Heat Comfort Package, Front	ZGR ZGT ZGU STD	ZGR ZGT ZGU STD
4KK 4KM	Aluminum Tetragon Trim 4KK requires ordering ZQX Aluminum "Mesh Effect" Trim	x x STD	STD x
4KP 4KR 4KT 4M5	Fine-Wood Ash Grain Brown Metallic High-Gloss Trim Fine-Wood Fineline Stripe Brown High-Gloss Trim Fine-Wood Poplar Grain Anthracite BrownOpen-Pored Trim Walknappa Leather Dashboard	x x x	x x x
4ML 4NB	Included in package Piano Black Wood Trim w/Satin Chrome Highlight Auto 4-Zone Climate Control	ZGU x ZGR	ZGU x ZGR
	Included in package	ZGT ZGU	ZGT ZGU
4NM	Ambient Air Package Included in package	x ZGU	x ZGU
4T7	Massage Function for Driver and Passenger 4T7 requires ordering ZGT or ZGU Included in package	x x ZGU	x x ZGU
4T8 4UB	Auto-Dimming Exterior Mirrors 3rd Seat Row 4UB requires ordering ZGT or ZGU 4UB cannot be ordered with 1PA, 1PQ or 1S9 4UB requires ordering 2VR 4UB and ZLK cannot be ordered with 2VH	STD x x x x x x	STD
4UR 4WW 552 5A1 5AC 5AL	Ambient Lighting BMW Individual - Fine-Wood Ash Grain Silver Trim w/ Grey High Gloss Highlight Adaptive Full LED Headlights LED Fog Lights High-Beam Assistant Active Protection	STD x STD STD STD STD STD	STD x STD STD STD STD
5AR	Traffic Jam Assistant Included in package	ZGU ZYU	ZGU ZYU
5AS 5AU	Driving Assistant Driving Assistant Professional	STD	STD
5AV 5AZ	Included in package Active Guard - Frontal Collision Warning BMW Laserlight Headlights	ZGU ZYU STD	ZGU ZYU STD

	Year 2020 X5 Effective: 08/01/19	X5 xDrive40i	X5 M50i
	CA Model Code AG Model Code Start of Production	20E0 CR63 08/19	20E1 JU43 08/19
	Included in package	ZGT	ZGT
5DN	Parking Assistant Plus w/Surround View	ZGU	ZGU
	Included in package	ZGT ZGU	ZGT ZGU
610	Head-Up Display	290	200
	Included in package	ZGR ZGT ZGU	ZGR ZGT ZGU
655 676 688	SiriusXM Satellite Radio Tuner HiFi Sound System Harman/Kardon Sound System	STD STD	STD STD
	Included in package	ZGT ZGU	ZGT ZGU
6AC 6AE 6AK 6C3 6CP 6DR	Intelligent Emergency Call Teleservices ConnectedDrive Services Connected Package Professional Apple CarPlay Preparation BMW Drive Recorder	STD STD STD STD STD	STD STD STD STD STD
	Included in package	ZGT ZGU	ZGT ZGU
6F1 6FH	Bowers and Wilkins Diamond Surround Sound System Rear Entertainment System	X X	x x
	Alternate in package	ZGT ZGU	ZGT ZGU
6NW	Wireless Charging w/Extended Bluetooth and USB		
	Included in package	ZGT ZGU	ZGT ZGU
6U3 6U8 6UK 6WD	BMW Live Cockpit Professional BMW Gesture Control Night Vision w/pedestrian det. WiFi Hotspot	STD STD x	STD STD x
	Included in package	ZGT ZGU	ZGT ZGU
710	M Leather Steering Wheel		STD
715	Included in package M Aerodynamics Package	ZQX	STD
	Included in package	ZQX	OTD
760	High-Gloss Shadow Line Included in package	ZQX	STD
775 776	Anthracite Roofliner Anthracite Alcantara Roofliner	STD	STD
776	Included in package	x ZGU	x ZGU
7HW 7M9	xLine High-Gloss Black Kidney Grille w/ Extended Contents	STD x	x
	7M9 requires ordering ZQX	X X	^
XD5	BMW Individual Alcantara Roofliner XD5 requires ordering ZAEI, ZBEI, ZBEW, ZBHF or ZBSW	x x	x x
ZML	Steering and Lane Control		
	Included in package	ZGU ZYU	ZGU ZYU

	uct Configuration Year 2020 X5 Effective	: 08/01/19		X5 xDrive40i	X5 M50i
			CA Model Code AG Model Code Start of Production	20E0 CR63 08/19	20E1 JU43 08/19
ZMV	Evasion Assist			7011	7011
	Included in package			ZGU ZYU	ZGU ZYU
ZR0 ZR7	BMW Laserlight Headlight Remov Alternate in package Cross-Traffic Alert (Rear)	ral .		ZGT STD	STD
ZSF	Cross Traffic Alert (Front)				
	Included in package			ZGU ZYU	ZGU ZYU
ZSM	Active Cruise Control w/ Stop and	Go			
	Included in package			ZGU ZYU	ZGU ZYU
ZSP	Special Order			x	X
ZVB ZWC ZWF ZWM ZXG ZXY ZZR	Leather Dashboard Delete Alternate in package Collision Warning w/ City Braking Lane Departure Warning Blind Spot Warning Rear Collision Prevention Speed Limit Info Lane Keep Assistant			ZGU STD STD STD STD STD	STD STD STD STD STD
2211	Included in package			ZGU	ZGU
ZZT	21" M Lt/Aly Wheels, Y-Spoke 74 (21x9.5, 275/40 R21 front and 21: ZZT will add 1XN to the order			ZYU	ZYU x x
	Non-Metallic			STD	STD
300 668	Alpine White Non Metallic Jet Black Non-Metallic 668 cannot be ordered with ZQX			X X X	х
	Metallic			X	х
416	Carbon Black Metallic			X	x
475	416 requires ordering ZQX Black Sapphire Metallic			X X	X
A90	Dark Graphite Metallic A90 cannot be ordered with ZQX			X	
A96	Mineral White Metallic			X X	х
C1M C27	Phytonic Blue Metallic Arctic Grey Metallic			X X	x x
C3Z	Tanzanite Blue Metallic			X	X
X1B	C3Z and not ZQX will add 778 to Ametrine Metallic	the order		X	x
ΛID	X1B and not ZQX will add 778 to	the order		X X	^
	Upholstery				
MA	Vernasca Leather	ared with ZCT or ZCLL		X	X
MAH9	Vernasca Leather cannot be orde Black Vernasca Leather w/ Brown			X X	X X

Product Configuration Model Year 2020 X5 Effective: 08/01/19	X5 xDrive40i	X5 M50i
CA Model Code AG Model Code Start of Production	CR63	20E1 JU43 08/19
MAH9 requires ordering ZQX	Х	
MC Perforated Vernasca Leather Perforated Vernasca Leather cannot be ordered with ZGU MCEW Ivory White Perforated Vernasca Leather MCHE Canberra Beige Perforated Vernasca Leather MCHE requires ordering 4M5	x x x x	x x x x
MCHF Coffee Perforated Vernasca Leather MCRI Cognac Perforated Vernasca Leather MCSW Black Perforated Vernasca Leather	X X X	х х х
VA BMW Ind. Extended Merino BMW Ind. Extended Merino requires ordering ZGT or ZGU BMW Ind. Extended Merino and not ZQX will add 778 to the order Included in package VAEW Ivory White Extended Merino Leather VAHF Coffee Extended Merino Leather VASW Black Extended Merino Leather VATQ Tartufo Extended Merino Leather	x x x ZGU x x x	X X ZGU X X X
ZA BMW Individual Extended Merino BMW Individual Extended Merino requires ordering ZGT or ZGU BMW Individual Extended Merino and not ZQX will add 778 to the order Alternate in package ZAEI Ivory White/Night Blue Extended Merino Leather	x x x ZGU x	x x ZGU x
ZB BMW Individual Full Merino BMW Individual Full Merino and not ZQX will add 778 to the order BMW Individual Full Merino and not ZGU will add 4M5 to the order BMW Individual Full Merino requires ordering ZGT or ZGU Alternate in package ZBEI Ivory White/Night Blue Full Merino Leather ZBEW Ivory White Full Merino Leather ZBHF Coffee Full Merino Leather ZBSW Black Full Merino Leather ZBTQ Tartufo Brown Full Merino Leather	x x x x ZGU x x x x	x x x ZGU x x x x
Packages Premium Essential Package 319 - Universal Remote Control 322 - Comfort Access 323 - Soft Close Doors 417 - Side Sunshades ZGR 44A - Heated and Cooled Cupholders 488 - Lumbar Support 4HA - Seat Heating, Front and Rear 4NB - Auto 4-Zone Climate Control 610 - Head-Up Display	X	X
ZGR cannot be ordered with ZGT or ZGU Premium Enhanced Package 319 - Universal Remote Control 322 - Comfort Access 323 - Soft Close Doors	X	x x

	luct Configuration Year 2020	X5 Effective: 08/01/19		X5 xDrive40i	X5 M50i
			CA Model Code AG Model Code Start of Production	20E0 CR63 08/19	20E1 JU43 08/19
ZGT	610 - Head-Up Display 688 - Harman/Kardon S	ront ort System ort System ont and Rear nate Control Headlights t Plus w/Surround View Sound System		33,10	00/10
	6WD - WiFi Hotspot ZGT cannot be ordered Premium Enhanced P 2VR - Adaptive 2-axle at 2VF - Adaptive M S 319 - Universal Remoted 322 - Comfort Access 323 - Soft Close Doors 417 - Side Sunshades 44A - Heated and Cool 456 - Comfort Seats, F	ng w/Extended Bluetooth and USB d with ZGR or ZGU ackage air suspension Buspension e Control ed Cupholders ront		X	x
ZGT	5DN - Parking Assistant 610 - Head-Up Display 688 - Harman/Kardon S 6DR - BMW Drive Reco 6NW - Wireless Chargi 6WD - WiFi Hotspot ZGT and 2VF requires ZGT cannot be ordered Premium Excellence I 2VR - Adaptive 2-axle at 2VF - Adaptive M S 319 - Universal Remote 322 - Comfort Access 323 - Soft Close Doors 407 - Sky Lounge Pand 417 - Side Sunshades 44A - Heated and Cool 453 - Ventilated Seats 456 - Comfort Seats, F	continent System cont and Rear control Headlights ight Headlight Removal It Plus w/Surround View Sound System corder ing w/Extended Bluetooth and USB ordering ZQX Id with ZGR or ZGU Package air suspension Suspension Expension Control oramic Glass Sunroof ed Cupholders		X X X	

Product Configuration Model Year 2020	X5 Effective: 08/01/19		X5 xDrive40i	X5 M50i
		CA Model Code AG Model Code Start of Production	20E0 CR63 08/19	20E1 JU43 08/19
4FL - Travel and Com	fort System	Start of Froduction	06/19	00/19
6FH - Rear Enter 4HA - Seat Heating, F 4M5 - Walknappa Lea ZVB - Leather Da 4NB - Auto 4-Zone CI 4NM - Ambient Air Pa 4T7 - Massage Funct ZGU 5AR - Traffic Jam Ass 5AU - Driving Assista 5AZ - BMW Laserligh 5DN - Parking Assista 610 - Head-Up Displa 688 - Harman/Kardon 6DR - BMW Drive Re 6NW - Wireless Char 6WD - WiFi Hotspot 776 - Anthracite Alcar ZML - Steering and La ZMV - Evasion Assist ZSF - Cross Traffic Al ZSM - Active Cruise O ZZR - Lane Keep Ass VA - BMW Ind. Exten ZA - BMW Indivic ZB - BMW Indivic ZB - BMW Indivic ZGU cannot be order ZGU and 2VF require ZGU cannot be order ZGU and 2VF require ZGU cannot be order ZGU and 2VF require ZGU cannot be order A19 - Universal Remo 322 - Comfort Access 323 - Soft Close Door 407 - Sky Lounge Par 417 - Side Sunshades 44A - Heated and Cod 453 - Ventilated Seats 456 - Comfort Seats, 4A2 - Glass Applicatio 4FL - Travel and Com 6FH - Rear Enter 4HA - Seat Heating, F 4M5 - Walknappa Lea 4NB - Auto 4-Zone Cl 4NM - Ambient Air Pa 4T7 - Massage Funct 5AR - Traffic Jam Ass ZGU 5AU - Driving Assista 5AZ - BMW Laserligh	tainment System front and Rear ather Dashboard Ishboard Delete imate Control ckage on for Driver and Passenger istant int Professional t Headlights int Plus w/Surround View y Sound System corder ging w/Extended Bluetooth and USE intara Roofliner ane Control ert (Front) Control w/ Stop and Go istant ded Merino dual Extended Merino dual Full Merino ed with Perforated Vernasca Leather is ordering ZQX ed with ZGR, ZGT or ZYU Package te Control s Front on 'CraftedClarity' for Interior Element fort System tainment System front and Rear ather Dashboard imate Control ckage on for Driver and Passenger sistant on t Professional t Headlights ant Plus w/Surround View interior Plus w/Surround View	er or Vernasca Leather	X X X	X

Product Configuration Model Year 2020		X5 Effective: 08/01/19		X5 xDrive40i	X5 M50i	
			CA Model Code AG Model Code Start of Production	20E0 CR63 08/19	20E1 JU43 08/19	
ZLK	6WD - WiFi Hotspot 776 - Anthracite Alcanta ZML - Steering and Lan ZMV - Evasion Assist ZSF - Cross Traffic Ale ZSM - Active Cruise Co ZZR - Lane Keep Assis VA - BMW Ind. Extende ZA - BMW Individu ZB - BMW Individu ZB - BMW Individu ZGU cannot be ordered ZGU cannot be ordered ZGU cannot be ordered XOffroad Package 2T4 - M Sport Differenti 3E3 - xOffroad Package ZLK and 4UB cannot b ZLK requires ordering 2 ZLK requires ordering 2	order ong w/Extended Bluetooth and I ara Roofliner e Control t (Front) ontrol w/ Stop and Go tant ed Merino al Extended Merino al Full Merino d with ZGR, ZGT or ZYU d with Perforated Vernasca Lea e ordered with 2VH ZGT or ZGU	JSB	X X X X	x x	
	(21x9.5, 275/40 R21 fro 1PA - 22" M Lt/Aly 1PQ - 22" M Lt/Aly	System rels, Y-Spoke 741M, Bicolour, rent and 21x10.5, 315/35 R21 re Wheels, Double-Spoke 742M, Wheels, Double-Spoke 742 M, Wheels, Star-Spoke 740M, Bic	ear) Bicolour, Perf Non-RFT Black, Perf. Non RFT	х		
ZQX	2VF - Adaptive M Susp 2VR - Adaptive 2-a 337 - M Sport Package 3DZ - Without Exterior 3 3MC - High Gloss Black 710 - M Leather Steerin 715 - M Aerodynamics 760 - High-Gloss Shade ZQX and 2VR requires	xle air suspension Lines Designation K Roof Rails G Wheel Package OW Line		x		
ZSK	2VH - Integral Active St 2VR - Adaptive 2-axle a ZSK cannot be ordered Advanced Driving Ass 5AR - Traffic Jam Assis	kage eering iir suspension I with 2VF or 2VW istant Package tant		X	x x x	
ZYU	5AU - Driving Assistant ZML - Steering and Lan ZMV - Evasion Assist ZSF - Cross Traffic Alei ZSM - Active Cruise Co ZZR - Lane Keep Assis ZYU cannot be ordered	e Control t (Front) ntrol w/ Stop and Go tant		x	x	

	Pricing ear 2020 X5 Effective: 08/01/19	X5 xDrive40i	X5 M50i
	CA Model Code AG Model Code Start of Production Base Price	CR63 08/19	20E1 JU43 08/19 \$89,000
	Non-Metallic	STD	STD
300 668	Alpine White Non Metallic Jet Black Non-Metallic		NA
	668 cannot be ordered with ZQX Metallic	(req'd) NC	NC
416	Carbon Black Metallic		
475	416 requires ordering ZQX Black Sapphire Metallic	(req'd)	
A90	Dark Graphite Metallic A90 cannot be ordered with ZQX	(req'd)	NA
A96 C1M	Mineral White Metallic Phytonic Blue Metallic		
C27	Arctic Grey Metallic		
C3Z	Tanzanite Blue Metallic C3Z and not ZQX will add 778 to the order	\$1,450 (req'd)	\$1,450
X1B	Ametrine Metallic X1B and not ZQX will add 778 to the order	\$1,450 (req'd)	\$1,450
		(requ)	
	Upholstery Vernasca Leather	NC	NC
MAH9	Vernasca Leather cannot be ordered with ZGT or ZGU Black Vernasca Leather w/ Brown ContrastStitching	(req'd)	(req'd)
	MAH9 requires ordering ZQX	(req'd)	
	BMW Ind. Extended Merino	\$1,900	\$1,900
	BMW Ind. Extended Merino and not ZQX will add 778 to the order Included in package	(req'd) ZGU	ZGU
VAEW	BMW Ind. Extended Merino requires ordering ZGT or ZGU Ivory White Extended Merino Leather	(req'd)	(req'd)
VAHF	Coffee Extended Merino Leather		
VASW VATQ	Black Extended Merino Leather Tartufo Extended Merino Leather		
	BMW Individual Extended Merino	\$1,900	\$1,900
	In combination with ZGU	NC	NC
	BMW Individual Extended Merino and not ZQX will add 778 to the order BMW Individual Extended Merino requires ordering ZGT or ZGU	(req'd) (req'd)	(reg'd)
ZAEI	Ivory White/Night Blue Extended Merino Leather		
	BMW Individual Full Merino	\$3,900	\$3,900
	In combination with ZGU BMW Individual Full Merino and not ZGU will add 4M5 to the order	\$2,000 (req'd)	\$2,000 (req'd)
	BMW Individual Full Merino requires ordering ZGT or ZGU BMW Individual Full Merino and not ZQX will add 778 to the order	(req'd) (req'd)	(req'd)
ZBEI ZBEW	Ivory White/Night Blue Full Merino Leather Ivory White Full Merino Leather	(
ZBHF	Coffee Full Merino Leather		
ZBSW ZBTQ	Black Full Merino Leather Tartufo Brown Full Merino Leather		
	Perforated Vernasca Leather	NC	NC
	Perforated Vernasca Leather cannot be ordered with ZGU	(req'd)	(req'd)
MCEW MCHE	Ivory White Perforated Vernasca Leather Canberra Beige Perforated Vernasca Leather		
MCHF	MCHE requires ordering 4M5 Coffee Perforated Vernasca Leather	(req'd)	(req'd)
MCRI	Cognac Perforated Vernasca Leather		
MCSW	Black Perforated Vernasca Leather		
ZGR	Packages Premium Essential Package	\$5,250	\$5,250
	ZGR cannot be ordered with ZGT or ZGU Premium Enhanced Package	(req'd)	(req'd) \$9,000
ZGT	2VF - Adaptive M Suspension	\$9,000 NC	
	6FH - Rear Entertainment System ZR0 - BMW Laserlight Headlight Removal	\$1,950 (\$1,000)	\$1,950
	ZGT and 2VF requires ordering ZQX ZGT cannot be ordered with ZGR or ZGU	(req'd)	
ZGU	Premium Excellence Package	(req'd) \$17,000	\$17,000
	2VF - Adaptive M Suspension 6FH - Rear Entertainment System	NC \$1,950	\$1,950
	ZA - BMW Individual Extended Merino ZB - BMW Individual Full Merino	NC \$2,000	NC \$2,000
	ZVB - Leather Dashboard Delete	(\$800)	\$2,000
	ZGU and 2VF requires ordering ZQX ZGU cannot be ordered with Perforated Vernasca Leather or Vernasca Leather	(req'd)	(req'd)
ZLK	ZGU cannot be ordered with ZGR, ZGT or ZYU xOffroad Package	\$2,950	(req'd) NA
	ZLK requires ordering 2VR ZLK and 4UB cannot be ordered with 2VH	(req'd)	
	ZLK requires ordering ZGT or ZGU	(req'd) (req'd)	
ZQX	M Sport Package 1PA - 22" M Lt/Aly Wheels, Double-Spoke 742M,Bicolour, Perf Non-RFT	\$3,000 \$475	NA
	1PQ - 22" M Lt/Aly Wheels, Double-Spoke 742 M, Black, Perf. Non RFT	\$975	
	1TD - 20" M Lt/Aly Wheels, Star-Spoke 740M, Bicolour, A/S RFT 2VR - Adaptive 2-axle air suspension	NC NC	
ZSK	ZQX and 2VR requires ordering ZGT or ZGU Comfort Handling Package	(req'd) NA	\$2,000
	ZSK cannot be ordered with 2VF or 2VW	. 47 ((req'd)

Model \	Year 2020 X5 Effective: 08/01/19	X5 xDrive40	X5 M50i
	CA Model (AG Model (Start of Produ Base I	Code 20E0 Code CR63 ction 08/19	20E1 JU43 08/19 \$89,000
YU	Advanced Driving Assistant Package ZYU cannot be ordered with ZGU	\$2,000 (req'd)	\$2,000 (req'd)
		(lequ)	(lequ)
PA	Options 22* M Lt/Aly Wheels, Double-Spoke 742M,Bicolour, Perf Non-RFT (22x9.5, 275/35 R22 front and 22x10.5, 315/30 R22 rear) 1PA cannot be ordered with 4UB	NA (, I)	NC
	In combination with ZQX	(req'd) \$475	
PQ	22" M Lt/Aly Wheels,Double-Spoke 742 M,Black, Perf. Non RFT (22x9.5, 275/35 R22 front and 22x10.5, 315/30 R22 rear) 1PQ cannot be ordered with 4UB	NA (req'd)	\$500
S9	In combination with ZOX 22" BMW Individual Lt/Aly Wheels, V-Spoke 746I, Perf Non-RFT (22x9.5, 275/35 R22 front and 22x10.5, 315/30 R22 rear)	\$975 \$1,225	\$750
	1S9 cannot be ordered with 4UB	(req'd)	
TD	20" M Lt/Aly Wheels, Star-Spoke 740M, Bicolour, A/S RFT (20x9.0, 275/45 R20) In combination with ZOX	NA NC	NC
XB	21" Lt/Aly Wheels, Y-Spoke 744, Orbit Grey, Perf RFT	\$475	NA
	(21x9.5, 275/40 R21 front and 21x10.5, 315/35 R21 rear) 1XB cannot be ordered with ZQX	(req'd)	
VH	Integral Active Steering Included in package 2VH requires ordering 2VW or ZSK	\$2,000	\$2,000 ZSK (req'd)
VW	Adaptive M Suspension w/Active Roll Stabilization and Rear Steering 2VW cannot be ordered with 2VF or ZSK 2VW requires ordering 2VH	NA	\$3,500 (req'd) (req'd)
28	Aluminium Running Boards 328 cannot be ordered with ZQX	\$800 (req'd)	NA NA
AC	Trailer tow hitch	\$750	\$750
DS 07	BMW Display Key Sky Lounge Panoramic Glass Sunroof	\$300	\$300
07 18	Included in package Luggage Compartment Package	\$1,000 ZGU \$500	\$1,000 ZGU \$500
	In combination with 4UB	\$100	
41 53	Smoker's Package Ventilated Seats	\$100 \$500	\$100 \$500
50	Included in package	ZGU	ZGU
88	453 requires ordering ZGT or ZGU Lumbar Support	(req'd) \$350	(req'd) \$350
00	Included in package	ZGR	ZGR
A2	488 cannot be ordered with ZGT or ZGU Glass Application 'CraftedClarity' for Interior Elements	(req'd) \$850	(req'd) \$850
	Included in package	ZGU	ZGU
KK	Aluminum Tetragon Trim 4KK requires ordering ZQX	NC (rogld)	STD
KM	Aluminum "Mesh Effect" Trim	(req'd) STD	NC
KP	Fine-Wood Ash Grain Brown Metallic High-Gloss Trim	NC	NC
KR KT	Fine-Wood Fineline Stripe Brown High-Gloss Trim Fine-Wood Poplar Grain Anthracite BrownOpen-Pored Trim	NC NC	NC
M5	Walknappa Leather Dashboard	NC \$800	NC \$800
	Included in package	ZGU	ZGU
ML	Piano Black Wood Trim w/Satin Chrome Highlight	\$400	\$400
NM	Ambient Air Package Included in package	\$400 ZGU	\$400 ZGU
T7	Massage Function for Driver and Passenger	\$750	\$750
	Included in package	ZGU	ZGU
UB	4T7 requires ordering ZGT or ZGU 3rd Seat Row 4UB and ZLK cannot be ordered with 2VH	(req'd) \$2,100 (req'd)	(req'd) NA
	4UB requires ordering 2VR 4UB cannot be ordered with 1PA, 1PQ or 1S9	(req'd) (req'd)	
ww	4UB requires ordering ZGT or ZGU BMW Individual - Fine-Wood Ash Grain Silver Trim w/ Grey High Gloss Highligh	(req'd)	6400
vv vv F1	Bowers and Wilkins Diamond Surround Sound System	\$400 \$4,900	\$400 \$4,900
FH	Rear Entertainment System In combination with ZGT In combination with ZGU	\$1,950 \$1,950 \$1,950 \$1,950	\$1,950 \$1,950 \$1,950
UK	Night Vision w/pedestrian det.	\$2,500	\$2,500
76	Anthracite Alcantara Roofliner Included in package	\$950 ZGU	\$950 ZGU
M9	High-Gloss Black Kidney Grille w/ Extended Contents 7M9 requires ordering ZQX	\$250	\$250
.D5	BMW Individual Alcantara Roofliner XD5 requires ordering ZAEI, ZBEI, ZBEW, ZBHF or ZBSW	(req'd) \$950 (req'd)	\$950 (req'd)
SP	Special Order	\$400	\$400
ZT	21" M Lt/Aly Wheels, Y-Spoke 741M, Bicolour, Perf RFT (21x9.5, 275/40 R21 front and 21x10.5, 315/35 R21 rear)	NA	NC
	ZZT will add 1XN to the order		(req'd)