











MINI MINI Clubman (F54) (US) (01.07.2019) (MINI)	LV53 MINI Cooper Clubman ALL4	XJ13 MINI Cooper S Clubman ALL4	JZ93 MINI John Cooper Works Clubman ALL4
Basic data summary Transmission type ,	Automatik	Automatik	Automatik
ngine description,	B36A15M1	B46A20M1	B48A20T1
eats , ngine type ,	5.0 Four-wheel drive	5.0 Four-wheel drive	5.0 Four-wheel drive
ov,	01.07.2019-31.10.2019	01.07.2019-31.10.2019	01.07.2019-31.10.2019
imensions xterior			
verhang front, mm	809.0	809.0	809.0
/heelbase, mm urning circle, m	2670.0 11.3	2670.0 11.3	2670.0 11.3
urning circle, m Vidth incl.mirror passengers side, mm	11.3	11.3	11.3
Vidth inc. mirrors, mm	2018.0	2018.0	2018.0
round clearance, mm tear overhang, mm	141.0 802.0	141.0 802.0	141.0 802.0
ength, mm	4281.0	4281.0	4281.0
/idth, mm eight, mm	1800.0 1441.0	1800.0 1441.0	1800.0 1441.0
/idth incl.mirror driver, mm	1011.0	1011.0	1011.0
nterior Iaximum headroom second, mm	936.0	936.0	936.0
faximum headroom rear, mm	966.0	966.0	966.0
lbow width front, mm houlder room rear, mm	1420.0 1340.0	1420.0 1340.0	1420.0 1340.0
houlder width front, mm	1390.0	1390.0	1390.0
inee clearance, mm	36.0	36.0	36.0
Max. headroom front, mm ffective legroom rear second seating row (L51-2), mm	1020.0 871.0	1020.0 871.0	1020.0 871.0
lbowroom rear, mm	1412.0	1412.0	1412.0
leadroom front/SR, mm ffective legroom front (L34), mm	991.0 1052.0	991.0 1052.0	991.0 1052.0
uggage volumes	1032.0	10,32.0	1032.0
ress Trunk volume (SAE), ft ³	17,5 - 47,9	17,5 - 47,9	17,5 - 47,9
reight ehicle weights			
ayload, kg	395.0	418.0	416.0
ehicle curb weight without driver (rear axle), kg ehicle curb weight without driver (front axle)	675.0 889.0	680.0 923.0	684.0 953.0
ear Weight distribution (empty car), %	43.2	42.4	41.8
ear axle load limit, kg Axle load limit front, kg	1015.0 1045.0	1025.0 1075.0	1030.0 1095.0
iross veh. weight, kg	2010.0	2050.0	2070.0
urb weight (without driver), kg Sweights	1564.0	1603.0	1637.0
S weights xle load limit rear, lbs	2238.0	2260.0	2271.0
ront axle load lbs, lbs	2304.0	2370.0	2414.0
ehicle weight without driver empty fuel tank -RA, lbs ehicle weight without driver empty fuel tank, lbs	1424.0 3366.0	1435.0 3452.0	1444.0 3527.0
ehicle curb weight inkl. 100% SAa und 33% SAs, lbs	3448.0	3534.0	3609.0
ross vehicle weight, lbs ayload lbs, lbs	4431.0 871.0	4519.0 922.0	4564.0 917.0
ehicle weight without driver empty fuel tank -FA, lbs	1942.0	2017.0	2083.0
erformance /fuel eco. erformance			
inal drive ratio	3.474	3.075	3.075
-100Km/h, s	9.6	6.9	4.9
op speed, mph op speed, km/h	125.0 200.0	140.0 225.0	155.0 250.0
l-60 mph, s	9.3	6.6	4.6
lotor seable Fuel quality	AKI 89 MIN	AKI 89 MIN	AKI 91 MIN, E25 MAX
Engine torque, Nm	220.0	280.0	450.0
ecomm. troke. mm	AKI 91 94.6	AKI 91 94.6	AKI 93 94.6
ylinders	3.0	4.0	4.0
naximum Engine speed at maximum power, 1/min ninimum Engine speed at maximum power, 1/min	6500.0 4500.0	6000.0 5000.0	6250.0 5000.0
Ingine power (HP), PS	136.0	192.0	306.0
pm at maximum power, 1/min	4500-6500	5000-6000	5000-6250
ompression rate,:1 om at maximum torque, 1/min	11.0 1480-4100	11.0 1350-4600	9.5 1750-4500
sisplacement, cm ³	1499.0	1998.0	1998.0
aximum Engine speed at maximum torque, 1/min alves p.cyl.	4100.0 4.0	4600.0 4.0	4500.0 4.0
ngine type	B36A15M1	B46A20M1	B48A20T1
inimum Engine speed at maximum torque, 1/min ore, mm	1480.0 82.0	1350.0 82.0	1750.0 82.0
ngine oil (exchange quantity), l	4.25	5.25	5.25
ngine power (bHP), bHP	134.0	189.0	301.0
earbox ombustion engine			
th**	1.235 4.221	1.235 4.221	1.235 4.221
everse gear** ear ratios 1st gear**	4.221 5.519	4.221 5.519	4.221 5.519
th**	0.673	0.673	0.673
nd** rd**	3.184 2.05	3.184 2.05	3.184 2.05
h**	0.801	0.801	0.801
th** ransmission type	1.492 Automatik	1.492 Automatik	1.492 Automatik
ransmission type V	GA8Y45BW	GA8Y45DW	GA8S45DW
th**	1.0 8	1.0	1.0
r. of gears erodynamics	8	8	8
x	0.05, 0.05	000.005	001005
c Range, m² c Min	0.35-0.35 0.35	0.33-0.35 0.33	0.34-0.35 0.34
x Max	0.35	0.35	0.35
irnflaeche icing surface , m²	2.21	2.22	2.22
nission			
nission classification (type-certified)***	SULEV30	SULEV30	ULEV125
assis heel/Tyres			
ear tyres	205/55 R16 91 W	225/45 R17 94 Y XL	225/40 R18 92 Y XL
/idth of the rear track, mm un flat tyres	1565.0 ja	1561.0	1555.0
un flat tyres ront tyres	ја 205/55 R16 91 W	ja 225/45 R17 94 Y XL	ja 225/40 R18 92 Y XL
rack front, mm	1563.0	1559.0	1553.0
/heel offset rear, mm /heel offset front, mm	52.0 52.0	54.0 54.0	57.0 57.0
ront rims	7,0Jx16 LM	7,5Jx17 LM	8,0Jx18 LM
ear rims	7,0Jx16 LM	7,5Jx17 LM	8,0Jx18 LM
teering lower-steering	EPS	EPS	EPS
eering transmission, overall, :1	14.0	14.0	14.0
ank uel tank capacity (approx.) , l	50.0	50.0	50.0
S Tank capacity (gallons) - series, gal	13.2	13.2	13.2
attery			
	pn/nn	90/00	pn/pn
Battery Capacity (low voltage), Ah System voltage (low voltage), V	80/80 12.0	80/80 12.0	80/80 12.0

Model Year 2020

MINI Cooper Clubman ALL4 Effective: 07/01/19

Cooper Clubman ALL4



Code: 1NA Style: 1NA

16" Loop Spoke RFT

Front / Rear: 16x6.5, 195/55 R16

Standard



Code: 2EU Style: 2EU

17" Vent Spoke RFT

Front / Rear: 17x7.5, 225/45 R17

ZSC



Code: 2F4 Style: 2F4

17" Net Spoke Blk RFT

Front / Rear: 17x7.5, 225/45 R17

ZSC

lmage Not Available	Code: 1NN Style:	18" Multiray Spoke 2Tone RFT	Front / Rear:	ZSE
	Code: 2EU Style: 2EU	17" Vent Spoke RFT	Front / Rear: 17x7.5, 225/45 R17	Standard ZSE
	Code: 2F4 Style: 2F4	17" Net Spoke Blk RFT	Front / Rear: 17x7.5, 225/45 R17	ZSE

Wheel Overview

Model Year 2020

MINI JCW Clubman ALL4 Effective: 07/01/19 JCW Clubman ALL4

lmage Not Available	Code: 1NP Style:	19"JCW Circuit 2Tone NonRunflat	Front / Rear:	ZQC
	Code: 2EL Style: 2EL	18" JCW Grip Spoke RFT	Front / Rear: 18x8.0, 225/40 R18	ZQA, ZQC
	Code: 2EM Style: 2em	18" JCW Grip Spoke Blk RFT	Front / Rear: 18x8.0, 225/45 R18	Standard ZQA, ZQC

	Pricing Year 2020	Cooper Clubman ALL4		Cooper Clubman ALL4
		Effective: 07/01/19		Cooper
			CA Model Code	20CB
			AG Model Code	LV53
			Start of Production Base Price	07/19 \$28,690
	Non-Metallic			STD
850	Pepper White			\$590
	850 cannot be o	rdered with 382 or 3AF		(req'd)
851	Chili Red			\$590
C3B	British Racing G	reen IV		\$590
	Metallic			\$590
A94	Midnight Black M	1 etallic		\$590
	A94 cannot be o	ordered with 383		(req'd)
B71	Moonwalk Grey	Semi-Metallic		NC
	B71 cannot be o	ordered with 3AF		(req'd)
C2K	Melting Silver Me	etallic		\$590
	C2K cannot be	ordered with 3AF		(req'd)
	Upholstery			04 500
NEE4	Punch Leather	and Location		\$1,500
NEE1	Carbon Black Pu			\$1,500
	NEE1 requires of NEE1 requires of			(req'd) (req'd)
	Leatherette			NC
K9E1	Carbon Black Le	atherette		NC
	Lines			
ZSC	Signature Line			\$4,300
	2F4 - 17" Net Sp	oke Blk RFT		\$250
70V	Packages	••		¢4 000
ZCK	Comfort Packag			\$1,000
ZCL	ZCK requires or	_		(req'd) \$600
ZCL	Cargo Package ZCL requires or			(req'd)
	Options			
302	Alarm System			\$500
	302 requires ord	dering ZSC		(req'd)
327	White Bonnet St	_		\$200
	327 requires ord	-		(req'd)
329	Black Bonnet Str	•		\$200
	329 requires ord			(req'd)
359	Electric Front Wi	_		\$250
	359 requires ord			(req'd)
382	White Roof and I	_		NC
383	Black Roof and M			NC
386	Roof Rails	·		\$250
3AF	Silver Roof and I	Mirror Caps		NC
5AS	Driving Assistant			\$1,000
.	5AS will add 54°			(req'd)
	5AS requires or			(req'd)
674	Harman Kardon	_		\$750
	674 requires era	_		φ. σσ'd\

(req'd)

674 requires ordering ZSC

Retail Pricing

Model Year 2020

Cooper S Clubman ALL4 Effective: 07/01/19

CA Model Code 20CD AG Model Code XJ13 07/19 Start of Production

\$31,690

Base Price

	Non-Metallic	STD
850	Pepper White	\$590
	850 cannot be ordered with 382 or 3AF	(req'd)
851	Chili Red	\$590
C3B	British Racing Green IV	\$590
	Metallic	\$590
A94	Midnight Black Metallic	\$590
	A94 cannot be ordered with 383	(req'd)
B58	Thunder Grey Metallic	\$590
	B58 cannot be ordered with 3AF	(req'd)
B71	Moonwalk Grey Semi-Metallic	NC
	B71 cannot be ordered with 3AF	(req'd)
C2K	Melting Silver Metallic	\$590
	C2K cannot be ordered with 3AF	(req'd)
	Upholstery	

	Ophioistery	
	Punch Leather	\$1,500
NEE1	Carbon Black Punch Leather	\$1,500
	NEE1 requires ordering ZSE	(req'd)
	Chester Leather	\$2,250

	Chester Leatner	\$2,250
NYGK	Leather Chester Satellite Grey	\$2,250
	NYGK requires ordering ZSE	(req'd)
	NYGK includes 4C0	(req'd)

	Leatherette	NC
K9E1	Carbon Black Leatherette	NC

	Lines	
ZSE	Signature Line	\$4,300
	1NN - 18" Multiray Spoke 2Tone RFT	\$750
	2F4 - 17" Net Spoke Blk RFT	\$250
	ZSE and 1NN requires ordering ZB0	(req'd)

	Packages	
ZCK	Comfort Package	\$1,000
	ZCK requires ordering ZSE	(req'd)
ZCL	Cargo Package	\$600
	7CL requires ordering 7SE	(roa'd)

ZCK	Comfort Package	\$1,000
	ZCK requires ordering ZSE	(req'd)
ZCL	Cargo Package	\$600
	ZCL requires ordering ZSE	(req'd)
	Options	

	Options	
302	Alarm System	\$500
	302 requires ordering ZSE	(req'd)
327	White Bonnet Stripes	\$200
	327 requires ordering 382	(req'd)
329	Black Bonnet Stripes	\$200
	329 requires ordering 383	(req'd)
359	Electric Front Window Defroster	\$250
	359 requires ordering ZSE	(req'd)
382	White Roof and Mirror Caps	NC
383	Black Roof and Mirror Caps	NC
386	Roof Rails	\$250
3AF	Silver Roof and Mirror Caps	NC
3L2	Piano Black Exterior Trim	\$500
	3L2 requires ordering ZSE	(req'd)
5AS	Driving Assistant	\$1,000
	5AS will add 541 to the order	(req'd)
	5AS requires ordering ZSE	(req'd)
5DP	Park Assistant (Incl 508 PDC Front/Rear)	\$500
	5DP requires ordering ZSE	(req'd)
674	Harman Kardon Sound System	\$750
	674 requires ordering ZSE	(req'd)
6AD	MINI Head-Up Display	\$750
	6AD requires ordering ZSE	(req'd)
ZB0	Performance Tires	\$50
	ZB0 requires ordering ZSE	(req'd)

		CA Model Code	20CE
		AG Model Code Start of Production	JZ93 07/19
		Base Price	\$41,090
			OTD
850	Non-Metallic Pepper White		STD \$590
	In combination with ZQA		\$590
	In combination with ZQC		\$590
851	850 cannot be ordered with 382 or 3AF Chili Red		(req'd) \$590
	In combination with ZQA		\$590
	In combination with ZQC		\$590
C19	JCW Rebel Green In combination with ZQC		\$1,000 \$1,000
	Metallic		\$590
A62	White Silver Metallic		\$590
	In combination with ZQC		\$590
A94	A62 requires ordering 382, 383 or 3A3 Midnight Black Metallic		(req'd) \$590
7101	In combination with ZQA		\$590
	In combination with ZQC		\$590
B58	A94 cannot be ordered with 383		(req'd)
D00	Thunder Grey Metallic In combination with ZQA		\$590 \$590
	In combination with ZQC		\$590
B71	Moonwalk Grey Semi-Metallic		NC
C2K	Included in package Melting Silver Metallic		ZQA, ZQC \$590
OZIK	In combination with ZQA		\$590
	In combination with ZQC		\$590
	Upholstery Punch Leather		\$1,500
	Punch Leather includes 459 and 481		(req'd)
NEE1	Carbon Black Punch Leather		\$1,500
	In combination with ZQC		\$1,500
	Chester Leather		\$2,250
	Chester Leather includes 459 and 481		(req'd)
NYGK	Leather Chester Satellite Grey		\$2,250
	NYGK includes 4C0 In combination with ZQC		(req'd) \$2,250
NYIB	Leather Chester Indigo Blue		\$2,250
	In combination with ZQC		\$2,250
	NYIB cannot be ordered with 851 or C19		(req'd)
	Dinamica/Cloth Combination		NC
	Dinamica/Cloth Combination cannot be ordered with 459 or 481		(req'd)
DAE1	Dinamica/cloth combination Carbon Black		NC
	Included in package		ZQA, ZQC
	Dinamica/Leather Combination		\$2,250
	Dinamica/Leather Combination cannot be ordered with 459 or 481		(req'd)
GSE1	Dinamica/leather combination Carbon Black		\$2,250
	In combination with ZQC		\$2,250
	Leatherette		NC
	Leatherette includes 459 and 481		(reg'd)
K9E1	Carbon Black Leatherette		NC
	In combination with ZQA		NC
	In combination with ZQC		NC
	MINI Yours Lounge Leather		\$2,250
	MINI Yours Lounge Leather includes 459 and 481		(req'd)
TYE1	MINI Yours Leather Lounge Carbon Black In combination with ZQC		\$2,250 \$2,250
	III COMBINATION WITH ZQC		ψ2,230
	Lines		
ZQA	CLASSIC		\$1,500
	2EL - 18" JCW Grip Spoke RFT 4GV - MINI Yours Interior Style Piano Black illuminated		NC \$250
	850 - Pepper White		\$590
	851 - Chili Red		\$590
	A94 - Midnight Black Metallic		\$590
	B58 - Thunder Grey Metallic C2K - Melting Silver Metallic		\$590 \$590
	K9E1 - Carbon Black Leatherette		NC NC
ZQC	PREMIER+		\$5,000
	1NP - 19"JCW Circuit 2Tone NonRunflat		\$800
	2EL - 18" JCW Grip Spoke RFT 4GV - MINI Yours Interior Style Piano Black illuminated		NC \$250
	850 - Pepper White		\$590
	851 - Chili Red		\$590
	A62 - White Silver Metallic		\$590
	A94 - Midnight Black Metallic B58 - Thunder Grey Metallic		\$590 \$590
	C19 - JCW Rebel Green		\$1,000
	C2K - Melting Silver Metallic		\$590
	GSE1 - Dinamica/leather combination Carbon Black K9E1 - Carbon Black Leatherette		\$2,250 NC
	NEE1 - Carbon Black Leatnerette NEE1 - Carbon Black Punch Leather		\$1,500
	NYGK - Leather Chester Satellite Grey		\$2,250
	NYIB - Leather Chester Indigo Blue		\$2,250
	TYE1 - MINI Yours Leather Lounge Carbon Black ZQC and 1NP will delete 258 from the order		\$2,250 (reg'd)
	ZQC and 1NP will delete 258 from the order ZQC and 1NP includes 2VC		(req'd)
	ZQC and 1NP cannot be ordered with 223		(req'd)
	Packanas		
	Packages		
	Options		
223	Dynamic Damper Control		\$500
302	Alarm System		\$500 \$250
319 359	Universal Remote Control Electric Front Window Defroster		\$250 \$250
382	White Roof and Mirror Caps		NC NC
383	Black Roof and Mirror Caps		NC
386	Roof Rails		\$250

	· · · •	
	Options	
223	Dynamic Damper Control	\$500
302	Alarm System	\$500
319	Universal Remote Control	\$250
359	Electric Front Window Defroster	\$250
382	White Roof and Mirror Caps	NC
383	Black Roof and Mirror Caps	NC
386	Roof Rails	\$250
3A3	Red Roof and Mirror Caps	NC
3A7	Sport Stripes Black	\$500
	3A7 requires ordering 383	(req'd)
3A8	Sport Stripes Red	\$500
	3A8 requires ordering 3A3	(req'd)
3L2	Piano Black Exterior Trim	\$550
459	Electric Seats w/ Driver Mem.	NC
	459 will add 481 to the order	(req'd)
	459 cannot be ordered with DAE1 or GSE1	(req'd)
	459 will delete 4FN from the order	(req'd)
5AS	Driving Assistant	\$1,000
	5AS will add 541 to the order	(req'd)
5DP	Park Assistant (Incl 508 PDC Front/Rear)	\$500
	5DP requires ordering ZQC	(req'd)

TANDARD EQUIPMENT - FEAT	URES & FUNCTIONS	Cooper Clubman ALLA	Cooper S Clubman ALL4	JCW Chibman ALL4
A PEPULY		Coop ALIA	Coop ALLA	JCW
AFETY RAKING SYSTEMS:				
LL4 All Wheel Drive	monitors wheel slip and sends the appropriate amount of power from the front to rear axle to conquer slippery roads			
ntilock Braking System (ABS)	pulses braking force on each brake disc to reduce wheel lockup and maintain steering ability while braking			
rake Standby rake Drying	brake pads are moved closer to the discs when accelerator pedal is released quickly to anticipate braking brake pad lining applied slightly to discs to dry any moisture when windshield wipers are activated			
rake Fade Support	brake pressure is automatically increased under heavy braking to compensate for heat build-up or fading			
emering Brake Control (CBC)	asymetrically distributes brake pressure to stabilizes vehicle when cornering while braking	· ·		_
rive-Off Assistant	holds the vehicle for up to 1.5s when taking off from an incline to prevent roll-back alerts others to abrupt and heavy braking			
namic Cruise Control	with active brake intervention to maintain speed downhill and to reduce speed in curves if speed is too fast			
rnamic Stability Control (DSC) rnamic Traction Control (DTC)	reduces engine power and applies brakes to wheels slipping to reduce over/understeer			_
namic Fraction Control (DTC) extronic Brakeforce Distribution (EBD)	increases traction for takeoff on slippery surfaces distributes braking pressure based on load and balance on the road		:	- :
ctronically Controlled Differential Lock Control (EDLC)	transfers power to the front wheel with the most grip for traction in bends			
ili Red Brake Calipers RBAGS:	4 piston with John Cooper Works Logo design and styling			
Airbags	2 front, 2 side located within front seat's side bolsters, 2 side curtain and 2 front knee airbags			
ART Airbag Deployment	speed and intensity of airbag deployment adjusted based on size, shape, weight and position of occupants			
vanced Head Protection System (AHPS)	front and rear reaching side curtain airbag protection remains inflated longer incase of secondary impact		•	
scelaneous:	unlocks doors, turn on interior lights, activates 4-way flasher hazard lights in the event of a crash			
el Pump cutoff	automatically cuts off fuel pump in the event of a crash			
OFIX LATCH	anchors for child seat fixation	•	•	
ated Side Mirrors & Windshield Washer Jets ar View Camera with Park Distance Control	for more reliable visibility in winter months acoustic distance warning of obstacles at the rear of the car by dynamic interval tone, visual display in screen & parking guidance			
ar view Camera with Park Distance Control RES:	warming or obstacles at the real of the car by dynamic interval tone, visual display in screen 6 parking guidance			
Season Tires				
nflat Tires e Pressure Indicator	allows driving on flat tire for 80km at a speed up to 80km/hr - drive to safety in the event of a flat		•	
e Pressure Indicator ree-Point Seat Belts	dash warning light if any one of four tires loses air pressure (not tire specific) for all five seats			
adrests for all Five Seats	manually adjustable, low positioning in rear passenger area for optimal rear view vision			
UDIO / TECHNOLOGY				
eservice	connects the vehicle to the MINI Service Center for all relevant Service Diagnostics Data			
elligent Emergency Calling	connects the vehicle to a call center automatically in the event of an accident or manually at the push of a button for assistance			
" Full Colour Screen	that displays all infotainment and car settings operated via MINI Controller in center console an app that allows operation of a number of 3rd party apps via hand controller and in-car screen for safety & convenience			
NI Connected iel Diversity Antenna	an app that allows operation of a number of 3rd party apps via hand controller and in-car screen for safety & convenience short antenna on roof at rear of car for a more seamless design aesthetic			
dio Bluetooth Streaming	with enhanced content available in center screen of MINI's dash			
ti-theft AM/FM stereo audio system with RDS	radio data system displays relevant station information on the radio display			
B / AUX-in Input ports	connect using USB cable only, no additional cable required with iPhone			
iusXM Satellite Radio Preperation tetooth Phone Connectivity	full satellite radio integration available as stand alone option with 6 month trial period pair 2 phones at one time and operate via steering wheel controls, center controller or voice command			
NI Logo Projection	MINI logo projection from driver's side mirror when MINI is unlocked			
ctric Parking Brake	frees up space in center console and offers more reliable operation with less risk of mechanical failure			
ndition Based Servicing mfort Access	maintenance intervals determined by driving conditions with on screen indicators for service requirements keyless entry into vehicle with key fob on your person			
peakers	2 in front door panels, 2 subwoofers under front seats, 2 in rear door panels			
ctronic Vehicle Immobilizer	prevents the engine from being started with out the correct key fob is present, prevents "hot wiring" thefts			
RIVING				
Cylinder 12-Valve Twin Power Turbocharged engine				
Sylinder 16-Valve Twin Power Turbocharged engine Sylinder 16-Valve Twin Power Turbocharged engine	189hp & 207lb/ft torque with 0-100km/h in 6.9s 301hp & 331lb/ft torque with 0-100km/h in 4.9s			
ect Injection	fuel is injected directly into each piston for efficient combustion with less waste/emissions			
vetronic	regulates engine performance by steplessly adjusting the amount of intake valve lift with less emissions	•		
NOS iving Experience - Sport & Green Mode	regulates engine performance by steplessly adjusting the duration and timing of valve lift for less emissions adjusts vehicle's steering, throttle sensitivity, exhaust notes & gear changes (with automatic transmission)			
tomatic Start/Stop Transmissions	engine switches off when vehicle is stopped & restarts as soon as brake pedal is released saving fuel			_
asting	with automatic transmission, engine disengages when brake pedal is depressed, coasting to saving fuel			
Speed Manual Transmission rformance Control	features gear-sensor system which detects currently selected gear, anticipating next gear for quicker shifts			_
gle-joint spring-strut-type front axle	supresses initial understeer which reduces torque-steer lightweight construction with rigidity providing MINI-typical driving dynamics		- :	
ılti-link rear axle	lightweight construction with rigidity providing MINI-typical driving dynamics			
ctric Steering Lock (ELV)	steering wheel cannot be unlocked without presence of key fob as a theft deterrent			
votronic ort Suspension	speed-dependent steering assist - more comfortable or precise steering based on vehicle speed with stiffer spring/damper setup and 10mm lowering		•	
chanical Differential Lock	up to 39% lockup under load to enhance traction and limit wheel slip for spirited driving			
ITERIOR .				
ndard Seat	6-way manually adjustable in black leatherette upholstery (fore/aft, height up/down & backrest incline/decline)			
rt Seats (front)	as above with added side bolster support & thigh extension for added comfort			
W Sport Seats (front) ar Seats 60/40 Split Folding	with JCW logo, integrated headrest, side bolster support, adjustable lumbar support δ thigh extension for extreme cornering allows extension of rear cargo δ loading space			
r Seats 60/40 Split Folding ver Windows	allows extension of rear cargo & loading space power controls located on door/armrest of driver & passenger, auto lowering when door opens, one touch function			
ver Door Locks	power controls located on door/armrest of driver & passenger			
wer Side Mirrors	power controls located on door/armrest of driver		•	
Conditioning with microfilter yless Engine Activation	manually adjustable heat/cool, location of airflow, stepless blower, fresh air or recirculation mode with pushbutton start toggle in center stack			
y Fob with convenience buttons	lock/unlock/hatch release & horn if equipped with alarm system			
NI Centre Instrument	large center icon with LED ring integrates functional displays with light animation			
nt Center Armrest edometer & Revolution Counter & Fuel Gauge	with storage and tilting up/down function for ideal placement for all arm lengths mounted above steering wheel in driver's line of sight with digital display for indicators			
poke Sports Steering Wheel	mounted above steering wheel in drivers line of sight with digital display for indicators black leather	:	:	
V 3-Spoke Sports Steering Wheel	black leather with Chil Red accent stitching and JCW Logo			
Itifunction Steering Wheel Controls	cruise control, audio volume/scan & Bluetooth telephone operations			
& Telescopic Steering Wheel Adjustment bient Interior Lighting	adjusts the steering wheel to the most comfortable and safe position for driver in RGB switchable colours for front and rear footwell, front door pockets, center console, glove compartment and vanity mirror			
erior Rear View Mirror	in RGB switchable colours for front and rear footwell, front door pockets, center console, glove compartment and vanity mirror with manually adjsutable anti-dazzle function	•	•	
hing Eyes in Luggage Compartment	to secure cargo stored in rear compartment			
gage Compartment Lights sholders x 2	for easy loading δ unloading at night or in dimly lit garages		•	
sholders x 2 hracite Roofliner	two in front center console (order Cargo Package to equip with additional 2 rear cupholders) darker coloured roofliner for a sporty interior ambiance			
KTERIOR				
Alloy Wheels	Loop Spoke design with All Season Runflat Tires			
Alloy Wheels	Vent Spoke design with All Season Runflat Tires		•	
Alloy Wheels	Grip Spoke design in Black with Performance Runflat Tires			
e Air Inlets	with indicator lights for turn signals with indicator lights for turn signals and JCW logo			
nt Air Curtains	in lower front fascia allows better airflow in through wheel wells for aerodynamics (fuel efficiency) as well as brake cooling			
e Air Breathers	behind the front wheel fenders on the side allows better airflow through and around wheel well for aerodynamics			
l Filler Cap	on right side of vehicle, body coloured	•	•	
ited Rear Window or Split Doors	with automatic shut off with individual wipers and CLUBMAN lettering in chrome			
r Split Doors ome Bezels	with individual wipers and CLUBMAN lettering in chrome around front headlights and rear taillights	:	:	
r Handles - one piece pull	chrome			
aust tailpipe	single pipe, left side biased			
aust tailpipe	double pipes, left and right side placement (split)		•	
aust tailpipe derfloor Concept	double pipes, center mounted with JCW branding closed vehicle underbody δ rear axle cover improves aerodynamics and interior road noise			
ogen Headlights	available with front 6 rear foglights, also available LED Headlights with iconic graphic design			
D Headlights with Cornering Function	for extra illumination and greater visibility when turning around corners			
r LED Taillights	for greater recognition of drivers behind with front apron and rear diffusor			
CW Aerodynamic Body Kit				