MY20 MINI 3 door. Product Ordering Guide.



EXPLORE MORE CORNERS.



COOPER incl 7Spd DCT \$24,590



COOPER S incl 7Spd DCT \$28,890



JOHN COOPER WORKS incl 8Spd Sport Auto \$36,540



COOPER SE Automatic \$39,990

MINI 3 door F56, MINI Cooper SE

| | XP33 |
|---|--|
| Basic data summary | MINI Cooper SE 3 door |
| Transmission type | Automatic IB1P23M0 |
| Engine description Seats | 4 |
| Number of doors Engine type | 3-door car Front-wheel drive |
| SOP Dimensions | 01.03.2020 |
| Dimensions Exterior | |
| Length, mm Width, mm | 3845 1727 |
| Height, mm | 1432 |
| Width inc. mirrors, mm Width incl.mirror driver, mm | 1928 966 |
| Width incl.mirror passengers side, mm Wheelbase, mm | 962 2495 |
| Overhang front, mm | 766 |
| Rear overhang, mm Turning circle, m | 584 10.7 |
| Ground clearance, mm | 128 |
| Interior Shoulder width front, mm | 1284 |
| Shoulder room rear, mm Elbow width front, mm | 1215 1357 |
| Elbowroom rear, mm | 1265 |
| effective legroom front (L34), mm effective legroom rear second seating row (L51-2), mm | 1052 783 |
| Max. headroom front, mm | 1024 |
| Headroom front/SR, mm Maximum headroom second, mm | 972 924 |
| Maximum headroom rear, mm | 938 -40 |
| Knee clearance, mm Seats | 4 |
| seats second row Luggage volumes | 2 |
| Press Trunk volume, ft ³ | 8,7 - 34,0 |
| Weight Vehicle weights | |
| Curb weight (without driver), kg vehicle curb weight without driver (front axle), kg | 1430 830 |
| vehicle curb weight without driver (rear axle), kg | 600 |
| Axle load limit front, kg rear axle load limit, kg | 985 870 |
| rear Weight distribution (empty car), % | 42 |
| Gross veh. weight, kg Payload, kg | 1775 330 |
| US weights gross vehicle weight, lbs | 3913 |
| Payload Ibs, Ibs | 728 |
| Front axle load lbs, lbs Axle load limit rear. lbs | 2172 1918 |
| vehicle weight without driver empty fuel tank, lbs | 3153 |
| vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -RA, lbs | 1830 1323 |
| vehicle curb weight inkl. 100% SAa und 33% SAs, Ibs | 3153 |
| Performance /fuel eco. Performance | |
| Final drive ratio Top speed, km/h | 3.069 150 |
| 0-60km/h, s | 3.9 |
| 0-100Km/h, s 30-70km/h, s | 7.3 2.7 |
| 80-120km/h, s | 4.6 |
| | |
| 80-120Km/h (5.), s Top speed, mph | N/A 93 |
| 80-120Km/h (5.), s Top speed, mph 9-60 mph, s | |
| 30-120Km/h (5), s Top speed, mgh 3-60 mph, s Jiffh-voltage battery Sattery Capacity (high voltage), Ah | 93 6.9 93.2 |
| 30-120Km/h (S.), s Top speed, mph -56 mph, s -56 mph, s | 93 6.9 93.2 350.4 |
| 20-120Km/h (S.), s fop speed, mph -60 mph, s -60 mph, s -70 mph, s | 93 6.9 93.2 350.4 II-Ion 32.64 |
| 09-120Km/h (5.), s for speed, mph >60 mph, s Uff-twolfage battery attery Capacity (high voltage), Ah system voltage (high voltage), V attery type high voltage, V Storss battery content high voltage, kWh Vet battery content high voltage, KWh attery Position high voltage | 93 6.9 93.2 350.4 Ii-lon 32.64 28.9 Vehicle underfloor mid. |
| 80-120Km/h (5.), s Top speed, mph -56 mph, s bigh-voltage battery Battery Capacity (high voltage), Ah System voltage (high voltage), V Battery type high voltage, V Battery type high voltage, Wh Net battery content high voltage, kWh Battery Position high voltage Harging variation 1 | 93 6.9 93.2 350.4 Ii-Ion 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7,4 KW Mode3 Wallbox 1ph |
| 80-120Km/h (5.), s Top speed, mph 50 mph, s 50 mph, s 50 mph, s 51 mph voltage hattery 51 mph voltage (high voltage), Ah 51 mph high voltage, Ah 51 mph high voltage (kWh 51 mph voltage (| 93 6.9 93.2 350.4 Ii-lon 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7.4 kW Mode3 Wallbox 1ph DC CCS1 50 kW |
| 80-120Km/h (5), s Top speed, mph D-60 mph, s D-60 mph, s Battery Capacity (high voltage), Ah System voltage (high voltage), V Battery Vpa (high voltage), V Battery Position Nigh voltage, kWh Battery Position Nigh voltage, kWh Battery Position Nigh voltage charging variation 1 Lharging variation 2 Lharging variation 3 | 93 6.9 93.2 350.4 Ii-Ion 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7,4 KW Mode3 Wallbox 1ph |
| 09-120Km/h (5), s for speed, mh >E60 mph, s starty Capacity (high voltage), Ah system voltage (high voltage), V attery Vpae high voltage), V attery Vpostion voltage for so battery content high voltage, kWh det battery content high voltage, kWh attery Position high voltage (k battery content high voltage) tharging variation 1 tharging variation 3 tharging to variation 3 tharging ther 1 (0-100% SoC), h tharging ther 1 (0-80% SoC), h | 93 6.9 93.2 350.4 Ii-lon 32.64 28.9 Vehicle underfloor mid. AC Typ 1,7,4 kW Mode3 Wallbox 1ph DC CCS1 50 kW - 3.2 4.2 0.6 |
| 09-120Km/h (5), s for speed, mph 560 mph, s tigh-voltage, battery statery Capacity (high voltage), Ah system voltage (high voltage), V attery type high voltage, V attery type high voltage forss battery content high voltage, kWh tet battery content high voltage thatgring variation 1 thatgring variation 1 thatgring trainal (10-80% SoC), h thatgring time 1 (0-80% SoC), h thatgring time 2 (0-100% SoC), h thatgring time 2 (0-100% SoC), h thatgring time 2 (0-100% SoC), h | 93 6.9 93.2 350.4 Ii-Ion 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7,4 kW Mode3 Wallbox 1ph DC CCS1 50 kW - - 3.2 4.2 0.6 1.4 0 |
| 04-120Km/h (5.), s for speed, mh >60 mph, s Jifk-voltage battery Statery Capacity (high voltage), Ah system voltage (high voltage), V Statery Vpe (high voltage), V Statery Vpe (high voltage), V Statery Vpe (high voltage), Wh Vet battery content high voltage, kWh Sattery Position high voltage KWh Sattery Position high voltage Context (1990), Solored | 93 6.9 93.2 350.4 II-Ion 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7.4 kW Mode3 Wallbox 1ph DC C5250 kW 3.2 4.2 0.6 1.4 |
| 04-120Km/h (5), s for speed, mph >60 mph, s Jifa-voltage hattery Stattery Capacity (high voltage), Ah System voltage (high voltage), V Attery Vpae (high voltage), V Attery Vpostion Voltage KWh voltage Harging variation 1 Stattery Position high voltage, kWh Stattery Position high vo | 93 6.9 93.2 350.4 Ii-Ion 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7,4 kW Mode3 Wallbox 1ph DC CCS1 50 kW - - 3.2 4.2 0.6 1.4 0 |
| 80-120Km/h (5), s Top speed, mph 2-60 mph, s 2-60 mph, s 2-80 mph, | 93 6.9 93.2 350.4 II-lon 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7,4 kW Mode3 Wallbox 1ph DC CCS1 50 kW - 3.2 4.2 0.6 1.4 0 0 0 BEV |
| 09-120Km/h (5), s for speed, mph >60 mph, s 260 mph, | 93 6.9 93.2 350.4 II-lon 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7,4 kW Mode3 Wallbox 1ph DC CCS1 50 kW 3.2 4.2 0.6 1.4 0 0 BEV electrical traction maschine (BJP25B |
| 09-120Km/h (5), s 190 speed, mph 260 mph, s 192 mph | 93 6.9 93.2 350.4 Ii-Ion 32.C64 28.9 Vehicle underfloor mid. AC Typ 1; 7,4 kW Mode3 Wallbox 1ph DC CC51 50 kW - - 3.2 4.2 0.6 1.4 0 0 0 8EV electrical traction maschine |
| 09-120Km/h (5), s for speed, mph 260 mph, s 11gh-voltage, battery Stattery Capacity (high voltage), Ah system voltage (high voltage), V Sattery Voe high voltage, V Startery Voe high voltage, W Stattery Position high voltage tharging variation 1 2010 | 93 6.9 93.2 350.4 Ii-lon 32.64 28.9 Vehicle underfloor mid. AC Typ 1: 7.4 kW Mode3 Wallbox 1ph DC CCS1 50 kW - 3.2 4.2 0.6 1.4 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| 09-120Km/h (5), s for speed, mph >60 mph, s Jifa-voltage battery Statery Capacity (high voltage), Ah System voltage (high voltage), V attery Vpa (high voltage), V attery Vpa (high voltage), V W te battery content high voltage, KWh We battery content high voltage, KWh Use battery content high voltage, KWh Here battery content high voltage, KWh Statery Position high voltage tharging vortaiton 1 tharging vortaiton 2 Charging time 2 (0-80% SoC), h Charging time 2 (0-80% SoC), h Charging time 2 (0-100% SoC), h Charging time 2 (0-100% SoC), h Charging time 2 (0-100% SoC), h Motor data Stectrification level Stectrification (1.E-engine) Paek power (1.E-engine) Paek power (1.E-engine), I/min Max. torque (1.E-engine), 1/min Max. torqu | 93 6.9 93.2 350.4 II-Ion 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7,4 kW Mode3 Walltox 1ph DC CCS50 kW 3.2 4.2 0.6 1.4 0 0 BEV electrical traction maschine IBIP25B 135 7000 |
| 09-120Km/h (5), s for speed, mph >60 mph, s Jifa-voltage battery Statery Capacity (high voltage), Ah System voltage (high voltage), V attery Capacity (voltage), V attery Position high voltage, KWh Vet battery content high voltage, KWh Vet battery content high voltage, KWh Statery Position Statery, Statery | 93 6.9 93.2 350.4 II-Ion 32.64 28.9 Vehicle underfloor mid. ACTyp 17,74 kW Mode3 Wallbox 1ph DC CCS1 50 kW - 3.2 4.2 0.6 1.4 0.6 1.4 0 0 BEV electrical traction maschine 181.P258 135 7000 100-1000 270 100 |
| 09-120Km/h (5), s for speed, mh >60 mph, s 160 woltage hattery Statery Capacity (high voltage), Ah system voltage (high voltage), V Statery Ope high voltage), V Statery Sostion kigh voltage, kWh Ve battery content high voltage, kWh Statery Position high voltage, kWh Statery Position nigh voltage, kWh Statery Bostion nigh voltage, kWh Statery Bostion night voltage, kWh Statery Bostion night voltage, kWh Statery Bostion night voltage, kWh Statery Bostion Statery Bostion Night Voltage, kWh Statery Bostion Statery Bostion Night Voltage, kWh Store Anton Statery Bostion Statery Bostion Night Voltage, kWh Store Anton Statery Bostion Statery Bostion Night Voltage, kWh Store Anton Statery Bostion Night Voltage, kW Store Anton Statery Bostion Night Voltage, kW Store (Li-engine), Mm maximum engine speed at Peak torque (Li-E-Motor), 1/min ninimum engine speed at Peak torque (Li-Motor), 1/min Nighest output 30 min Leengine), KW | 93 6.9 93.2 350.4 1-ion 32.64 28.9 Vehicle underfloor mid. ACTyp 1; 7.4 kW Mode3 Wallbox 1ph DC CCS1 50 kW - 3.2 4.2 0.6 1.4 0 0 EFV electrical traction maschine IB1P258 135 7000 100-1000 270 100 100 100 75 270 |
| 80-120Km/h (5), s Top speed, mph 2-60 mph, s 3-80 mph, | 93 6.9 93.2 350.4 II-Ion 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7,4 kW Mode3 Willbox 1ph DC CCS1 50 kW 3.2 4.2 0.6 1.4 0 0 BEV electrical tracton maschine IBIP25B 135 7000 100-1000 270 1000 100 1000 100 75 270 4800 |
| 80-120Km/h (5), s Top speed, mh D-60 mph, s Min-voltage hitery Statery Capacity (high voltage), Ah System voltage (high voltage), V Battery Vope high voltage), V Battery Position high voltage, kWh Net battery content high voltage, kWh Net battery content high voltage, kWh Battery Position high voltage harging variation 1 Labraging variation 3 Labraging variation 3 Labraging wariation 3 Labraging time 1 (0-80% SoC), h Labraging time 1 (0-80% SoC), h Labraging time 2 (0-80% SoC), h Motor dnt: Electrification level Electrification 1 (Le-engine) Engline (L. E-engine) Peak power (L. E-engine), I/min Max. torque (LE-engine), I/min Max. torque (| 93 6.9 93.2 350.4 II-Ion 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7.4 kW Mode3 Willtox 1ph DC C553 to kW 3.2 4.2 0.6 1.4 0 0 BEV electrical traction maschine IB1P258 135 7000 100-1000 270 1000 100-000 75 270 4800 75 270 4800 75 270 4800 75 7000.0 |
| 80-120Km/h (5), s for speed, mh 2-60 mph, s Migh-voltage battery Statery Capacity (high voltage), Ah System voltage (high voltage), V Battery Xoe high voltage), V Battery Xoe high voltage Gross battery content high voltage, kWh Vet battery content high voltage, kWh Battery Position high voltage Laberging variation 1 Laberging variation 2 Laberging variation 3 Laberging variation 4 Laberging variation 5 Laberging variation 4 Laberging variation 5 Laberging variation 4 Laberging va | 93 6.9 93.2 350.4 II-Ion 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7.4 kW Mode3 Wallbox 1ph DC CCS1 50 kW - 3.2 4.2 0.6 1.4 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| 80-120Km/h (5), s Top speed, mh 2-60 mph, s Mith-voltage hittery Statem y colage (high voltage), Ah System voltage (high voltage), V Battery Yose (high voltage), V Battery Yose (high voltage), V Battery Yose (high voltage), Wh Net battery content high voltage, KWh Sattery Position high voltage, KWh Battery Position high voltage, KWh Asattery Position high voltage, SWN Net battery content high voltage, KWh Battery Position high voltage, SWN Net battery Content high voltage, KWh Battery Position high voltage, SWN Soc, Nethering user al. (9-80% SoC), h Charging time 1 (0-100% SoC), h Charging time 2 (0-80% SoC), h Charging time 2 (0-100% SoC), h Charging time 2 (0-100% SoC), h Motor data Bettrification level Bettrification level Bettrification level Bettrification level, J/min maximum engine speed at Peak torque (1.E-Motor), 1/min minimum mourly output (1. E-engine), NW grant 300min betorque (1.E-engine), 1/min maximum hourly output (1. E-engine), 1/min | 93 6.9 93.2 350.4 1-lon 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7,4 kW Mode3 Wallbox 1ph DC CCS1 50 kW - 3.2 4.2 0.6 1.4 0 0 8EV electrical tracton maschine 18.7 13.5 7000 100-1000 270 1000 1000 1000 75 270 1000 1000 75 270 4800 75 75 270 4800 75 75 7000 1000 1000 75 75 77 000 1000 1000 75 270 4800 75 75 7000 1000 1000 75 270 4800 75 75 7000 1000 1000 75 270 4800 75 270 4800 75 75 270 4800 75 75 270 4800 75 75 270 4800 75 270 4800 75 270 4800 75 270 4800 75 270 4800 75 270 4800 75 270 4800 75 270 270 270 270 270 270 270 270 |
| 80-120Km/h (5), s Top speed, my b-60 mph, s high-voltage hattery Battery Capacity (high voltage), Ah System voltage (high voltage), V Battery Content high voltage, KWh Net battery content high voltage, KWh Battery Fostion high voltage, KWh Abarging variation 1 charging variation 2 charging user 20.050K SOC, h charging time 20.0100K SOC, h charging time 20.0100K SOC, h Charging time 20.0100K SOC, h Motor data Electrification level Electrification level Electrification level Electrification level, J/min maximum engine speed at Peak torque (1.E-Motor), J/min minimum engine speed at Peak torque (1.E-Motor), J/min minimum engine speed at Peak torque (1.E-Motor), J/min minimum burly output (1. E-engine), MW 30min-torque (1.E-engine), MM maximum burly output (1.E-engine), 1/min maximum burly output (1.E-engine), 1/mi | 93 6.9 93.2 350.4 I-lon 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7,4 kW Mode3 Walltox 1ph DC C51 So kW |
| 80-120Km/h (5), s Top speed, mph 0-60 mph, s Minh-voltage hittery Sterw voltage (high voltage), Ah System voltage (high voltage), V Battery Yope high voltage, W Net battery content high voltage, KW Net battery content high voltage, KW Net battery content high voltage (Free States) (Source States) (Source States) (Source States) Charging variation 1 Charging variation 2 Charging variation 3 Charging time 1 (0-100% SoC), h Charging time 1 (0-100% SoC), h Charging time 2 (0-10 | 93 6.9 93.2 350.4 1-lon 32.64 28.9 Vehicle underfloor mid. ACTyp 1; 7.4 kW Mode3 Wallbox 1ph DCCCS1 50 kW - 3.2 4.2 0.6 1.4 0 0 EFV electrical traction maschine B1P258 135 7000 100-1000 270 1000 100 100 100 100 100 100 |
| 80-120Km/h (5), s Top speed, mh 2-60 mph, s MinAvoltage battery MinAvoltage battery MinAvoltage MinA | 93 6.9 93.2 350.4 II-Ion 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7.4 kW Mode3 Wallbox 1ph DC CCS1 50 kW - 3.2 4.2 0.6 1.4 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| 80-120Km/h (5), s Top speed, mh D-60 mph, s Mith-voltage battery System voltage (high voltage), Ah System voltage (high voltage), V Battery Vpe (high voltage), V Battery Vpe (high voltage), V Battery Position high voltage, KWh Net battery content high voltage, KWh Battery Position high voltage Lharging variation 1 Lharging variation 2 Lharging time 1 (0-80% SoC), h Charging time 1 (0-80% SoC), h Charging time 2 (0-80% SoC), h Charging time 2 (0-80% SoC), h Charging time 3 (0-100% SoC), h Motor dnt: Electrification level Electrification level Electrification (1, E-engine) Engine (1, E-engine), KW at trop (1, E-engine), KW at trop (1, E-engine), J/min maximum engine speed at Peak torque (1, E-Motor), 1/min minimum engine speed at Peak torque (1, E-Motor), 1/min minimum engine speed at Peak torque (1, E-Motor), 1/min minimum engine speed at Peak torque (1, E-engine), MW 30min-torque (1, E-engine), Mm pan 4.30min peak power (1, E-engine), J/min maximum bourly output 1, E-engine), MW 50min-torque (1, E-engine), MM 50min-torque (1, E-engine), M | 93 6.9 93.2 350.4 II-lon 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7,4 WM Mode3 Wallbox 1ph DC CCS1 50 KV 3.2 4.2 0.6 1.4 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| 80-120Km/h (5), s Top speed, mh D-60 mph, s Min-voltage hittery Statery Capacity (high voltage), Ah System voltage (high voltage), V Battery Vope high voltage), V Battery Position high voltage, kWh Net battery content high voltage, kWh Net battery content high voltage, kWh Battery Position high voltage, kWh Autory D (10, 80% SoC), A Charging time 1 (0, 80% SoC), h Charging time 2 (0, 100% SoC), h Charging Charging (1, E-engine), MW Tim (1, E-engine), MM Tim Autory output 30 min (1, E-engine), 1/min Maximum engine speed 4 Peak torque (1, E-Motor), 1/min Minimum engine speed to Peak torque (1, E-Motor), 1/min Minimum engine speed to Peak torque (1, E-engine), MW Minimum engine speed to Peak torque (1, E-engine), HM Minimum engine speed to Peak torque th Minimum engine speed to Peak torq | 93 6.9 93.2 350.4 II-Ion 32.64 28.9 Vehicle underfloor mid. AC Typ 1; 7,4 kW Mode3 Willox 1ph DC CCS150 kW 3.2 4.2 0.6 1.4 0 0 BEV electrical tracton maschine IBIP25B 135 7000 100-1000 270 100-000 100-1000 100-1000 75 270 4800 75 270 4800 75 270 4800 75 7000.0 270 1000 100-1000 100-1000 100-1000 100-1000 270 1000 100-10 |

| MINI 3 door F56, MINI Cooper SE | |
|---|---|
| | XP33 MINI Cooper SE 3 door |
| Cx x A Max, m² | 0.65 |
| Facing surface , m ² | 2.1 |
| Emission | |
| Emission classification (type-certified)*** chassis | ZEV |
| Wheel/Tyres | 405/FF 046 07 M |
| Front tyres Front tyres var.1 | 195/55 R16 87 W 205/45 R17 88 W XL |
| Front tyres var.2 Front tyres var.3 | N/A N/A |
| Front tyres var.4 | N/A |
| Front rims Front rims var.1 | 6,5Jx16 LM 7Jx17 LM |
| Front rims var.2 | N/A |
| Front rims var.3 Front rims var.4 | N/A N/A |
| Rear tyres | 195/55 R16 87 W |
| Rear tyres var.1 Rear tyres var.2 | 205/45 R17 88 W XL N/A |
| Rear tyres var.3 | N/A |
| Rear tyres var.4 Rear rims | N/A 6,5Jx16 LM |
| Rear rims var.1 | 7Jx17 LM |
| Rear rims var.2 Rear rims var.3 | N/A N/A |
| Rear rims var.4 Track front, mm | N/A 1485 |
| Track front var.1, mm | 1485 |
| Track front var.2, mm Track front var.3. mm | N/A N/A |
| Track front var.4, mm | N/A |
| Width of the rear track, mm Track rear var.1, mm | 1485 1485 |
| Track rear var.2, mm | N/A |
| Track rear var.3, mm Track rear var.4. mm | N/A N/A |
| Wheel offset front, mm | 54 |
| Wheel offset front var.1, mm Wheel offset front var.2, mm | 54 N/A |
| Wheel offset front var.3, mm | N/A |
| Wheel offset front var.4, mm Wheel offset rear, mm | N/A 54 |
| Wheel offset rear var.1, mm | 54 |
| Wheel offset rear var.2, mm Wheel offset rear var.3, mm | N/A N/A |
| Wheel offset rear var.4, mm Run flat tyres | N/A no |
| Run flat tyres var.1 | no |
| Run flat tyres var.2 Run flat tyres var.3 | N/A N/A |
| Run flat tyres var.4, - | N/A |
| Steering Power-steering | EPS |
| Steering transmission, overall, :1 | 14 |
| Battery Battery Capacity (low voltage), Ah | 50 |
| System voltage (low voltage), V SCR | 12 |
| SCR (Yes/No) | No |
| US Motor conversion | N/A |
| Lifting (inch), inch Bore (inch), inch | N/A N/A |
| Capacity (inch ³), inch | 10/8 |
| | N/A |
| Engineoil Engine torque, ftibs | |
| Engineoli Engine torque, ftibs US driving dynamic conversion | N/A N/A N/A |
| Engineoli Engine torque, ftbs US driving dynamic conversion Track front (inch), inch Rear track (inch), inch | N/A N/A N/A 58.5 58.5 |
| Engineoil Engine torque, ftlbs US driving dynamic conversion Track front (inch), inch Rear track (inch), inch Track front var.1 (inch), inch | N/A N/A N/A 58.5 58.5 58.5 |
| Engineoil Engine torque, ftibs US driving dynamic conversion Track front (inch), inch Rear track (inch), inch Track front var.1 (inch), inch Rear track ront var.2 (inch), inch | N/A N/A 58.5 58.5 58.5 58.5 58.5 58.5 N/A |
| Engineoil Engine torque, ftlbs U5 driving dynamic conversion Track front (inch), inch Rear track (inch), inch Track front var.1 (inch), inch Rear track var.1 (inch), inch Track front var.2 (inch), inch Rear track var.2 (inch), inch | N/A N/A N/A 58.5 58.5 58.5 58.5 58.5 58.5 N/A N/A |
| Engineoil Engine torque, ftlbs US driving dynamic conversion Track front (inch), inch Rear track (inch, inch) Rear track var.1 (inch), inch Track front var.2 (inch), inch Rear track var.2 (inch), inch Rear track var.2 (inch), inch Rear track var.3 (inch), inch | N/A N/A N/A 58.5 58.5 58.5 58.5 58.5 58.5 N/A N/A N/A N/A |
| Engineoli Engine torque, ftlbs US driving dynamic conversion Track front (inch), inch Rear track (inch), inch Rear track var, 1 (inch), inch Rear track var, 12 (inch), inch Track front var, 2 (inch), inch Rear track var, 13 (inch), inch Rear track var, 13 (inch), inch Track front var, 2 (inch), inch | N/A N/A 58.5 58.5 58.5 58.5 58.5 N/A N/A N/A N/A N/A N/A |
| Engineoli Engine torque, ftbs US driving dynamic conversion Track front (inch), inch Rear track (inch), inch Rear track var.1 (inch), inch Rear track var.1 (inch), inch Rear track var.2 (inch), inch Rear track var.3 (inch), inch Rear track var.3 (inch), inch Rear track var.3 (inch), inch Rear track var.4 (inch), inch Rear track var.4 (inch), inch Rear track var.4 (inch), inch | N/A N/A N/A 58.5 58.5 58.5 58.5 58.5 58.5 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A |
| Engineoil Engine Lorque, ftbs S driving dynamic conversion J Tack front (inch), inch Rear track (inch), inch Rear track var. 1 (inch), inch Rear track var. 2 (inch), inch Track front var. 2 (inch), inch Track front var. 3 (inch), inch Rear track var. 3 (inch), inch Track front var. 3 (inch), inch Rear track var. 4 (inch), inch | N/A N/A N/A 58.5 58.5 58.5 58.5 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A |
| Engineoli Engine torque, ftbs US driving dynamic conversion Track front (inch), inch Bear track (inch), inch Bear track var.1 (inch), inch Bear track var.2 (inch), inch Rear track var.2 (inch), inch Track front var.2 (inch), inch Track front var.3 (inch), inch Bear track var.3 (inch), inch Bear track var.4 (inch), inch Bear track var.4 (inch), inch CM and (tr), ft CM max (tr), ft CM max (tr), ft | N/A N/A N/A 58.5 58.5 58.5 58.5 58.5 58.5 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A |
| Engineoli Engine Uarque, ftibs US driving dynamic conversion Track front (inch), inch Rear track (inch), inch Rear track var.1 (inch), inch Track front var.2 (inch), inch Track front var.2 (inch), inch Track front var.2 (inch), inch Track front var.2 (inch), inch Rear track var.4 (inch), inch Rear track var.4 (inch), inch Rear track var.4 (inch), inch Aetrodynamics conversion CXA min (t ²), it CXA min (t ²), it Facing surface (t ²), it | N/A N/A N/A 58.5 58.5 58.5 58.5 58.5 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A |
| Engineoli Engine Lorque, ftbs S driving dynamic conversion J Track front (inch), inch Rear track (inch), inch Rear track var.1 (inch), inch Rear track var.2 (inch), inch Track front var.2 (inch), inch Rear track var.2 (inch), inch Track front var.3 (inch), inch Rear track var.3 (inch), inch Rear track var.4 (inch), inch Rear track var.4 (inch), inch Rear track var.4 (inch), inch CAM min (t ^c), ft CAM min (t ^c), ft CAM min (t ^c), inch Veh. Kength (inch), inch | N/A N/A N/A 58.5 58.5 58.5 58.5 58.5 N/A N/A N/A N/A N/A N/A N/A N/A 7.01 7.01 7.01 7.01 22.6 58 |
| Engineoli Engine torque, ftbs US driving dynamic conversion Track front (inch), inch Rear track (inch), inch Rear track var.1 (inch), inch Rear track var.2 (inch), inch Rear track var.2 (inch), inch Rear track var.2 (inch), inch Rear track var.3 (inch), inch Rear track var.4 (inch), inch Rear track var.4 (inch), inch CA may (ft ²), ft Facing surface (ft ²), ft Dimensions conversion Veh. length (inch), inch Veh. Negth (inch), inch | N/A N/A N/A 58.5 58.5 58.5 58.5 58.5 58.5 58.5 58. |
| Engineoli Engine torque, ftbs US driving dynamic conversion Track front (inch), inch Rear track (inch), inch Rear track (inch), inch Rear track var.1 (inch), inch Rear track var.2 (inch), inch Rear track var.2 (inch), inch Rear track var.3 (inch), inch Rear track var.4 (inch), inch Rear track var.4 (inch), inch CAM main (ft ²), ft Facing surface (ff), ft Dimensions conversion Veh. length (inch), inch Veh. Neght (inch), inch Veh. Reart (inch), inch | N/A N/A N/A N/A 58.5 58.5 58.5 58.5 58.5 58.5 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A |
| Engineoli Engine torque, ftbs US driving dynamic conversion Track front (inch), inch Rear track (inch), inch Rear track ard, (inch), inch Rear track ard, (inch), inch Rear track ard, (inch), inch Track front var.2 (inch), inch Rear track var.4 (inch), inch Rear track var.4 (inch), inch Rear track var.4 (inch), inch Rear track var.4 (inch), inch CXA min (t ²), t CXA max (t ²), t CXA max (t ²), t CXA min (t ²), t CXA max (t ²), t CXA min (t ²), t CXA max | N/A N/A N/A S8.5 S8.5 S8.5 S8.5 S8.5 N/A N/A N/A N/A N/A N/A N/A N/A N/A S1.4 68 75.9 56.4 |
| Engineoli Engine torque, ftbs US driving dynamic conversion Track front (inch), inch Rear track (inch), inch Rear track var.1 (inch), inch Rear track var.2 (inch), inch Rear track var.2 (inch), inch Rear track var.2 (inch), inch Rear track var.3 (inch), inch Track front var.2 (inch), inch Rear track var.4 (inch), inch CA man (ft ²), ft Facing surface (f ²) | N/A N/A N/A N/A S8.5 S8.5 S8.5 S8.5 S8.5 S8.5 S8.5 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A |
| Engineoli Engine Lorque, ftbs S driving dynamic conversion Track front (inch), inch Rear track (inch), inch Rear track var. 1 (inch), inch Rear track var. 1 (inch), inch Track front var. 2 (inch), inch Rear track var. 2 (inch), inch Track front var. 3 (inch), inch Rear track var. 4 (inch), inch Rear track var. 4 (inch), inch Rear track var. 4 (inch), inch CAM min (t ¹), th CCA may (t ¹), th CCA min (t ¹), th CCA min (t ¹), inch Veh. Ineght (inch), inch Veh. Ineght (inch), inch Veh. Ineght (inch), inch Width inch Wheelbase (inch), inch Wheelbase (inch), inch Wheelbase (inch), inch CGA und (tich), inch Meator (inch), inch CGA und (tich), inch CGA und (tich), inch Meator (inch), inch CGA und (tich), inch CGA | N/A N/A N/A N/A 58.5 58.5 58.5 58.5 58.5 58.5 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A |
| Engineoli Engine Lorque, ftbs Softwing, dynamic conversion Track front (inch), inch Rear track (inch), inch Rear track var. 1 (inch), inch Rear track var. 1 (inch), inch Rear track var. 2 (inch), inch Rear track var. 2 (inch), inch Rear track var. 3 (inch), inch Rear track var. 4 (inch), inch Veh. Ingth (inch), inch Veh. Ingth (inch), inch Veh. Night (inch), inch Width incl mirrors (inch), inch Wheelbase (inch), inch Wheelbase (inch), inch Searourdearance (inch), inch Legroom front (inch), inch Legroom Tont (inch), inch | N/A N/A N/A N/A S8.5 S8.5 S8.5 S8.5 S8.5 N/A N/A N/A N/A N/A N/A 7.01 7.01 7.01 7.01 7.01 7.01 7.01 7.01 |
| Laplacity (Incl.), Jinch Engine of Laplace (Incl.), Inch Engine torque, ftbs US driving dynamic conversion Track front (Inch), Inch Rear track (Inch), Inch Track front var.1 (Inch), Inch Rear track (Inch), Inch Rear track (Inch), Inch Track front var.2 (Inch), Inch Rear track var.2 (Inch), Inch Track front var.3 (Inch), Inch Rear track var.4 (Inch), Inch Veh. Ingth (Inch), Inch Sear overhang (Inch), Inch Legroom front (Inch), Inch Shoulder room front (Inch), Inch Shoulder room rea (Inch), Inch Shoulder room rea (Inch), Inch | N/A N/A N/A N/A S8.5 58.5 58.5 58.5 58.5 58.5 58.5 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A |
| Engine torque, ftbs Engine torque, ftbs US driving dynamic conversion Track front (inch), inch Rear track (inch), inch Rear track var.1 (inch), inch Rear track var.2 (inch), inch Rear track var.2 (inch), inch Rear track var.2 (inch), inch Rear track var.3 (inch), inch Rear track var.4 (inch), inch Rear track var.4 (inch), inch Rear track var.4 (inch), inch CXA max (ft ²), ft Facing surface (ft ²), ft Facing surface (ft ²), ft Pacing surface (ft ²), ft Pacing surface (ft ³), inch Weh. Ineght (inch), inch Wehelbase (inch), inch Wehelbase (inch), inch Wehelbase (inch), inch Ground clearance (inch), inch Shoulder room root (inch), inch Shoulder room root (inch), inch Shoulder room root (inch), inch | N/A N/A N/A N/A S8.5 S8.5 S8.5 S8.5 S8.5 S8.5 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A |
| Engine torque, ftbs US driving dynamic conversion Track front var.1 (inch), inch Rear track var.1 (inch), inch Rear track var.2 (inch), inch CXA max (ft ²), ft Facing surface (ft ²), ft F | N/A N/A N/A N/A S8.5 S8.5 S8.5 S8.5 S8.5 S8.5 N/A N/A N/A N/A N/A N/A N/A N/A N/A 7.01 7.01 7.01 7.01 7.01 7.01 22.6 S8 5 5 4 1.4 3.0.2 3.0.2 3.0.2 3.5 5 5 4 1.4 3.0.8 3.5.1 5.5 5.6 4 9.8,2 3.5 5 5 4 1.4 3.0.8 5.5 5.6 4 9.8,2 3.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 |
| Enginee largeue, fulbs Engine targue, fulbs US driving dynamic conversion Track front (inch), inch Rear track (inch), inch Veh. ingdh (inch), inch Rear oversion Coverhang (inch), inch Rear oversion Rear oversio | N/A N/A N/A N/A S8.5 S8.5 S8.5 S8.5 S8.5 S8.5 S8.5 N/A N/A N/A N/A N/A N/A N/A N/A N/A S1 S1 S1 S1 S1 S1 S1 S1 S1 S1 S1 S1 S1 |

| An anomalousNo.No.No.No.No.Normal and anomalous111Normal anomalous1< | MINI MINI Hatchback (F56) (US) (01.07.2019) (MINI) | XR33 MINI Cooper 3 door | XR53 MINI Cooper S 3 door | XR93 MINI John Cooper Works 3 door | |
|--|--|--|------------------------------|---------------------------------------|---------|
| rek organs. Probaba and a set of a set | Basic data summary Transmission type . | | | | |
| Arr AreaA a base of a part of a base of a part of | Engine description , Seats , | B36A15M1 | B46A20M1 | B46A20O1 | |
| Amount of Automatic and Auto | Number of doors , Engine type , | 2 | 2 | 2 | |
| MethodayNoteNoteNoteBarbara10.0020.0020.00Ry andown and a star and a | SOV . Dimensions | 01.07.2019-31.10.2019 | 01.07.2019-31.10.2019 | 01.07.2019-31.10.2019 | |
| share and and best of the state of the sta | Exterior | 765.0 | 765.0 | 792.0 | |
| bicklister program bik.m600643940Histor program bik.m170640700Histor program bik.m170700700Histor program bik.m1700700700Histor program bik.m1700700700Histor program bik.m1700700700Histor program bik.m1700700700Histor program bik.m1700700700Histor program bik.m1700700700Histor program bik.m </td <td>Wheelbase, mm</td> <td>2495.0</td> <td>2495.0</td> <td>2495.0</td> | Wheelbase, mm | 2495.0 | 2495.0 | 2495.0 | |
| ndiana na na serie of the series of the seri | Width incl.mirror passengers side, mm | 966.0 | 966.0 | 966.0 | |
| h m ² ¹ ¹ ¹ ¹ ¹ ¹ ¹ ¹ | Vidth inc. mirrors, mm Ground clearance, mm | | | | |
| han been send at a set of the send of the set of the | Rear overhang, mm Length, mm | 577.0 | 598.0 | 597.0 | |
| his data in some and and a source of the sou | Width, mm | 1727.0 | 1727.0 | 1727.0 | |
| inan kaokan any any any any any any any any any a | Nidth incl.mirror driver, mm | | | | |
| Schlift hand hand hand hand hand hand hand hand | Interior Maximum headroom second, mm | | | | |
| kir Addi Rayman and Addi Addi Addi Addi Addi Addi Addi Ad | Maximum headroom rear, mm Elbow width front, mm | | | | |
| bia | shoulder room rear, mm shoulder width front, mm | | | | |
| Name of an an any any any any any any any any a | Max. headroom front, mm ffective legmom rear second seating row (I.51-2) mm | | | | |
| in bigen problem in Like and the set of the | lbowroom rear, mm | 1265.0 | 1265.0 | 1265.0 | |
| The is shown in the shown in | ffective legroom front (L34), mm | | | | |
| ska higsubsubsubsubshig10.6.010.0.010.0.0stand wighly should also the shig70.010.0.010.0.0shig should be refluer and al70.0.010.0.010.0.0shig should be refluer and al70.0.010.0.010.0.0shig should be refluer and al70.0.010.0.010.0.0shig should be refluer and all shifts70.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0shifts10.0.010.0.010.0.010.0.0 | uggage volumes ress Trunk volume (SAE), ft³ | 8,7 - 34,0 | 8,7 - 34,0 | 8,7 - 34,0 | |
| while and products of the start of th | Veight Tehicle weights | | | | |
| down benefitied without for year of the set of the | ayload, kg | | | | |
| ank badim bagi70.070.070.0varied tends from La175.0120.070.0varied tends from La175.0120.0100.0varied tends from type lank AL, ha200.0200.0100.0tends from type lank AL, ha200.0200.0100.0tends from type lank AL, ha200.0100.0100.0tends from type lank AL, ha200.0100.0100.0tends from type lank AL, ha200.0100.0100.0tends from type lank AL, ha70.010.010.0tends from typ | vehicle curb weight without driver (front axle) | 788.0 | 817.0 | 848.0 | |
| inde weight of the set of the s | ear axle load limit, kg | 765.0 | 785.0 | 795.0 | |
| product of the set o | Axle load limit front, kg Gross veh. weight, kg | 1645.0 | 1690.0 | 1710.0 | |
| Soch Bar. Ba.Side Bar. Ba.STADTTADSTADSoch Bar. Ba.200012101210Soch Bar. Ba.200020002000Soch Bar. Ba.2762.020202000Soch Bar. Ba.2762.020202000Soch Bar. Ba.2762.020202000Soch Bar. Ba.2762.020202000Soch Bar. Ba.2762.020202000Soch Bar. Ba.2762.020202000Soch Bar. Ba.2762.01760.0184.0Soch Bar. Ba.17001760.0184.0Soch Bar. Ba.17001760.0184.0Soch Bar. Ba.17001760.0184.0Soch Bar. Ba.17001760.0184.0Soch Bar. Ba.17001700184.0Soch Bar. Ba.17001700184.0Soch Bar. Ba.17001700184.0Soch Bar. Ba.1700180.0184.0Soch Bar. Ba.1700180.0184.0Soch Bar. Ba.1700180.0184.0Soch Bar. Ba.1700180.0184.0Soch Bar. Ba.1700180.0184.0Soch Bar. Ba.1700180.0184.0Soch Bar. Ba.180.0180.0184.0Soch Bar. Ba.180.0180.0184.0Soch Bar. Ba.180.0180.0184.0Soch Bar. Ba.180.0180.0184.0Soch Bar. Ba.180.0180.0184.0 </td <td>urb weight (without driver), kg S weights</td> <td></td> <td></td> <td></td> | urb weight (without driver), kg S weights | | | | |
| do waige water ways for tak Ab.97.0900.0905.00.000 or signed ways by tak Ab.72.072.0072.000.000 or signed ways by tak Ab.72.0072.0072.000.000 or signed ways by tak Ab.70.0072.0072.000.000 or signed ways by tak Ab.72.0072.0072.000.000 or signed ways by | xle load limit rear, lbs ront axle load lbs, lbs | | | | |
| be on ¹ seril part (MA Sec on 1 3 Sec on | ehicle weight without driver empty fuel tank -RA, lbs | 972.0 | 1003.0 | 1005.0 | |
| only b and performanceTypeHoleHoleHoleconstructionTypeTwo performanceTwo performanceTwo performanceconstructionAttaAttaStatuConstructionAttaAttaStatuConstructionAttaAttaStatuConstructionAttaAttaStatuConstructionAttaStatuStatuConstructionAttaAttaStatuConstructionAttaAttaStatuStatu | ehicle curb weight inkl. 100% SAa und 33% SAs, lbs | 2767.0 | 2862.0 | 2932.0 | |
| sevent per series of the serie | ayload lbs, lbs | 763.0 | 816.0 | 814.0 | |
| iden rank (a base base base base base base base bas | erformance /fuel eco. | 1722.0 | 1786.0 | 1854.0 | |
| speek hah1300141.0143.0143.0a2300230.0at ore cope, Na220.0200.0at ore power Na220.0200.0at ore power Na220.0200.0at ore power Na200.0200.0at ore power Na400.0200.0at ore power Na400.0400.0at ore pow | erformance nal drive ratio | 3.789 | 3.474 | 2.955 | |
| parts info210022302640is reques, fina7.36.4010is reques, fina7.307.007.00set reques, fina7.007.007.00set reques, fina7.007.007.00< | 100Km/h, s op speed, mph | | | | |
| AAA | op speed, km/h | 210.0 | 233.0 | 240.0 | |
| in cong. Sm ² . A 200 200 200 200 200 200 200 200 200 2 | otor | | | | |
| ka, min (a) 946 946 946 946 946 946 946 946 946 946 | seable Fuel quality ngine torque, Nm | 220.0 | 280.0 | 320.0 | |
| imm Engine greed at maximum power, Junia650.0600.0620.0me Bregine greed at maximum power, Junia150.0192.0251.0tar skamm power, Junia450.06500500.06000190.0pression tract10.010.010.2tar skamm power, Junia100.01940.0190.0tar skamm power, Junia4100.04400.04800.0tar skamm power, Junia4100.0400.04800.0tar skamm power, Junia4100.0400.0480.0tar skamm power, Junia180.0155.01846.0tar skamm power, Junia180.0155.01840.0tar skamm power, Junia180.0180.0180.0tar skamm power, | comm. roke, mm | | | | |
| man bagin speed at maxima power, funia 4500, 5000, 5000, 200 e.200 | ylinders aximum Engine speed at maximum power, 1/min | | | | |
| at maximu power, Jrain4500 65005200 6200at maximu tarque, Jrain14010.010.2at maximu tarque, Jrain1400 (0130 46001450 4600mane, Local power at maximu tarque, Jrain400 (0400400mane, Local power at maximu tarque, Jrain1400 (0400400mane Experied at maximu tarque, Jrain1400 (01500 (0400mane Experied at maximu tarque, Jrain1400 (01500 (0400mane Experied at maximu tarque, Jrain1400 (01500 (0400maximu tarque, Jrain1520 (01500 (0400maximu tarque, Jrain1520 (01500 (01500 (0maximu tarque, Jrain1520 (01500 (01600 (0starge at a maximu tarque, Jrain1520 (01500 (01600 (0maximu tarque, Jrain1520 (01500 (01600 (01600 (0starge at a maximu tarque, Jrain1520 (01600 (01600 (0starge at a maximu targue, Jrain (01520 (0160 | inimum Engine speed at maximum power, 1/min | 4500.0 | 5000.0 | 5200.0 | |
| i a axim terque, 1/min terque, 1/min 400,00 1950,00 1950, | m at maximum power, 1/min | 4500-6500 | 5000-6000 | 5200-6200 | |
| imm Engine geod at anximum torque, 1/min4100460048000ter typeB6A.15M1H46A.20M1B6A.20M1ter typeB6A.15M1H46A.20M1B6A.20M1mm Engine geod at anximum torque, 1/minR200R200R200ter typeB6A.20M1B6B.00R200R200typeB6A.20M1B6B.00R200R200typeB6A.20M1B6B.00R200R200typeB6A.20M1B6B.00R200R200typeB6A.20M1B6B.00R200R200typeB6A.20M1B6B.00R200R200typeB6A.20M1B6B.20M1R200R200typeB6A.20M1B6B.20M1R200R200typeB6A.20M1B6B.20M1R200R200typeB6A.20M1B6B.20M1B6B.20M1B6B.20M1typeB6A.20M1B6A.20M1B6A.20M1B6A.20M1typeB6A.20M1B6A.20M1B6A.20M1B6A.20M1typeB7A.20M1B7A.20M1B6A.20M1B6A.20M1typeB7A.20M1B7A.20M1B7A.20M1B7A.20M1typeB7A.20M1B7A.20M1B7A.20M1B7A.20M1typeB7A.20M1B7A.20M1B7A.20M1B7A.20M1typeB7A.20M1B7A.20M1B7A.20M1B7A.20M1typeB7A.20M1B7A.20M1B7A.20M1B7A.20M1typeB7A.20M1B7A.20M1B7A.20M1B7A.20M1typeB7A.20M1B7A.20M1B7A | m at maximum torque, 1/min | 1480-4100 | 1350-4600 | 1450-4800 | |
| in type in skiput engen (Amine 1480.0 1350.0 1450.0 1350.0 1450.0 1350.0 1450.0 1350.0 1520 | isplacement, cm³ aximum Engine speed at maximum torque, 1/min | | | | |
| mm140.0150.0145.01m82.082.082.0is power 0475, MP13.4082.082.01m82.082.082.01m82.082.082.01m82.082.082.01m82.082.082.01m82.082.082.01m82.082.082.01m82.082.082.01m82.082.082.01m13.1414.1242.111m13.1414.42051.901m14.123.761.01m14.123.7651.01m14.123.7651.01m0.010.0010.0011m0.023.7651.01m0.023.7651.01m0.023.7651.01m0.20.30.340.341m0.20.30.340.341m0.20.30.340.341m0.20.30.340.341m0.20.30.340.341m0.20.30.340.341m0.20.40.340.341m0.20.40.340.341m0.20.40.340.341m0.20.40.340.341m0.20.40.340.341m0.20.40.340.341m0.20.40.340.341m0.20.40 | alves p.cyl. ngine type | | | | |
| ing powe disPip, MP MP (MP (MP (MP (MP (MP (MP (MP (MP (| inimum Engine speed at maximum torque, 1/min | 1480.0 | 1350.0 | 1450.0 | |
| batheregins3.196.9.36.125rne gert*.14.311.11.18.4.221riso 18 gert*.15.741.14.429.5.19*.0.74.0.42.5.19*.9.264.6.511.18.44*.9.264.6.511.18.44*.9.264.6.511.18.44*.9.264.5.10.0.60*.2073.1.901.0.60*.2073.1.901.0.60*.2073.1.901.0.60*.2073.0.901.0.60*.2.735.1.492.0.40smission type.0.60.0.60.0.60*.2.536.2.45.4.0.04smission type V.0.32.0.34.0.34.0.35.0.34spanta.0.32.0.34.0.34.0.34spanta.0.32.0.34.0.34.0.34spanta.0.32.0.34.0.34.0.34spanta.0.32.0.34.0.34.0.34spanta.0.32.0.34.0.34.0.34spanta.0.32.0.34.0.34.0.34spanta.0.32.0.34.0.34.0.34spanta.0.32.0.34.0.34.0.34spanta.0.32.0.34.0.34.0.34spanta.0.32.0.34.0.34.0.34spanta.0.35.0.35.0.35.0.35spanta.0.35.0.35.0.35.0.35< | ngine power (bHP), bHP | | | | |
| rreg ogn** di 14.311 13.118 4.221 tione in gen** 15.741 14.429 5.519 * NA NA NA 0.673 * NA NA 0.673 * OPA 14.29 Status 15.10 0.673 * OPA 14.29 Status 15.10 0.081 * OPA 14.29 * | arbox mbustion engine | | | | |
| ranio it gear** i 15,741 14,429 5,519 * NA NA 0,673 * 2,264 8,511 3,184 * 2,269 5,608 2,05 * 4,29 3,785 1492 sanison type A 2,073 1901 0,001 * 4,29 3,785 1492 sanison type A 2,558 2,345 1,00 * 2,558 2,345 0,034 0,35 * 3,50 * 3,5 | h** everse gear** | 14.311 | 13.118 | 4.221 | |
| *9,2948,5113,1845995,6082,0574,1293,7851,402smission type V0,0732,030,0606,0792,03.00,0792,03.00,805,0006 gara2,792,3451,06 gara7787783,036 gara0,320,340,340,350,340,3516 gara0,320,340,3417 gara0,3200,340,3418 gara0,320,340,3418 gara0,320,340,3418 gara0,320,340,3418 gara0,320,340,3418 gara0,320,340,3418 gara0,320,340,3418 gara1,45,01,485,01,485,018 gara1,691,485,01,485,018 gara1,691,485,01,485,018 gara1,691,485,01,485,019 gara1,61,65,001,65,0019 gara1,61,65,001,6019 gara1,61,65,001,6019 gara1,61,61,001,61,0019 gara1,61,001,61,001,61,0019 gara1,61,001,61,001,61,0019 gara1,61,001,61,001,61,0019 gara1,61,001,61,001,61,0019 gara1,61,001,61,001,61,0019 gara1,61,001,61,001,61,00 <td>ear ratios 1st gear** th**</td> <td>N/A</td> <td></td> <td></td> | ear ratios 1st gear** th** | N/A | | | |
| * | nd** rd** | 9.284 | 8.511 | 3.184 | |
| smission typeDKGDKGDKGAutomatiksmission type VGD7972AGGD7972AGGA80495CW*2.5582.3451.0stype A78stype A78stype A0.34.0.360.34.0.36stype A0.320.340.34ange, m²0.320.340.34ange, m²0.320.340.34stop and the stop and the | h** | 2.073 | 1.901 | 0.801 | |
| * | ansmission type | DKG | DKG | Automatik | |
| organize organize ange, n ² 0.32 0.34 0.34 0.36 0.34 0.35 in 0.32 0.34 0.34 0.34 in 0.32 0.34 0.34 0.34 in 0.32 0.34 0.36 0.35 iffaction 0.32 0.34 0.36 0.35 iffaction 0.32 0.34 0.36 0.35 iffaction 0.34 0.36 0.35 0.35 iffaction 0.32 0.37 2.09 2.09 solid castification trype certified*** SULEV30 SULEV30 SULEV30 solid c | h** | 2.558 | 2.345 | 1.0 | |
| ange, n° 0.32 0.34 0.34 0.36 0.34 0.35 fin 0.32 0.34 0.34 0.34 fine 0.32 0.34 0.34 0.34 fine 0.32 0.34 0.35 0.35 fine 2.07 2.09 2.09 sing dassification type certified*** SULEV30 SULEV30 SULEV30 sing dassing dassind** SUS SUS | . of gears erodynamics | 7 | 7 | 8 | |
| find 0.32 0.34 0.34 fach 0.34 0.36 0.35 fach 207 209 209 sing darding rule SULEV30 SULEV30 SULEV30 sing darding rule | | 0.32-0.34 | 0.34-0.36 | 0.34-0.35 | |
| iffactor strine 2.09 2.09 strine 2.09 Strine strine 2.09 Strine Strine Strine Strine Strine 2.05/55 R16 87 V AS 2.05/55 R17 80 V XL AS strine 2.05/55 R16 87 V AS 2.05/56 R16 80 V AS 2.05/56 R16 80 V AS <td>Kange, m² Min Max</td> <td>0.32</td> <td>0.34</td> <td>0.34</td> | Kange, m ² Min Max | 0.32 | 0.34 | 0.34 | |
| with a set of the s | rnflaeche | | | | |
| with set of the set | aission | | | | |
| Vertyres Vertyres Vertyres 175/65 R15 84 H AS 195/55 R16 87 V AS 205/45 R17 88 V XL AS th of the rear track, mm 1485.0 1485.0 1485.0 1485.0 flat tyres ja ja ja ja ja tyres 195/55 R16 87 V AS 195/55 R16 87 V AS 205/45 R17 88 V XL AS k front, mm 1485.0 1485.0 1485.0 of list trant, mm 1485.0 1485.0 1485.0 of olist trant, mm 54.0 54.0 54.0 of olist trant, mm 55.05 R16 RV AS 55.05 R17 R8 V XL AS of olist trant, mm 54.0 1485.0 1485.0 of olist trant, mm 54.0 54.0 54.0 of S5.05 R16 RV AS 55.05 R16 RV AS 75.07 R17 RW XL AS rins 6.55.05 R16 RV AS 54.0 75.07 R17 RW XL AS ring transmission, overall 1:1 140.0 140.0 140.0 ring transmission, overall 2:1 140.0 140.0 140.0 <th and="" c<="" colis="" td="" trant=""><td>ussion classification (type-certified)*** assis</td><td>SULEV 30</td><td>SULEV30</td><td>SULEV30</td></th> | <td>ussion classification (type-certified)*** assis</td> <td>SULEV 30</td> <td>SULEV30</td> <td>SULEV30</td> | ussion classification (type-certified)*** assis | SULEV 30 | SULEV30 | SULEV30 |
| the off here are track, mm 1485.0 1485.0 1485.0 flat types ja ja ja the types 195/55 R16 87 V AS 205/45 R17 88 V XL AS the types 195/55 R16 87 V AS 205/45 R17 88 V XL AS k front, mm 1485.0 1485.0 1485.0 d flatt ypes 1485.0 1485.0 1485.0 d flatt ypes 1485.0 1485.0 1485.0 d offst front, mm 54.0 54.0 54.0 d offst front, mm 6.55.16 LM 6.55.16 LM 7.17 LM rims 6.55.16 LM 6.55.16 LM 7.17 LM rims (specify lappend) 140.0 140.0 140.0 ring transmission, overall, 1: 140.0 140.0 140.0 ring transmission, overall, 1:0 11.6 11.6 11.6 | heel/Tyres ar tyres | 175/65 R15 84 H AS | 195/55 R16 87 V AS | 205/45 R17 88 V XI AS | |
| ityres 19575 R16 87 V.AS 19575 R16 87 V.AS 2054 R17 88 V.XL.SA Kront, mm 14850 14850 14850 el offset trar, mm 540 540 540 el offset trar, mm 540 540 540 el offset trar, mm 540 540 540 el offset trar, mm 65, M16 LM 65, M16 LM 7, M17 LM trims 65, M16 LM 65, M16 LM 7, M17 LM trims 65, M16 LM 65, M16 LM 7, M17 LM trims 65, M16 LM 65, M16 LM 7, M17 LM trims 65, M16 LM 65, M16 LM 7, M17 LM trims 65, M16 LM 65, M16 LM 14, 00 tring transmision, overall, 1 140 140 140 tring transmision, overall, 2 11.6 11.6 11.6 tring capacity (aglores) - series, gal 11.6 11.6 11.6 tring transmission, overall, 2 10, 0080 80.80 80.80 | 'idth of the rear track, mm | 1485.0 | 1485.0 | 1485.0 | |
| edifiest froat, mm 54.0 54.0 edifiest froat, mm 54.0 54.0 trims 6.5.0.16 LM 6.5.0.16 LM 7.0.17 LM trims EPS EPS EPS EPS trims trims trims, on, verall, 1: 14.0 14.0 14.0 trims capacity (approx), 1 11.6 11.6 11.6 trims capacity (approx), 1 11.6 11.6 11.6 trims capacity (approx), 1 80.780 80.780 80.780 | ont tyres | 195/55 R16 87 V AS | 195/55 R16 87 V AS | 205/45 R17 88 V XL AS | |
| show 540 540 540 rdms 65.016 65.016 7.017 PM rims 65.016 PM 65.016 PM 7.017 PM rims 65.016 PM 65.016 PM 7.017 PM rims 65.016 PM 65.016 PM 7.017 PM er storing EPS EPS EPS er storing 14.0 14.0 14.0 rims capacity (approx.).1 44.0 44.0 44.0 at capacity (approx.).1 11.6 11.6 11.6 | ack front, mm heel offset rear, mm | 54.0 | 54.0 | 54.0 | |
| rfms 6,5M6 EM 6,5M6 EM 7M7 PM rfms 6,5M6 EM 6,5M6 EM 7M7 PM ref EPS EPS EPS EPS ref storfing 14,0 14,0 14,0 ref storfing 44,0 14,0 44,0 ref capacity (approx),1 44,0 44,0 44,0 ref capacity (approx),1 11,6 11,6 11,6 ury Capacity (approx),1 80/80 80/80 | heel offset front, mm ont rims | | 54.0 | 54.0 | |
| personal provide EPS EPS EPS ing transmission, overall, 1:1 14.0 14.0 14.0 trank capacity (approv.l, 1) 44.0 44.0 44.0 ana (capacity (approv.l, 2) 11.6 11.6 11.6 usr usr usr usr usr usr usr usr usr usr usr | eering | | | | |
| Constraints Sector Se | ower-steering | | | | |
| Ink capacity (gallons) - series, gal 11.6 11.6 11.6 33 | 'ank | | | | |
| ery ery Capacity (low voltage), Ah 80/80 80/80 80/80 | uel tank capacity (approx.) , l S Tank capacity (gallons) - series, gal | | | | |
| | Battery | | | | |
| em voltage (Jow voltage), V 12.0 12.0 12.0 12.0 | | 80/80 | 80/80 | 80/80 | |

Model Year 2020

F56 Cooper SE Effective: 11/01/19 MINI Cooper SE 3 door

| | | | ω R |
|-------------------------|---|-------------------------------------|-----------------|
| Code: 1NR Style: 1NR | 16" MINI Electric Revolite Perf/NRFT | Front / Rear: 16x6.5, 195/55 R16 | Standard ZE7 |
| Code: 1NU Style: 1NU | 17" MINI Electric Power Spoke Perf/NRFT | Front / Rear: 17x7.0, 205/45 R17 | ZE9 |
| Code: 2B0 Style: 2B0 | 17"Tentacle Spoke Silver | Front / Rear: 17x7.0, 205/45 R17 | ZE9 |
| Code: 2ET Style: 2ET | 17" Rail Spoke 2Tone Perf/NRFT | Front / Rear: 17x7.0, 225/45 R17 | ZE8, ZE9 |
| Code: 2F1 Style: 2F1 | 17"Cosmos Spoke Silver Perf/NRFT | Front / Rear: 17x7.0, 205/45 R17 | ZE8, ZE9 |
| Code: 2F2 Style: 2F2 | 17"Cosmos Spoke Black Perf/NRFT | Front / Rear: 17x7.0, 205/45 R17 | ZE8, ZE9 |
| Code: 2F3 Style: 2F3 | 16"Loop Spoke Silver Perf/NRFT | Front / Rear: 16x6.5, 195/55 R16 | ZE7 |

| Wheel Overview Model Year 2020 | Cooper 3 door Effective: 07/01/19 | | | Cooper 3 door | Cooper 3 door 60Yrs |
|-----------------------------------|--------------------------------------|-----------------------------------|-------------------------------------|---------------------------|------------------------|
| | Code: 1NA Style: 1NA | 16" Loop Spoke RFT | Front / Rear: 16x6.5, 195/55 R16 | Standard ZBA, ZBB, ZBC | Standard |
| | Code: 1NB Style: 1NB | 16" Victory Spoke Blk RFT | Front / Rear: 16x6.5, 195/55 R16 | ZBA, ZBB, ZBC | |
| | Code: 1NC Style: 1NC | 17" Cosmos Spoke RFT | Front / Rear: 17x7.0, 205/45 R17 | ZBB, ZBC | |
| | Code: 1ND Style: 1ND | 17" Cosmos Spoke Blk RFT | Front / Rear: 17x7.0, 205/45 R17 | ZBB, ZBC | |
| | Code: 27V Style: 27V | 17" 60 Years Spoke 2- tone RFT | Front / Rear: 17x7.0, 205/45 R17 | | ZBV |

| Wheel Overview Model Year 2020 | Cooper S 3 do Effective: 07/0 | | | Cooper S 3 door | Cooper S 3 door 60Yrs |
|-----------------------------------|----------------------------------|---------------------------------|-------------------------------------|---------------------------|--------------------------|
| | Code: 1NA Style: 1NA | 16" Loop Spoke RFT | Front / Rear: 16x6.5, 195/55 R16 | Standard ZFA, ZFB, ZFC | Standard |
| | Code: 1NB Style: 1NB | 16" Victory Spoke Blk RFT | Front / Rear: 16x6.5, 195/55 R16 | ZFA, ZFB, ZFC | |
| | Code: 1NC Style: 1NC | 17" Cosmos Spoke RFT | Front / Rear: 17x7.0, 205/45 R17 | ZFB, ZFC | |
| | Code: 1ND Style: 1ND | 17" Cosmos Spoke Blk RFT | Front / Rear: 17x7.0, 205/45 R17 | ZFB, ZFC | |
| | Code: 1NE Style: 1NE | 17" Tentacle Spoke RFT | Front / Rear: 17x7.0, 205/45 R17 | ZFB, ZFC | |
| | Code: 1NM Style: 1NM | 7" Rail Spoke 2Tone RFT | Front / Rear: 17x7.0, 205/45 R17 | ZFB, ZFC | |
| | Code: 27V 1 Style: 27V | 7" 60 Years Spoke 2-tone RFT | Front / Rear: 17x7.0, 205/45 R17 | | ZBQ |
| × | Code: 2E8 Style: 2E8 | 18"Cone Spoke RFT | Front / Rear: 18x7.0, 205/40 R18 | ZFC | |

Wheel Overview

Model Year 2020

JCW 3 door Effective: 07/01/19

John Cooper Works 3 Door

| Code: 1NG Style: 1NG | 17" JCW Track Spoke RFT | Front / Rear: 17x7.0, 205/45 R17 | Standard ZGA, ZGB, ZGC |
|-------------------------|--------------------------------|-------------------------------------|---------------------------|
| Code: 1NH Style: 1NH | 17" JCW Track Spoke Blk RFT | Front / Rear: 17x7.0, 205/45 R17 | ZGA, ZGB, ZGC |
| | | | |



| Code: | 2LY |
|--------|-----|
| Style: | 2LY |

18"JCW Cup Spoke 2Tone RFT

| Front / Rear: | | | | |
|--------------------|--|--|--|--|
| 18x7.5, 205/40 R18 | | | | |

ZGB, ZGC (Requires ZB0)

| Model Ye | Pricing ear 2020 | F56 Cooper SE | | MINI Cooper SE 3 door |
|-------------------|--|--|--------------------------------|--------------------------|
| | | Effective: 11/01/19 | | 3 do 3 do |
| | | | | |
| | | | CA Model Code AG Model Code | 20HF XP33 |
| | | | Start of Production | 11/19 |
| | | | Base Price | \$39,990 |
| | Non-Metallic | | | STD |
| 851 | Chili Red 851 cannot be orde | ared with 3BV | | NC (req'd) |
| C3B | British Racing Gree | | | NC |
| | C3B cannot be ord | ered with 3BV | | (req'd) |
| A62 | Metallic White Silver Metalli | c | | NC NC |
| | A62 requires order | ing 382 or 383 | | (req'd) |
| A94 | Midnight Black Met A94 cannot be ord | | | NC (req'd) |
| B71 | Moonwalk Grey Se | | | NC |
| C3Y | MINI Yours Enigma | | | NC (regid) |
| | C3Y requires order | ring ZE9 | | (req'd) |
| | Upholstery | | | |
| NEE1 | Punch Leather Carbon Black Punc | h l eather | | NC NC |
| | In combination with | | | NC |
| | Included in package | | | ZE8 |
| | In combination with | LID | | NC |
| | Chester Leather | | | NC |
| NYGK | Leather Chester Sa In combination with | - | | NC NC |
| | | | | NO |
| | Leatherette | | | NC |
| K9E1 | Carbon Black Leath Included in package | | | NC ZE7 |
| | | | | |
| KDE1 | Pearl Cloth/Leathe | erette eatherette Combination | | NC NC |
| NDET | In combination with | | | NC |
| | Included in package | | | ZID |
| KDT8 | In combination with Cloth/Leatherette L | | | NC NC |
| KD 10 | In combination with | | | NC |
| | Included in package | | | ZIL |
| | In combination with | 2E8 | | NC |
| | MINI Yours Loung | | | NC |
| TYE1 | MINI Yours Leather Included in package | Lounge Carbon Black | | NC ZE9 |
| | included in package | 5 | | 223 |
| 757 | Lines | | | NC |
| ZE7 | Classic Line 2F3 - 16"Loop Spol | ke Silver Perf/NRFT | | NC |
| ZE8 | Premier Line | | | \$5,000 |
| | | poke Silver Perf/NRFT Spoke Black Perf/NRFT | | NC NC |
| | 7GT - Interior Style | MINI Light | | NC |
| | | Cloth/Leatherette Combination | | NC |
| | KDT8 - Cloth/Leath ZE8 requires order | o , | | NC (req'd) |
| ZE9 | Premier+ Line | ° | | \$8,000 |
| | 2B0 - 17"Tentacle S | | | NC |
| | | e 2Tone Perf/NRFT Spoke Silver Perf/NRFT | | NC NC |
| | 2F2 - 17"Cosmos S | poke Black Perf/NRFT | | NC |
| | KDE1 - BlackPearl KDT8 - Cloth/Leath | Cloth/Leatherette Combination | | NC NC |
| | | ester Satellite Grey | | NC |
| | Dealer | | | |
| ZID | Packages Interior Style Dark | | | NC |
| | NEE1 - Carbon Bla | ck Punch Leather | | NC |
| | ZID requires orderi ZID cannot be orde | • | | (req'd) (req'd) |
| | | | | NC |
| ZIL | Interior Style Light | | | |
| ZIL | Interior Style Ligh NEE1 - Carbon Bla | ck Punch Leather | | NC (reg/d) |
| ZIL | Interior Style Ligh | ck Punch Leather ng ZE8 | | (req'd) |
| ZIL | Interior Style Ligh NEE1 - Carbon Bla ZIL requires orderii ZIL cannot be orde | ck Punch Leather ng ZE8 | | |
| | Interior Style Ligh NEE1 - Carbon Bla ZIL requires orderin ZIL cannot be order Options | ck Punch Leather ng ZE8 red with ZID | | (req'd) (req'd) |
| ZIL 382 383 | Interior Style Ligh NEE1 - Carbon Bla ZIL requires orderii ZIL cannot be orde | ck Punch Leather ng ZE8 red with ZID ror Caps | | (req'd) |

| Retail Model Ye | Pricing ear 2020 Cooper 3 door Effective: 07/01/1 | 9 | Cooper 3 door | Cooper 3 door 60Yrs |
|--------------------|---|---|-----------------------|------------------------|
| | | CA Model Code AG Model Code Start of Production | 20HA XR33 07/19 | 20H1 XR33 07/19 |
| | | Base Price | \$24,590 | \$24,590 |
| | Non-Metallic | | STD | STD |
| 850 | Pepper White | | \$590 \$500 | NA |
| | In combination with ZBA In combination with ZBC | | \$590 \$590 | |
| | In combination with ZBB | | \$590 | |
| | 850 cannot be ordered with 382 | | (req'd) | |
| 851 | Chili Red | | \$590 | NA |
| | In combination with ZBA | | \$590 | |
| | In combination with ZBC | | \$590 \$500 | |
| C1B | In combination with ZBB Solaris Orange | | \$590 \$590 | NA |
| CID | In combination with ZBC | | \$590 | |
| | In combination with ZBB | | \$590 | |
| C1C | Emerald Grey | | \$590 | NA |
| | In combination with ZBC | | \$590 | |
| | In combination with ZBB | | \$590 | |
| C3B | British Racing Green IV | | \$590 | NC |
| | In combination with ZBA | | \$590 | |
| | In combination with ZBC | | \$590 | ZBV |
| | Included in package In combination with ZBB | | \$590 | ZDV |
| | Metallic | | \$590 \$590 | NC |
| A62 | White Silver Metallic | | \$590 | NA |
| | In combination with ZBC | | \$590 | |
| | A62 requires ordering 382 or 383 | | (req'd) | |
| A94 | Midnight Black Metallic | | \$590 | NC |
| | In combination with ZBV | | | NC |
| | In combination with ZBA | | \$590 | |
| | In combination with ZBC In combination with ZBB | | \$590 \$590 | |
| | A94 cannot be ordered with 383 | | (req'd) | (reg'd) |
| B62 | Starlight Blue Metallic | | \$590 | NA |
| | In combination with ZBC | | \$590 | |
| | In combination with ZBB | | \$590 | |
| B71 | Moonwalk Grey Semi-Metallic | | NC | NC |
| | In combination with ZBV | | | NC |
| | Included in package | | ZBA, ZBB, ZBC | |
| 0.01/ | Maltin a Oliver Matallia | | | NIA |
| C2K | Melting Silver Metallic In combination with ZBC | | \$590 \$590 | NA |
| | Upholstery | | | |
| | Punch Leather | | \$1,500 | NA |
| | Punch Leather requires ordering 481 | | (req'd) | |
| NEE1 | Carbon Black Punch Leather | | \$1,500 \$1,500 | NA |
| | | | \$1,500 | |
| | Leatherette | | NC | NA |
| K9E1 | Carbon Black Leatherette | | NC | NA |
| | Included in package | | ZBA, | |
| | | | ZBB, ZBC | |
| | MINI Yours Lounge Leather | | NA | NC |
| TYE1 | MINI Yours Leather Lounge Carbon Black | | NA | NC |
| | In combination with ZBV | | | NC |
| TYIH | MINI Yours Leather Lounge Dark Maroon | | NA | NC |
| | Included in package | | | ZBV |
| 70 4 | Lines | | ¢1 E00 | NA |
| ZBA | CLASSIC | | \$1,500 \$250 | NA |
| | 1NB - 16" Victory Spoke Blk RFT 850 - Pepper White | | \$250 \$590 | |
| | 850 - Pepper White 851 - Chili Red | | \$590 \$590 | |
| | A94 - Midnight Black Metallic | | \$590 | |
| | C3B - British Racing Green IV | | \$590 | |
| ZBB | PREMIER | | \$2,100 | NA |
| | 1NB - 16" Victory Spoke Blk RFT | | \$250 | |
| | 1NC - 17" Cosmos Spoke RFT | | | |

| | l Pricing 'ear 2020 Cooper 3 door | | Cooper 3 door | Cooper 3 |
|-------------------|---|---------------------|------------------|----------------------|
| | Effective: 07/01/19 | | toop | doo |
| | | CA Model Code | 20HA | 20H |
| | | AG Model Code | XR33 | XR3 |
| | | | 07/19 | 07/1 |
| | 1ND 17" Coomoo Spoko Pik PET | Start of Production | | 07/1 |
| | 1ND - 17" Cosmos Spoke Blk RFT | | \$850 \$500 | |
| | 850 - Pepper White | | \$590 | |
| | 851 - Chili Red | | \$590 | |
| | A94 - Midnight Black Metallic | | \$590 | |
| | B62 - Starlight Blue Metallic | | \$590 | |
| | C1B - Solaris Orange | | \$590 | |
| | C1C - Emerald Grey | | \$590 | |
| | C3B - British Racing Green IV | | \$590 | |
| ZBC | PREMIER+ | | \$4,850 | NA |
| | 1NB - 16" Victory Spoke Blk RFT | | \$250 | |
| | 1NC - 17" Cosmos Spoke RFT | | \$750 | |
| | 1ND - 17" Cosmos Spoke Blk RFT | | \$850 | |
| | 850 - Pepper White | | \$590 | |
| | 851 - Chili Red | | \$590 | |
| | A62 - White Silver Metallic | | \$590 | |
| | A94 - Midnight Black Metallic | | \$590 | |
| | B62 - Starlight Blue Metallic | | \$590 | |
| | C1B - Solaris Orange | | \$590 | |
| | C1C - Emerald Grey | | \$590 | |
| | C2K - Melting Silver Metallic | | \$590 | |
| | C3B - British Racing Green IV | | \$590 | |
| | NEE1 - Carbon Black Punch Leather | | \$1,500 | |
| | ZBC and NEE1 requires ordering 481 | | (req'd) | |
| | Packages | | | |
| ZBV | MINI 60 Years Edition | | NA | \$4,9 |
| | 383 - Black Roof and Mirror Caps | | | NC |
| | A94 - Midnight Black Metallic | | | NC |
| | B71 - Moonwalk Grey Semi-Metallic | | | NC |
| | TYE1 - MINI Yours Leather Lounge Carbon Black | | | NC |
| zww | Wired Navigation Package | | \$1,600 | \$1,6 |
| | ZWW cannot be ordered with ZBA, ZBC or ZZ1 | | (req'd) | 4 ., e |
| | ZWW requires ordering ZBB | | (req'd) | |
| Z1 | LED Lights Package | | \$1,400 | NA |
| | ZZ1 cannot be ordered with ZBA, ZBC or ZWW | | (req'd) | |
| | ZZ1 requires ordering ZBB | | (req'd) | |
| | Options | | | |
| 02 | Alarm System | | \$500 | \$50 |
| 19 | Universal Remote Control | | \$250 | \$25 |
| | 319 requires ordering ZBB or ZBC | | (req'd) | |
| 27 | White Bonnet Stripes | | \$200 | NA |
| | 327 requires ordering 382 | | (req'd) | |
| 29 | Black Bonnet Stripes | | \$200 | NA |
| | 329 requires ordering 383 | | (req'd) | |
| 59 | Electric Front Window Defroster | | \$250 | \$25 |
| 82 | White Roof and Mirror Caps | | NC | NA |
| 83 | Black Roof and Mirror Caps | | NC | NC |
| | In combination with ZBV | | | NC |
| 86 | Roof Rails | | \$250 | \$25 |
| | | | | |
| AR | Rear Rack Prep | | \$250 | \$25 |
| 81 | Sport Seats | | \$500 | ZB |
| | 481 requires ordering ZBB or ZBC | | (req'd) | |
| 93 | Storage Compartment Package | | \$300 | \$30 |
| 10 | Driving Assistant | | \$1,000 | \$1,0 |
| AS | 5AS will add 541 to the order | | (req'd) | (req |
| AS | | | (req'd) | |
| A3 | 5AS requires ordering ZBB or ZBC | | | |
| | | | | \$50 |
| | Park Assistant (Incl 508 PDC Front/Rear) | | \$500 | \$50 |
| 5AS 5DP 574 | | | | \$50 \$75 |

| | Pricing ear 2020 Cooper S 3 door Effective: 07/01/19 | CA Model Code AG Model Code Start of Production Base Price | 5 5 5 5 5 5 5 5 5 5 | S S S S S S S S S S |
|---|---|---|---|--|
| | Non-Metallic | | STD | STD |
| 850 | Pepper White In combination with ZFA | | \$590 \$590 | NA |
| | 850 cannot be ordered with 382 | | (req'd) | |
| | In combination with ZFB | | \$590 | |
| 054 | In combination with ZFC | | \$590 \$500 | NIA |
| 851 | Chili Red In combination with ZFA | | \$590 \$590 | NA |
| | In combination with ZFB | | \$590 | |
| | In combination with ZFC | | \$590 | |
| C1B | Solaris Orange | | \$590 | NA |
| | In combination with ZFB In combination with ZFC | | \$590 \$590 | |
| C1C | Emerald Grey | | \$590 | NA |
| | In combination with ZFB | | \$590 | |
| Cab | In combination with ZFC | | \$590 \$590 | NC |
| C3B | British Racing Green IV In combination with ZFA | | \$590 \$590 | NC |
| | Included in package | | ,, | ZBQ |
| | In combination with ZFB | | \$590 | |
| | In combination with ZFC Metallic | | \$590 \$590 | NC |
| A62 | White Silver Metallic | | \$590 \$590 | NC |
| | A62 requires ordering 382 or 383 | | (req'd) | |
| | In combination with ZFC | | \$590 | |
| A94 | Midnight Black Metallic | | \$590 \$590 | NC |
| | In combination with ZFA In combination with ZBQ | | \$590 | NC |
| | A94 cannot be ordered with 383 | | (req'd) | (req'd) |
| | In combination with ZFB | | \$590 | |
| B58 | In combination with ZFC | | \$590 \$590 | NA |
| D00 | Thunder Grey Metallic In combination with ZFA | | \$590 \$590 | NA NA |
| | In combination with ZFB | | \$590 | |
| | In combination with ZFC | | \$590 | |
| B62 | Starlight Blue Metallic In combination with ZFB | | \$590 \$590 | NA |
| | In combination with ZFC | | \$590 | |
| B71 | Moonwalk Grey Semi-Metallic | | NC | NC |
| | In combination with ZBQ | | 754 | NC |
| | Included in package | | ZFA, ZFB, ZFC | |
| C2K | Melting Silver Metallic In combination with ZFC | | \$590 \$590 | NA |
| | Upholstery | | | |
| | | | | |
| | Punch Leather | | \$1,500 | NA |
| NEE1 | Punch Leather Carbon Black Punch Leather | | \$1,500 | NA NA |
| NEE1 | Punch Leather Carbon Black Punch Leather In combination with ZFB | | \$1,500 \$1,500 | |
| NEE1 | Punch Leather Carbon Black Punch Leather | | \$1,500 | |
| NEE1 | Punch Leather Carbon Black Punch Leather In combination with ZFB | | \$1,500 \$1,500 | |
| | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey | | \$1,500 \$1,500 \$1,500 | NA NC NC |
| | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZBQ | | \$1,500 \$1,500 \$1,500 \$2,250 \$2,250 | NA |
| NYGK | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey | | \$1,500 \$1,500 \$1,500 \$2,250 | NA NC NC |
| NYGK | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZBQ In combination with ZFC | | \$1,500 \$1,500 \$1,500 \$2,250 \$2,250 \$2,250 | NA NC NC NC |
| NYGK | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown | | \$1,500 \$1,500 \$1,500 \$2,250 \$2,250 \$2,250 | NA NC NC NC |
| NEE1 NYGK NYMJ | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZBQ In combination with ZFC Leather Chester Malt Brown In combination with ZBQ In combination with ZEQ In combination with ZEC | | \$1,500 \$1,500 \$1,500 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 | NA NC NC NC NC |
| NYGK NYMJ | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZBQ In combination with ZFC Leather Chester Malt Brown In combination with ZBQ | | \$1,500 \$1,500 \$1,500 \$2,250 \$2,250 \$2,250 \$2,250 | NA NC NC NC |
| NYGK NYMJ | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown In combination with ZFQ In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leatherette | | \$1,500 \$1,500 \$1,500 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 | NA NC NC NC NC |
| NYGK NYMJ | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown In combination with ZFQ In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leatherette Carbon Black Leatherette Included in package | | \$1,500 \$1,500 \$2,250 \$2,50 \$2,50 \$2,50 \$2,50 \$2,500\$\$2,500 | NA NC NC NC NC NC |
| NYGK NYMJ K9E1 | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leatherette Carbon Black Leatherette Included in package | | \$1,500 \$1,500 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 NC NC ZFA, ZFB, ZFC \$2,250 | NA NC NC NC NC NC NA NA |
| NYGK NYMJ K9E1 | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZBQ In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Lounge Leather MINI Yours Leather Lounge Carbon Black | | \$1,500 \$1,500 \$2,250 \$2,50 \$2,50 \$2,50 \$2,50 \$2,500\$\$2,500 | NA NC NC NC NC NC NA NA |
| NYGK NYMJ K9E1 | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leatherette Carbon Black Leatherette Included in package | | \$1,500 \$1,500 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 NC NC ZFA, ZFB, ZFC \$2,250 | NA NC NC NC NC NC NA NA |
| NYGK NYMJ K9E1 TYE1 | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Leather Lounge Carbon Black In combination with ZFQ In combination ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Leather Lounge Carbon Black In combination with ZFQ MINI Yours Leather Lounge Dark Maroon | | \$1,500 \$1,500 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 | NA NC NC NC NC NC NA NA NA NC NC NC NC |
| NYGK NYMJ K9E1 TYE1 | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown In combination with ZFQ In combination with ZFC Leather Chester Malt Brown In combination with ZFQ In combination with ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Lounge Leather MINI Yours Leather Lounge Carbon Black In combination with ZBQ In combination X | | \$1,500 \$1,500 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 NC NC ZFA, ZFB, ZFC \$2,250 \$2,250 \$2,250 | NA NC NC NC NC NC NA NA NA |
| NYGK NYMJ K9E1 TYE1 | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Leather Lounge Carbon Black In combination with ZFQ In combination ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Leather Lounge Carbon Black In combination with ZFQ MINI Yours Leather Lounge Dark Maroon | | \$1,500 \$1,500 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 \$2,250 NC NC ZFA, ZFB, ZFC \$2,250 \$2,250 \$2,250 | NA NC NC NC NC NC NA NA NA NC NC NC NC |
| NYGK NYMJ K9E1 TYE1 TYIH | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Leather Lounge Carbon Black In combination with ZFC MINI Yours Leather Lounge Carbon Black In combination with ZFC MINI Yours Leather Lounge Dark Maroon Included in package Lines CLASSIC | | \$1,500 \$1,500 \$2,250\$2,250 \$2, | NA NC NC NC NC NC NA NA NA NC NC NC NC |
| NYGK | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Leather Lounge Carbon Black In combination with ZBQ In combination with ZFC MINI Yours Leather Lounge Dark Maroon Included in package Lines CLASSIC 1NB - 16" Victory Spoke Blk RFT | | \$1,500 \$1,500 \$2,250\$2,250 \$2, | NA NC NC NC NC NA NA NA NC NC NC ZBQ |
| NYGK NYMJ K9E1 TYE1 TYIH | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZBQ In combination with ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Leather Lounge Carbon Black In combination with ZFC MINI Yours Leather Lounge Dark Maroon Included in package Lines CLASSIC INB - 16" Victory Spoke Blk RFT 850 - Pepper White | | \$1,500 \$1,500 \$2,250 \$2,5 | NA NC NC NC NC NA NA NA NC NC NC ZBQ |
| NYGK NYMJ K9E1 TYE1 TYIH | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Leather Lounge Carbon Black In combination with ZBQ In combination with ZFC MINI Yours Leather Lounge Dark Maroon Included in package Lines CLASSIC 1NB - 16" Victory Spoke Blk RFT | | \$1,500 \$1,500 \$2,250\$2,250 \$2, | NA NC NC NC NC NA NA NA NC NC NC ZBQ |
| NYGK NYMJ K9E1 TYE1 TYIH | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Leather Lounge Carbon Black In combination with ZFC MINI Yours Leather Lounge Carbon Black In combination with ZFC MINI Yours Leather Lounge Dark Maroon Included in package Lines CLASSIC 1NB - 16" Victory Spoke Blk RFT 850 - Pepper White 851 - Chill Red A94 - Midnight Black Metallic B58 - Thunder Grey Metallic | | \$1,500 \$1,500 \$2,250 \$2,500\$\$2,500 | NA NC NC NC NC NA NA NA NC NC NC ZBQ |
| NYGK NYMJ K9E1 TYE1 TYIH ZFA | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZBQ In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Leather Lounge Carbon Black In combination with ZPC MINI Yours Leather Lounge Dark Maroon Included in package Lines CLASSIC 1NB - 16" Victory Spoke Blk RFT 850 - Pepper White 851 - Chili Red A94 - Midnight Black Metallic B55 - Thunder Grey Metallic C3B - British Racing Green IV | | \$1,500 \$1,500 \$2,250 \$2,500 \$2,500\$ | NA NC NC NC NC NA NA |
| NYGK NYMJ K9E1 TYE1 TYIH | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown In combination with ZFQ In combination with ZFQ In combination with ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Leather Lounge Carbon Black In combination with ZPQ In combination with ZPQ | | \$1,500 \$1,500 \$2,250 \$2,500\$2,500 | NA NC NC NC NC NA NA NA NC NC NC ZBQ |
| NYGK NYMJ K9E1 TYE1 TYIH ZFA | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZBQ In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leather Chester Malt Brown In combination with ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Leather Lounge Carbon Black In combination with ZFC MINI Yours Leather Lounge Dark Maroon Included in package Lines CLASSIC 1NB - 16" Victory Spoke Blk RFT 850 - Pepper White 851 - Chili Red A94 - Midnight Black Metallic B55 - Thunder Grey Metallic C3B - British Racing Green IV | | \$1,500 \$1,500 \$2,250 \$2,500\$\$2,500 | NA NC NC NC NC NA NA |
| NYGK NYMJ K9E1 TYE1 TYIH ZFA | Punch Leather Carbon Black Punch Leather In combination with ZFB In combination with ZFC Chester Leather Leather Chester Satellite Grey In combination with ZFC Leather Chester Satellite Grey In combination with ZFC Leather Chester Malt Brown In combination with ZFQ In combination with ZFQ In combination with ZFQ In combination with ZFC Leatherette Carbon Black Leatherette Included in package MINI Yours Leather Lounge Carbon Black In combination with ZFQ In combination with ZPQ In Combination with ZPQ | | \$1,500 \$1,500 \$2,250 \$2,500 \$5,500 \$5,500 \$5,500 \$5,500 \$5,500 \$5,500 \$5,500 \$5,500 \$5,500 \$5,500 \$2,500 \$5,500 \$5,500 \$5,500 \$2,500 \$5,500 \$2,500 \$5,500 \$5,500 \$2,500 \$5,500 \$5,500 \$5,500 \$2,500\$\$5,500\$\$\$5,500\$\$\$5,500\$\$\$5,500\$\$\$5,500\$\$\$5,500\$\$\$5,500\$\$\$\$5,500\$\$\$\$5,500\$\$\$\$\$\$5,500\$\$\$\$\$\$\$\$ | NA NC NC NC NC NA NA |

| | ear 2020 Cooper S 3 door Effective: 07/01/19 | CA Model Code AG Model Code | 8 S 2000 20HB XR53 | STANDARY STATES |
|--|--|--------------------------------|---|--|
| | | Start of Production | 07/19 | 07/19 |
| | | Base Price | \$28,890 | \$28,890 |
| | 850 - Pepper White 851 - Chili Red | | \$590 \$590 | |
| | A94 - Midnight Black Metallic | | \$590 | |
| | B58 - Thunder Grey Metallic | | \$590 | |
| | B62 - Starlight Blue Metallic | | \$590 | |
| | C1B - Solaris Orange | | \$590 | |
| | C1C - Emerald Grey | | \$590 | |
| | C3B - British Racing Green IV | | \$590 | |
| 750 | NEE1 - Carbon Black Punch Leather | | \$1,500 | NIA |
| ZFC | PREMIER+ 1NB - 16" Victory Spoke Blk RFT | | \$5,150 \$250 | NA |
| | 1NC - 17" Cosmos Spoke RFT | | \$750 | |
| | 1ND - 17" Cosmos Spoke Blk RFT | | \$850 | |
| | 1NE - 17" Tentacle Spoke RFT | | \$750 | |
| | 1NM - 17" Rail Spoke 2Tone RFT | | \$750 | |
| | 2E8 - 18"Cone Spoke RFT | | \$1,450 | |
| | 850 - Pepper White | | \$590 | |
| | 851 - Chili Red | | \$590 \$500 | |
| | A62 - White Silver Metallic A94 - Midnight Black Metallic | | \$590 \$590 | |
| | B58 - Thunder Grey Metallic | | \$590 \$590 | |
| | B62 - Starlight Blue Metallic | | \$590 \$590 | |
| | C1B - Solaris Orange | | \$590 | |
| | C1C - Emerald Grey | | \$590 | |
| | C2K - Melting Silver Metallic | | \$590 | |
| | C3B - British Racing Green IV | | \$590 | |
| | NEE1 - Carbon Black Punch Leather | | \$1,500 | |
| | NYGK - Leather Chester Satellite Grey | | \$2,250 | |
| | NYMJ - Leather Chester Malt Brown TYE1 - MINI Yours Leather Lounge Carbon Black | | \$2,250 \$2,250 | |
| | ZFC and 2E8 requires ordering ZB0 | | (req'd) | |
| 700 | Packages | | NA | ¢c 000 |
| ZBQ | MINI 60 Years Edition 383 - Black Roof and Mirror Caps | | NA | \$6,900 NC |
| | A94 - Midnight Black Metallic | | | NC |
| | B71 - Moonwalk Grey Semi-Metallic | | | NC |
| | NYGK - Leather Chester Satellite Grey | | | NC |
| | NYMJ - Leather Chester Malt Brown | | | NC |
| | TYE1 - MINI Yours Leather Lounge Carbon Black | | | NC |
| ZWW | Wired Navigation Package | | \$1,600 | NA |
| | ZWW cannot be ordered with ZFA or ZFC | | (req'd) | |
| ZY5 | ZWW requires ordering ZFB | | (req'd) \$650 | NA |
| 215 | Style Package 3L2 - Piano Black Exterior Trim | | \$650 \$250 | INA |
| | 4GV - MINI Yours Interior Style Piano Black illuminated | | | |
| | | | \$250 | |
| | ZY5 requires ordering ZFB or ZFC | | \$250 (req'd) | |
| ZZ1 | • | | | NA |
| ZZ1 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW | | (req'd) \$1,400 (req'd) | NA |
| ZZ1 | ZY5 requires ordering ZFB or ZFC LED Lights Package | | (req'd) \$1,400 | NA |
| | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options | | (req'd) \$1,400 (req'd) (req'd) | |
| 302 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System | | (req'd) \$1,400 (req'd) | NA \$500 \$250 |
| 302 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options | | (req'd) \$1,400 (req'd) (req'd) \$500 | \$500 |
| 302 319 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control | | (req'd) \$1,400 (req'd) (req'd) \$500 \$250 | \$500 |
| 302 319 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC | | (req'd) \$1,400 (req'd) (req'd) \$500 \$250 (req'd) | \$500 \$250 |
| 302 319 327 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes | | (req'd) \$1,400 (req'd) (req'd) \$500 \$250 (req'd) \$200 | \$500 \$250 |
| 302 319 327 329 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 | | (req'd) \$1,400 (req'd) (req'd) \$500 \$250 (req'd) \$200 (req'd) \$200 (req'd) | \$500 \$250 NA NA |
| 302 319 327 329 359 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster | | (req'd) \$1,400 (req'd) (req'd) \$250 (req'd) \$200 (req'd) \$200 (req'd) \$220 | \$500 \$250 NA NA \$250 |
| 302 319 327 329 359 382 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps | | (req'd) \$1,400 (req'd) (req'd) \$250 (req'd) \$200 (req'd) \$200 (req'd) \$220 (req'd) \$250 NC | \$500 \$250 NA NA \$250 NA |
| 302 319 327 329 359 382 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps | | (req'd) \$1,400 (req'd) (req'd) \$250 (req'd) \$200 (req'd) \$200 (req'd) \$220 | \$500 \$250 NA NA \$250 NA NC |
| 02 119 227 229 559 82 83 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps In combination with ZBQ | | (req'd) \$1,400 (req'd) (req'd) \$500 \$250 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC | \$500 \$250 NA NA \$250 NA NC NC |
| 302 319 327 329 359 382 383 388 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps In combination with ZBQ Roof Rails | | (req'd) \$1,400 (req'd) (req'd) \$250 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC \$250 | \$500 \$250 NA NA \$250 NA NC NC \$250 |
| 302 319 327 329 359 382 383 386 386 388 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps In combination with ZBQ Roof Rails Rear Rack Prep | | (req'd) \$1,400 (req'd) (req'd) \$250 (req'd) \$200 (req'd) \$200 (req'd) \$220 (req'd) \$250 NC NC NC NC \$250 \$250 | \$500 \$250 NA NA \$250 NA NC NC \$250 \$250 |
| 302 319 327 329 359 382 383 383 386 3AR 493 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps In combination with ZBQ Roof Rails Rear Rack Prep Storage Compartment Package | | (req'd) \$1,400 (req'd) (req'd) \$250 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC NC NC \$250 \$250 \$300 | \$500 \$250 NA NA \$250 NA NC NC \$250 \$250 \$300 |
| 302 319 327 329 382 383 386 3AR 493 4AA | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps In combination with ZBQ Roof Rails Rear Rack Prep Storage Compartment Package Anthracite Roofliner | | (req'd) \$1,400 (req'd) (req'd) \$200 (req'd) \$200 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC \$250 \$250 \$300 \$250 | \$500 \$250 NA NA \$250 NA NC NC \$250 \$300 ZBQ |
| 302 319 327 329 382 383 386 3AR 493 4AA | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps In combination with ZBQ Roof Rails Rear Rack Prep Storage Compartment Package Anthracite Roofliner Driving Assistant | | (req'd) \$1,400 (req'd) (req'd) \$250 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC \$250 \$250 \$250 \$300 \$250 \$300 \$250 \$300 | \$500 \$250 NA NA \$250 NA NC NC \$250 \$300 ZBQ \$1,000 |
| 302 319 327 329 359 382 383 386 34R 493 4AA | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps In combination with ZBQ Roof Rails Rear Rack Prep Storage Compartment Package Anthracite Roofliner | | (req'd) \$1,400 (req'd) (req'd) \$200 (req'd) \$200 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC \$250 \$250 \$300 \$250 | \$500 \$250 NA NA \$250 NA NC NC \$250 \$300 ZBQ |
| 302 319 327 329 382 383 386 388 493 4AA 5AS | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof Rails Rear Rack Prep Storage Compartment Package Anthracite Roofliner Driving Assistant SAS will add 541 to the order | | (req'd) \$1,400 (req'd) (req'd) \$250 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC NC \$250 NC \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$250 \$250 \$250 \$250 \$250 \$250 \$2 | \$500 \$250 NA NA \$250 NA NC NC \$250 \$300 ZBQ \$1,000 |
| ZZ1 302 319 327 329 369 382 383 386 3AR 493 4AA 5AS 5DP | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZEB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps In combination with ZBQ Roof Rails Rear Rack Prep Storage Compartment Package Anthracite Roofliner Driving Assistant SAS will add 541 to the order SAS requires ordering ZFB or ZFC | | (req'd) \$1,400 (req'd) (req'd) \$250 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC NC NC \$250 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$250 \$300 \$250 \$300 \$250 \$250 \$300 \$250 \$300 \$250 \$250 \$250 \$250 \$250 \$250 \$250 \$2 | \$500 \$250 NA NA \$250 NC NC \$250 \$250 \$300 ZBQ \$1,000 (req'd) |
| 302 319 327 329 382 383 386 3AR 493 4AA 5AS | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps In combination with ZBQ Roof Rails Rear Rack Prep Storage Compartment Package Anthracite Roofliner Driving Assistant SAS will add 541 to the order SAS requires ordering ZFB or ZFC Park Assistant (Incl 508 PDC Front/Rear) | | (req'd) \$1,400 (req'd) (req'd) \$200 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC NC \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$250 \$250 \$250 \$250 \$250 \$200 \$20 | \$500 \$250 NA NA \$250 NC NC \$250 \$300 ZBQ \$1,000 (req'd) |
| 302 319 327 329 383 383 386 3AR 493 4AA 5AS 5DP 674 | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps In combination with ZBQ Roof Rails Rear Rack Prep Storage Compartment Package Anthracite Roofliner Driving Assistant SAS will add 541 to the order SAS requires ordering ZFB or ZFC Park Assistant (Incl 508 PDC Front/Rear) SDP requires ordering ZFB or ZFC Harman Kardon Sound System 674 requires ordering ZFB or ZFC | | (req'd) \$1,400 (req'd) (req'd) \$250 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC NC \$250 \$250 \$250 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$300 \$250 \$250 \$300 (req'd) \$250 \$300 (req'd) \$250 (req'd) \$250 (req'd) \$250 \$300 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) (req'd) \$250 (req'd) (req'd) \$250 (req'd) (req'd) (req'd) (req'd) \$250 (req'd) (req'd) \$250 (req'd) (req'd) \$250 (req'd) (req'd) \$250 (req'd) (req'd) \$250 (req'd) \$ (req'd) \$250 (req'd) \$250 (req'd) \$ (req'd) \$250 (req'd) (req'd) (req'd) (req'd) (req'd) (req'd) (req'd) (req'd) (req'd) (req (req'd) (req (req'd) (r | \$500 \$250 NA NA \$250 NA NC \$250 \$250 \$250 \$250 \$250 \$300 ZBQ \$1,000 (req'd) \$500 \$750 |
| 302 319 327 329 359 382 383 386 3AR 493 4AA 5AS 5DP | ZY5 requires ordering ZFB or ZFC LED Lights Package ZZ1 cannot be ordered with ZFA, ZFC or ZWW ZZ1 requires ordering ZFB Options Alarm System Universal Remote Control 319 requires ordering ZFB or ZFC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and JED Roof Rails Rear Rack Prep Storage Compartment Package Anthracite Roofliner Driving Assistant SAS will add 541 to the order SAS requires ordering ZFB or ZFC Park Assistant (Incl 508 PDC Front/Rear) SDP requires ordering ZFB or ZFC Harman Kardon Sound System | | (req'd) \$1,400 (req'd) (req'd) \$250 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC NC \$250 \$250 \$250 \$250 \$250 \$250 \$250 \$250 | \$500 \$250 NA NA \$250 NA NC \$250 \$300 ZBQ \$1,000 (req'd) \$500 |

| | Pricing ear 2020 JCW 3 door Effective: 07/01/19 | | John Cooper Works 3 door |
|------|--|-----------------------------------|-------------------------------|
| | | Start of Production Base Price | ♀ 07/19 \$36,540 |
| | Non-Metallic | | STD |
| 350 | Pepper White | | \$590 |
| | In combination with ZGC 850 cannot be ordered with 382 | | \$590 (req'd) |
| | In combination with ZGB | | (164 0) \$590 |
| | In combination with ZGA | | \$590 |
| 351 | Chili Red | | \$590 |
| | In combination with ZGC | | \$590 |
| | 851 cannot be ordered with 3A3 or 3AZ In combination with ZGB | | (req'd) \$590 |
| | In combination with ZGA | | \$590 |
| C19 | JCW Rebel Green | | \$1,000 |
| C1B | In combination with ZGC Solaris Orange | | \$1,000 \$590 |
| | In combination with ZGC | | \$590 |
| | C1B cannot be ordered with 3A3 | | (req'd) |
| | In combination with ZGB | | \$590 |
| C1C | Emerald Grey In combination with ZGC | | \$590 \$590 |
| | In combination with ZGB | | \$590 |
| | Metallic | | \$590 |
| 462 | White Silver Metallic | | \$590 |
| | In combination with ZGC A62 requires ordering 382, 383 or 3A3 | | \$590 (reg'd) |
| 494 | A62 requires ordering 382, 383 or 3A3 Midnight Black Metallic | | (req'd) \$590 |
| | In combination with ZGC | | \$590 |
| | A94 cannot be ordered with 383 | | (req'd) |
| | In combination with ZGB In combination with ZGA | | \$590 \$590 |
| B58 | Thunder Grey Metallic | | \$590 \$590 |
| 200 | In combination with ZGC | | \$590 |
| | In combination with ZGB | | \$590 |
| 262 | In combination with ZGA | | \$590 \$500 |
| 362 | Starlight Blue Metallic In combination with ZGC | | \$590 \$590 |
| | In combination with ZGB | | \$590 |
| B71 | Moonwalk Grey Semi-Metallic | | NC |
| | Included in package | | ZGA, ZGB, ZGC |
| C2K | Melting Silver Metallic In combination with ZGC | | \$590 \$590 |
| | Upholstery | | |
| | Punch Leather | | \$1,500 |
| | Punch Leather requires ordering 481 | | (req'd) |
| NEE1 | Carbon Black Punch Leather In combination with ZGC | | \$1,500 \$1,500 |
| | In combination with ZGB | | \$1,500 |
| | | | |
| | Chester Leather Chester Leather requires ordering 481 | | \$2,250 (req'd) |
| NYGK | Leather Chester Satellite Grey | | \$2,250 |
| | In combination with ZGC | | \$2,250 |
| | In combination with ZGB | | \$2,250 |
| NYMJ | Leather Chester Malt Brown In combination with ZGC | | \$2,250 \$2,250 |
| | In combination with ZGB | | \$2,250 |
| | | | |
| | Dinamica/Cloth Combination | | NC |
| DAE1 | Dinamica/cloth combination Carbon Black Included in package | | NC ZGA, |
| | included in puologe | | ZGB, ZGC |
| | | | |
| 0054 | Dinamica/Leather Combination | | \$2,250 |
| GSE1 | Dinamica/leather combination Carbon Black In combination with ZGC | | \$2,250 \$2,250 |
| | In combination with ZGB | | \$2,250 |
| | | | 110 |
| | Leatherette Leatherette requires ordering 481 | | NC (req'd) |
| K9E1 | Carbon Black Leatherette | | (req d) NC |
| | In combination with ZGC | | NC |
| | In combination with ZGB | | NC |
| | In combination with ZGA | | NC |
| | MINI Yours Lounge Leather | | \$2,250 |
| | MINI Yours Lounge Leather requires ordering 481 | | (req'd) |
| TYE1 | MINI Yours Leather Lounge Carbon Black | | \$2,250 |
| | In combination with ZGC In combination with ZGB | | \$2,250 \$2,250 |
| | III CUITIDITIAUUTI WILIT ZOD | | \$2,250 |
| | | | |
| | Lines | | |
| ZGA | CLASSIC | | \$1,500 |
| ZGA | CLASSIC 1NH - 17" JCW Track Spoke Blk RFT | | \$250 |
| ZGA | CLASSIC | | |

| | ear 2020 JCW 3 door Effective: 07/01/19 | | John Cooper Works 3 door |
|--|---|-----------------------------------|--|
| | | Start of Production Base Price | ♀ ă 07/19 \$36,540 |
| | B58 - Thunder Grey Metallic | | \$590 |
| 700 | K9E1 - Carbon Black Leatherette | | NC |
| ZGB | PREMIER | | \$2,650 |
| | 1NH - 17" JCW Track Spoke Blk RFT 2LY - 18"JCW Cup Spoke 2Tone RFT | | \$250 \$800 |
| | 4GV - MINI Yours Interior Style Piano Black illuminated | | \$250 |
| | 850 - Pepper White | | \$590 |
| | 851 - Chili Red | | \$590 |
| | A94 - Midnight Black Metallic | | \$590 |
| | B58 - Thunder Grey Metallic | | \$590 |
| | B62 - Starlight Blue Metallic | | \$590 |
| | C1B - Solaris Orange | | \$590 |
| | C1C - Emerald Grey | | \$590 |
| | GSE1 - Dinamica/leather combination Carbon Black | | \$2,250 |
| | K9E1 - Carbon Black Leatherette | | NC |
| | NEE1 - Carbon Black Punch Leather | | \$1,500 |
| | NYGK - Leather Chester Satellite Grey | | \$2,250 |
| | NYMJ - Leather Chester Malt Brown | | \$2,250 \$2,250 |
| | TYE1 - MINI Yours Leather Lounge Carbon Black | | \$2,250 (reg'd) |
| GC | ZGB and 2LY requires ordering ZB0 PREMIER+ | | (req'd) \$5,500 |
| | 1NH - 17" JCW Track Spoke Blk RFT | | \$250 \$250 |
| | 2LY - 18"JCW Cup Spoke 2Tone RFT | | \$800 |
| | 4GV - MINI Yours Interior Style Piano Black illuminated | | \$250 |
| | 850 - Pepper White | | \$590 |
| | 851 - Chili Red | | \$590 |
| | A62 - White Silver Metallic | | \$590 |
| | A94 - Midnight Black Metallic | | \$590 |
| | B58 - Thunder Grey Metallic | | \$590 |
| | B62 - Starlight Blue Metallic | | \$590 |
| | C19 - JCW Rebel Green | | \$1,000 |
| | C1B - Solaris Orange | | \$590 |
| | C1C - Emerald Grey | | \$590 |
| | C2K - Melting Silver Metallic | | \$590 |
| | GSE1 - Dinamica/leather combination Carbon Black | | \$2,250 |
| | K9E1 - Carbon Black Leatherette NEE1 - Carbon Black Punch Leather | | NC |
| | NYGK - Leather Chester Satellite Grey | | \$1,500 \$2,250 |
| | NYMJ - Leather Chester Malt Brown | | \$2,250 |
| | TYE1 - MINI Yours Leather Lounge Carbon Black | | \$2,250 |
| | ZGC and 2LY requires ordering ZB0 | | (req'd) |
| zww | Packages Wired Navigation Package | | \$1,600 |
| | ZWW requires ordering ZGB | | (req'd) |
| | ZWW cannot be ordered with ZGA or ZGC | | (req'd) |
| | | | |
| 02 | Options | | \$500 |
| 02 | Alarm System | | \$500 ZGC |
| | Alarm System Included in package | | ZGC |
| | Alarm System Included in package Universal Remote Control | | ZGC \$250 |
| 19 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC | | ZGC |
| 19 | Alarm System Included in package Universal Remote Control | | ZGC \$250 (req'd) |
| 19 | Aarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes | | ZGC \$250 (req'd) \$200 |
| 19 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 | | ZGC \$250 (req'd) \$200 (req'd) |
| 19 27 29 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes | | ZGC \$250 (req'd) \$200 (req'd) \$200 |
| 319 327 329 359 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 | | ZGC \$250 (req'd) \$200 (req'd) \$200 (req'd) |
| 119 327 329 359 382 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster | | ZGC \$250 (req'd) \$200 (req'd) \$200 (req'd) \$250 |
| 319 327 329 359 382 3883 3886 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Roof Rails | | ZGC \$250 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC \$250 |
| 319 327 329 359 382 383 386 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Roof Rails Red Roof and Mirror Caps | | ZGC \$250 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC |
| 119 327 329 359 382 388 3886 383 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Roof Rails Red Roof and Mirror Caps 3A3 cannot be ordered with C1B | | ZGC \$250 (req'd) \$200 (req'd) \$250 NC \$250 NC \$250 NC (req'd) |
| 119 227 229 859 882 883 886 886 886 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Roof Rails Red Roof and Mirror Caps 3A3 cannot be ordered with C1B John Cooper Works Bonnet Stripes | | ZGC \$250 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC NC \$250 NC (req'd) \$200 |
| 319 327 329 359 382 388 3886 383 386 383 386 383 386 383 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Roof Rails Red Roof and Mirror Caps 3A3 cannot be ordered with C1B John Cooper Works Bonnet Stripes 3A2 requires ordering 3A3 | | ZGC \$250 (req'd) \$200 (req'd) \$250 NC NC \$250 NC (req'd) \$200 (req'd) |
| 319 327 329 359 382 388 3886 383 386 3843 3842 3442 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Roof Rails Red Roof and Mirror Caps 3A3 cannot be ordered with C1B John Cooper Works Bonnet Stripes 3AZ requires ordering 3A3 Piano Black Exterior Trim | | ZGC \$250 (req'd) \$200 (req'd) \$250 NC NC \$250 NC (req'd) \$200 (req'd) \$550 |
| 119 227 229 559 882 883 886 6A3 6AZ | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps Roof Rails Red Roof and Mirror Caps 3A3 cannot be ordered with C1B John Cooper Works Bonnet Stripes 3A2 requires ordering 3A3 Piano Black Exterior Trim Sport Seats | | ZGC \$250 (req'd) \$200 (req'd) \$250 NC NC \$250 NC (req'd) \$200 (req'd) \$550 NC |
| 119 227 229 859 882 883 886 843 845 843 845 845 845 845 845 845 845 845 845 845 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps Roof Rails Red Roof and Mirror Caps 3A3 cannot be ordered with C1B John Cooper Works Bonnet Stripes 3AZ requires ordering 3A3 Piano Black Exterior Trim Sport Seats 481 cannot be ordered with DAE1 or GSE1 | | ZGC \$250 (req'd) \$200 (req'd) \$250 NC NC \$250 NC (req'd) \$200 (req'd) \$550 NC (req'd) |
| 119 227 229 259 259 283 283 283 283 283 284 242 242 81 93 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps 3A3 cannot be ordered with C1B John Cooper Works Bonnet Stripes 3A2 requires ordering 3A3 Piano Black Exterior Trim Sport Seats 481 cannot be ordered with DAE1 or GSE1 Storage Compartment Package | | ZGC \$250 (req'd) \$200 (req'd) \$250 NC NC \$250 NC (req'd) \$550 NC (req'd) \$550 NC (req'd) \$300 |
| 319 327 329 359 382 383 384 384 384 384 384 384 384 384 384 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Roof Rails Red Roof and Mirror Caps 3A3 cannot be ordered with C1B John Cooper Works Bonnet Stripes 3A2 requires ordering 3A3 Piano Black Exterior Trim Sport Seats 481 cannot be ordered with DAE1 or GSE1 Storage Compartment Package Colour Line Glowing Red | | ZGC \$250 (req'd) \$200 (req'd) \$250 NC \$250 NC (req'd) \$250 NC (req'd) \$550 NC (req'd) \$550 NC (req'd) \$250 NC |
| 119 127 129 159 182 183 186 183 186 183 186 183 184 193 193 193 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps Roof Rails Red Roof and Mirror Caps 3A3 cannot be ordered with C1B John Cooper Works Bonnet Stripes 3A2 requires ordering 3A3 Piano Black Exterior Trim Sport Seats 481 cannot be ordered with DAE1 or GSE1 Storage Compartment Package Colour Line Glowing Red 4F3 cannot be ordered with NYMJ | | ZGC \$250 (req'd) \$200 (req'd) \$250 NC \$250 NC (req'd) \$550 NC (req'd) \$550 NC (req'd) \$250 (req'd) \$250 (req'd) |
| 119 127 129 159 182 183 186 183 186 183 186 183 184 193 193 193 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps Roof Rails Red Roof and Mirror Caps 3A3 cannot be ordered with C1B John Cooper Works Bonnet Stripes 3A2 requires ordering 3A3 Piano Black Exterior Trim Sport Seats 481 cannot be ordered with DAE1 or GSE1 Storage Compartment Package Colour Line Glowing Red 4F3 cannot be ordered with NYMJ Driving Assistant | | ZGC \$250 (req'd) \$200 (req'd) \$250 NC NC \$250 NC (req'd) \$200 (req'd) \$200 (req'd) \$200 (req'd) \$300 \$2550 NC (req'd) \$200 (req'd) \$200 (req'd) \$200 (req'd) \$200 (req'd) \$250 NC (req'd) \$250 NC (req'd) \$250 NC (req'd) \$250 NC (req'd) \$250 NC (req'd) \$250 NC (req'd) \$250 NC (req'd) \$250 NC (req'd) \$250 NC (req'd) \$250 NC (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$250 (req'd) \$2550 NC (req'd) \$2550 (req'd) \$2550 (req'd) \$2550 (req'd) \$2550 (req'd) \$2550 NC (req'd) \$300 \$2550 NC (req'd) \$300 \$2550 NC (req'd) \$300 \$2550 NC |
| 119 127 129 159 182 183 186 183 186 34 2 12 181 193 1F3 54 S | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps 3A3 cannot be ordered with C1B John Cooper Works Bonnet Stripes 3A2 requires ordering 3A3 Piano Black Exterior Trim Sport Seats 481 cannot be ordered with DAE1 or GSE1 Storage Compartment Package Colour Line Glowing Red 4F3 cannot be ordered with NYMJ Driving Assistant 5AS will add 541 to the order | | ZGC \$250 (req'd) \$200 (req'd) \$250 NC \$250 NC (req'd) \$200 (req'd) \$550 NC (req'd) \$550 NC (req'd) \$250 (req'd) \$200 (req'd) \$100 \$200 (req'd) \$100 \$200 (req'd) (req'd) (req' |
| 119 127 129 159 182 183 186 183 186 34 2 12 181 193 1F3 54 S | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps SA3 cannot be ordered with C1B John Cooper Works Bonnet Stripes 3A2 requires ordering 3A3 Piano Black Exterior Trim Sport Seats 481 cannot be ordered with DAE1 or GSE1 Storage Compartment Package Colour Line Glowing Red 4F3 cannot be ordered with NYMJ Driving Assistant SAS will add 541 to the order Park Assistant (Incl 508 PDC Front/Rear) | | ZGC \$250 (req'd) \$200 (req'd) \$250 NC \$250 NC (req'd) \$250 NC (req'd) \$250 NC (req'd) \$300 \$250 (req'd) \$300 \$250 (req'd) \$550 (req'd) (req'd) \$550 (req'd) (req'd) \$550 (req'd) (|
| 319 327 329 359 382 388 388 388 388 388 382 382 382 382 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps SA3 cannot be ordered with C1B John Cooper Works Bonnet Stripes 3A2 requires ordering 3A3 Piano Black Exterior Trim Sport Seats 481 cannot be ordered with DAE1 or GSE1 Storage Compartment Package Colour Line Glowing Red 4F3 cannot be ordered with NYMJ Driving Assistant 5AS will add 541 to the order Park Assistant (Incl 508 PDC Front/Rear) 5DP requires ordering ZGB or ZGC | | ZGC \$250 (req'd) \$200 (req'd) \$250 NC \$250 NC (req'd) \$550 NC (req'd) \$300 \$250 (req'd) \$300 \$250 (req'd) \$300 (req'd) \$300 (req'd) \$300 (req'd) \$500 (req'd) \$500 (req'd) \$500 (req'd) \$500 (req'd) \$500 (req'd) \$500 (req'd) \$500 (req'd) \$550 NC |
| 302 319 327 329 359 362 383 383 3843 3843 3843 3843 3843 3843 | Alarm System Included in package Universal Remote Control 319 requires ordering ZGB or ZGC White Bonnet Stripes 327 requires ordering 382 Black Bonnet Stripes 329 requires ordering 383 Electric Front Window Defroster White Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps Black Roof and Mirror Caps SA3 cannot be ordered with C1B John Cooper Works Bonnet Stripes 3A2 requires ordering 3A3 Piano Black Exterior Trim Sport Seats 481 cannot be ordered with DAE1 or GSE1 Storage Compartment Package Colour Line Glowing Red 4F3 cannot be ordered with NYMJ Driving Assistant SAS will add 541 to the order Park Assistant (Incl 508 PDC Front/Rear) | | ZGC \$250 (req'd) \$200 (req'd) \$250 NC \$250 NC (req'd) \$250 NC (req'd) \$250 NC (req'd) \$300 \$250 (req'd) \$300 \$250 (req'd) \$550 (req'd) (req'd) \$550 (req'd) (req'd) \$550 (req'd) (|

STANDARD EQUIPMENT - FEATURES & FUNCTIONS

| | | MINI Cooper 3 door | MINI Cooper S 3 door | MINI JCW |
|--|---|-----------------------|-------------------------|----------|
| SAFETY | | _ () | A V) | |
| RAKING SYSTEMS: | | | | |
| untilock Braking System (ABS) brake Standby | pulses braking force on each brake disc to reduce wheel lockup and maintain steering ability while braking brake pads are moved closer to the discs when accelerator pedal is released quickly to anticipate braking | • | • | |
| srake Drying | brake pad lining applied slightly to discs to dry any moisture when windshield wipers are activated | • | • | |
| trake Fade Support | brake pressure is automatically increased under heavy braking to compensate for heat build-up or fading | • | • | |
| cornering Brake Control (CBC) Drive-Off Assistant | asymetrically distributes brake pressure to stabilizes vehicle when cornering while braking holds the vehicle for up to 1.5s when taking off from an incline to prevent roll-back | | • | |
| ynamic Brake Lights | alerts others to abrupt and heavy braking | • | • | |
| Dynamic Cruise Control Dynamic Stability Control (DSC) | with active brake intervention to maintain speed downhill and to reduce speed in curves if speed is too fast reduces engine power and applies brakes to wheels slipping to reduce over/understeer | | • | |
| lynamic Traction Control (DTC) | increases traction for takeoff on slippery surfaces | | | |
| lectronic Brakeforce Distribution (EBD) | distributes braking pressure based on load and balance on the road | • | • | |
| lectronically Controlled Differential Lock Control (EDLC) hill Red Brake Calipers | transfers power to the front wheel with the most grip for traction in bends 4 piston with John Cooper Works Logo design and styling | • | • | |
| IRBAGS: | 4 piston with John Cooper works Logo design and styling | | | |
| Airbags | 2 front, 2 side located within front seat's side bolsters, 2 side curtain and 2 front knee airbags | • | • | |
| MART Airbag Deployment dvanced Head Protection System (AHPS) | speed and intensity of airbag deployment adjusted based on size, shape, weight and position of occupants | • | • | |
| ISCELANEOUS: | front and rear reaching side curtain airbag protection remains inflated longer incase of secondary impact | | | |
| rash Sensor | unlocks doors, turn on interior lights, activates 4-way flasher hazard lights in the event of a crash | • | • | |
| uel Pump cutoff | automatically cuts off fuel pump in the event of a crash | • | • | |
| SOFIX LATCH leated Side Mirrors & Windshield Washer Jets | anchors for child seat fixation for more reliable visibility in winter months | • | | |
| ear View Camera with Park Distance Control | acoustic distance warning of obstacles at the rear of the car by dynamic interval tone, visual display in screen 8 parking guidance | • | • | |
| utomatic Headlights | with rain sensor function for intermittent windshield wipers | • | • | |
| IRES: Il Season Tires | | | | |
| tunflat Tires | allows driving on flat tire for 80km at a speed up to 80km/hr - drive to safety in the event of a flat | | | |
| ire Pressure Indicator | dash warning light if any one of four tires loses air pressure (not tire specific) | • | • | |
| hree-Point Seat Belts leadrests for all Four Seats | for all four seats manually adjustable, low positioning in rear passenger area for optimal rear view vision | • | • | |
| AUDIO/TECHNOLOGY | manana, anjaouon, on postoning in ten proceder area to optimalitear view vision | | | |
| eleservice | connects the vehicle to the MINI Service Center for all relevant Service Diagnostics Data | | | |
| ntelligent Emergency Calling | connects the vehicle to a call center automatically in the event of an accident or manually at the push of a button for assistance | • | • | |
| .5" Full Colour Touch Screen ///// | that displays all infotainment and car settings operated via MINI Controller in center console an app that allows operation of a number of 3rd party apps via hand controller and in-car screen for safety & convenience | • | • | |
| riel Diversity Antenna | short antenna on roof at rear of car for a more seamless design aesthetic | | • | |
| udio Bluetooth Streaming | with enhanced content available in center screen of MINI's dash | • | • | |
| nti-theft AM/FM stereo audio system with RDS | radio data system displays relevant station information on the radio display | • | • | |
| SB / AUX-in Input ports iriusXM Satellite Radio Preperation | connect using USB cable only, no additional cable required with iPhone full satellite radio integration available as stand alone option with 6 month trial period | | | |
| luetooth Phone Connectivity | pair 2 phones at one time and operate via steering wheel controls, center controller or voice command | | • | |
| ondition Based Servicing | maintenance intervals determined by driving conditions with on screen indicators for service requirements | • | • | |
| Speakers lectronic Vehicle Immobilizer | 2 mid range speakers in front door panels, 2 sub woofers under front seats prevents the engine from being started with out the correct key fob is present, prevents "hot wiring" thefts | • | • | |
| DRIVING | prevents the engine nom being stated with our the correct key too is present, prevents not writing theres | | | |
| -Cylinder 12-Valve Twin Power Turbocharged engine | 134hp & 162lb/ft torque with 0-100km/h in 7.9s (manual transmission) | | | |
| -Cylinder 12-Valve Twin Power Turbocharged engine | 134hp 8 102h9/h torque with 0-100km/h in 6.8s (manual transmission) | | • | |
| -Cylinder 16-Valve Twin Power Turbocharged engine | 228hp & 236 lb/ft torque with 0-100km/h in 6.3s (manual transmission) | | | |
| virect Injection | fuel is injected directly into each piston for efficient combustion with less waste/emissions regulates engine performance by steplessly adjusting the amount of intake valve lift with less emissions | • | • | |
| ANOS | regulates engine performance by steplessly adjusting the amount of intake valve int with less emissions | | | |
| riving Experience - Sport & Green Mode | adjusts vehicle's steering, throttle sensitivity, exhaust notes 6 gear changes (with automatic transmission) | | • | |
| utomatic Start/Stop Transmissions | engine switches off when vehicle is stopped & restarts as soon as brake pedal is released saving fuel | • | • | |
| oasting utomatic Transmission | with automatic transmission, engine disengages when brake pedal is depressed, coasting to saving fuel 7-Speed Dual Clutch Automatic Transmission (Cooper & S), 8-Speed Sport Automatic Transmission (JCW) - both with electric gearshifter | • | • | |
| erformance Control | supresses initial understeer which reduces torque-steer | | | |
| ingle-joint spring-strut-type front axle | lightweight construction with rigidity providing MINI-typical driving dynamics | • | • | |
| Aulti-link rear axle Electric Steering Lock (ELV) | lightweight construction with rigidity providing MINI-typical driving dynamics steering wheel cannot be unlocked without presence of key fob as a theft deterrent | • | • | |
| ervotronic | speed-dependent steering assist - more comfortable or precise steering based on vehicle speed | | | |
| port Suspension | with stiffer spring/damper setup, not actually lowered | | | |
| NTERIOR | | | | |
| tandard Seat | 6-way manually adjustable in black leatherette upholstery (fore/aft, height up/down & backrest incline/decline) | • | | |
| port Seats (front) | as above with added side bolster support 6 thigh extension for added comfort | | • | |
| CW Sport Seats (front) ear Seats 50/50 Split Folding | with integrated headrest and side bolsters for enhanced support allows extension of rear cargo & loading space, also features rear armpads and cupholders in side panels | | | |
| ower Windows | power controls located on door/armrest of driver 8 passenger, auto lowering when door opens, one touch function | • | • | |
| ower Door Locks | power controls located on door/armrest of driver & passenger | • | • | |
| ower Side Mirrors .ir Conditioning with microfilter | power controls located on door/armrest of driver manually adjustable heat/cool, location of airflow, stepless blower, fresh air or recirculation mode | | | |
| leyless Engine Activation | with pushbutton start toggle in center stack | • | • | |
| ey Fob with convenience buttons | lock/unlock/hatch release 8 horn if equipped with alarm system | • | • | |
| fINI Centre Instrument peedometer & Revolution Counter & Fuel Gauge | large center icon with LED ring integrates functional displays with light animation mounted above steering wheel in driver's line of sight with digital display for indicators | | • | |
| Spoke Sports Steering Wheel | black leather | • | • | |
| CW 3-Spoke Sports Steering Wheel | black leather with Chil Red accent stitching and JCW Logo | | | |
| Iultifunction Steering Wheel Controls ilt & Telescopic Steering Wheel Adjustment | cruise control, audio volume/scan & Bluetooth telephone operations adjusts the steering wheel to the most comfortable and safe position for driver | • | • | |
| mbient Interior Lighting | adjusts the steering wheel to the most comfortable and safe position for driver in one colour for front & rear footwell, front door pockets, center console, glove compartment, vanity mirror | • | • | |
| nterior Rear View Mirror | with manually adjsutable anti-dazzle function | | • | |
| ashing Eyes in Luggage Compartment | to secure cargo stored in rear compartment | • | • | |
| uggage Compartment Lights upholders x 3 | for easy loading & unloading at night or in dimly lit garages two in front center console & one in rear center console | • | • | |
| ront Center Armrest | with storage and tilting up/down function for ideal placement for all arm lengths | | • | |
| nthracite Roofliner | darker coloured roofliner for a sporty interior ambiance | | | |
| EXTERIOR | | | | |
| 6" Alloy Wheels Silver | Loop Spoke design in silver with All Season Runflat Tires | • | • | |
| 7" Track Spoke Alloy Wheels Silver CW Aerodynamic Body Kit | Track Spoke design in silver with All Season Runflat Tires with front apron, side skirts, and rear diffusor | | | |
| ide Air Inlets | with from apron, side skirts, and rear diffusor with indicator lights for turn signals | | • | |
| ide Air Inlets | with indicator lights for turn signals and JCW logo | | | |
| uel Filler Cap uel Filler Cap | on right side of vehicle, body coloured for Cooper on right side of vehicle, chrome for Cooper S & JCW | • | | |
| uel Filler Cap leated Rear Window | on right side of venicle, chrome for Cooper S & JCW with automatic shut off | | | |
| ear Roof Lip Spoiler | aerodynamic and sporty design, lip overhang spoiler | • | • | |
| ear Roof Aerodynamic Spoiler | aerodynamic and sporty design, applied to generate downthrust at high speeds | | | |
| hrome Bezels | around front headlights and rear taillights chrome | • | • | |
| oor Handles - one piece pull xhaust tailpipe | chrome single pipe, left side biased | | | |
| xhaust tailpipe | double pipes, center mounted | | • | |
| xhaust tailpipe | double pipes, center mounted with JCW branding | | | |
| nderfloor Concept | closed vehicle underbody & rear axle cover improves aerodynamics and interior road noise with white turn signal indicators, available upgrade to LED Headlights /Taillights with iconic graphic design | • | • | |
| alogen Headlights ED Headlights with Cornering Function | with white turn signal indicators, available upgrade to LED Headlights/Taillights with iconic graphic design for extra illumination and greater visibility when turning around corners | | • | |
| ear LED Taillights | with Union Jack Design for JCW Variant | | • | |
| Vaistline Finisher | ciruclating stainless steel waistline finishing trim below windows and above shoulder line for premium aesthetic | | | |