

BMW M4.

2020MY PRODUCT GUIDE.

BMW F82 M4 Coupe	4Y93	4 Y 93	3S73
	BMW M4	BMW M4 Competition Package	BMW M4 CS
Basic data summary	DCT	DCT	DCT
Transmission type Engine description	DCT S55B30T0	DCT S55B30T0	DCT S55B30T0
Seats	4	4	4
Number of doors	2	2	2
Engine type Dimensions	sDrive (RWD)	sDrive (RWD)	sDrive (RWD)
Exterior			
Length, mm	4687	4687	4688
Width, mm	1870	1870	1870
Height, mm Width inc. mirrors, mm	1392 2014	1383 2014	1385 2014
Width incl.mirror driver, mm	1016	1016	1016
Width incl.mirror passengers side, mm	998	998	998
Wheelbase, mm	2812	2812	2812
Overhang front, mm Rear overhang, mm	827 1048	827 1048	827 1049
Turning circle, m	12.2	12.2	12.2
Ground clearance, mm	121	121	121
Interior Choulder width front mm	1405	1405	1405
Shoulder width front, mm Shoulder room rear, mm	1405 1313	1405 1313	1405 1313
Elbow width front, mm	1465	1465	1465
Elbowroom rear, mm	1400	1400	1400
effective legroom front (L34), mm	1073	1073	1073
effective legroom rear second seating row (L51-2), mm Max. headroom front, mm	857 1011	857 1011	857 1011
Headroom front/SR, mm	971	971	N/A
Maximum headroom second, mm	910	910	N/A
Maximum headroom rear, mm	917 46	917	917
Knee clearance, mm Seats	46	46 4	46 4
seats second row	2	2	2
Luggage volumes			
Press Trunk volume, ft ³ Weight	15.7	15.7	15,7
Vehicle weights			
Control to the Arthur Arthur Arthur			
Curb weight (without driver), kg	1672	1672	1642
vehicle curb weight without driver (front axle), kg	880	880	869
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg			
vehicle curb weight without driver (front axle), kg	880 792	880 792	869 773
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), %	880 792 971 1129 47.4	880 792 971 1129 47.4	869 773 971 1129 47.1
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg	880 792 971 1129 47.4 2062	880 792 971 1129 47.4 2062	869 773 971 1129 47.1 2041
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), %	880 792 971 1129 47.4	880 792 971 1129 47.4	869 773 971 1129 47.1
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs	880 792 971 1129 47.4 2062 349	880 792 971 1129 47.4 2062 349	869 773 971 1129 47.1 2041 308
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs	880 792 971 1129 47.4 2062 349	880 792 971 1129 47.4 2062 349 4545 770	869 773 971 1129 47.1 2041 308
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs	880 792 971 1129 47.4 2062 349 4545 770 2140	880 792 971 1129 47.4 2062 349 4545 770 2140	869 773 971 1129 47.1 2041 308 4500 680 2140
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs	880 792 971 1129 47.4 2062 349	880 792 971 1129 47.4 2062 349 4545 770	869 773 971 1129 47.1 2041 308
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank, lbs	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -RA, lbs vehicle weight without driver empty fuel tank -FA, lbs	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank, lbs	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear xale load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Performance Final drive ratio	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance Final drive ratio Top speed, km/h	880 792 971 11129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear xale load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Performance Final drive ratio	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear Axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -RA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Performance Final drive ratio Top speed, km/h 0-100Km/h, s 80-120Km/h (5.), s Fuel cons. City, L/100km	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4.1 4.3 14.1/13.4 (Manual)	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4 4.3 14.1/13.4 (Manual)	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -RA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Performance Final drive ratio Top speed, km/h 0-100Km/h, s 80-120Km/h (5.), s Fuel cons. City, L/100km Fuel cons. Highway, L/100km	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4.1 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual)	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual)	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620 3.462 280 3.9 4.3 14.1 10.3
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Performance Final drive ratio Top speed, km/h 0-100Km/h, s 80-120Km/h (5.), s Fuel cons. City, L/100km Fuel cons. Combined, L/100km	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4.1 4.3 14.1/13.4 (Manual)	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4 4.3 14.1/13.4 (Manual)	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -RA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Performance Final drive ratio Top speed, km/h 0-100Km/h, s 80-120Km/h (5.), s Fuel cons. City, L/100km Fuel cons. Highway, L/100km	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4.1 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual)	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual)	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620 3.462 280 3.9 4.3 14.1 10.3
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -RA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Performance Final drive ratio Top speed, km/h 0-100Km/h, s 80-120Km/h (5.), s Fuel cons. City, L/100km Fuel cons. Lighway, L/100km Fuel cons. Lighway, L/100km Motor data Communication Power to weight ratio, kg/kW	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4.1 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual)	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual)	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620 3.462 280 3.9 4.3 14.1 10.3 12.4
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -RA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Performance Final drive ratio Top speed, km/h 0-100Km/h, s 80-120Km/h (5.), s Fuel cons. City, L/100km Fuel cons. Combined, L/100km Motor data Communication Power to weight ratio, kg/kW Output per litre, kW/dm³	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4.1 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual)	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual)	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620 3.462 280 3.9 4.3 14.1 10.3 12.4
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight linkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Performance Final drive ratio Top speed, km/h 0-100Km/h, s 80-120Km/h (5.), s Fuel cons. City, L/100km Fuel cons. Combined, L/100km Motor data Communication Power to weight ratio, kg/kW Output per litre, kW/dm³ Motor	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4.1 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual)	880 792 971 1129 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual) 5.1 111.1	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620 3.462 280 3.9 4.3 14.1 10.3 12.4
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -RA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Performance Final drive ratio Top speed, km/h 0-100Km/h, s 80-120Km/h (5.), s Fuel cons. City, L/100km Fuel cons. Combined, L/100km Motor data Communication Power to weight ratio, kg/kW Output per litre, kW/dm³	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4.1 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual)	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual)	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620 3.462 280 3.9 4.3 14.1 10.3 12.4
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Performance Final drive ratio Top speed, km/h 0-100Km/h, s 80-120Km/h (5.), s Fuel cons. City, L/100km Fuel cons. Highway, L/100km Motor data Communication Power to weight ratio, kg/kW Output per litre, kW/dm³ Motor Engine type Cylinders Valves p.cyl.	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4.1 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual) 5.3 106.4 SS5B30T0 6 4	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual) 5.1 111.1 S55B30TO 6 4	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620 3.462 280 3.9 4.3 14.1 10.3 12.4 4.9 113.5 S55B30TO 6 4
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Performance Final drive ratio Top speed, km/h 0-100Km/h, s 80-120Km/h (5.), s Fuel cons. City, L/100km Fuel cons. Combined, L/100km Motor data Communication Power to weight ratio, kg/kW Output per litre, kW/dm³ Motor Engine type Cylinders Valves p.cyl. Stroke, mm	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4.1 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual) 5.3 106.4 S55B30T0 6 4 89.6	880 792 971 1129 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual) 5.1 111.1 S55B30T0 6 4 89.6	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620 3.462 280 3.9 4.3 14.1 10.3 12.4 4.9 113.5 S55B30T0 6 4 89.6
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Performance Final drive ratio Top speed, km/h 0-100Km/h, s 80-120Km/h (5.), s Fuel cons. City, L/100km Fuel cons. Highway, L/100km Motor data Communication Power to weight ratio, kg/kW Output per litre, kW/dm³ Motor Engine type Cylinders Valves p.cyl.	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4.1 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual) 5.3 106.4 SS5B30T0 6 4	880 792 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual) 5.1 111.1 S55B30TO 6 4	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620 3.462 280 3.9 4.3 14.1 10.3 12.4 4.9 113.5 S55B30TO 6 4
vehicle curb weight without driver (front axle), kg vehicle curb weight without driver (rear axle), kg Axle load limit front, kg rear Axle load limit, kg rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg US weights gross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Axle load limit rear, lbs vehicle weight without driver empty fuel tank, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle weight without driver empty fuel tank -FA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs Performance /fuel eco. Perf	880 792 971 1129 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4.1 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual) 5.3 106.4 \$55830T0 6 4 89.6 84	880 792 971 1129 971 1129 47.4 2062 349 4545 770 2140 2490 3586 1667 1919 3685 3.462 250/280 (M Driver's Package) 4 4.3 14.1/13.4 (Manual) 10.3/9.6 (Manual) 12.4/11.7 (Manual) 5.1 111.1 S55830T0 6 4 89.6 84	869 773 971 1129 47.1 2041 308 4500 680 2140 2490 3519 1625 1894 3620 3.462 280 3.9 4.3 14.1 10.3 12.4 4.9 113.5 S55B30T0 6 4 89.6 84

gying purpous (1919), bill 9 425 444 453 444 453 6150 6150 6150 6150 6150 6150 6150 6150				
prigner power (PIP), PS	BMW F82 M4 Coupe	4Y93	4Y93	3\$73
prigner power (PIP), PS			BMW M4 Competition Package	BMW M4 CS
om at manatums power, Limin immure Engine speed at manatums torque, Limin immure Engine speed at manatum torque, Limin immure	Engine power (HP), PS	431		460
Immunia Engine speed at maximum power, 1/min 7000 5500 6250 6	Engine power (bHP), bHP	425		
sachmun Engles geed at maximum power, I/min 7000 7300 520 om at maximum torque, I/min 250 550 600 om at maximum torque, I/min 230 150 400 user mum Englies speed at maximum torque, I/min 2300 1500 5300 user by March and March	rpm at maximum power, 1/min			
1900 1900	minimum Engine speed at maximum power, 1/min			
mile of mathematic modes (mile) (mi	maximum Engine speed at maximum power, 1/min			
Informator Trapies speed at maximum forque, 1/min 2350 1550 000 sustition gasoline gasoline gasoline scapely rule (quality) AM 19 MIN AM 29 MIN AM 30 MIN scopin AM 19 MIN AM 19 MIN AM 19 MIN scopin AM 19 MIN AM 19 MIN AM 19 MIN scopin AM 19 MIN AM 19 MIN AM 19 MIN scopin AM 19 MIN AM 19 MIN AM 19 MIN scopin MIN 19 MIN AM 19 MIN AM 19 MIN commission type DCT DCT DCT CT cit of gasts 7 <td>Engine torque, Nm</td> <td></td> <td></td> <td></td>	Engine torque, Nm			
watmum frigues greet at maximum torque, I/mine uell Spee 5500 \$500 \$300 uell Spee gasoline gasoline gasoline seable Fuel quality 43 93 AK193 AK193 opposed (schange quantity), 1 6.5 6.5 6.5 combustion engine combustion engine To provide the provided of the	rpm at maximum torque, 1/min			
uel type gasoline gasoline gasoline seable Fuel quality AN 9 1 MIN AX 9 3 MA 9 3 AX 9 3 scorner. AX 9 3 AX 9 3 AX 9 3 AX 19 3 gape oil (exchange quantity), 1 6.5 6.5 6.5 6.5 carriers ax 19 3 AX 9 3 AX 9 3 AX 9 3 AX 19 3<				
seable Full quality				
March Marc		-	-	-
ingine oi (exchange quantity),1 arministion regine arministion regine arministion type V M M Disc 436 M Disc 436 M Disc 436 arministion type V 10 CT DCT DCT DCT OCT TOT TOT TOT TOT TOT TOT TOT TOT T				
membustor engine cransmission type V M DKG 436 M DK				
combustion regine M DKG 436 M DKG 436 M DKG 436 M DKG 436 A DKG 7 1 2 2 2 2 <th< td=""><td></td><td>6.5</td><td>6.5</td><td>6.5</td></th<>		6.5	6.5	6.5
ransmission type V M DKC 436 M DKC 436 M DKC 436 M DKC 436 CT DCT DCT DCT DCT CT	Combustion engine			
r. of gears	Transmission type V	M DKG 436	M DKG 436	M DKG 436
A 806 A 80	Transmission type	DCT	DCT	DCT
A 806 A 80	Nr. of gears	7	7	7
ref** 1.701 1.701 1.701 th** 1.227 1.277 1.277 th*** 0.844 0.844 0.844 th*** 0.671 0.671 0.671 evers gear* 4.172 4.172 4.172 evers gear* 4.172 4.172 4.172 4.172 evers gear* 4.172	Gear ratios 1st gear**	4.806	4.806	4.806
th**	2nd**	2.593	2.593	2.593
th** 1 1 1 th** 0.844 0.844 0.844 th** 0.671 0.671 0.671 cercitysamic Verentice Verentice X XI NIMA 0.34/0.35 0.34/0.35 0.35 XI 0.35 0.35 0.35 0.36 XI 0.36 0.36 0.36 XI 0.36 0.36 0.36 XX A Max 0.35 0.35 0.35 0.36 XX A Min, m² 0.76/0.78 0.78 0.78 0.81 XX A Min, m² 0.78 0.78 0.78 0.81 XX A Min, m² 0.19 0.78<	3rd**	1.701	1.701	1.701
th**	lth**	1.277	1.277	1.277
the "everse geat" 4.172 4.77 4.77 4.172 eversey everse geat" 4.172 4.72 4.77 4.172 eversey everse geat" 4.172 4.172 4.172 eversey everse geat" 4.172 4.172 4.172 eversey everse geat" 4.172 8.172 everse geat geat geat geat geat geat geat gea	5th**	1	1	1
everse pepa** 4.172 4.172 4.172 4.172 4.172 everse perate	5th**	0.844	0.844	0.844
STATE STAT	7th**	0.671	0.671	0.671
X X X X X X X X X X	Reverse gear**	4.172	4.172	4.172
x Min	Aerodynamics			
x Max kange, m² 0.35 0.35 0.35 0.36 xx Range, m² 0.35-0.35, 0.34-0.35 0.35-0.35, 0.34-0.35 0.36-0.36 xx A Min, m² 0.76/0.78 0.76/0.78 0.81 xx A Min, m² 0.78 0.78 0.81 timische 3 2.23 2.23 2.23 2.25 Insisting (type-certified)*** ULEV125 ULEV1	Cx	2.24/2.25	0.04/0.05	0.05
k Range, m³ 0.35-0.35, 0.34-0.35 0.35-0.35, 0.34-0.35 0.36-0.36 xx x xx A Min, m³ 0.76/0.78 0.78 0.81 xx A Max, m² 0.78 0.78 0.81 titriffachet Users a colspan="2">Users a colsp		·		
XX A Min, m²				
XX A Min, m² 0.76/0.78 0.76/0.78 0.81 XX A Max, m² 0.78 0.78 0.81 titrifiaeche sacing surface, m² 2.23 2.23 2.25 mission (type-certified)*** ULEV125 ULE	•	0.35-0.35, 0.34-0.35	0.35-0.35, 0.34-0.35	0.36-0.36
xx A Max, n² 0.78 0.81 timflacche UEV125 2.23 2.25 mission UEV125 UEV125 UEV125 Wheel/Tyres Vinet/Tyres X N/A 265/30 ZR20 (94Y) XI. 265/35 ZR19 (98Y) XI. 265/35 ZR19		0.76/0.70	0.76/0.70	0.01
Starflage-Ne 2.23 2.23 2.25 Insistion (type-certified)*** ULEV125				
acing surface , m² 2.23 2.23 2.25 mission		0.78	0.78	0.81
mission (type-certified)*** ULEV125 ULEV125 ULEV125 mission classification (type-certified)*** ULEV125 ULEV125 ULEV125 unssion classification (type-certified)**** ULEV125 ULEV125 ULEV125 UREV17yes Tont tyres var.1 255/35 ZR19 (92Y) N/A 255/35 ZR19 (98Y) XL TON (17 YL TON) 255/35 ZR19 (98Y) XL TON (17 YL TON) 91 x 19 EH2 LM 91 x 10 EH2 LM 101 x 20 EH2 LM 1		2 23	2 23	2 25
Wheel/Tyres N/A 265/30 ZR20 (94Y) XL 265/35 ZR19 (98Y) XL Tont tyres N/A 265/35 ZR19 (98Y) XL 255/35 ZR19 (98Y) XL Tont tyres var.1 255/35 ZR19 (98Y) XL N/A 255/35 ZR19 (98Y) XL Tont tyres var.1 91 x 19 EH2 LM N/A 91 x 20 EH2 LM 91 x 19 EH2 PL M N/A 285/30 ZR20 (99Y) XL	Emission	EIEG	E/E0	2.25
Veloc Tyres	Emission classification (type-certified)***	ULEV125	ULEV125	ULEV125
ront tyres N/A 265/30 ZR20 (94Y) XL 265/35 ZR19 (98Y) XL Tront tyres var.1 255/35 ZR19 (92Y) N/A 255/35 ZR19 (98Y) XL Tront tyres var.1 9J x 19 EH2 LM N/A 285/30 ZR20 (99Y) XL 285/30 ZR20	chassis			
Part			255 (22 7222 (2 1))) //	255 (25 35 42 (20))) //
ront rims N/A 9J x 20 EH2 LM 9J x 19 EH2P LM ront rims var.1 9J x 19 EH2 LM N/A 9J x 19 EH2P LM ront rims var.1 9J x 19 EH2 LM N/A 285/30 ZR20 (99Y) XL 285/30 ZR20 (99Y) XL TL ear tyres var.1 275/35 ZR19 (100Y) XL N/A 10J x 20 EH2P 285/30 ZR20 (99Y) XL TL ear rims N/A 10J x 20 EH2P 10J x 20 EH2P 285/30 ZR20 (99Y) XL TL ear rims var.1 10J x 19 EH2 LM N/A 10J x 20 EH2P 285/30 ZR20 (99Y) XL TL ear rims var.1 10J x 19 EH2 LM N/A 10J x 20 EH2P 285/30 ZR20 (99Y) XL TL ear rims var.1 10J x 19 EH2 LM N/A 10J x 20 EH2P 285/30 ZR20 (99Y) XL TL ear rims var.1 10J x 19 EH2 LM N/A 10J x 20 EH2P 285/30 ZR20 (99Y) XL TL	•			
ront rims var.1 9J x 19 EH2 LM N/A 9J x 19 EH2P LM ear tyres N/A 285/30 R20 (99Y) XL 285/30 R20 (99Y) XL TL ear tyres var.1 275/35 ZR19 (100Y) XL N/A 100 x 20 EH2 LM 100 x 20 EH2 LM 100 x 20 EH2 LM 100 x 20 EH2 PL ear rims var.1 10J x 19 EH2 LM N/A 10J x 20 EH2 PL	•			
ear tyres or. 1				
ear tyres var.1 275/35 ZR19 (100Y) XL N/A 285/30 ZR20 (99Y) XL TL ear rims var.1 10J x 20 EH2 LM 10J x 20 EH2 P ear rims var.1 10J x 19 EH2 LM N/A 10J x 20 EH2 P ear rims var.1 10J x 19 EH2 LM N/A 10J x 20 EH2 P ear rims var.1 1579 1579 1579 1579 1579 1579 1579 157				
ear rims				
ear rims var.1 10J x 19 EH2 LM N/A 10J x 20 EH2P rack front, mm 1579 1579 1579 1579 1579 1579 1579 1579	•			
rack front, mm 1579 1579 1579 1579 1579 1579 1579 1579				
track front var.1, mm 1579 1579 1579 Vidth of the rear track, mm 1604 1604 1604 vheel offset front, mm 1604 1604 1604 vheel offset front var.1, mm 29 29 29 vheel offset rear, mm 40 40 40 vheel offset rear var.1, mm 40 40 40 vheel offset rear var.1, mm 40 40 40 un flat tyres no no no un flat tyres var.1 no no no ower-steering EPS EPS EPS teering transmission, overall, :1 15 15 15 ank 15 15 15 15 uel tank capacity (approx.) , I 60 60 60 attery 2pg 2pg 2pg attery Capacity (low voltage), Ah 69 69 69 ystem voltage (low voltage), V 12 12 12				
Width of the rear track, mm 1604 1604 1604 rack rear var.1, mm 1604 1604 1604 Wheel offset front, mm 29 29 29 Wheel offset front var.1, mm 40 40 40 Wheel offset rear, mm 40 40 40 Wheel offset rear var.1, mm 40 40 40 un flat tyres no no no un flat tyres var.1 no no no un flat tyres var.1 no no no weer-steering EPS EPS EPS teering transmission, overall, :1 15 15 15 ank 15 15 15 15 auk 10 60 60 60 60 attery 40 60 60 60 60 attery 20 20 20 20 attery Capacity (low voltage), Ah 69 69 69 ystem voltage (low voltage), V 12 12 12				
rack rear var.1, mm 1604 160				
Wheel offset front, mm 29 29 29 Wheel offset front var.1, mm 29 29 29 Wheel offset rear, mm 40 40 40 Wheel offset rear var.1, mm 40 40 40 un flat tyres no no no un flat tyres var.1 no no no teering EPS EPS EPS teering transmission, overall, :1 15 15 15 ank uel tank capacity (approx.), I 60 60 60 60 attery attery Capacity (low voltage), Ah 69 69 69 ystem voltage (low voltage), V 12 12 12 12				
Wheel offset front var.1, mm 29 29 29 Wheel offset rear, mm 40 40 40 Wheel offset rear var.1, mm 40 40 40 un flat tyres no no no un flat tyres var.1 no no no over-steering EPS EPS EPS teering transmission, overall, :1 15 15 15 ank uel tank capacity (approx.), I 60 60 60 60 attery attery Capacity (low voltage), Ah 69 69 69 ystem voltage (low voltage), V 12 12 12 CR				
Wheel offset rear, mm 40 40 40 Wheel offset rear var.1, mm 40 40 40 un flat tyres no no no un flat tyres var.1 no no no teering EPS EPS EPS teering transmission, overall, :1 15 15 15 ank uel tank capacity (approx.) , I attery attery Capacity (low voltage), Ah 69 69 69 ystem voltage (low voltage), V 12 12 12 CR	•			
Wheel offset rear var.1, mm 40 40 40 un flat tyres no no no un flat tyres var.1 no no no teering EPS EPS EPS teering transmission, overall, :1 15 15 15 ank uel tank capacity (approx.), I 60 60 60 attery attery Capacity (low voltage), Ah 69 69 69 ystem voltage (low voltage), V 12 12 12 CR				
un flat tyres no no no un flat tyres var.1 no no no teering EPS EPS EPS teering transmission, overall, :1 15 15 15 ank uel tank capacity (approx.) , I 60 60 60 60 attery attery Capacity (low voltage), Ah 69 69 69 ystem voltage (low voltage), V 12 12 12 CR	· · · · · · · · · · · · · · · · · · ·			
un flat tyres var.1 no no no no teering ower-steering EPS EPS EPS EPS teering transmission, overall, :1 15 15 15 15 15 ank unel tank capacity (approx.) , I 60 60 60 60 60 attery attery Capacity (low voltage), Ah 69 69 69 49 49 49 49 49 49 49 40 40 40 40 40 40 40 40 40 40 40 40 40				
teering ower-steering EPS EPS EPS teering transmission, overall, :1 15 15 15 ank Usel tank capacity (approx.) , I 60 60 60 60 attery 2 4 69 69 69 system voltage (low voltage), V 12 12 12 12 CR CR 60 <td>•</td> <td></td> <td></td> <td></td>	•			
ower-steering EPS EPS EPS teering transmission, overall, :1 15 15 15 ank		IIU	IIU	IIU
teering transmission, overall, :1 15 15 15 15 ank uel tank capacity (approx.) , I 60 60 60 60 attery attery Capacity (low voltage), Ah 69 69 69 69 system voltage (low voltage), V 12 12 12 12 CR		FPS	FPS	FPS
ank uel tank capacity (approx.) , I 60 60 60 attery attery Capacity (low voltage), Ah 69 69 69 system voltage (low voltage), V 12 12 12 CR				
uel tank capacity (approx.) , I 60 60 60 attery attery Capacity (low voltage), Ah 69 69 69 ystem voltage (low voltage), V 12 12 12 CR	Tank	12		13
attery Capacity (low voltage), Ah 69 69 69 69 49 45 45 45 45 45 45 45 45 45 45 45 45 45	Fuel tank capacity (approx.) , l	60	60	60
ystem voltage (low voltage), V 12 12 12 12 CR	Battery			
CR	Battery Capacity (low voltage), Ah	69	69	69
	System voltage (low voltage), V	12	12	12
CR (Yes/No) No No No	SCR			
	SCR (Yes/No)	No	No	No



BMW M4 Cabriolet.

2020MY PRODUCT GUIDE.

Spinger destroption			4702		_4702-	
BMW MA Cabrolet Competition Package BMW MA Cabrolet Competition Package Tensional Son Type Competition Package Septime Association type Competition Package Septime Association Se	RMW M4 Cabriolet	4702		4702		
Secretary Secr	DIVIVITY CADITOLET					
Manual Manual Manual Manual Manual CT CT CT CT CT CT CT C	Basic data summary	DIVIVV IVI4 Cabillolet	Competition Fackage	DIVIVI IVI4 Cabilolet	Competition rackage	
Series 4	Transmission type	Manual	Manual	DCT	DCT	
Variety of doors	Engine description	S55B30T0	S55B30T0	S55B30T0	S55B30T0	
Ingines type Street Rev (2001)	Seats					
Part						
Seaton S		sDrive (RWD)	sDrive (RWD)	sDrive (RWD)	sDrive (RWD)	
Length, mm	Exterior					
reight, mm 1392 1386 1392 1386 1392 1386 1392 1386 1392 1386 1392 1386 1392 1386 1391 139	Length, mm	4687	4687	4687	4687	
And Thin Americans, mm 2014 2014 2014 2014 (10)	Width, mm	1870	1870	1870	1870	
width in chimror aspeagers yide, nm 1016 1016 1016 1016 1016 1016 1016 1016 1016 1016 1016 1016 1018 1018 2012 2012 2012 2012 2012 2012 2012 2012 2012 2012 2012 2012 125 1055 1055 1405<	Height, mm	1392	1386	1392	1386	
Width TrianCrainfor passengers side, mm 998 998 998 998 998 998 998 998 998 998 998 998 998 998 998 998 998 202 232 2827 828 828 828 828 828 828 828 828 828 828 828 828 829 829 828 828 829 829 829	Width inc. mirrors, mm					
Wheelbase, m.m 2812 2812 2812 2817 287						
See Transport 1978	, -					
Near Proceining.mm 1048 1048 1048 1048 1048 1048 1048 1048 1048 1048 1048 1049 1020 119 1100 119 1100 119 1100 119 1100 119 1100 119 1100 119 1100 119 1100 119 1100 119 1100 119 1100 119 1100 119 1100 119 1100 119 1100 119 1100 11						
Turning circle, m. 12.2 12.2 12.2 12.2 12.2 12.9 13.9 13.9 13.9 13.9 13.9 13.9 13.9 13						
Strough Ciarance, mm 1,20 119 120 119 120 119	Turning circle, m					
Shoulder width front, mm	Ground clearance, mm					
Shoulder room rear, mm	Interior					
Elbow width front, mm	Shoulder width front, mm					
Bibowrom rear, mm	Shoulder room rear, mm					
### ### ### ### ### ### ### ### ### ##						
effective legroom rear second seating row (LS1-2), mm 842 842 842 842 842 942 1025						
Max. headroom front, mm 1025 1025 1025 1025 Maximum headroom rear, mm 942 942 942 942 Cines clearance, mm 4						
Maximum headroom rear, mm 942 942 942 942 Kee Clearance, mm 4 2 3 3 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>						
Seats second row 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Maximum headroom rear, mm					
Pages and second row 2 2 2 2 2 2 2 2 2	Knee clearance, mm				-4	
Luggage volumes (V210-2), I 370 370 370 370 370 370 370 370 370 370	Seats	4	4	4	4	
ugaga volumes (V210-2), I 370 370 370 270 280 290 220 280 389 989 999 999 990 990 990 980 <td>seats second row</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td>	seats second row	2	2	2	2	
Luggage volume (V210-21,1)! 220 290 909<	Luggage volumes					
Press Tunk volume, ft³ 7.8-13.1 7.8-13.						
Margint Marg						
	Weight	7.0-13.1	7.0 15.1	7.0 13.1	7.0 13.1	
vehicle curb weight without driver (front axle), kg 889 889 909 909 vehicle curb weight without driver (front axle), kg 975 975 980 980 vehicle curb weight without driver (front axle), kg 975 975 980 980 vake load limit, kg 1050 1050 1050 1250 1250 1250 cear axle load limit, kg 1250 1	Vehicle weights					
vehicle curb weight without driver (rear axle), kg 975 975 980 980 wake load limit, kg 1050 1050 1050 1050 1050 1050 wake load limit, kg 1250 <th< td=""><td>Curb weight (without driver), kg</td><td>1864</td><td>1864</td><td>1889</td><td>1889</td></th<>	Curb weight (without driver), kg	1864	1864	1889	1889	
Avke load limit front, kg 1050 1050 1050 1050 1050 1050 are are kele load limit, kg 1250 1250 1250 1250 1250 1250 1250 1250	vehicle curb weight without driver (front axle), kg					
rear axie load limit, kg 1250 1250 1250 1250 ear Weight distribution (empty car), % 52.3 52.3 51.9 51.9 Forsos veh. weight, kg 2200 2200 2220 2220 Payload, kg 308 308 308 308 US weight US weight 4850 4850 4895 4895 Payload lbs, lbs 680 680 680 680 680 Porticle load lbs, lbs 2315 2315 2315 2315 2315 Vale load limit rear, lbs 2755 2756 2756 275 275 275 275 275<						
rear Weight distribution (empty car), % 52.3 52.3 51.9 51.9 Gross veh. weight, kg 2000 2200 2220 2220 Avaload, kg 308 308 308 308 US weight, lbs 4850 4850 4895 4895 Payload lbs, lbs 680 680 680 680 Front ake load lbs, lbs 2315 245 <th< td=""><td>. •</td><td></td><td></td><td></td><td></td></th<>	. •					
Gross veh. weight, kg 2200 2200 2220 2220 Payload, kg 308 308 308 308 Use weight, lbs gross vehicle weight, lbs 4850 4850 4895 4895 Payload lbs, lbs 680 681 681 683 483 483 484						
Payload, kg 308 308 308 308 308 308 308 308 308 308						
US weights	Payload, kg					
Payload lbs, lbs Payload lbs, lbs Pront ale load la load Pront ale la load la la load Pront ale la la load la la la load la	US weights					
Front axle load lbs, lbs Axle load limit rear, lbs Axle load ladded load ladded load ladded load ladded lad	gross vehicle weight, lbs	4850	4850	4895	4895	
Axie load limit rear, lbs 2755 2755 2755 2755 2755 2755 2755 275	Payload lbs, lbs					
vehicle weight without driver empty fuel tank, lbs 4009 4009 4064 4064 vehicle weight without driver empty fuel tank - RA, lbs 2071 2071 2081 2081 vehicle weight without driver empty fuel tank - FA, lbs 1938 1938 1983 1983 0-100Km/h, s 4.6 4.5 4.4 4.3 80-120Km/h (5), s 4.8 4.8 4.9 4.9 Fuel cons. City, L/100km 13.8 13.8 14.5 14.5 Fuel cons. Highway, L/100km 9.4 9.4 10.5 10.5 Fuel cons. Combined, L/100km 12.7 12.7 12.7 12.7 Communication Communication Communication Compression SSSB30T0 SSSB30T0 SSSB30T0 SSSB30T0 SSSB30T0 SSSB30T0 SSSB30T0 SSSB30T0 Compression rate, st. 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 <td colspan<="" td=""><td>Front axle load lbs, lbs</td><td></td><td></td><td></td><td></td></td>	<td>Front axle load lbs, lbs</td> <td></td> <td></td> <td></td> <td></td>	Front axle load lbs, lbs				
vehicle weight without driver empty fuel tank -RA, lbs 2071 2071 2081 2081 vehicle weight without driver empty fuel tank -FA, lbs 1938 1938 1983 1983 0-100Km/h, s 4.6 4.5 4.4 4.3 380-120Km/h (5.), s 4.8 4.8 4.9 4.9 4-Le cons. City, L/100km 13.8 13.8 14.5 14.5 Fuel cons. Highway, L/100km 9.4 9.4 10.5 10.5 Fuel cons. Combined, L/100km 12.7 12.7 12.7 12.7 Communication Communication Communication 5.9 5.6 6 5.7 Output per litre, kW/dm³ 106.4 111.1 106.4 111.1 Motor 55830T0 \$55830T0	· ·					
vehicle weight without driver empty fuel tank -FA, lbs 1938 1938 1983 0-100Km/h, s 4.6 4.5 4.4 4.3 80-120Km/h (5.), s 4.8 4.8 4.9 4.9 Fuel cons. City, L/100km 13.8 13.8 14.5 14.5 Fuel cons. Combined, L/100km 9.4 9.4 10.5 10.5 Fuel cons. Combined, L/100km 12.7 12.7 12.7 12.7 Motor data Communication Dought per litre, kW/dm³ 106.4 111.1 106.4 111.1 Motor Engine type \$55830T0 \$55830T0 <td></td> <td></td> <td></td> <td></td> <td></td>						
1-100Km/h, s	, ,					
80-120Km/h (5.), s 4.8 4.8 4.8 4.9 4.9 Fuel cons. City, L/100km 13.8 13.8 14.5 14.5 Fuel cons. Highway, L/100km 9.4 9.4 10.5 10.5 Fuel cons. Combined, L/100km 12.7 12.7 12.7 12.7 12.7 Fuel cons. Combined, L/100km 10.5 10.5 Fuel cons. City, L/100km 10.5 10.5 Fuel cons. City, L/100km 10.6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	0-100Km/h, s					
Fuel cons. City, L/100km 13.8 13.8 14.5 14.5 14.5 Fuel cons. Highway, L/100km 9.4 9.4 10.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5	80-120Km/h (5.), s					
Fuel cons. Highway, L/100km 9.4 9.4 10.5 10.5 Fuel cons. Combined, L/100km 12.7 12.7 12.7 12.7 12.7 12.7 12.7 12.7	Fuel cons. City, L/100km					
Motor data Communication Power to weight ratio, kg/kW 5.9 5.6 6 5.7 Output per litre, kW/dm³ 106.4 111.1 106.4 111.1 Motor Engine type S55B30T0 S55B30T0 <td>Fuel cons. Highway, L/100km</td> <td>9.4</td> <td>9.4</td> <td>10.5</td> <td>10.5</td>	Fuel cons. Highway, L/100km	9.4	9.4	10.5	10.5	
Communication Power to weight ratio, kg/kW 5.9 5.6 6 5.7 Output per litre, kW/dm³ 106.4 111.1 106.4 111.1 Motor Engine type S55830T0 S55830T0 S55830T0 S55830T0 S55830T0 CVI Indicates 6 89.6	Fuel cons. Combined, L/100km	12.7	12.7	12.7	12.7	
Power to weight ratio, kg/kW 5.9 5.6 6 5.7 Output per litre, kW/dm³ 106.4 111.1 106.4 111.1 Motor S55B30T0 S55B30T0 <t< td=""><td>Motor data</td><td></td><td></td><td></td><td></td></t<>	Motor data					
Output per litre, kW/dm³ 106.4 111.1 106.4 111.1 Motor S55830T0 S65830T0		F.0	E.C.		F 7	
Motor Engine type \$55B30T0 \$6 7 4 4 4 4 4 4 4 4 4 8 8 6 89.6 <th< td=""><td></td><td></td><td></td><td></td><td></td></th<>						
Engine type S55830TO S65830TO S55830TO S6580TO S55830TO		100.4	111.1	100.4	111.1	
Cylinders 6 6 6 6 Valves p.cyl. 4 4 4 4 Stroke, mm 89.6 89.6 89.6 89.6 Bore, mm 84 84 84 84 Displacement, cm³ 2979 2979 2979 2979 Compression rate, :1 10.2 10.2 10.2 10.2 Engine power (bHP), bHP 425 444 425/444 425/444		S55B30T0	S55B30T0	S55B30T0	S55B30T0	
Valves p.cyl. 4 4 4 4 4 Stroke, mm 89.6 89.6 89.6 89.6 Bore, mm 84 84 84 84 Displacement, cm³ 2979 2979 2979 2979 2979 Compression rate, :1 10.2 10.2 10.2 10.2 10.2 Engine power (bHP), bHP 425 444 425/444 425/444	Cylinders					
Stroke, mm 89.6 89.6 89.6 89.6 Bore, mm 84 84 84 84 Displacement, cm³ 2979 2979 2979 2979 Compression rate, :1 10.2 10.2 10.2 10.2 Engine power (bHP), bHP 425 444 425/444 425/444	Valves p.cyl.					
Displacement, cm³ 2979 2979 2979 2979 Compression rate, :1 10.2 10.2 10.2 10.2 Engine power (bHP), bHP 425 444 425/444 425/444	Stroke, mm				89.6	
Compression rate, :1 10.2 10.2 10.2 10.2 Engine power (bHP), bHP 425 444 425/444 425/444	Bore, mm					
Engine power (bHP), bHP 425 444 425/444 425/444	Displacement, cm ³					
	Compression rate, :1					
rpm at maximum power, 1/min /000-/000 5500-7300, 7000-7000 5500-7300, 7000-7000	Engine power (bHP), bHP					
	Irpiii at maximum power, 1/min	/000-/000	5500-7300	5500-7300, 7000-7000	5500-7300, 7000-7000	

BMW M4 Cabriolet			4Z93		4Z93
Section Sect	BMW M4 Cabriolet	4793		4793	
	BIVIVV IVI4 Cabiloict				
maximum space speed at maximum power, 1/min 7000 730	minimum Engine speed at maximum nower 1/min		·		·
Engine Lorque, With					
Engine torque, filtaling 406 406 90 montmark morture, Jrmin 2390-5000 1800-5002, 2390-500 2300-5002, 2390-500 2300-5002, 2390-500 2300-5002, 2390-500 2300-5002, 2390-500 2300-5002, 2390-500 2300-5002, 2390-500 2300-5002, 2390-500 2300-5002, 2390-500 2300-5002, 2390-500 2300-5002, 2390-500 2300-5002, 2390-500 2300-5002, 2390-500 2300-5002, 2390-500 2300-5002, 2390-5002, 2390-500 2300-5002, 2390-5002, 2390-2002, 2390-2002, 2390-2002, 2390-2002, 2390-2002, 2390-2002, 2390-2002, 2390-2002, 2390-2002, 2390-2002, 2390-2002, 2390-2002, 2					
pm at maximum torque, 1/min 2509-5000 1809-5500, 1809-5500, 1809-5500 1809-0500, 1809-5500 1809-0500, 1809-5500 1809-0500 1					
maximum fargine speed at maximum largines, J/min 5500 5500 5500 5500 5500 5500 1500 pasoline gasoline control Aut 91 MM Aut 91 M		2350-5500	1850-5500	1850-5500, 2350-5500	1850-5500, 2350-5500
Face Impact September	minimum Engine speed at maximum torque, 1/min	2350	1850	2350	1850
Useable ruel quality	maximum Engine speed at maximum torque, 1/min	5500	5500	5500	5500
Recommend	Fuel type	gasoline	gasoline	gasoline	gasoline
Engine of Ileochange quantity 1	Useable Fuel quality	AKI 91 MIN	AKI 91 MIN	AKI 91 MIN	AKI 91 MIN
Combustion engine K MAN MAS MA DK AS MA DK AS CDC DC DC <td></td> <td></td> <td></td> <td></td> <td></td>					
Cambustion engine		6.5	6.5	6.5	6.5
Transmission type Manual Manual DCT DCT DCT Transmission type Manual Manual DCT DCT DCT Transmission type Manual DCT DCT Transmission ratio fat gear*; 1st** 4.11 4.11 4.806 4.806 7.7					
Transmission type Manual Manual DCT OCT Transmission ratio last geart*; 1st** 4.11 4.11 4.806 4.8		K	K	M DKG 436	M DKG 436
No. of gears	**				
Transmission ratio 1st gear**; 1st** 1.4.11 4.11 4.806 4.806 1.806 1.70 1.00 1.00 1.00 1.00 1.00 1.00 1.00	**				
Transmission ratio 2nd gear**, 2nd** 1.542 1.542 1.542 1.701 1.701 1.701 Transmission ratio 4th gear**, 4th** 1.179 1.179 1.179 1.277 Transmission ratio 5th gear**, 5th** 1 1 1 1 1 Transmission ratio 5th gear**, 5th** 1 0.846 0.846 0.846 0.844 0.944 Transmission ratio 6th gear**, 7th** N/A N/A 0.671 0.671 Transmission ratio 6th gear**, 7th** N/A N/A 0.671 0.671 Transmission ratio fth gear**, 7th** N/A N/A 0.74 0.72 Transmission ratio fth gear**, 7th** CS N/A 0.33 0.33 0.33 0.33 CX Max 0.34 0.34 0.34 0.34 0.34 CX Max 0.34 0.34 0.34 0.34 0.33 0.33 CX Max 0.34 0.34 0.34 0.34 0.34 0.34 0.34 0.34					
Transmission ratio 3rd gear**; 3rd*** 1.542 1.592 1.701 1.70	• .				
Transmission ratio 6th gear**; 6th** 0.846 0.846 0.844 0.844 17ansmission ratio fth gear**; 7th** 1.0 0.846 0.846 0.844 0.844 17ansmission ratio fth gear**; 7th** 1.0 0.871 17ansmission ratio for gear**; 7th** 1.0 0.871 17ansmission ratio for gear**; 7th** 1.0 0.871 17ansmission ratio reverse gear** 3.727 3.727 4.172 4.172 4.172 17ansmission ratio reverse gear** 3.727 3.727 3.727 4.172 4.172 17ansmission ratio reverse gear** 3.727 3.727 3.727 4.172 4.172 17ansmission ratio reverse gear** 3.727 3.727 3.727 3.727 4.172 17ansmission ratio reverse gear** 3.727 3	<u> </u>				
Transmission ratio fib gear**; 6th** 0.846 0.846 0.844 0.844 Transmission ratio reverse gear** 3.727 3.727 4.172 4.172 Transmission ratio reverse gear** 3.727 3.727 4.172 4.172 ArtoSynamics Section Section Section Section Section CK Max 0.34 0.74 0.74 0.74 0.76	Transmission ratio 4th gear**; 4th**	1.179	1.179	1.277	1.277
Transmission ratio 7th gear**, 7th*** N,A N,A N,A N,A 0,671 0,571 17 manission ratio reverse gear** 3,727 3,727 4,727 4,727 4,727 Acrodynamics CK CK Min 0,34 0,34 0,34 0,34 0,34 0,34 0,34 0,34	- ·	1	1	1	1
Transmission ratio reverse gear** 3.727 3.727 4.172 4.172 Actor dynamics CX CX Min	<i>5</i> ,				
Arrodynamics Cx Min					
CK CM In 0.33 0.33 0.33 0.33 0.33 0.34 0.25 0.25		3.727	3.727	4.172	4.172
CM Min 0.33 0.33 0.33 0.33 CN Max 0.34 0.34 0.34 0.34 CN Range, m² 0.33-0.34 0.33-0.34 0.33-0.34 CX XA Min, m² 0.74 0.74 0.74 0.76 CX XA Max, m² 0.76 0.76 0.76 0.76 Stifffillance Facing surface, m² 2.23 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25	·				
C Max 0.34 0.74 0.74 0.74 0.74 0.74 0.74 0.74 0.75 0.76 0.76 0.76 0.76 0.76 0.76 0.76 0.76 0.76 0.76 0.76 0.76 0.76 0.76 0.75 0.75 0.75 0.72 0.75 0.75 <		0.00	0.00	0.00	0.00
Cx Range, m² 0.33-0.34 0.33-0.34 0.33-0.34 0.33-0.34 0.33-0.34 Cx X A Min, m² 0.74 0.74 0.76 0.7					
Cx x A Min, m²					
Cx X A Min, m² 0.74 0.74 0.74 0.76 Stirmflaeche Facing surface, m² 2.23 2.23 2.23 2.23 2.23 Emission Emission classification (type-certified)*** ULEV125		U.33-U.34	U.33-U.34	U.33-U.34	U.33-U.34
Cx X A Max, m² 0.76 0.76 0.76 Stirnflaeche Facing surface, m² 2.23 2.24 2.24 2.24 2.24		0.74	0.74	0.74	0.74
Stimflaeche Facing surface, m³ 2.23 2.25					
Facing surface , m² 2.23 2.24 2.23 2.23 2.23 2.23 2.23 2.23 2.23 2.23 2.24 2.23		5.70	3.70	5.70	3.70
Emission classification (type-certified)*** ULEV125 ULEV125 ULEV125 ULEV125 Wheel/Tyres Wheel/Tyres Front tyres		2.23	2.23	2.23	2.23
### Wheel/Tyres N/A 265/30 ZR20 (94Y) XL N/A 265/30 ZR20 (94Y) YE Front tyres var.1 255/35 ZR19 (92Y) 255/35 ZR1					
Wheel/Tyres N/A 265/30 ZR20 (94Y) XL N/A 265/30 ZR20 (94Y) The profit pr		ULEV125	ULEV125	ULEV125	ULEV125
Front tyres					
Front tyres var.1 Front tyres var.1 Front tirns N/A N/A 91 x 20 EH2 LM N/A 91 x 19 EH2 LM Pront tirns N/A 91 x 19 EH2 LM Pront tirns var.1 Pront ti		N/A	265/20 7P20 (QAV) VI	N/A	265/20 7D20 (Q4V) VI
Front rims Front rims var.1 Front rims var.1 9					
Front rims var.1 9J x 19 EH2 LM 285/30 ZR20 (99Y) XL N/A 285/30 ZR20 (99Y) XL N/A 285/30 ZR20 (99Y) XL 275/35 ZR19 (100Y) XL 275/35	•				
Rear tyres N/A 285/30 ZR20 (99Y) XL N/A 285/30 ZR20 (99Y) YL N/A 285/30 ZR20 (99Y) YL POWER TYRES VAR.1 N/A 275/35 ZR19 (100Y) XL 275/35					
Rear tyres var.1 275/35 ZR19 (100Y) XL 20 XD EH2 LM N/A 100 X 19 EH2 LM 115 TP9 N/A 1579 N/A 1579 N/A 1579 <td></td> <td></td> <td></td> <td></td> <td>285/30 ZR20 (99Y) XL</td>					285/30 ZR20 (99Y) XL
Rear rims N/A 10J x 20 EH2 LM N/A 10J x 20 EH2 LM Rear rims var.1 10J x 19 EH2 LM 1604 1604 1604 1604 1604 1604 1604 1604 1604 1604 1604 1604 1604 1604 1604 1604 1604 10J x 19 EH2 LM 10J x 19 E	•				275/35 ZR19 (100Y) XL
Rear rims var.1 10J x 19 EH2 LM 1579 N/A 1579 N/A 1579 N/A 1579 N/A 1579 N/A 1579 N/A 1579 1574 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504		, , ,			
Track front, mm N/A 1579 N/A 1579 Track front var.1, mm 1579 1579 1579 1579 Width of the rear track, mm N/A 1604 N/A 1604 Track rear var.1, mm 1604 1604 1604 1604 Wheel offset front, mm N/A 29 N/A 29 Wheel offset front var.1, mm 29 29 29 29 Wheel offset rear, mm N/A 40 N/A 40 Wheel offset rear var.1, mm 40 40 40 40 Run flat tyres N/A no N/A no N/A no Run flat tyres var.1 no no no no no N/A no Steering EPS EPS EPS EPS EPS SEPS Steering transmission, overall, :1 15 15 15 15 15 Tank The contraction of the					
Width of the rear track, mm N/A 1604 N/A 1604 Track rear var.1, mm 1604 1604 1604 1604 Wheel offset front, mm N/A 29 N/A 29 Wheel offset front var.1, mm 29 29 29 29 Wheel offset rear, mm N/A 40 N/A 40 Wheel offset rear var.1, mm 40 40 40 40 Run flat tyres N/A no N/A no Run flat tyres var.1 no no no no Steering EPS EPS EPS EPS Steering transmission, overall, :1 15 15 15 15 Tank Fuel tank capacity (approx.), I 60 60 60 60 60 Battery Battery Capacity (low voltage), Ah 69 69 69 69 System voltage (low voltage), V 12 12 12 12 12	Track front, mm				
Track rear var.1, mm 1604 1604 1604 1604 Wheel offset front, mm N/A 29 N/A 29 Wheel offset front var.1, mm 29 29 29 29 Wheel offset rear, mm N/A 40 N/A 40 Wheel offset rear var.1, mm 40 40 40 40 Run flat tyres N/A no N/A no Run flat tyres var.1 no no no no Steering EPS EPS EPS EPS Steering transmission, overall, :1 15 15 15 15 Tank Fuel tank capacity (approx.), I 60 60 60 60 60 Battery Battery Capacity (low voltage), Ah 69 69 69 69 System voltage (low voltage), V 12 12 12 12 12	Track front var.1, mm	1579	1579	1579	1579
Wheel offset front, mm N/A 29 N/A 29 Wheel offset front var.1, mm 29 29 29 29 Wheel offset rear, mm N/A 40 N/A 40 Wheel offset rear var.1, mm 40 40 40 40 Run flat tyres N/A no N/A no Run flat tyres var.1 no no no no Steering EPS EPS EPS EPS Steering transmission, overall, :1 15 15 15 15 Tank Fuel tank capacity (approx.), I 60 60 60 60 60 Battery Battery Battery (approx.), Ah 69 69 69 69 69 69 69 69 69 5ystem voltage (low voltage), V 12	Width of the rear track, mm	N/A	1604	N/A	1604
Wheel offset front var.1, mm 29 29 29 29 Wheel offset rear, mm N/A 40 N/A 40 Wheel offset rear var.1, mm 40 40 40 40 Run flat tyres N/A no N/A no Run flat tyres var.1 no no no no Steering EPS EPS EPS EPS Steering transmission, overall, :1 15 15 15 15 Tank Fuel tank capacity (approx.), I 60 60 60 60 60 Battery Capacity (low voltage), Ah 69 69 69 69 69 System voltage (low voltage), V 12 12 12 12 12 12					1604
Wheel offset rear, mm N/A 40 N/A 40 Wheel offset rear var.1, mm 40 40 40 40 Run flat tyres N/A no N/A no Run flat tyres var.1 no no no no Steering EPS EPS EPS EPS Steering transmission, overall, :1 15 15 15 15 Tank Fuel tank capacity (approx.), I 60 60 60 60 Battery Battery Capacity (low voltage), Ah 69 69 69 69 System voltage (low voltage), V 12 12 12 12 12	,				
Wheel offset rear var.1, mm 40 60	*				
Run flat tyres N/A no N/A no Run flat tyres var.1 no no no no Steering EPS EPS EPS EPS Steering transmission, overall, :1 15 15 15 15 Tank Fuel tank capacity (approx.) , I 60 60 60 60 60 Battery Capacity (low voltage), Ah 69 69 69 69 69 System voltage (low voltage), V 12					
Run flat tyres var.1 no no <td>· ·</td> <td></td> <td></td> <td></td> <td></td>	· ·				
Steering EPS EPS EPS EPS EPS SEPS EPS SEPS EPS SEPS EPS SEPS EPS SEPS EPS 69 60 60					
Power-steering EPS EPS EPS EPS EPS Steering transmission, overall, :1 15 15 15 15 15 15 15 Tank Fuel tank capacity (approx.), I 60 60 60 60 60 60 60 8 8 8 8 8 8 8 9 69 69 69 69 69 69 69 69 69 69 5 5 5 12		no	no	no	no
Steering transmission, overall, :1 15 15 15 Tank Fuel tank capacity (approx.), I 60 60 60 60 Battery Battery Capacity (low voltage), Ah 69 69 69 69 System voltage (low voltage), V 12 12 12 12 SCR	v	EDC	EDC	EDC	EDC
Tank Fuel tank capacity (approx.) , I 60 60 60 60 Battery Battery Capacity (low voltage), Ah 69 69 69 69 System voltage (low voltage), V 12 12 12 12 12 SCR	3				
Fuel tank capacity (approx.) , I 60 60 60 60 Battery Battery Capacity (low voltage), Ah 69 69 69 69 System voltage (low voltage), V 12 12 12 12 12 SCR	oteering transmission, overall, .1	13	13	13	13
Battery 69 69 69 69 69 69 69 59 59 59 69 59 69 50 50 69 69 50 69 50 69 50 69 69 50 69 <t< td=""><td>Tank</td><td></td><td></td><td></td><td>60</td></t<>	Tank				60
Battery Capacity (low voltage), Ah 69 69 69 69 System voltage (low voltage), V 12 12 12 12 12 SCR		60	60	60	
System voltage (low voltage), V 12 12 12 12 12 SCR 12	Fuel tank capacity (approx.) , I	60	60	60	
	Fuel tank capacity (approx.) , l Battery				
SCR (Yes/No) No No No No	Fuel tank capacity (approx.) , I Battery Battery Capacity (low voltage), Ah	69	69	69	69
\tag{110}	Fuel tank capacity (approx.) , I Battery Battery Capacity (low voltage), Ah System voltage (low voltage), V	69	69	69	69

•	

et
0
þr
S
4
2



Code: 21T Style: 666M	20" M Lt/Aly Wheels, Star- Spoke 666M, Perf. Non- RFT	Front: 20x9.0, 265/30 R20 Rear: 20x10.0, 285/30 R20	ZHP, ZUQ ZHP (upgrade) ZUQ (upgrade)	ZHP, ZUX ZHP (upgrade) ZUX (upgrade)
Code: 2CQ Style: 666M	20" M Lt/Aly Wheels, Star- Spoke 666M, Black, Perf. Non-RFT	Front: 20x9.0, 265/30 R20 Rear: 20x10.0, 285/30 R20	ZHP, ZUQ ZHP (upgrade) ZUQ (upgrade)	ZHP, ZUX ZHP (upgrade) ZUX (upgrade)
Code: 2VY Style: 437M	19" Lt/Aly Wheels, Double- Spoke 437M, Perf. Non- RFT	Front: 19x9.0, 255/35 R19 Rear: 19x10.0, 275/35 R19	Optional (Standard equipment 2VZ will be deleted)	Optional (Standard equipment 2VZ will be deleted)
Code: 2VZ Style: 437M	19" M Lt/Aly Wheels, Double-Spoke 437M,Black, Perf. Non- RFT	Front: 19x9.0, 255/35 R19 Rear: 19x10.0, 275/35 R19	Standard ZHP, ZUQ	Standard ZHP, ZUX

Non-Metallic	Retail Model Ye		ective: 03/01/19	CA Model Code AG Model Code Start of Production Base Price	4Y93 03/19	M4202 M44203 03/19 \$89,000
Metallic combination with ZUQ n combination with ZUX n combination with ZUX n combination with ZUX n combination with ZUX NC		Non-Metallic		Dase File		
In combination with ZUX	300	•			\$895	\$895
AF5						·
Maria Mineral Winthe Metallic Sam Marino Blue Metallic San Marino San Marino Metallic San Marino Metall	475					NC
B33		• •				
B67 Austin Yellow Metallic C11H Yas Marina Blue Metallic C11H Sakhir Orange Motallic S34 Azurite Black Metallic \$1,450 X12 Smoked Topaz Metallic \$1,450 X12 Carbon Anthracke Cloth Leather NC In combination with ZUQ NC NC Extended Merino Leather NC NC In combination with ZK1 NC NC LKA9 Slakhir Orange Extended Merino Leather NC NC In combination with ZK2 NC NC NC						
B88	B51	•				
Sakhir Orange Metallic						
S34						
Main		•			\$1.450	\$1.450
Variable						
Cloth/Leather Cloth/Leather cannot be ordered with ZK1, ZK2 or ZUQ		1 0				
Cloth/Leather Cloth/Leather cannot be ordered with ZK1, ZK2 or ZUQ		Unholstery				
CSAT Carbon Anthracite Cloth/Leather \$1,500 NC Extended Merino Leather In combination with ZUQ \$1,500 NC Extended Merino Leather cannot be ordered with ZK2 Included in package ZK1 Z6X LKA9 Silverstone Extended Merino Leather In combination with ZK1 NC NC LKA9 Silverstone Extended Merino Leather In combination with ZK1 NC NC LKDA Sakhir Orange Extended Merino Leather In combination with ZK1 NC NC LKSW Black Extended Merino Leather In combination with ZK1 NC NC LKSW Black Extended Merino Leather In combination with ZK1 NC NC LKSW Black Extended Merino Leather In combination with ZK2 NC NC In combination with ZK2 NC NC NC Full Merino Leather requires ordering Z3A or ZUP (reqd) (reqd) (reqd) (reqd) In combination with ZUX X3A NC NC NC NC X3DA Sakhir Orange Full Merino Leather In combination with ZK2 NC NC NC X3AA Silverstone/Black Two-Tone Full Merino Leather In comb		-			NC	NA
Extended Merino Leather In combination with ZUQ Extended Merino Leather cannot be ordered with ZK2 In combination with ZBQ Extended Merino Leather cannot be ordered with ZK2 Included in package LKA9 Silverstone Extended Merino Leather In combination with ZK1 In combination with ZK1 LKDA Sakhir Orange Extended Merino Leather In combination with ZK1 In combination with ZK1 LKSW Black Extended Merino Leather In combination with ZK2 In combination with ZK1 LKSW Black Extended Merino Leather In combination with ZK2 In combination with ZK1 NC Full Merino Leather In combination with ZUQ Full Merino Leather requires ordering Z3A or ZUP Included in package In combination with ZUX X3A9 Silverstone Full Merino Leather In combination with ZK2 In combination with ZK2 X3A0 Sakhir Orange Full Merino Leather In combination with ZK2 X3A1 Silverstone Full Merino Leather In combination with ZK2 X3A2 Sakhir Orange Full Merino Leather In combination with ZK2 X3A3 Silverstone Full Merino Leather In combination with ZK2 X3A4 Silverstone Full Merino Leather In combination with ZK2 X3A5 Sakhir Orange Full Merino Leather In combination with ZK2 X3B0 Sakhir Orange/Black Two-Tone Full Merino Leather X3B0 X3B0 capting X1P or ZUP In combination with ZK2 X3B0 Sakhir Orange/Black Two-Tone Full Merino Leather X3B0 capting X1P or ZUQ In combination with ZK2 X3B0 Sakhir Orange/Black Two-Tone Full Merino Leather X3B0 capting X1P or ZUQ In combination with ZK2 X3B0 Sakhir Orange/Black Two-Tone Full Merino Leather X3B0 capting X1P or ZUQ In combination with ZK2 X3B0 Sakhir Orange/Black Two-Tone Full Merino Leather X3B0 capting X1P or ZUQ In combination with ZK2 X3B0 Sakhir Orange/Black Two-Tone Full Merino Leather X3B0 capting X1P or ZUQ X3B0 capting X1P or		Cloth/Leather cannot be ordere	d with ZK1, ZK2 or ZUQ		(req'd)	
In combination with ZUQ Extended Merino Leather cannot be ordered with ZK2 (req'd) (req'	CSAT	Carbon Anthracite Cloth/Leathe	r			NA
Extended Merino Leather cannot be ordered with ZK2 (req'd) (req'd) (ncluded in package ZK1 Z6X		Extended Merino Leather			\$1,500	NC
Included in package						, I.D.
LKA9			ot be ordered with ZK2			
In combination with Z6X In combination with ZK1 NC In combination with ZK1 NC In combination with Z6X In combination with Z6X In combination with ZK1 NC NC In combination with ZK1 NC In combination with ZK1 NC NC In combination with ZUQ NC In combination with ZUQ In combination with ZUX NC NC NC NC NC NC NC N	LKA9		ather		ZIXI	20/
LKDA Sakhir Orange Extended Merino Leather NC In combination with Z6X NC LKSW Black Extended Merino Leather NC In combination with Z6X NC In combination with Z6X NC In combination with ZV1 NC Full Merino Leather \$4,000 In combination with ZUQ NC Full Merino Leather requires ordering Z3A or ZUP (reqd) Included in package ZK2 In combination with ZUX NC X3A9 Silverstone Full Merino Leather In combination with ZK2 NC X3DA Sakhir Orange Full Merino Leather In combination with ZK2 NC X3IA Silverstone/Black Two-Tone Full Merino Leather In combination with ZK2 NC X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather						NC
In combination with Z6X		In combination with ZK1			NC	
In combination with ZK1	LKDA	•	Leather			NO
LKSW Black Extended Merino Leather In combination with ZEX NC In combination with ZEX NC In combination with ZEX NC NC In combination with ZUQ NC Full Merino Leather requires ordering Z3A or ZUP (req'd) (req'd) (req'd) Included in package ZK2 ZK2 In combination with ZUX NC X3A9 Silverstone Full Merino Leather In combination with ZK2 NC NC NC X3DA Sakhir Orange Full Merino Leather In combination with ZK2 NC NC NC NC NC NC NC N					NC	NC
In combination with Z6X In combination with ZK1 Full Merino Leather Full Merino Leather In combination with ZUQ Full Merino Leather requires ordering Z3A or ZUP Included in package In combination with ZUX X3A9 Silverstone Full Merino Leather In combination with ZK2 X3BA Sakhir Orange Full Merino Leather In combination with ZK2 X3IA Silverstone/Black Two-Tone Full Merino Leather In combination with ZK2 X3IA Silverstone/Black Two-Tone Full Merino Leather In combination with ZK2 X3IA Silverstone/Black Two-Tone Full MerinoLeather X3IA Silverstone/Black Two-Tone Full MerinoLeather X3IC requires ordering ZHP or ZUP In combination with ZK2 X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IC requires ordering ZHP or ZUQ In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW In combination with ZK2 X3SW BMW Individual Extended Merino In combination with ZK2 X3CO S2,000 In combination with ZK1 In combination with ZK2 X3CO S2,000 S2,000 SAMU SAM	LKSW				140	
Full Merino Leather In combination with ZUQ Full Merino Leather requires ordering Z3A or ZUP Included in package In combination with ZUX X3A9 Silverstone Full Merino Leather In combination with ZK2 X3BA Sakhir Orange Full Merino Leather In combination with ZK2 X3BA Silverstone/Black Two-Tone Full Merino Leather X3BA X3IA Silverstone/Black Two-Tone Full Merino Leather X3IA requires ordering ZHP or ZUP X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IO requires ordering ZHP or ZUP X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IO requires ordering ZHP or ZUP X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IO requires ordering ZHP or ZUQ X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZVQ In combination w						NC
In combination with ZUQ Full Merino Leather requires ordering Z3A or ZUP Included in package In combination with ZUX X3A9 Silverstone Full Merino Leather In combination with ZK2 X3BA Sakhir Orange Full Merino Leather In combination with ZK2 X3BA Sakhir Orange Full Merino Leather In combination with ZK2 X3IA Silverstone/Black Two-Tone Full Merino Leather X3IA requires ordering ZHP or ZUP In combination with ZK2 X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IO requires ordering ZHP or ZUQ In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather X3SW BMW Individual Extended Merino Leather X3SW Stable Sta		In combination with ZK1			NC	
Full Merino Leather requires ordering Z3A or ZUP Included in package In combination with ZUX X3A9 Silverstone Full Merino Leather In combination with ZK2 X3DA Sakhir Orange Full Merino Leather In combination with ZK2 X3DA Silverstone/Black Two-Tone Full Merino Leather In combination with ZK2 X3IA Silverstone/Black Two-Tone Full Merino Leather In combination with ZK2 X3IA Full Merino Leather In combination with ZK2 X3IA Full Merino Leather In combination with ZK2 X3IA Full Merino Leather In combination with ZK2 X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IO requires ordering ZHP or ZUQ In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW BMW Individual Extended Merino In combination with ZK2 X3SW Sakir Orange/Black Two-Tone Full Merino Leather X3SW BMW Individual - Oolden Brown Extended Merino Leather X4ML BMW Individual - Opal White Extended Merino Leather X4NO BMW Individual - Amaro Brown Extended Merino Leather X4P5 BMW Individual - Amaro Brown Extended Merino Leather		Full Merino Leather			\$4,000	\$4,000
Included in package In combination with ZUX X3A9 Silverstone Full Merino Leather In combination with ZK2 X3DA Sakhir Orange Full Merino Leather In combination with ZK2 X3DA Sakhir Orange Full Merino Leather In combination with ZK2 X3DA Silverstone/Black Two-Tone Full Merino Leather In combination with ZK2 X3DA Silverstone/Black Two-Tone Full Merino Leather X3DA requires ordering ZHP or ZUP In combination with ZK2 X3DA Sakhir Orange/Black Two-Tone Full MerinoLeather X3DA requires ordering ZHP or ZUQ In combination with ZK2 X3DA Sakhir Orange/Black Two-Tone Full MerinoLeather X3DA requires ordering ZHP or ZUQ In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather X3SW Black Full Merino Leather X3SW Black Full Merino Leather X4DA BMW Individual - Solden Brown Extended Merino Leather X4DA BMW Individual - Opal White Extended Merino Leather X4DA BMW Individual - Amaro Brown Extended Merino Leather X4DA BMW Individual - Amaro Brown Extended Merino Leather						
In combination with ZUX X3A9 Silverstone Full Merino Leather In combination with ZK2 X3DA Sakhir Orange Full Merino Leather In combination with ZK2 X3IA Silverstone/Black Two-Tone Full Merino Leather X3IA requires ordering ZHP or ZUP In combination with ZK2 X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IO requires ordering ZHP or ZUQ In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW In dividual Extended Merino In combination with ZUQ In combination with ZUQ In combination with ZUX In combination with ZUX In combination with ZUX In combination with ZK1 In combination with ZK2 X3SW Black Full Merino Leather In combination with ZUQ In combination with ZUQ In combination with ZUX In combination with ZUX In combination with ZUX In combination with ZK1 In combination with ZK2 X3SW Black Full Merino Leather X4ML BMW Individual - Nutmeg Extended Merino Leather X4P5 BMW Individual - Amaro Brown Extended Merino Leather		·	dering Z3A or ZUP			,
X3A9 Silverstone Full Merino Leather In combination with ZK2 NC NC NC X3DA Sakhir Orange Full Merino Leather In combination with ZK2 NC NC NC NC X3IA Silverstone/Black Two-Tone Full Merino Leather X3IA requires ordering ZHP or ZUP (req'd) In combination with ZK2 NC NC X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IO requires ordering ZHP or ZUQ (req'd) In combination with ZK2 NC NC X3SW Black Full Merino Leather In combination with ZK2 NC		. •			ZNZ	
X3DA Sakhir Orange Full Merino Leather In combination with ZK2 X3IA Silverstone/Black Two-Tone Full Merino Leather X3IA requires ordering ZHP or ZUP In combination with ZK2 X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IO requires ordering ZHP or ZUQ In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather X3SW Black Full Merino Leather X4SW BMW Individual - Solden Brown Extended Merino Leather X4ML BMW Individual - Opal White Extended Merino Leather X4P5 BMW Individual - Amaro Brown Extended Merino Leather	X3A9					
In combination with ZK2 X3IA Silverstone/Black Two-Tone Full Merino Leather X3IA requires ordering ZHP or ZUP In combination with ZK2 X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IO requires ordering ZHP or ZUQ (req'd) In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino L					NC	NC
X3IA Silverstone/Black Two-Tone Full Merino Leather X3IA requires ordering ZHP or ZUP In combination with ZK2 X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IO requires ordering ZHP or ZUQ In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 X3SW In dividual Extended Merino In combination with ZUQ In combination with ZUQ In combination with ZUX In combination with ZUX In combination with ZK1 In combination with ZK2 ZAG8 BMW Individual - Golden Brown Extended Merino Leather ZAML BMW Individual - Opal White Extended Merino Leather ZAOW BMW Individual - Amaro Brown Extended Merino Leather ZAP5 BMW Individual - Amaro Brown Extended Merino Leather	X3DA		her			
X3IA requires ordering ZHP or ZUP In combination with ZK2 X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IO requires ordering ZHP or ZUQ In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 NC NC BMW Individual Extended Merino In combination with ZUQ In combination with ZUQ In combination with ZUX In combination with ZUX In combination with ZK1 In combination with ZK2 ZAG8 BMW Individual - Golden Brown Extended Merino Leather ZAML BMW Individual - Opal White Extended Merino Leather ZAOW BMW Individual - Amaro Brown Extended Merino Leather ZAP5 BMW Individual - Amaro Brown Extended Merino Leather	V21A		Il Marina I aathar		NC	
In combination with ZK2 X3IO Sakhir Orange/Black Two-Tone Full MerinoLeather X3IO requires ordering ZHP or ZUQ (req'd) In combination with ZK2 X3SW Black Full Merino Leather In combination with ZK2 BMW Individual Extended Merino In combination with ZK2 BMW Individual Extended Merino In combination with ZUQ S2,000 In combination with ZGX S3,000 In combination with ZUX S2,000 In combination with ZK1 S3,000 In combination with ZK2 S2,000 ZAG8 BMW Individual - Golden Brown Extended Merino Leather ZAML BMW Individual - Opal White Extended Merino Leather ZAOW BMW Individual - Amaro Brown Extended Merino Leather	ASIA				(rea'd)	INA
X3IO requires ordering ZHP or ZUQ			_0.			
In combination with ZK2	X3IO	Sakhir Orange/Black Two-Tone	Full MerinoLeather			NA
X3SW Black Full Merino Leather In combination with ZK2 NC NC BMW Individual Extended Merino \$6,000 \$6,000 In combination with ZUQ \$2,000 In combination with Z6X \$3,000 In combination with ZUX \$2,000 In combination with ZUX \$2,000 In combination with ZK1 \$3,000 In combination with ZK1 \$3,000 In combination with ZK2 \$2,000 \$2,000 ZAG8 BMW Individual - Golden Brown Extended Merino Leather ZAML BMW Individual - Nutmeg Extended Merino Leather ZAOW BMW Individual - Opal White Extended Merino Leather ZAP5 BMW Individual - Amaro Brown Extended Merino Leather			ZUQ			
BMW Individual Extended Merino In combination with ZUQ In combination with ZUQ In combination with ZUX In combination with ZUX In combination with ZK1 In combination with ZK1 S2,000 In combination with ZK1 S2,000 EXAGS BMW Individual - Golden Brown Extended Merino Leather EXAML BMW Individual - Opal White Extended Merino Leather EXAP5 BMW Individual - Amaro Brown Extended Merino Leather	Vacini				NC	
In combination with ZUQ In combination with Z6X In combination with ZUX In combination with ZUX In combination with ZK1 In combination with ZK1 In combination with ZK2 ZAG8 BMW Individual - Golden Brown Extended Merino Leather ZAML BMW Individual - Nutmeg Extended Merino Leather ZAOW BMW Individual - Opal White Extended Merino Leather ZAP5 BMW Individual - Amaro Brown Extended Merino Leather	73211				NC	NC
In combination with ZUQ In combination with Z6X In combination with ZUX In combination with ZUX In combination with ZK1 In combination with ZK1 In combination with ZK2 ZAG8 BMW Individual - Golden Brown Extended Merino Leather ZAML BMW Individual - Nutmeg Extended Merino Leather ZAOW BMW Individual - Opal White Extended Merino Leather ZAP5 BMW Individual - Amaro Brown Extended Merino Leather		DMW Individual Extended Ma	rin a		¢6 000	¢e 000
In combination with Z6X In combination with ZUX In combination with ZK1 In combination with ZK1 In combination with ZK2 S2,000 In combination with ZK2 ZAG8 BMW Individual - Golden Brown Extended Merino Leather ZAML BMW Individual - Nutmeg Extended Merino Leather ZAOW BMW Individual - Opal White Extended Merino Leather ZAP5 BMW Individual - Amaro Brown Extended Merino Leather			iiio			φυ,υυυ
In combination with ZUX In combination with ZK1 In combination with ZK1 In combination with ZK2 ZAG8 BMW Individual - Golden Brown Extended Merino Leather ZAML BMW Individual - Nutmeg Extended Merino Leather ZAOW BMW Individual - Opal White Extended Merino Leather ZAP5 BMW Individual - Amaro Brown Extended Merino Leather					, =, = 30	\$3,000
In combination with ZK2 \$2,000 \$2,000 ZAG8 BMW Individual - Golden Brown Extended Merino Leather ZAML BMW Individual - Nutmeg Extended MerinoLeather ZAOW BMW Individual - Opal White Extended Merino Leather ZAP5 BMW Individual - Amaro Brown Extended Merino Leather		In combination with ZUX				
ZAG8 BMW Individual - Golden Brown Extended Merino Leather ZAML BMW Individual - Nutmeg Extended MerinoLeather ZAOW BMW Individual - Opal White Extended Merino Leather ZAP5 BMW Individual - Amaro Brown Extended Merino Leather						A
ZAML BMW Individual - Nutmeg Extended MerinoLeather ZAOW BMW Individual - Opal White Extended Merino Leather ZAP5 BMW Individual - Amaro Brown Extended Merino Leather	7400		Cutonded Marine Leather		\$2,000	\$2,000
ZAOW BMW Individual - Opal White Extended Merino Leather ZAP5 BMW Individual - Amaro Brown Extended Merino Leather						
ZAP5 BMW Individual - Amaro Brown Extended Merino Leather						
ZAWT BMW Individual - Cohiba Brown Extended Merino Leather		•				
	ZAWT	BMW Individual - Cohiba Brown	Extended Merino Leather			

	l Pricing	be	ŧ
Model Y	'ear 2020 M4 Effective: 03/01/19	M4 Coupe	M4 Cabriolet
	2.100.11.0.100	₹	R Mak
	CA Model (204M 4Z93
	AG Model C Start of Produ		03/19
	Base F		\$89,000
	Packages		
Z6X	Premium Package	NA	\$4,500
	LKA9 - Silverstone Extended Merino Leather LKDA - Sakhir Orange Extended Merino Leather		NC NC
	LKSW - Black Extended Merino Leather		NC NC
	Z6X will delete STD or 100% equipment 693		(req'd)
ZHP	Competition Package	\$6,500	\$5,500
	21T - 20" M Lt/Aly Wheels, Star-Spoke 666M, Perf. Non-RFT	NC	NC
	2CQ - 20" M Lt/Aly Wheels, Star-Spoke 666M, Black, Perf. Non-RFT	NC (regid)	NC
	ZHP cannot be ordered with LKJR and X3JR ZHP will delete STD or 100% equipment 488	(req'd) (req'd)	
ZK1	Premium Package	\$4,500	NA
	LKA9 - Silverstone Extended Merino Leather	NC	
	LKDA - Sakhir Orange Extended Merino Leather	NC	
	LKSW - Black Extended Merino Leather	NC	
	ZK1 cannot be ordered with Cloth/Leather ZK1 will delete STD or 100% equipment 693	(req'd)	
ZK2	Executive Package	(req'd) \$4,500	\$4,500
	X3A9 - Silverstone Full Merino Leather	NC	NC
	X3DA - Sakhir Orange Full Merino Leather	NC	NC
	X3IA - Silverstone/Black Two-Tone Full Merino Leather	NC	
	X3IO - Sakhir Orange/Black Two-Tone Full MerinoLeather	NC	
	X3SW - Black Full Merino Leather ZK2, requires ordering ZK1	NC (reg'd)	NC
	ZK2 requires ordering ZK1 ZK2 requires ordering Z6X	(req'd)	(req'd)
	ZK2 cannot be ordered with Cloth/Leather or Extended Merino Leather		(req'd)
ZK3	Driver Assistance Package	\$1,250	\$1,250
ZUQ	Ultimate Package	\$26,000	NA
	21T - 20" M Lt/Aly Wheels, Star-Spoke 666M, Perf. Non-RFT	NC NC	
	2CQ - 20" M Lt/Aly Wheels, Star-Spoke 666M, Black, Perf. Non-RFT ZUQ cannot be ordered with ZCB, ZHP, ZK1, ZK2, ZK3 or ZTV	(req'd)	
ZUX	Ultimate Package	NA	\$26,000
	21T - 20" M Lt/Aly Wheels, Star-Spoke 666M, Perf. Non-RFT		NC
	2CQ - 20" M Lt/Aly Wheels, Star-Spoke 666M, Black, Perf. Non-RFT		NC
	ZUX cannot be ordered with Z6X, ZCP, ZHP, ZK2, ZK3 or ZTV		(req'd)
	Options	*****	
2MK	M Double Clutch Transmission	\$3,900	\$3,900
2NK	M Carbon Ceramic Brake	\$9,500 \$900	\$9,500
2VF	Adaptive M Suspension Included in package	ZHP, ZUQ	\$900 ZHP, ZUX
2VY	19" Lt/Aly Wheels, Double-Spoke 437M, Perf. Non-RFT	NC NC	NC
	(19x9.0, 255/35 R19 front and 19x10.0, 275/35 R19 rear)		
	2VY will delete STD or 100% equipment 2VZ	(req'd)	(req'd)
319	Universal Remote Control	\$250	\$250
403	Included in package Glass Sunroof	ZK2, ZUQ NC	ZK2, ZUX NA
415	Electric Rear Sunshade	\$250	NA NA
	Included in package	ZK2, ZUQ	
441	Smoker's Package	\$100	\$100
4FU	Fineline Anthracite Trim w/Chrome Highlight	NC	NC
4WL	Carbon Fibre Trim w/Black Chrome Highlight	\$500	\$500
552	Adaptive Full LED Headlights	\$2,000	\$2,000
	552 will delete STD or 100% equipment 522 and 524	(req'd) ZK2, ZUQ	(req'd) ZK2, ZUX
	Included in package Park Assistant (Incl 508 PDC Front/Rear)	\$400	\$400
5DP	·	ψ.00	(reg'd)
5DP	5DP requires ordering Z6X or ZUX		
5DP	5DP requires ordering Z6X or ZUX 5DP requires ordering ZK1 or ZUQ	(req'd)	
	5DP requires ordering ZK1 or ZUQ M Driver's Package	\$2,450	\$2,450
7ME	5DP requires ordering ZK1 or ZUQ M Driver's Package Included in package	\$2,450 ZUQ	ZUX
	5DP requires ordering ZK1 or ZUQ M Driver's Package	\$2,450	ZUX \$350

	Pricing ear 2020 M4 Effective: 03/01/19		M4 Coupe	M4 Cabriolet
		CA Model Code	20M4	204M
		AG Model Code	4Y93	4Z93
		Start of Production	03/19	03/19
E7	Piano Finish Black Wood Trim	Base Price	\$79,350 \$400	\$89,000 \$400
EΧ	White Ash Wood Trim		\$400	\$400
.c. .01	Fashion Grey		NC	NC
Οī	Z01 requires ordering ZUQ			NC
	Z01 requires ordering ZUX		(req'd)	(rog'd)
.03	British Racing Green		NC	(req'd) NC
03	-			NC
	Z03 requires ordering ZUQ		(req'd)	(roa!d)
·01.1	Z03 requires ordering ZUX		¢2,000	(req'd)
:0H	Frozen Dark Blue II		\$2,000	\$2,000
	In combination with ZUQ		\$1,000	# 4 000
	In combination with ZUX		(\$1,000
40	Z0H cannot be ordered with 403		(req'd)	(req'd)
13	Speed Yellow		NC	NC
	Z13 requires ordering ZUQ		(req'd)	,
41.1	Z13 requires ordering ZUX			(req'd)
4H	Laguna Seca Blue		NC	NC
	Z4H requires ordering ZUX		,	(req'd)
	Z4H requires ordering ZUQ		(req'd)	
53	Lava Grey		NC	NC
	Z53 requires ordering ZUX			(req'd)
	Z53 requires ordering ZUQ		(req'd)	
92	M Performance Titanium Exhaust w/CarbonTips		\$4,900	\$4,900
	Included in package		ZUQ	ZUX
ΞD	European Delivery		NC	NC
-0	Java Green Metallic		NC	NC
	ZF0 requires ordering ZUX			(req'd)
	ZF0 requires ordering ZUQ		(req'd)	
J2	Frozen Red II		\$2,000	\$2,000
	In combination with ZUQ		\$1,000	
	In combination with ZUX			\$1,000
	ZJ2 cannot be ordered with 403		(req'd)	(req'd)
SP	Special Order		\$400	\$400
SR	Frozen Silver		\$2,000	\$2,000
	In combination with ZUQ		\$1,000	
	In combination with ZUX			\$1,000
	ZSR cannot be ordered with 403		(req'd)	(req'd)
SW	Frozen Brilliant White		\$2,000	\$2,000
	In combination with ZUQ		\$1,000	
	In combination with ZUX			\$1,000
	ZSW cannot be ordered with 403		(req'd)	(req'd)
0	Imola Red II		NC	NC
	ZT0 requires ordering ZUX			(req'd)
	ZT0 requires ordering ZUQ		(req'd)	,
7	Santorini Blue II		NC	NC
	ZT7 requires ordering ZUX			(req'd)
	ZT7 requires ordering ZUQ		(req'd)	v = 1 = 7
VO	Grey Black		NC	NC
	ZVO requires ordering ZUQ		(req'd)	-
	ZVO requires ordering ZUX		1 - 7	(req'd)
ZH	Frozen Black		\$2,000	\$2,000
	In combination with ZUQ		\$1,000	,_,000
	ZZH cannot be ordered with 403		(req'd)	(req'd)

	luct Configuration Year 2020	M4 Effective: 03/01/19		M4 Coupe	M4 Cabriolet
			CA Model Code AG Model Code Start of Production	20M4 4Y93 03/19	204M 4Z93 03/19
	Options				
216 21T		Spoke 666M, Perf. Non-RFT and 20x10.0, 285/30 R20 rear)		STD	STD
	Alternate in package			ZHP ZUQ	ZHP ZUX
248 249	Heated Steering Wheel Multi-Function Steering W	heel with Cruise Control		100% STD	100% STD
2CQ	,	Spoke 666M, Black, Perf. Non-RFT and 20x10.0, 285/30 R20 rear)			
	Alternate in package			ZHP ZUQ	ZHP ZUX
2MD	MDrive			STD	STD
2MK 2NK	M Double Clutch Transmis M Carbon Ceramic Brake	sion		X	X
2VB	Tire Pressure Monitor			X 100%	X 100%
2VF	Adaptive M Suspension			X	X
Z V I	Included in package			ZHP ZUQ	ZHP ZUX
2VY		-Spoke 437M, Perf. Non-RFT and 19x10.0, 275/35 R19 rear)		X	X X
2VZ		0% equipment 2VZ ble-Spoke 437M,Black, Perf. Non-RFT and 19x10.0, 275/35 R19 rear)		x 100%	x 100%
	Included in package			ZHP	ZHP
302	Alarm System			ZUQ 100%	ZUX 100%
319	Universal Remote Control			X	x
0.0	Included in package			ZK2	ZK2
	moradou in paonago			ZUQ	ZUX
322	Comfort Access			100%	100%
387	Wind Deflector				STD
3AG	Rear View Camera			100%	100%
403	Glass Sunroof			X	
415	Electric Rear Sunshade			X	
	Included in package			ZK2	
423	Velour Floor Mats			ZUQ 100%	100%
430	Auto Dimming Exterior Mir	rore		100%	100%
431	Auto Dimming Interior Mirr			STD	STD
441	Smoker's Package	OI .		X	X
459	Electric Seats w/ Driver Me	am.		100%	STD
465	Through Loading System	5111.		10070	STD
488	Lumbar Support			STD	STD
490	Adjustable Seat Width w E	lectric Lumbar		STD	STD
493	Storage Compartment Pag			015	015
.55	Included in package	······································		ZK1	Z6X
				ZUQ	ZUX
494	Heated Front Seats			100%	100%
4AE	Armrest front, sliding	(0)		100%	100%
4FU	Fineline Anthracite Trim w	/Chrome Highlight		X	x

	luct Configuration Year 2020	M4 Effective: 03/01/19		M4 Coupe	M4 Cabriolet
				™	M 04
			CA Model Code	20M4	204M
			AG Model Code Start of Production	4Y93 03/19	4Z93 03/19
4GQ	M Seat Belts		Start of Froduction	00/10	00/10
	4GQ requires ordering 7M	A		x	X
	Included in package			ZHP	ZHP
4NH	Air Collar			ZUQ	ZUX STD
4WK	All Collai Aluminum Blade Trim w/Bla	ack Chrome Highlight		100%	100%
4WL	Carbon Fibre Trim w/Black			X	X
508	Park Distance Control, fron				
	Included in package			ZK1	Z6X
504	D: 0 :: 11 A / 11			ZUQ	ZUX
521	Rain Sensor with Auto Hea	diamps		STD	STD
524 534	Adaptive Headlights Automatic Climate Control			100% STD	100% STD
544	Dynamic Cruise Control			STD	STD
552	Adaptive Full LED Headligh	nts		X	X
	552 will delete STD or 100			x	x
	Included in package			ZK2	ZK2
EGO	Lighta Daakaga			ZUQ	ZUX
563 5A2	Lights Package LED Headlights			STD 100%	STD 100%
5AC	High-Beam Assistant			100 /6	100 /6
<i>0,</i> 1 0	Included in package			ZK3	ZK3
				ZUQ	ZUX
5AG	Active Blind Spot Detection				
	Included in package			ZK3 ZUQ	ZK3 ZUX
5AS	Driving Assistant			100%	100%
5DL	Surround View				
	Included in package			ZK2	ZK2
5DP	Park Assistant (Incl 508 PD	IC Front/Rear)		ZUQ x	ZUX x
JDI	5DP requires ordering ZK1	•		X	^
	5DP requires ordering Z6X				X
5DS	Luggage-Compartment Em	ergency Unlocking		STD	STD
609	On-Board Navigation			100%	100%
610	Head-Up Display				
	Included in package			ZK1 ZUQ	Z6X ZUX
655	SiriusXM Satellite Radio Tu	iner		100%	100%
	Included in package			ZUQ	ZUX
688	Harman/Kardon Sound Sys	stem		100%	100%
6AC	Intelligent Emergency Call			100%	100%
6AE	Teleservices			100%	100%
6CP	Apple CarPlay Preparation	ooth		100%	100%
6NH 6NW	USB Integration with Blueto Wireless Charging w/Exten			100%	100%
OINVV	Included in package	aca Diactoutii ana 000		ZK1	Z6X
				ZUQ	ZUX
6WA	Instrument Cluster, ext.			STD	STD
6WD	WiFi Hotspot			714	70)/
	Included in package			ZK1 ZUQ	Z6X ZUX
				200	201

Product Configuration Model Year 2020 M4 Effective: 03/01/19		M4 Coupe	M4 Cabriolet	
		04 Madal 0 ada		
		CA Model Code AG Model Code	20M4 4Y93	204M 4Z93
		Start of Production	03/19	03/19
760	High-Gloss Shadow Line	Ctart of Freduction	100%	100%
775	Anthracite Roofliner		STD	STD
7M9	High-Gloss Black Kidney Grille w/ Ex	stended Contents		
	Included in package		ZHP ZUQ	ZHP ZUX
7MA	Competition Package			
	Included in package		ZHP ZUQ	ZHP ZUX
7ME	M Driver's Package		X	X
	Included in package		ZUQ	ZUX
7 S9	BMW ConnectedDrive Services Prof	essional		
	Included in package		ZUQ	ZUX
8KL	Oil Service Interval 15,000km		100%	100%
8TH	Speed Limit Info		x	x
	Included in package		ZK3	ZK3
XE5	Red Brown Dark Sycamore Wood Tr	rim.	ZUQ	ZUX
XE7	Piano Finish Black Wood Trim	!!!!	X X	X X
XEX	White Ash Wood Trim		X	×
Z01	Fashion Grey		X	×
201	Z01 requires ordering ZUQ		X	^
	Z01 requires ordering ZUX			X
Z03	British Racing Green		x	X
	Z03 requires ordering ZUQ		x	
	Z03 requires ordering ZUX			X
Z0H	Frozen Dark Blue II		X	X
740	Z0H cannot be ordered with 403		X	X
Z13	Speed Yellow		X	X
	Z13 requires ordering ZUQ Z13 requires ordering ZUX		X	V
Z31	High-Gloss Black Kidney Grills			Х
201	Included in package		ZUQ	ZUX
Z32	Carbon Fibre Front Inserts and Black	k Lower Lip	200	20%
	Included in package	•	ZUQ	ZUX
Z41	High-Gloss Black Side Grill			
	Included in package		ZUQ	ZUX
Z4H	Laguna Seca Blue		X	X
	Z4H requires ordering ZUQ		X	
750	Z4H requires ordering ZUX			X
Z53	Lava Grey		X	X
	Z53 requires ordering ZUQ Z53 requires ordering ZUX		X	V
Z 69	Carbon Fibre Side Mirrors			X
_00	Included in package		ZUQ	ZUX
Z92	M Performance Titanium Exhaust w/	CarbonTips	×	X
	Included in package	·	ZUQ	ZUX
Z93	Black Side Skirt			
	Included in package		ZUQ	ZUX
Z95	Carbon Fibre Spoiler			
700	Included in package		ZUQ	
Z98	Carbon Fibre Rear Diffuser			

	uct Configuration Year 2020 M4	Φ	o e
Model	Effective: 03/01/19	M4 Coupe	M4 Cabriolet
		Model Code 20M4	204M
		Model Code 4Y93 Production 03/19	4Z93 03/19
	Included in package	ZUQ	ZUX
ZED	European Delivery	X	x
ZF0	Java Green Metallic	X	x
0	ZF0 requires ordering ZUQ	X	,,
	ZF0 requires ordering ZUX		x
ZFN	BMW ConnectedDrive Services Essential	100%	100%
ZJ2	Frozen Red II	Х	x
	ZJ2 cannot be ordered with 403	X	x
ZMA	6-Speed Manual Transmission	100%	100%
ZSP	Special Order	X	x
ZSR	Frozen Silver	X	x
	ZSR cannot be ordered with 403	X	x
ZSW	Frozen Brilliant White	X	x
	ZSW cannot be ordered with 403	X	x
ZT0	Imola Red II	X	x
	ZT0 requires ordering ZUQ	X	
	ZTO requires ordering ZUX		x
ZT7	Santorini Blue II	X	x
	ZT7 requires ordering ZUQ	X	
	ZT7 requires ordering ZUX		x
ZVO	Grey Black	X	x
	ZVO requires ordering ZUQ	X	
	ZVO requires ordering ZUX		x
ZZH	Frozen Black	X	x
	ZZH cannot be ordered with 403	x	х
	Non-Metallic	STD	STD
300	Alpine White Non Metallic	X	x
	Metallic	x	x
475	Black Sapphire Metallic	X	х
A96	Mineral White Metallic	X	x
B39	Mineral Grey Metallic	X	x
B51	San Marino Blue Metallic	X	x
B67	Austin Yellow Metallic	X	X
B68	Yas Marina Blue Metallic	X	X
C1H	Sakhir Orange Metallic	X	X
S34	Azurite Black Metallic	X	X
X08	Champagne Quartz Metallic	X	X
X12	Smoked Topaz Metallic	X	X
	Upholstery		
CS	Cloth/Leather	X	
	Cloth/Leather cannot be ordered with ZK1, ZK2 or ZUQ	X	
CSAT	Carbon Anthracite Cloth/Leather	X	l
LK	Extended Merino Leather	X	x
	Extended Merino Leather cannot be ordered with ZK2	X	x
	Included in package	ZK1	Z6X

Product Configuration Model Year 2020 M4 w					
MOUEI	16di 2020	Effective: 03/01/19	CA Model Code	WM4 Coupe	M4 Cabriolet
		S	AG Model Code Start of Production	4Y93 03/19	4Z93 03/19
LKA9	Silverstone Extended Mer			Х	х
LICDA	Alternate in package	Marina Lanthan		ZK1	Z6X
LKDA	Sakhir Orange Extended Naternate in package	vierino Leatner		X ZK1	x Z6X
LKSW	Black Extended Merino Le	eather		X	x
	Alternate in package			ZK1	Z6X
Х3	Full Merino Leather			X	х
	Full Merino Leather requir	res ordering Z3A or ZUP		X	X
X3A9	Included in package Silverstone Full Merino Le	ather		ZK2 x	ZK2 x
ASAS	Alternate in package	au iei		ZK2	ZK2
X3DA	Sakhir Orange Full Merino	Leather		X	X
	Alternate in package			ZK2	ZK2
X3IA	Silverstone/Black Two-Tor	ne Full Merino Leather		x	
	X3IA requires ordering ZI	HP or ZUP		x	
\/O!O	Alternate in package			ZK2	
X3IO	Sakhir Orange/Black Two-			X	
	X3IO requires ordering ZI Alternate in package	AP 01 20Q		X ZK2	
X3SW	Black Full Merino Leather			X	x
	Alternate in package			ZK2	ZK2
ZA	BMW Individual Extended	Merino		X	x
ZAG8		Brown Extended Merino Leather		X	x
ZAML	BMW Individual - Nutmeg			X	X
ZADW ZAP5	· · · · · · · · · · · · · · · · · · ·	nite Extended Merino Leather Brown Extended Merino Leather		X X	X X
		Brown Extended Merino Leather		x	X
	Packages				
Z6X	Premium Package				x
	493 - Storage Compartme	-			
	508 - Park Distance Contr	ol, front and rear			
	610 - Head-Up Display	w/Extended Plustooth and LISP			
	6WD - WiFi Hotspot	w/Extended Bluetooth and USB			
	LK - Extended Merino Lea	ther			
		ktended Merino Leather			
	LKDA - Sakhir Orango LKSW - Black Extend	e Extended Merino Leather led Merino Leather			
	Z6X will delete STD or 10				x
ZHP	Competition Package			Х	x
	2VF - Adaptive M Suspens				
		s, Double-Spoke 437M,Black, Perf. Non-Fand 19x10.0, 275/35 R19 rear)	RFT		
		neels, Star-Spoke 666M, Perf. Non-RFT			
		heels, Star-Spoke 666M, Black, Perf. No	n-RFT		
	4GQ - M Seat Belts				
		idney Grille w/ Extended Contents			
	7MA - Competition Package				
	•	=			ı

	Year 2020 M4 Effective: 03/01/19	M4 Coupe	M4 Cabriolet
	CA Model Co AG Model Co		204M 4Z93
	Start of Production		03/19
	*Includes 19 hp increase. *MM sports seats are only available on the M3 and M4 Co	up	
	ZHP cannot be ordered with LKJR and X3JR	X	
71/4	ZHP will delete STD or 100% equipment 488	X	
ZK1	Premium Package 493 - Storage Compartment Package	X	
	508 - Park Distance Control, front and rear		
	610 - Head-Up Display		
	6NW - Wireless Charging w/Extended Bluetooth and USB		
	6WD - WiFi Hotspot		
	LK - Extended Merino Leather		
	LKA9 - Silverstone Extended Merino Leather		
	LKDA - Sakhir Orange Extended Merino Leather		
	LKSW - Black Extended Merino Leather		
	ZK1 will delete STD or 100% equipment 693	x	
	ZK1 cannot be ordered with Cloth/Leather	x	
ZK2	Executive Package	x	
	319 - Universal Remote Control		
	415 - Electric Rear Sunshade		
	552 - Adaptive Full LED Headlights		
	5DL - Surround View		
	X3 - Full Merino Leather X3A9 - Silverstone Full Merino Leather X3DA - Sakhir Orange Full Merino Leather X3IA - Silverstone/Black Two-Tone Full Merino Leather X3IO - Sakhir Orange/Black Two-Tone Full MerinoLeather X3SW - Black Full Merino Leather		
	*X3IA and X3IO require ordering ZHP or ZUP.		
	ZK2 requires ordering ZK1	X	
ZK2	ZK2 cannot be ordered with Cloth/Leather or Extended Merino Leather	X	.,
ZNZ	Executive Package 319 - Universal Remote Control		Х
	552 - Adaptive Full LED Headlights		
	5DL - Surround View		
	X3 - Full Merino Leather		
	X3A9 - Silverstone Full Merino Leather		
	X3DA - Sakhir Orange Full Merino Leather		
	X3SW - Black Full Merino Leather		
	ZK2 cannot be ordered with Cloth/Leather or Extended Merino Leather		x
	ZK2 requires ordering Z6X		x
ZK3	Driver Assistance Package	X	X
	5AC - High-Beam Assistant		
	5AG - Active Blind Spot Detection		
71.10	8TH - Speed Limit Info		
ZUQ	Ultimate Package 2VF - Adaptive M Suspension	X	
	2VF - Adaptive in Suspension 2VZ - 19" M Lt/Aly Wheels, Double-Spoke 437M,Black, Perf. Non-RFT		
	(19x9.0, 255/35 R19 front and 19x10.0, 275/35 R19 rear)		
	21T - 20" M Lt/Aly Wheels, Star-Spoke 666M, Perf. Non-RFT 2CQ - 20" M Lt/Aly Wheels, Star-Spoke 666M, Black, Perf. Non-RFT		

	luct Configuratio Year 2020	M4 Effective: 03/01/19		M4 Coupe	M4 Cabriolet
		A	CA Model Code AG Model Code rt of Production	20M4 4Y93 03/19	204M 4Z93 03/19
	415 - Electric Rear Su		TO TO TO GOLDIN	00/10	00/10
	493 - Storage Compa	rtment Package			
	4GQ - M Seat Belts				
	508 - Park Distance C				
	552 - Adaptive Full LE	-			
	5AC - High-Beam Ass				
	5AG - Active Blind Sp	of Detection			
	5DL - Surround View				
	610 - Head-Up Displa 655 - SiriusXM Satelli	•			
		ging w/Extended Bluetooth and USB			
	6WD - WiFi Hotspot	ging wextended blactooth and cob			
	· · · · · · · · · · · · · · · · · · ·	ck Kidney Grille w/ Extended Contents			
	7MA - Competition Pa				
	7ME - M Driver's Pack	-			
		dDrive Services Professional			
	8TH - Speed Limit Info	0			
	Z31 - High-Gloss Blad				
	Z32 - Carbon Fibre Fr	ont Inserts and Black Lower Lip			
	Z41 - High-Gloss Blad	ck Side Grill			
	Z69 - Carbon Fibre Si	de Mirrors			
	Z92 - M Performance	Titanium Exhaust w/CarbonTips			
	Z93 - Black Side Skirt				
	Z95 - Carbon Fibre Sp				
	Z98 - Carbon Fibre Re				
		eed limit increase (280km/h) and voucher for M	DriverTraining.		
71.17		ed with ZCB, ZHP, ZK1, ZK2, ZK3 or ZTV		X	.,
ZUX	Ultimate Package 2VF - Adaptive M Sus	nension			X
	<u>=</u> '	neels, Double-Spoke 437M,Black, Perf. Non-RF	т		
	(19x9.0, 255/35 R19 f 21T - 20" M Lt/Aly	ront and 19x10.0, 275/35 R19 rear) Wheels, Star-Spoke 666M, Perf. Non-RFT Wheels, Star-Spoke 666M, Black, Perf. Non-F			
	319 - Universal Remo	te Control			
	493 - Storage Compa	rtment Package			
	4GQ - M Seat Belts				
	508 - Park Distance C	Control, front and rear			
	552 - Adaptive Full LE	D Headlights			
	5AC - High-Beam Assistant				
	5AG - Active Blind Sp	ot Detection			
	5DL - Surround View				
	610 - Head-Up Displa				
	655 - SiriusXM Satelli				
	6NW - Wireless Char 6WD - WiFi Hotspot	ging w/Extended Bluetooth and USB			
	=	ck Kidney Grille w/ Extended Contents			
	7MA - Competition Pa				
	7ME - M Driver's Pack	_			
		dDrive Services Professional			

Product Configuration		#		
Model Year 2020	M4		ednoo	Cabriolet
	Effective: 03/01/19			abr
			M4 C	M4 C
		CA Model Code	20M4	204M
		AG Model Code	4Y93	4Z93
		Start of Production	03/19	03/19
8TH - Speed Limit	8TH - Speed Limit Info			
Z31 - High-Gloss E	Z31 - High-Gloss Black Kidney Grills			
Z32 - Carbon Fibre	Z32 - Carbon Fibre Front Inserts and Black Lower Lip			
Z41 - High-Gloss E	Z41 - High-Gloss Black Side Grill			
Z69 - Carbon Fibre	Z69 - Carbon Fibre Side Mirrors			
Z92 - M Performar	Z92 - M Performance Titanium Exhaust w/CarbonTips			
Z93 - Black Side Skirt				
Z98 - Carbon Fibre	Z98 - Carbon Fibre Rear Diffuser			
*7ME includes top	*7ME includes top speed limit increase (280km/h) and voucher for M DriverTraining.			
ZUX cannot be or	dered with Z6X, ZCP, ZHP, ZK2, ZK3	or ZTV		x