

BMW X3. 2020MY PRODUCT GUIDE.

BMW X3 Sports Activity Vehicle	TS13	TY53	TY93
Basic data summary	BMW X3 xDrive30e	BMW X3 xDrive30i	BMW X3 M40i
Transmission type	Automatic	Automatic	Automatic
Engine description	XB1142O1	B46B20O1	B58B3001
Seats	5	5	5
Number of doors	5	5	5
Engine type Dimensions	xDrive (AWD)	xDrive (AWD)	xDrive (AWD)
Exterior	4722	4722	4726
Length, mm	4722	4722	4726
Width, mm	1891	1891	1897
Height, mm	1676	1676	1676
Width inc. mirrors, mm	2138	2138	2138
Width incl.mirror driver, mm	1080	1080	1080
Width incl.mirror passengers side, mm	1058	1058	1058
Wheelbase, mm	2864	2864	2864
Overhang front, mm	870	870	870
Rear overhang, mm	988	988	992
Turning circle, m	12	12	12.1
Ground clearance, mm	204	204	204
country depending ground clearance Front Axle ML1, mm	182	182	182
country dependeing ground clearance rear axle ML1, mm	185	185	185
Interior			
Shoulder width front, mm	1462	1462	1462
Shoulder room rear, mm	1423	1423	1423
Elbow width front, mm	1522	1522	1522
Elbowroom rear, mm	1477	1477	1477
effective legroom front (L34), mm	1024	1024	1024
	925	925	925
effective legroom rear second seating row (L51-2), mm Max. headroom front, mm	1045	1045	1045
Headroom front/SR, mm	1015	1015	1015
Maximum headroom second, mm	978	978	978
Maximum headroom rear, mm	994	994	994
Knee clearance, mm	58	58	58
Seats	5	5	5
seats second row Offroad data	3	3	3
Approach angle front ML1 (A106-1), *	23.1	23.1	22.6
Departure angle rear ML1 (A106-2), *	21.4	21.4	21.4
Ramp angle ML1 , * Luggage volumes	17.4	17.4	17.4
Press Trunk volume, ft ³	27,2-59,4	28,7-62,7	28,7-62,7
Weight Vehicle weights			
Curb weight (without driver), kg	2080	1833	1925
vehicle curb weight without driver (front axle), kg	991	900	977
vehicle curb weight without driver (rear axle), kg	1089	933	948
Axle load limit front, kg	1200	1160	1190
rear axle load limit, kg	1530	1390	1395
rear Weight distribution (empty car), %	52.4	50.9	49.2
Gross veh. weight, kg	2620	2400	2455
Payload, kg Trailer operation	410	393	426
Trailer load braked 12%, kg	2000	2000	2000
gross vehicle wieght with trailer 12% Kat1, kg	4620	4400	4455
Trailer nose weight, kg	200	200	200
US weights gross vehicle weight, lbs	5776	5291	5412
Payload lbs, lbs	904	866	939
Front axle load lbs, lbs	2646	2557	2624
Axle load limit rear, lbs	3373	3064	3075
vehicle weight without driver empty fuel tank, lbs	4504	3933	4136
vehicle weight without driver empty fuel tank -RA, lbs	2315	1973	2006
vehicle weight without driver empty fuel tank -FA, lbs	2189	1960	2130
vehicle curb weight inkl. 100% SAa und 33% SAs, lbs	4586	4041	4244
Performance /fuel eco. Performance			
Final drive ratio	3.385	3.385	3.385
Top speed, km/h	210	210	210/250
Top speed (electrical), km/h	135	N/A	N/A
0-100Km/h, s	6.1	6.3	4.5
high-voltage battery Battery Capacity (high voltage), Ah	34	N/A	N/A
System voltage (high voltage), V	354.2	N/A	N/A
Battery type high voltage	li-lon	N/A	N/A
Gross battery content high voltage, kWh	12	N/A	N/A
Net battery content high voltage, kWh	9.08	N/A	N/A
Battery Position high voltage	underfloor Vechicle rear part	N/A	N/A
charging variation 1	3,7 kW, Mode 3 Wallbox, AC Typ 1	N/A	N/A
charging variation 2	AC Typ 1; 1,1 kW Mode2 Ladekabel 1ph	N/A	N/A
charging variation 3	2.1	N/A	N/A
charging time 1 (0-80% SoC), h		N/A	N/A
charging time 1 (0-100% SoC), h	3	N/A	N/A
charging time 2 (0-80% SoC), h	7.8	N/A	N/A
charging time 2 (0-100% SoC), h	10.9	N/A	N/A
charging time 3 (0-80% SoC), h	0	N/A	N/A
charging time 3 (0-100% SoC), h	0	N/A	N/A
Motor data Electrification level	PHEV	N/A	N/A
Electric motor 1 Motor function (1. E-engine)	electrical traction maschine	N/A	N/A
Engine (1. E-engine)	GC1P25M0	N/A	N/A
Peak power (1. E-engine), kW	80	N/A	N/A
Peak power (1. E-engine) (PS), PS	109	N/A	N/A
at rpm (1. E-engine), 1/min	3140	N/A	N/A
Max. torque (1.E-engine), Nm	265	N/A	N/A
range at Peak torque (1.E-engine), 1/min	0-3170	N/A	N/A
maximum engine speed at Peak torque (1.E-Motor), 1/min	3170	N/A	N/A
minimum engine speed at Peak torque (1.E-Motor), 1/min	0	N/A	N/A
highest output 30 min (1. E-engine), kW	55	N/A	N/A
30min-torque (1.E-engine), Nm	105	N/A	N/A
rpm at 30min peak power (1. E-engine), 1/min	5000	N/A	N/A
maximum hourly output (1. E-engine), kW	55	N/A	N/A
rpm at 60min peak power (1.E-engine), 1/min	5000	N/A	N/A
torque (1. E-engine), Nm	105	N/A	N/A
Engine Config (1. E-engine)	permanent erregte Synchronmaschine	N/A	N/A
engine power bHP (1. E-engine), bHP	74	N/A	N/A
peak power bHP (1. E-engine), bHP	107	N/A	N/A
Communication Engine power (cumul.) (kW), kW	215	N/A	N/A
Engine power (cumul.) (HP), PS	292	N/A	N/A
Engine power (cumul.) (bHP), bHP	288	N/A	N/A
Power to weight ratio, kg/kW	15.5	9.9	6.8
Output per litre, kW/dm³ Engine torque (cumul.), Nm	67.1	92.6	95.1
	420	N/A	N/A
System: Weight ratio, kg/kW	9.7 310	N/A	N/A
Engine torque (cumul.), ftlbs Output of system per litre, kW/dm³	310	N/A	N/A
	107.6	N/A	N/A
Motor Engine type	B46B20O1	B46B20O1	B58B30O1

BMW X3 Sports Activity Vehicle	TS13 BMW X3 xDrive30e	TY53 BMW X3 xDrive30i	TY93 BMW X3 M40i
Cylinders	4	4	6
Valves p.cyl. Stroke, mm	4 94.6	4 94.6	4 94.6
Bore, mm Displacement, cm³	82 1998	82 1998	82 2998
Compression rate, :1	10.2	10.2	10.2
Engine power (bHP), bHP rpm at maximum power, 1/min	180 4000-6500	245 5200-6500	382 5800-6500
minimum Engine speed at maximum power, 1/min	4000	5200	5800
maximum Engine speed at maximum power, 1/min Engine torque, Nm	6500 350	6500 350	6500 500
Engine torque, ftlbs	258	258	368
rpm at maximum torque, 1/min	1450-3500	1450-4800	1800-5000
minimum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min	1450 3500	1450 4800	1800 5000
Fuel type	gasoline	gasoline	gasoline
Jseable Fuel quality recomm.	AKI 89 MIN AKI 91	AKI 89 MIN AKI 91	AKI 89 MIN, E25 MAX AKI 91
ngine oil (exchange quantity), I	5.25	5.25	6.5
Gearbox Combustion engine			
Fransmission type V	GA8P75HZ	GA8X51CZ	GA8X51CZ
Fransmission type Nr. of gears	Automatic 8	Automatic 8	Automatic 8
ransmission ratio 1st gear**; 1st**	4.714	5.25	5.25
Fransmission ratio 2nd gear**; 2nd** Fransmission ratio 3rd gear**; 3rd**	3.143 2.106	3.36 2.172	3.36 2.172
ransmission ratio 4th gear**; 4th**	1.667	1.72	1.72
ransmission ratio 5th gear**; 5th**	1.285	1.316	1.316
ransmission ratio 6th gear**; 6th** ransmission ratio 7th gear**; 7th**	1 0.839	1 0.822	1 0.822
ransmission ratio 8th gear**; 8th**	0.667	0.64	0.64
ransmission ratio reverse gear** erodynamics	3.317	3.712	3.712
x			
x Min x Max	0.31 0.35	0.33 0.35	0.33 0.35
x Range, m²	0.31-0.35	0.33-0.35	0.33
x x A x x A Min, m²	0.82	0.87	0.87
x A Max, m²	0.82	0.87	0.87
tirnflaeche acing surface , m²	2.65	2.65	2.65
acing surface , m ² mission		2.03	2.03
mission classification (type-certified)***	SULEV30	SULEV30	ULEV70
hassis Vheel/Tyres			
ront tyres	N/A	N/A	245/50 R19 105 W XL, 245/50 R19 105 H XL AS
ont tyres var.1 ont tyres var.2	245/50 R19 105 H XL AS 245/50 R19 105 H XL AS	245/50 R19 105 H XL AS 245/50 R19 105 H XL AS	245/50 R19 105 W XL, 245/45 R20 103 W XL 245/45 R20 103 W XL, 245/45 R20 103 Y XL
ont tyres var.3	245/45 R20 103 Y XL	245/45 R20 103 Y XL	245/40 R21 100 Y XL, 245/45 R20 103 Y XL
ont tyres var.4 ont rims	245/40 R21 100 Y XL N/A	245/40 R21 100 Y XL	245/40 R21 100 Y XL 7,5Jx19 LM
ont rims var.1	7,5Jx19 LM	N/A 7,5Jx19 LM	7,5Jx19 LM, 8Jx20 LM
ont rims var.2	7,5Jx19 LM	7,5Jx19 LM	8Jx20 LM
ont rims var.3 ont rims var.4	8Jx20 LM 8,5Jx21 LM	8Jx20 LM 8,5Jx21 LM	8Jx20 LM, 8,5Jx21 LM 8.5Jx21 LM
ear tyres	N/A	N/A	245/50 R19 105 W XL, 245/50 R19 105 H XL AS
ear tyres var.1 ear tyres var.2	245/50 R19 105 H XL AS 245/50 R19 105 H XL AS	245/50 R19 105 H XL AS 245/50 R19 105 H XL AS	245/50 R19 105 W XL, 275/40 R20 106 W XL 275/40 R20 106 W XL, 275/40 R20 106 Y XL
ear tyres var.3	275/40 R20 106 Y XL	275/40 R20 106 Y XL	275/35 R21 103 Y XL, 275/40 R20 106 Y XL
ear tyres var.4 ear rims	275/35 R21 103 Y XL N/A	275/35 R21 103 Y XL N/A	275/35 R21 103 Y XL 7,5Jx19 LM
ear rims var.1	7,5Jx19 LM	7,5Jx19 LM	7,5Jx19 LM, 9,5Jx20 LM
ear rims var.2 ear rims var.3	7,5Jx19 LM 9.5Jx20 LM	7,5Jx19 LM 9.5Jx20 LM	9,5Jx20 LM 9,5Jx20 LM, 9,5Jx21 LM
ear rims var.3	9,53x20 LW 9,53x21 LM	9,5Jx20 LM 9,5Jx21 LM	9,51x20 LW, 9,51x21 LW 9,51x21 LM
rack front, mm	N/A	N/A	1605
ack front var.1, mm ack front var.2, mm	1600 1600	1600 1600	1605 1615
ack front var.3, mm	1610	1610	1615
rack front var.4, mm Fidth of the rear track, mm	1604 N/A	1604 N/A	1609 1616
rack rear var.1, mm	1616	1616	1616
ack rear var.2, mm	1616 1594	1616 1594	1594 1594
ack rear var.3, mm ack rear var.4, mm	1594 1594	1594 1594	1594 1594
/heel offset front, mm	N/A	N/A	32
/heel offset front var.1, mm /heel offset front var.2, mm	32 32	32 32	27/32 27
heel offset front var.3, mm	27	27	27/30
heel offset front var.4, mm	30 N/A	30 N/A	30 32
/heel offset rear. mm	32	32	32/43
/heel offset rear var.1, mm			43
heel offset rear var.1, mm heel offset rear var.2, mm	32	32	
heel offset rear var.1, mm heel offset rear var.2, mm heel offset rear var.3, mm		32 43 43	43 43 43
heel offset rear var.1, mm heel offset rear var.2, mm heel offset rear var.3, mm heel offset rear var.4, mm un flat tyres	32 43 43 N/A	43 43 N/A	43 43 yes
heel offset rear var.1, mm heel offset rear var.2, mm heel offset rear var.3, mm heel offset rear var.4, mm un flat tyres un flat tyres var.1	32 43 43 N/A no	43 43 N/A no	43 43 yes yes
heel offset rear var.1, mm heel offset rear var.2, mm heel offset rear var.3, mm heel offset rear var.4, mm in flat tyres in flat tyres var.1 in flat tyres var.2 in flat tyres var.2 in flat tyres var.3	32 43 43 N/A no yes no	43 43 N/A no yes no	43 43 yes yes no, yes no, yes
heel offset rear var. 1, mm heel offset rear var. 2, mm heel offset rear var. 3, mm heel offset rear var. 3, mm in flat tyres var. 1 in flat tyres var. 1 in flat tyres var. 2 in flat tyres var. 2 in flat tyres var. 3 in flat tyres var. 3 in flat tyres var. 3, in flat tyres var. 4, -	32 43 43 N/A no yes	43 43 N/A no yes	43 43 yes yes no, yes
heel offset rear var.1, mm heel offset rear var.2, mm heel offset rear var.3, mm heel offset rear var.4, mm in flat tyres in flat tyres var.1 in flat tyres var.1 in flat tyres var.2 in flat tyres var.3 in flat tyres var.3 in flat tyres var.3 eering wers-teering	32 43 43 N/A no yes no yes	43 43 N/A no yes no yes	43 43 yes yes no, yes no, yes EPS
heel offset rear var. 1, mm heel offset rear var. 2, mm heel offset rear var. 3, mm heel offset rear var. 4, mm in flat tyres in flat tyres var. 1 in flat tyres var. 2 in flat tyres var. 2 in flat tyres var. 2 in flat tyres var. 3 in flat tyres var. 4 eering weer-steering eering transmission, overall, :1	32 43 43 N/A no yes no yes	43 N/A no yes no yes	43 43 yes yes no, yes no, yes yes
heel offset rear var. 1, mm heel offset rear var. 2, mm heel offset rear var. 3, mm heel offset rear var. 4, mm un flat tyres un flat tyres un flat tyres var. 1 un flat tyres var. 2 un flat tyres var. 3 un flat tyres var. 3 eering wersteering eering transmission, overall, : 1 un flat vers var. 3.	32 43 43 N/A no yes no yes	43 43 N/A no yes no yes	43 43 yes yes no, yes no, yes EPS
rheel offset rear var.1, mm heel offset rear var.2, mm heel offset rear var.3, mm heel offset rear var.4, mm in flat tyres un flat tyres var.1 un flat tyres var.2 un flat tyres var.2 un flat tyres var.3 un flat tyres var.4, - eeering ower-steering eeering transmission, overall, ;1 un: uel tank capacity (approx.), i STank capacity (gallons) - series, gal	32 43 43 N/A no yes no yes EPS 16.8	43 43 N/A no yes no yes EPS 16.8	43 43 yes yes no, yes no, yes yes EPS 16.8
rheel offset rear var.1, mm heel offset rear var.2, mm heel offset rear var.3, mm heel offset rear var.3, mm heel offset rear var.4, mm un flat tyres un flat tyres var.1 un flat tyres var.2 un flat tyres var.2 un flat tyres var.3 un flat tyres var.3 eering eering eering eering transmission, overall, :1 to the control of	32 43 43 N/A no yes no yes EPS 16.8	43 43 N/A no yes no yes EPS 16.8	43 43 yes yes no, yes no, yes yes EPS 16.8
wheel offset rear var.1, mm wheel offset rear var.2, mm wheel offset rear var.2, mm wheel offset rear var.4, mm un flat tyres un flat tyres var.1 un flat tyres var.2 un flat tyres var.2 un flat tyres var.2 un flat tyres var.4,	32 43 43 N/A no yes no yes EPS 16.8	43 43 N/A no yes no yes EPS 16.8	43 43 yes no, yes no, yes 16.8 EPS 16.8
heel offset rear var.1, mm heel offset rear var.2, mm heel offset rear var.3, mm heel offset rear var.3, mm un fat tyres un flat tyres var.1 un flat tyres var.1 un flat tyres var.2 un flat tyres var.2 un flat tyres var.2 eering over-steering over-steerin	32 43 43 N/A no yes no yes EP5 16.8	43 43 N/A no yes no yes EPS 16.8 65 17.2	43 43 yes yes no, yes no, yes yes EPS 16.8 65 17.2
wheel offset rear var.1, mm wheel offset rear var.2, mm wheel offset rear var.3, mm wheel offset rear var.3, mm wheel offset rear var.4, mm un flat tyres un flat tyres var.1 un flat tyres var.2 un flat tyres var.2 un flat tyres var.3 teering teering transmission, overall, :1 ank uel tank capacity (approx.), I S Tank capacity (approx.), I S Tank capacity (gallons) - series, gal attery Capacity (low voltage), Ah dh dattery Capacity (low voltage), Ah ystem voltage (low voltage), V GR	32 43 43 N/A no yes no yes EPS 16.8 50 13.2	43 43 N/A no yes no yes EPS 16.8 65 17.2	43 43 yes yes no, yes no, yes EPS 16.8 65 17.2
wheel offset rear var.1, mm wheel offset rear var.2, mm wheel offset rear var.3, mm wheel offset rear var.3, mm wheel offset rear var.4, mm un flat tyres un flat tyres var.1 un flat tyres var.2 un flat tyres var.2 un flat tyres var.2 teering teering transmission, overall, :1 ank uel tank capacity (approx.), I S Tank capacity (approx.), I S Tank capacity (flow voltage), Ah nd battery Capacity (low voltage), Ah system voltage (low voltage), Ah system voltage (low voltage), V SCR (Yes/No)	32 43 43 N/A no yes no yes EP5 16.8 50 13.2	43 43 N/A no yes no yes 16.8 65 17.2 80 N/A 12	43 43 yes yes no, yes no, yes yes EPS 16.8 65 17.2 80 N/A 12
wheel offset rear, mm wheel offset rear vara.1, mm wheel offset rear vara.2, mm wheel offset rear vara.3, mm wheel offset rear vara.4, mm wheel offset rear vara.4, mm un flat tyres un flat tyres var.1 un flat tyres var.1 un flat tyres var.2 un flat tyres var.3 un flat tyres var.3 un flat tyres var.3 un flat tyres var.4 teering ower-steering teering transmission, overall, :1 erink uel tank capacity (approx.) , I ST ank capacity (approx.) , I ST ank capacity (flow voltage), Ah und battery Capacity (flow voltage), Ah ystem voltage (flow voltage), V GR (CR. (Yes,No) ST Motor conversion lifting (inch.) inch poor (inch.) inch	32 43 43 N/A no yes no yes 16.8 50 13.2 80 60 12	43 43 N/A no yes no yes 16.8 65 17.2 80 N/A 12 No	43 43 yes yes no, yes no, yes no, yes 16.8 65 17.2 80 N/A 12 No 3.72
wheel offset rear var.1, mm wheel offset rear var.2, mm wheel offset rear var.2, mm wheel offset rear var.4, mm un flat tyres un flat tyres var.1 un flat tyres var.2 un flat tyres var.2 un flat tyres var.2 un flat tyres var.2 teering teering teering transmission, overall, :1 The teering teering transmission, overall, :1 The teering teering transmission, overall, :0 S Tank capacity (approx.), I S Tank capacity (approx.), I S Tank capacity (sallons) - series, gal attery attery Capacity (low voltage), Ah ond battery Capacity (low voltage), Ah ystem voltage (low voltage), Ab ystem voltage (low voltage), Ab grand voltage), A	32 43 43 N/A no yes no yes EPS 16.8 50 13.2 80 60 12 No	43 43 N/A no yes no yes 16.8 65 17.2 80 N/A 12 No 3.72 3.23 121.95	43 43 43 48 795 795 700 795 700 795 795 795 795 795 795 795 795 795 795
hele offset rear var. 1, mm hele offset rear var. 2, mm hele offset rear var. 3, mm hele offset rear var. 4, mm un flat tyres un flat tyres un flat tyres un flat vyes un flat un	32 43 43 N/A no yes no yes EP5 16.8 50 13.2 80 60 12	43 43 N/A no yes no yes 16.8 65 17.2 80 N/A 12 No 3.72 3.23	43 43 yes yes no, yes no, yes no, yes 16.8 65 17.7 80 N/A 12 No 3.77 3.23
heel offset rear var.1, mm heel offset rear var.2, mm heel offset rear var.2, mm heel offset rear var.3, mm heel offset rear var.4, mm un flat tyres var.1 un flat tyres var.1 un flat tyres var.2 un flat tyres var.2 un flat tyres var.2 un flat tyres var.3 un flat tyres var.4, - ceering ceering ceering transmission, overall, :1 to the control of the c	32 43 43 N/A no yes no yes EPS 16.8 50 13.2 80 60 12 No	43 43 N/A no yes no yes 16.8 65 17.2 80 N/A 12 No 3.72 3.23 121.95	43 43 43 48 795 795 700 795 700 795 795 795 795 795 795 795 795 795 795

Code: 1X7 19" Lt/Aly Wheels, Y-Spoke 693, Front / Rear: 19x7.5, 245/50 R19 Optional	
Code: 1X8 19" Lt/Aly Wheels, Y-Spoke 693, Front / Rear: Style: 693 A/S RFT 19x7.5, 245/50 R19	
Code: 22U 19" M Lt/Aly Wheels, Double-Front / Rear: Style: 698M Spoke 698M,A/S RFT 19x7.5, 245/50 R19	Optional
Code: 22W	
Code: 22Z 21" M Lt/Aly Wheels, Double- Style: 718M Spoke 718M,Perf. RFT Rear: 21x9.5, 275/35 R21	Standard
Code: 28L Style: 695 Perf. RFT Front: 20x8.0, 245/45 R20 Optional 20x9.5, 275/40 R20	
Code: 2NQ Style: 726i 21" BMW Individual Lt/Aly Front: 21x8.5, 245/40 R21 ZK5 RFT RFT 21x9.5, 275/35 R21 Optional ZK5 ZK5 (upgrade)	Optional
Code: ZF1 19" M Lt/Aly Wheels, Double-Front / Rear: ZK5 Style: 698M Spoke 698M,A/S RFT 19x7.5, 245/50 R19 ZK5 (upgrade)	

Model	luct Configuration Year 2020 sed: 07/16/19 04:25 PM	X3 Effective: 08/01/19		X3 xDrive30i	X3 M40i
			CA Model Code AG Model Code Start of Production	20C0 TY53 08/19	20C1 TY93 09/19
	Options				
1X7	19" Lt/Aly Wheels, Y-Spot (19x7.5, 245/50 R19)	ke 693, A/S Non-RFT		x	
1X8	19" Lt/Aly Wheels, Y-Spot (19x7.5, 245/50 R19)	ke 693, A/S RFT		100%	
223	Dynamic Damper Control				
	Alternate in package			ZK5	
225	Standard Suspension				
2211	Included in package	ble Speke 600M A/S DET		ZK5	
22U	(19x7.5, 245/50 R19)	ble-Spoke 698M,A/S RFT			x
22W	20" M Lt/Aly Wheels, Dou	ble-Spoke 699M,Perf. RFT			
	•	and 20x9.5, 275/40 R20 rear)		7175	
22Z	Included in package	ble-Spoke 718M,Perf. RFT		ZK5	
222	· ·	and 21x9.5, 275/35 R21 rear)			100%
248	Heated Steering Wheel	,		100%	100%
255	Leather Sport Steering W	heel		STD	10070
258	Runflat Tires			STD	100%
28L	20" Lt/Aly Wheels, Y-Spol	ke 695, Perf. RFT			
	(20x8.0, 245/45 R20 front	and 20x9.5, 275/40 R20 rear)		Х	
2NH	M Sport Brakes				STD
	Included in package			ZK5	
2NQ		Wheels, V-Spoke 726i, Perf. RFT and 21x9.5, 275/35 R21 rear)		x	x
	Alternate in package			ZK5	
2T4	M Sport Differential				X
	2T4 cannot be ordered w				X
2TB	Sport Auto Trans w/Paddl	es		STD	STD
2VB	Tire Pressure Monitor			100%	100%
2VF	Adaptive M Suspension				100%
2VG	Performance Control Included in package			ZK5	STD
2VL	Variable Sport Steering			ZNO	STD
ZVL	Included in package			ZK5	310
302	Alarm System			100%	100%
319	Universal Remote Control			10070	.0070
	Included in package			ZJ6	ZJ6
				ZJ7	ZKA
				ZKE	ZKF
322	Comfort Access				
	Included in package			ZJ6 ZJ7	ZJ6 ZKA
				ZJ7 ZKE	ZKA ZKF
337	M Sport Package				
	Included in package			ZK5	
3AC	Trailer tow hitch			X	x
3AG	Rear View Camera			100%	100%
3AT	Satin Aluminum Roof Rail	s		x	
	3AT cannot be ordered w	rith ZK5		х	

			X3 xDrive30i	X3 M40i
		CA Model Code	20C0	20C1
		AG Model Code Start of Production	TY53 08/19	TY93 09/19
	Included in package	Start of Froduction	ZJ6	00/10
			ZJ7	
0.0.7	W		ZKE	
3DZ	Without Exterior Lines Designation		7175	
OMD	Included in package Satin Aluminum Shadow Line		ZK5	
3MB			100%	OTD
змС	High Gloss Black Roof Rails		71/5	STD
402	Included in package Panorama Sunroof		ZK5	
402	Included in package		ZJ6	ZJ6
	included in package		ZJ7	ZKA
			ZKE	ZKF
417	Side Sunshades			
	Included in package		ZJ7	ZKA
			ZKE	ZKF
420	Sun Protection Glazing		STD	STD
423	Velour Floor Mats		100%	STD
430	Auto Dimming Exterior Mirrors		100%	100%
431	Auto Dimming Interior Mirror		100%	100%
441	Smoker's Package		X	X
459	Electric Seats w/ Driver Mem.		100%	100%
461	Adjustable Rear Seats		X	X
101	Included in package		ZKE	ZKF
481 488	Sport Seats Lumbar Support		STD	STD
400	Included in package		X ZJ7	x ZKA
	included in package		ZKE	ZKF
493	Storage Compartment Package		X	X
	Included in package		ZJ7	ZKA
	. •		ZKE	ZKF
494	Heated Front Seats		100%	100%
4AW	Leatherette Dashboard			STD
4FH	Ventilated Front Seats		X	x
	4FH requires ordering MAFO, MAH7 or MAMU		X	X
4HA	Seat Heating, Front and Rear			
	Included in package		ZJ7	ZKA
4K1	High-Gloss Dark Oak Trim w/ Pearl ChromeHighlig	sht.	ZKE STD	ZKF
4111	4K1 cannot be ordered with ZK5	ji it		Х
4K7	Aluminum Rhombic Trim w/Satin Chrome Highligh	t	X X	STD
	4K7 requires ordering ZK5		X	012
4K9	Brushed Aluminum Trim w/Satin Chrome Highlight		x	Х
4LH	Cove Wood Trim w/Satin Chrome Highlight		X	X
4LQ	Poplar Grey Wood Trim w/Satin Chrome Highlight		x	X
4MC	Carbon Fibre Trim			x
	4MC requires ordering ZJ6, ZKA or ZKF			x
4ML	Piano Black Wood Trim w/Satin Chrome Highlight		x	x
4NE	Blow-by heater		STD	STD
4NM	Ambient Air Package		x	x
4U0	Included in package Galvanic Controls		ZKE	ZKF

Model	duct Configuration Year 2020 X3 sed: 07/16/19 04:25 PM Effective: 08/01/19	X3 xDrive30i	X3 M40i
	CA Model Co		20C1
	AG Model Co	de TY53	TY93
	Start of Producti	on 08/19	09/19
	Included in package	ZJ7	ZKA
41.15	A 1: Altic	ZKE	ZKF
4UR	Ambient Lighting	7.10	7.10
	Included in package	ZJ6 ZJ7	ZJ6 ZKA
		ZKE	ZKF
4UY	Ski And Snowboard Bag	X	x
508	Park Distance Control, front and rear	100%	100%
534	Automatic Climate Control	100%	100%
552	Adaptive Full LED Headlights	X	100%
	Included in package	ZKE	
5A1	LED Fog Lights	100%	STD
5AC	High-Beam Assistant		100%
	Included in package	ZKE	
5AL	Active Protection	100%	100%
5AS	Driving Assistant	100%	100%
5AT	Driving Assistant Plus		
	Included in package	ZKB	ZKB
		ZKE	ZKF
5DM	Parking Assistant		
	Alternate in package	ZKB	ZKB
5DN	D 1: A : ((D) (O 1)/	ZKE	ZKF
5DN	Parking Assistant Plus w/Surround View	X	X
	Included in package	ZKB ZKE	ZKB ZKF
610	Head-Up Display	ZIXL	ZIXI
0.0	Included in package	ZJ7	ZKA
		ZKE	ZKF
655	SiriusXM Satellite Radio Tuner	100%	100%
676	HiFi Sound System	100%	100%
688	Harman/Kardon Sound System	x	x
	688 requires ordering ZJ6 or ZJ7	x	
	688 requires ordering ZJ6 or ZKA		x
	Included in package	ZKE	ZKF
6AC	Intelligent Emergency Call	100%	100%
6AE	Teleservices	100%	100%
6AK	ConnectedDrive Services	100%	100%
6C3	Connected Package Professional	100%	100%
6CP	Apple CarPlay Preparation	100%	100%
6NW	Wireless Charging w/Extended Bluetooth and USB	X	X
61.10	Included in package	ZKE	ZKF
6U3	BMW Live Cockpit Professional	100%	100%
6U8	BMW Gesture Control	X	X
	6U8 requires ordering ZJ6, ZJ7 or ZKE 6U8 requires ordering ZJ6, ZKA or ZKF	X	, ,
	Included in package	ZKE	X ZKF
710	M Leather Steering Wheel	ZNE	STD
715	M Aerodynamics Package		STD
	Included in package	ZK5	310
760	High-Gloss Shadow Line	ZINO	STD
. 55	Included in package	ZK5	515

Model `	uct Configuration Year 2020 X3 ed: 07/16/19 04:25 PM Effective: 08/01/19	X3 xDrive30i	X3 M40i
	CA Model Code		20C1
	AG Model Code	TY53	TY93
	Start of Production	08/19	09/19
775	Anthracite Roofliner	100%	STD
7HW	xLine	100%	
7M9	High-Gloss Black Kidney Grille w/ Extended Contents	X	X
ZF1	7M9 requires ordering ZK5 19" M Lt/Aly Wheels, Double-Spoke 698M,A/S RFT (19x7.5, 245/50 R19)	X	
	Alternate in package	ZK5	
ZFN	BMW ConnectedDrive Services Essential	100%	100%
ZSP	Special Order	x	x
	Non-Metallic	STD	STD
300	Alpine White Non Metallic	X	x
668	Jet Black Non-Metallic	x	
	Metallic	Х	x
416	Carbon Black Metallic	X	x
	416 requires ordering ZK5	x	
475	Black Sapphire Metallic	x	x
A83	Glacier Silver Metallic	X	x
A90	Dark Graphite Metallic	X	X
A96	Mineral White Metallic	X	
C07	A96 cannot be ordered with ZK5 Sparkling Storm Metallic	X	
COT	C07 cannot be ordered with ZK5	X	
C1L	Terra Brown Metallic	X X	
0.2	C1L cannot be ordered with ZK5	X	
C1M	Phytonic Blue Metallic	X	x
C1N	Sunstone Metallic	x	x
	Upholstery		
K8	Leatherette	X	X
KOEV	Leatherette will delete 4HA from the order	X	X
K8FY K8SW	Canberra Beige Leatherette Black Leatherette	X	X
ROSVV	DIALK LEARNETERE	X	X
MA	Vernasca Leather Included in package	x ZKE	x ZKF
MAFO		х	x
MAH7	Black Vernasca Leather	x	x
_	Mocha Vernasca Leather	x	x
	Black Vernasca Leather w/ Blue ContrastStitching		X
	Oyster Vernasca Leather w/ Contrast Stitching	X	X
WAPQ	Cognac Vernasca Leather	X	X
VA	BMW Ind. Extended Merino	X	x
	BMW Ind. Extended Merino and not ZK5 will add 778 to the order	x	_ ^
VAEW		X	x
VAHZ	Fiona Red/Black Extended Merino Leather	x	x
VATQ	Tartufo Extended Merino Leather	x	x

Model	duct Configuration Year 2020 sed: 07/16/19 04:25 PM	X3 Effective: 08/01/19		X3 xDrive30i	Х3 М40і
			CA Model Code AG Model Code	20C0 TY53	20C1 TY93
			Start of Production	08/19	09/19
-	Packages			00,10	
ZJ6	Premium Package Esse	ntial			x
	319 - Universal Remote C	Control			
	322 - Comfort Access				
	402 - Panorama Sunroof				
	4UR - Ambient Lighting				
	ZJ6 cannot be ordered w	vith ZKA			X
ZJ6	Premium Package Esse			x	
	319 - Universal Remote C	Control			
	322 - Comfort Access				
	3AT - Satin Aluminum Ro	of Rails			
	402 - Panorama Sunroof				
	4UR - Ambient Lighting				
7 17	ZJ6 cannot be ordered w			X	
ZJ7	Premium Package Enha 319 - Universal Remote O			Х	
		Control			
	322 - Comfort Access 3AT - Satin Aluminum Ro	of Poils			
	402 - Panorama Sunroof	of Rails			
	417 - Side Sunshades				
	488 - Lumbar Support				
	493 - Storage Compartme	ent Package			
	4HA - Seat Heating, Fron	_			
	4U0 - Galvanic Controls				
	4UR - Ambient Lighting				
	610 - Head-Up Display				
	ZJ7 cannot be ordered w	rith ZJ6 or ZKE		х	
ZK5	M Sport Package			x	
	225 - Standard Suspension	on			
	223 - Dynamic Damp	per Control			
	(20x8.0, 245/45 R20 from 2NQ - 21" BMW Indiv	els, Double-Spoke 699M,Perf. RFT t and 20x9.5, 275/40 R20 rear) vidual Lt/Aly Wheels, V-Spoke 726i, l heels, Double-Spoke 698M,A/S RFT	Perf. RFT		
	2NH - M Sport Brakes				
	2VG - Performance Conti	rol			
	2VL - Variable Sport Stee	ering			
	337 - M Sport Package				
	3DZ - Without Exterior Lir	nes Designation			
	3MC - High Gloss Black F				
	715 - M Aerodynamics Pa	_			
	760 - High-Gloss Shadow				
	ZK5 requires ordering ZJ			X	
ZKA	Premium Package Enha				X
	319 - Universal Remote C	JONTROL			
	322 - Comfort Access				
	402 - Panorama Sunroof				
	417 - Side Sunshades 488 - Lumbar Support				
	493 - Storage Compartme	ent Package			
	100 Clorage Comparting	on i donago			l

Model	duct Configuration Year 2020 sed: 07/16/19 04:25 PM	X3 Effective: 08/01/19	CA Model Code	X3 xDrive30i	20C1
			AG Model Code	TY53	TY93
	4HA - Seat Heating, Fron	t and Rear	Start of Production	08/19	09/19
	4U0 - Galvanic Controls 4UR - Ambient Lighting	t anu Near			
	610 - Head-Up Display				
	ZKA cannot be ordered v	vith ZJ6 or ZKF			x
ZKB	Advanced Driver Assist 5AT - Driving Assistant P	_		x	x
	5DN - Parking Assistant I 5DM - Parking Assist				
	ZKB requires ordering ZxZKB requires ordering Zx			x	x
ZKE	Ultimate Package			x	
	319 - Universal Remote 0	Control			
	322 - Comfort Access				
	3AT - Satin Aluminum Ro	of Rails			
	402 - Panorama Sunroof				
	417 - Side Sunshades	oto			
	461 - Adjustable Rear Se 488 - Lumbar Support	ais			
	493 - Storage Compartme	ent Package			
	4HA - Seat Heating, Fron	_			
	4NM - Ambient Air Packa				
	4U0 - Galvanic Controls	5 -			
	4UR - Ambient Lighting				
	552 - Adaptive Full LED H	leadlights			
	5AC - High-Beam Assista	nt			
	5AT - Driving Assistant P	us			
	5DN - Parking Assistant I 5DM - Parking Assist				
	610 - Head-Up Display				
	688 - Harman/Kardon So	-			
		w/Extended Bluetooth and USB			
	6U8 - BMW Gesture Con	trol			
	MA - Vernasca Leather				
	•	MW Ind. Extended Merino and Vernaso	a Leather	X	
ZKF	ZKE cannot be ordered v Ultimate Package	WIII 230, 237 OI 2KB		X	x
Z IXI	319 - Universal Remote (Control			^
	322 - Comfort Access				
	402 - Panorama Sunroof				
	417 - Side Sunshades				
	461 - Adjustable Rear Se	ats			
	488 - Lumbar Support				
	493 - Storage Compartme	ent Package			
	4HA - Seat Heating, Fron				
	4NM - Ambient Air Packa	ge			
	4U0 - Galvanic Controls				
	4UR - Ambient Lighting				
	5AT - Driving Assistant P	us			l

Product Configuration Model Year 2020 Released: 07/16/19 04:25 PM	X3 Effective: 08/01/19	X3 xDrive30i	X3 M40i
	CA Model Code	20C0	20C1
	AG Model Code	TY53	TY93
	Start of Production	08/19	09/19
5DN - Parking Assistant I 5DM - Parking Assis			
610 - Head-Up Display			
688 - Harman/Kardon So	und System		
6NW - Wireless Charging	g w/Extended Bluetooth and USB		
6U8 - BMW Gesture Con	trol		
MA - Vernasca Leather			
ZKF requires ordering Bl	MW Ind. Extended Merino or Vernasca Leather		x
ZKF cannot be ordered v	vith ZJ6, ZKA or ZKB		x

	Pricing ear 2020 X3 Effective: 01/01/2020		X3 xDrive30i	X3 M40i
	A	CA Model Code AG Model Code art of Production Base Price	20C0 TY53 08/19 \$50,250	20C1 TY93 09/19 \$63,750
	Non-Metallic		STD	STD
00	Alpine White Non Metallic			
68	Jet Black Non-Metallic Metallic		\$895	NA \$895
16	Carbon Black Metallic		Ψ000	φοσο
	416 requires ordering ZK5		(req'd)	
75	Black Sapphire Metallic			
83 90	Glacier Silver Metallic Dark Graphite Metallic			
96	Mineral White Metallic			NA
00	A96 cannot be ordered with ZK5		(req'd)	
07	Sparkling Storm Metallic			NA
	C07 cannot be ordered with ZK5		(req'd)	
1L	Terra Brown Metallic		(NA
1M	C1L cannot be ordered with ZK5 Phytonic Blue Metallic		(req'd)	
1N	Sunstone Metallic		\$1,450	\$1,450
			,	
	Upholstery			. تما
	Vernasca Leather		\$1,500 ZKE	\$1,500 ZKF
	Included in package In combination with ZKE		NC NC	NC NC
	In combination with ZKF		NC	NC
AFO	Canberra Beige Vernasca Leather			
AH7	Black Vernasca Leather			
IAMU	Mocha Vernasca Leather		.	
ianl Iaoq	Black Vernasca Leather w/ Blue ContrastStitching Oyster Vernasca Leather w/ Contrast Stitching		NA	
1APQ	Cognac Vernasca Leather			
'AEW 'AHZ 'ATQ	BMW Ind. Extended Merino BMW Ind. Extended Merino and not ZK5 will add 778 to the order In combination with ZKE In combination with ZKF Ivory White Extended Merino Leather Fiona Red/Black Extended Merino Leather Tartufo Extended Merino Leather		\$2,900 (req'd) \$700	\$2,900 \$700
AIQ	rattulo Exterided Methio Leather			
	Leatherette		NC	NC
051	Leatherette will delete 4HA from the order		(req'd)	(req'd)
(8FY (8SW	Canberra Beige Leatherette Black Leatherette			
0000	DIACK LEAGUE EUC			
	Packages			
J6	Premium Package Essential		\$3,900	\$3,900
	ZJ6 cannot be ordered with ZJ7 ZJ6 cannot be ordered with ZKA		(req'd)	(req'd)
J7	Premium Package Enhanced		\$5,500	NA
	ZJ7 cannot be ordered with ZJ6 or ZKE		(req'd)	
K5	M Sport Package		\$3,500	NA
	223 - Dynamic Damper Control		\$1,000	
	2NQ - 21" BMW Individual Lt/Aly Wheels, V-Spoke 726i, Perf. RFT ZF1 - 19" M Lt/Aly Wheels, Double-Spoke 698M,A/S RFT		\$1,500 NC	
	ZK5 requires ordering ZJ6, ZJ7 or ZKE		(req'd)	
KA	Premium Package Enhanced		NA	\$5,750
	ZKA cannot be ordered with ZJ6 or ZKF			(req'd)
KB	Advanced Driver Assistance Package		\$2,900	\$2,900
	5DM - Parking Assistant ZKB requires ordering ZJ6, ZKA or ZKF		(\$500)	(\$500) (req'd)
	ZKB requires ordering ZJ6, ZJ7 or ZKE		(req'd)	(roqu)
KE	Ultimate Package		\$12,100	NA
	5DM - Parking Assistant		(\$500)	
			(req'd)	
	ZKE cannot be ordered with ZJ6, ZJ7 or ZKB			
	ZKE requires ordering BMW Ind. Extended Merino and Vernasca Lea	ather	(req'd)	¢11 7E0
KF		ather		\$11,750 (\$500)

	Pricing	Ö	_
Model Y	ear 2020 X3 Effective: 01/01/2020	X3 xDrive30i	M40i
	ElleCtive: 01/01/2020	ž <u>ď</u>	× 2
		A Model Code 20C0	20C1
	A	G Model Code TY53	TY93
	Star	t of Production 08/19	09/19
		Base Price \$50,250	\$63,750
	ZKF requires ordering BMW Ind. Extended Merino or Vernasca Leath	er	(req'd)
	Options		
1X7	19" Lt/Aly Wheels, Y-Spoke 693, A/S Non-RFT (19x7-5, 245/50 R19)	NC	NA
22U	19" M Lt/Aly Wheels, Double-Spoke 698M,A/S RFT (19x7.5, 245/50 R19)	NA	NC
28L	20" Lt/Aly Wheels, Y-Spoke 695, Perf. RFT (20x8.0, 245/45 R20 front and 20x9.5, 275/40 R20 rear)	\$500	NA
2NQ	21" BMW Individual Lt/Aly Wheels, V-Spoke 726i, Perf. RFT (21x8.5, 245/40 R21 front and 21x9.5, 275/35 R21 rear)	\$1,500	\$1,500
	In combination with ZK5	\$1,500	
2T4	M Sport Differential	NA	\$1,300
	2T4 cannot be ordered with 22U		(req'd)
заС	Trailer tow hitch	\$750	\$750
3AT	Satin Aluminum Roof Rails	\$250	NA
	Included in package	ZJ6,	
		ZJ7, ZKE	l
	3AT cannot be ordered with ZK5	(req'd)	
441	Smoker's Package	\$100	\$100
161	Adjustable Rear Seats	\$500	\$500
	Included in package	ZKE	ZKF
188	Lumbar Support	\$300	\$300
	Included in package	ZJ7, ZKE	ZKA, ZKF
493	Storage Compartment Package	\$400	\$400
	Included in package	ZJ7, ZKE	ZKA, ZKF
4FH	Ventilated Front Seats	\$450	\$450
	4FH requires ordering MAFO, MAH7 or MAMU	(req'd)	(req'd)
4K1	High-Gloss Dark Oak Trim w/ Pearl ChromeHighlight	STD	NC
11/7	4K1 cannot be ordered with ZK5	(req'd)	OTO
4K7	Aluminum Rhombic Trim w/Satin Chrome Highlight	NC (male)	STD
41/0	4K7 requires ordering ZK5	(req'd)	NO
4K9	Brushed Aluminum Trim w/Satin Chrome Highlight	NC NC	NC NC
4LH	Cove Wood Trim w/Satin Chrome Highlight	NC NO	NC
4LQ	Poplar Grey Wood Trim w/Satin Chrome Highlight	NC NA	NC TOTO
4MC	Carbon Fibre Trim	NA	\$850 (rog/d)
4ML	4MC requires ordering ZJ6, ZKA or ZKF Piano Black Wood Trim w/Satin Chrome Highlight	£400	(req'd)
4MM	5 5	\$400 \$500	\$400 \$500
HINIVI	Ambient Air Package Included in package	ΣKE	ZKF
4UY	Ski And Snowboard Bag	\$350	\$350
552	Adaptive Full LED Headlights		100%
JJ2	Included in package	\$500 ZKE	100 /0
5DN	Parking Assistant Plus w/Surround View	\$1,000	\$1,000
· · ·	Included in package	ZKB, ZKE	ZKB, ZKF
886	Harman/Kardon Sound System	\$1,000	\$1,000
-50	Included in package	ZKE	ZKF
	688 requires ordering ZJ6 or ZJ7	(req'd)	2131
	688 requires ordering ZJ6 or ZKA	(1040)	(reg'd)
6NW	Wireless Charging w/Extended Bluetooth and USB	\$350	\$350
	Included in package	ZKE	ZKF
8U8	BMW Gesture Control	\$300	\$300
	6U8 requires ordering ZJ6, ZJ7 or ZKE	(req'd)	
	Included in package	ZKE	ZKF
	6U8 requires ordering ZJ6, ZKA or ZKF		(req'd)
7M9	High-Gloss Black Kidney Grille w/ Extended Contents	\$250	\$250
	7M9 requires ordering ZK5	(req'd)	l
	Special Order	\$400	\$400