

BMW X7.

2020MY PRODUCT GUIDE.

BMW X7 Sports Activity Vehicle	CW23 BMW X7 xDrive40i	CX63 BMW X7 M50i
Basic data summary		
Transmission type	Automatic	Automatic
Engine description	B58B30M1	N63B44T3
Seats	6/7	6/7
Number of doors	5 xDrive (AWD)	5 xDrive (AWD)
Engine type Dimensions	XDRIVE (AWD)	XDRIVE (AWD)
Exterior		
Length, mm	5165	5165
Width, mm	2000	2000
Height, mm	1805	1805
Width inc. mirrors, mm	2218	2218
Nidth incl.mirror driver, mm	1122	1122
Nidth incl.mirror passengers side, mm	1096	1096
Wheelbase, mm	3105	3105
Overhang front, mm	888	888
Rear overhang, mm	1172 13	1172 13
Furning circle, m Ground clearance, mm	221	221
country depending ground clearance Front Axle ML1, mm	210	210
country depending ground clearance rear axle ML1, mm	200	200
nterior	200	200
Shoulder width front, mm	1525	1525
Shoulder room rear, mm	1475	1475
Elbow width front, mm	1560	1560
lbowroom rear, mm	1527	1527
W10-3) Elbowroom of the 3nd row, mm	1218	1218
effective legroom front (L34), mm	1011	1011
effective legroom rear second seating row (L51-2), mm	954	954
L51-3) Legroom of the 3rd seating row, mm	846	846
Headroom front/SR, mm Maximum headroom second, mm	1064 1013	1064 1013
Maximum headroom second, mm Effective head room 3. SR (H61-3), mm	1013 930	1013 930
Knee clearance, mm	100	100
Seats	6/7	6/7
seats second row	2/3	2/3
seats third row	2	2
Offroad data		
Approach angle front ML1 (A106-1), °	23.1	23.1
Departure angle rear ML1 (A106-2), °	20.5	20.5
Ramp angle ML1 , °	17.1	17.1
Luggage volumes		
Press Trunk volume, ft ³	48,6 - 90,4, 48.6	48,6, 48.6 - 90.4
Weight Weights		
Vehicle weights Curb weight (without driver), kg	2436	2568
vehicle curb weight without driver (front axle), kg	1136	1259
vehicle curb weight without driver (rear axle), kg	1300	1309
Axle load limit front, kg	1370	1480
ear axle load limit, kg	1875	1875
	1873	
ear Weight distribution (empty car), %	53.4	51
ear Weight distribution (empty car), %	53.4	51
rear Weight distribution (empty car), % Gross veh. weight, kg ⁹ ayload, kg Trailer operation	53.4 3170 545	51 3320 540
rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg Trail er operation Frailer load braked 12%, kg	53.4 3170 545 2700/3405	51 3320 540 2700/3405
ear Weight distribution (empty car), % Gross veh. weight, kg elayload, kg Trailer operation Trailer load braked 12%, kg gross vehicle wieght with trailer 12% Kat1, kg	53.4 3170 545 2700/3405 5870/6575	51 3320 540 2700/3405 6020/6725
ear Weight distribution (empty car), % iross veh. weight, kg ayload, kg railer operation railer load braked 12%, kg ross vehicle wieght with trailer 12% Kat1, kg railer nose weight, kg	53.4 3170 545 2700/3405	51 3320 540 2700/3405
ear Weight distribution (empty car), % fross veh. weight, kg valvload, kg frailer operation railer load braked 12%, kg fross vehicle wieght with trailer 12% Kat1, kg frailer nose weight, kg	53.4 3170 545 2700/3405 5870/6575 275	51 3320 540 2700/3405 6020/6725 275
ear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg Trailer operation Trailer load braked 12%, kg Gross vehicle wieght with trailer 12% Kat1, kg Trailer nose weight, kg JS weights Gross vehicle weight, lbs	53.4 3170 545 2700/3405 5870/6575 275	51 3320 540 2700/3405 6020/6725 275 7319
rear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg Trailer operation Trailer load braked 12%, kg gross vehicle weight with trailer 12% Kat1, kg Trailer nose weight, kg JS weights gross vehicle weight, lbs 'ayload lbs, lbs	53.4 3170 545 2700/3405 5870/6575 275 6989 1202	51 3320 540 2700/3405 6020/6725 275 7319 1190
rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg Trailer operation Trailer load braked 12%, kg gross vehicle wieght with trailer 12% Kat1, kg Trailer nose weight, kg JS weights Tross vehicle weight, lbs Payload lbs, lbs Front akle load lbs, lbs	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263
rear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg Trailer operation Trailer load braked 12%, kg gross vehicle weight with trailer 12% Kat1, kg Trailer nose weight, kg JS weights gross vehicle weight, lbs 'ayload lbs, lbs	53.4 3170 545 2700/3405 5870/6575 275 6989 1202	51 3320 540 2700/3405 6020/6725 275 7319 1190
ear Weight distribution (empty car), % iross veh. weight, kg ayload, kg ayload, kg railer operation railer load braked 12%, kg ross vehicle weight with trailer 12% Kat1, kg railer nose weight, kg 15 weights rorss vehicle weight, kb sayload lbs, lbs ront axle load lbs, lbs whel load limit rear, lbs ehicle weight without driver empty fuel tank, lbs	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg Trailer operation Trailer load braked 12%, kg tross vehicle wieght with trailer 12% Kat1, kg 'railer nose weight, kg JS weights Tross vehicle weight, lbs 'ayload lbs, lbs Tront axle load lbs, lbs Trailer nose weight, lbs 'ayload ilmit rear, lbs Trailer nose weight, lbs Trailer nose weight, lbs Tross vehicle weight without driver empty fuel tank, lbs Tross vehicle weight without driver empty fuel tank, lbs	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg railer operation railer load braked 12%, kg ross vehicle wieght with trailer 12% Kat1, kg 'railer nose weight, kg JS weights ross vehicle weight, lbs 'ayload lbs, lbs ront axle load lbs, lbs vale load limit rear, lbs ehicle weight without driver empty fuel tank, lbs ehicle weight without driver empty fuel tank -RA, lbs ehicle weight without driver empty fuel tank -FA, lbs	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780
ear Weight distribution (empty car), % iross veh. weight, kg ayoload, kg railer operation railer load braked 12%, kg ross vehicle weight with trailer 12% Kat1, kg railer nose weight, kg JS weights gross vehicle weight, kg syload lbs, lbs eront axle load lbs, lbs wile load limit rear, lbs wheload limit rear, lbs wehicle weight without driver empty fuel tank, lbs wehicle weight without driver empty fuel tank -RA, lbs wehicle weight without driver empty fuel tank -FA, lbs wehicle weight without driver empty fuel tank -FA, lbs wehicle cure weight inkl. 100% SAa und 33% SAs, lbs erformance /fuel eco.	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745
ear Weight distribution (empty car), % fross veh. weight, kg 'ayload, kg Trailer operation Trailer load braked 12%, kg gross vehicle wieght with trailer 12% Kat1, kg 'railer nose weight, kg JS weights Tross vehicle weight, lbs 'ayload lbs, lbs 'cront axle load lbs, lbs 'cront axle load lbs, lbs 'cront exite load limit rear, lbs 'rehicle weight without driver empty fuel tank, lbs 'erhicle weight without driver empty fuel tank -FA, lbs 'erhicle weight without driver empty fuel tank -FA, lbs 'erhicle curb weight hisk.l 100% SAa und 33% SAs, lbs 'erformance /fuel eco.	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg 'railer operation 'railer load braked 12%, kg ross vehicle weight with trailer 12% Kat1, kg 'railer nose weight, kg JS weights ross vehicle weight, lbs 'ayload lbs, lbs 'ront axle load lbs, lbs 'ayload limit rear, lbs 'ehicle weight without driver empty fuel tank, lbs 'ehicle weight without driver empty fuel tank -FA, lbs 'ehicle weight without driver empty fuel tank -FA, lbs 'ehicle weight without driver empty fuel tank -FA, lbs 'ehicle weight without driver empty fuel tank -FA, lbs 'ehicle weight without driver empty fuel tank -FA, lbs 'ehicle weight without driver empty fuel tank -FA, lbs 'ehicle weight without driver empty fuel tank -FA, lbs 'ehicle weight without driver empty fuel tank -FA, lbs 'ehicle curb weight inkl. 100% SAa und 33% SAs, lbs 'erformance fuel eco. 'erformance 'enial drive ratio	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg 'ayload, kg 'arailer operation 'railer load braked 12%, kg 'ross vehicle weight with trailer 12% Kat1, kg 'railer nose weight, kg 'IS weights 'IS weights 'gross vehicle weight, lbs 'ayload lbs, lbs 'crost axle load lbs, lbs 'crost axle load lbs, lbs 'crost axle load lbs, lbs 'crost exhicle weight without driver empty fuel tank, lbs 'eshicle weight without driver empty fuel tank -RA, lbs 'eshicle und weight without driver empty fuel tank -FA, lbs 'eshicle curb weight without driver empty fuel tank -FA, lbs 'eshicle curb weight without driver empty fuel tank -FA, lbs 'eshicle curb weight without driver empty fuel tank -FA, lbs 'eshicle curb weight without driver empty fuel tank -FA, lbs 'eshicle curb weight inkl. 100% SAa und 33% SAs, lbs 'Derformance - (fuel eco. 'erformance - (fuel eco.) 'erformance - (fuel eco.) 'erformance - (fuel eco.)	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg Trailer operation Trailer load braked 12%, kg tross vehicle wieght with trailer 12% Kat1, kg Trailer nose weight, kg JS weights Tross vehicle weight, lbs 'ayload lbs, lbs Front axle load lbs, lbs Welchicle weight without driver empty fuel tank, lbs Treiler weight without driver empty fuel tank -FA, lbs Treiler weight weight without driver empty fuel tank -FA, lbs Treiler weight weight without driver empty fuel tank -FA, lbs Treiler weight weight without driver empty fuel tank -FA, lbs Treiler weight	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg 'railer operation 'railer load braked 12%, kg 'ross vehicle wieght with trailer 12% Kat1, kg 'railer nose weight, kg JS weights 'ross vehicle weight, lbs 'ayload lbs, lbs 'ront avle load lbs, lbs 'ront avle load lbs, lbs 'roth avle load limit rear, lbs 'rehicle weight without driver empty fuel tank, lbs 'rehicle weight without driver empty fuel tank -FA, lbs 'rehicle weight without driver empty fuel tank -FA, lbs 'rehicle weight without driver empty fuel tank -FA, lbs 'rehicle weight without driver empty fuel tank -FA, lbs 'rehicle weight without driver empty fuel tank -FA, lbs 'rehicle weight without driver empty fuel tank -FA, lbs 'rehicle weight without driver empty fuel tank -FA, lbs 'rehicle weight without driver empty fuel tank -FA, lbs 'rehicle weight without driver empty fuel tank -FA, lbs 'rehicle weight without driver empty fuel tank -FA, lbs 'rehicle weight without driver empty fuel tank -FA, lbs 'rehicle weight without driver empty fuel tank -FA, lbs 'rehicle weight without driver empty fuel tank -FA, lbs 'rehicle weight, kg	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3.385 210/250 4.7 15.5
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg 'ayload, kg 'arailer operation 'railer load braked 12%, kg 'ross vehicle weight with trailer 12% Kat1, kg 'railer nose weight, kg 15 weights 'gross vehicle weight, kg 15 weights 'gross vehicle weight, lbs 'ayload lbs, lbs 'crost axle load lbs, lbs 'crost axle load lbs, lbs 'crott axle load lbs, lbs 'ethicle weight without driver empty fuel tank, lbs 'ethicle weight without driver empty fuel tank -FA, lbs 'ethicle weight without driver empty fuel tank -FA, lbs 'ethicle curb weight inkl. 100% SAa und 33% SAs, lbs 'cerformance 'inial driver ratio 'fop speed, km/h -100km/h, s 'cuel cons. City, L/100km 'uel cons. Highway, L/100km 'uel cons. Highway, L/100km	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3385 210/250 4.7 15.5 11.4
ear Weight distribution (empty car), % fross veh. weight, kg 'ayload, kg 'araller operation 'railer load braked 12%, kg 'ross vehicle weight with trailer 12% Kat1, kg 'railer nose weight, kg 'IS weights 'IS weights 'IS weights 'IS very thick weight, lbs 'ayload lbs, lbs 'ayload lbs, lbs 'ront axle load lbs, lbs 'whe load limit rear, lbs 'ehicle weight without driver empty fuel tank, lbs 'ehicle weight without driver empty fuel tank -FA, lbs 'ehicle weight without driver empty fuel tank -FA, lbs 'ehicle urb weight inkl. 100% SAa und 33% SAs, lbs 'erformance /fuel eco. 'terformance 'inal drive ratio 'op speed, km/h 'b-100Km/h, s uel cons. City, L/100km 'uel cons. Chybing L/100km 'uel cons. Combined, L/100km 'uel cons. Combined, L/100km	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3.385 210/250 4.7 15.5
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg Trailer operation Trailer load braked 12%, kg tross vehicle wieght with trailer 12% Kat1, kg Trailer nose weight, kg JS weights Tross vehicle weight, lbs 'ayload lbs, lbs Tront axle load limit rear, lbs Treiler weight without driver empty fuel tank, lbs Treiler weight without driver empty fuel tank -FA, lbs Treiler weight weight without driver empty fuel tank -FA, lbs Treiler weight weight without driver empty fuel tank -FA, lbs Treiler weight weight without driver empty fuel tank -FA, lbs Treiler weight weight without driver empty fuel tank -FA, lbs Treiler weight weight weight weight weight weight weight w	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3385 210/250 4.7 15.5 11.4
ear Weight distribution (empty car), % iross veh. weight, kg ayload, kg ayload, kg frailer operation railer load braked 12%, kg ross vehicle weight with trailer 12% Kat1, kg railer nose weight, kg JS weights gross vehicle weight, kg JS weights gross vehicle weight, kb stayload lbs, lbs store take load lbs, lbs whe load limit rear, lbs eehicle weight without driver empty fuel tank, lbs eehicle weight without driver empty fuel tank -FA, lbs eehicle ueight without driver empty fuel tank -FA, lbs eehicle curb weight inkl. 100% SAa und 33% SAs, lbs eerformance final drive ratio Top speed, km/h 1-100Km/h, s fuel cons. City, L/100km fuel cons. Combined, L/100km Motor data Communication	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12 9.4 10.8	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3385 210/250 4.7 15.5 11.4 13.6
ear Weight distribution (empty car), % iross veh. weight, kg ayoload, kg ayoload, kg railer operation railer load braked 12%, kg ross vehicle weight with trailer 12% Kat1, kg railer nose weight, kg JS weights gross vehicle weight, kg sayoload lbs, lbs cront axle load lbs, lbs cront axle load lbs, lbs wide load limit rear, lbs whe load limit rear, lbs whe load limit rear, lbs wehicle weight without driver empty fuel tank, lbs wehicle weight without driver empty fuel tank -FA, lbs wehicle weight without driver empty fuel tank -FA, lbs wehicle curb weight inkl. 100% SAa und 33% SAs, lbs derformance fuel eco. verformance final drive ratio iop speed, km/h b-100Km/h, s fuel cons. City, L/100km fuel cons. Highway, L/100km fuel cons. Lighway, L/100km fuel cons. Combined, L/100km foor data communication foower to weight ratio, kg/kW	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12 9.4 10.8	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3.385 210/250 4,7 15.5 11.4 13.6
ear Weight distribution (empty car), % foros veh. weight, kg 'ayload, kg Trailer operation Trailer load braked 12%, kg Tross vehicle wieght with trailer 12% Kat1, kg Trailer nose weight, kg JS weights Trailer nose weight, kg JS weights Trailer nose weight, kg Trailer nose weight, kg Sweights Trailer nose weight, kg Sweights Tross vehicle weight, lbs Payload lbs, lbs Front axle load lbs, lbs Weight without driver empty fuel tank, lbs Trailer weight without driver empty fuel tank -RA, lbs Trailer weight without driver empty fuel tank -FA, lbs Trailer weight without d	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12 9.4 10.8	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3.385 210/250 4.7 15.5 11.4 13.6
ear Weight distribution (empty car), % iross veh. weight, kg ayoload, kg ayoload, kg frailer operation railer load braked 12%, kg ross vehicle weight with trailer 12% Kat1, kg railer nose weight, kg JS weights gross vehicle weight, kb gross vehicle weight, kb gross vehicle weight, kb stores vehicle weight, kb stores vehicle weight, kb stores vehicle weight, kb stores vehicle weight without driver empty fuel tank, lbs wehicle weight without driver empty fuel tank -FA, lbs wehicle weight without driver empty fuel tank -FA, lbs wehicle weight without driver empty fuel tank -FA, lbs wehicle curb weight inkl. 100% SAa und 33% SAs, lbs verformance fuel eco.	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12 9.4 10.8	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3.385 210/250 4,7 15.5 11.4 13.6
rear Weight distribution (empty car), % Gross veh. weight, kg Payload, kg Trailer operation Trailer load braked 12%, kg Gross vehicle wieght with trailer 12% Kat1, kg Trailer nose weight, kg JS weights Gross vehicle weight, lbs Payload lbs, lbs Teront axle load lbs, lbs Lxle load limit rear, lbs	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12 9.4 10.8	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3.385 210/250 4.7 15.5 11.4 13.6
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg 'ayload, kg 'arailer operation 'railer load braked 12%, kg 'ross vehicle weight with trailer 12% Kat1, kg 'railer nose weight, kg 'IS weights 'IS wei	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12 9.4 10.8	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3.385 210/250 4.7 15.5 11.4 13.6
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg Trailer operation Trailer load braked 12%, kg 'tross vehicle wieght with trailer 12% Kat1, kg 'railer nose weight, kg JS weights Trailer nose weight, kg JS weights Trailer nose weight, kg See weight weight with trailer 12% Kat1, kg Trailer nose weight, kg State of the weight with trailer 12% Kat1, kg Trailer nose weight, kg See weights Trailer nose weight, kg State of the weight without driver empty fuel tank, lbs Trailer nose weight without driver empty fuel tank, lbs Trailer nose weight without driver empty fuel tank -FA, lbs Trailer nose weight without driver empty fuel tank -FA, lbs Trailer nose weight inkl. 100% SAa und 33% SAs, lbs Trailer nose weight inkl. 100% SAa un	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12 9.4 10.8	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3.385 210/250 4.7 15.5 11.4 13.6
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg 'ayload, kg 'ariller operation 'railer load braked 12%, kg 'ross vehicle weight with trailer 12% Kat1, kg 'railer nose weight, kg 'IS weights 'IS weights 'IS weights 'IS weights 'IS weights 'Is veights 'Is vei	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12 9.4 10.8 9.7 83.4 B58830M1 6 4	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3.385 210/250 4.7 15.5 11.4 13.6
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg 'ayload, kg 'ariller operation 'railer load braked 12%, kg 'ross vehicle weight with trailer 12% Kat1, kg 'railer nose weight, kg 'IS weights 'gross vehicle weight, lbs 'ayload lbs, lbs 'a	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12 9.4 10.8 858830M1 6 4 94.6	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3385 210/250 4,7 15.5 11.4 13.6
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg 'ayload, kg 'arailer operation 'railer load braked 12%, kg 'ross vehicle weight with trailer 12% Kat1, kg 'railer nose weight, kg JS weights 'gross vehicle weight, kg JS weights 'gross vehicle weight, lbs 'ayload lbs, lbs 'cont axle load lbs, lbs 'whicle weight without driver empty fuel tank, lbs 'ethicle weight without driver empty fuel tank-RA, lbs 'ethicle weight without driver empty fuel tank-RA, lbs 'ethicle weight without driver empty fuel tank-RA, lbs 'ethicle urb weight inkl. 100% SAa und 33% SAs, lbs 'ethicle urb weight inkl. 100% SAa und 33% SAs, lbs 'ethicle urb weight inkl. 100% SAa und 33% SAs, lbs 'ethicle urb weight inkl. 100% SAa und 33% SAs, lbs 'ethicle urb weight inkl. 100% SAa und 33% SAs, lbs 'ethicle urb weight inkl. 100% SAa und 33% SAs, lbs 'ethicle urb weight,	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12 9.4 10.8 858830M1 6 4 94.6 82 2998 11	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3385 210/250 4.7 15.5 11.4 13.6
ear Weight distribution (empty car), % iross veh. weight, kg ayoload, kg ayoload, kg railer operation railer load braked 12%, kg ross vehicle weight with trailer 12% Kat1, kg railer nose weight, kg JS weights gross vehicle weight, lbs ayoload lbs, lbs cront axle load lbs, lbs wide load limit rear, lbs whe load limit rear, lbs wehicle weight without driver empty fuel tank, lbs wehicle weight without driver empty fuel tank -FA, lbs wehicle weight without driver empty fuel tank -FA, lbs wehicle curb weight inkl. 100% SAa und 33% SAs, lbs derformance final drive ratio for speed, km/h b-100Km/h, s viel cons. City, L/100km viel cons. City, L/100km viel cons. Lighway, L/100km viel cons. Lighway, L/100km viel cons. Lighway, L/100km viel cons. Lighway, L/100km viel cons. Combined, L/100km viotor data communication vower to weight ratio, kg/kW Dutput per litre, kW/dm³ whotor ingine type cylinders larves of the search of t	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12 9.4 10.8 B58830M1 6 4 9.7 83.4	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3.385 210/250 4,7 15.5 11.4 13.6
ear Weight distribution (empty car), % iross veh. weight, kg 'ayload, kg 'ayload, kg 'ayload, kg 'arialer operation 'railer load braked 12%, kg 'ross vehicle weight with trailer 12% Kat1, kg 'railer nose weight, kg 'Is weights 'gross vehicle weight, kg 'Is weights 'ayload lbs, lbs 'ayload lbs,	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12 9.4 10.8 858830M1 6 4 94.6 82 2998 11 335 5500-6500	51 3320 540 2700/3405 60020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3.385 210/250 4.7 15.5 11.4 13.6
ear Weight distribution (empty car), % iross veh. weight, kg ayoload, kg ayoload, kg railer operation railer load braked 12%, kg ross vehicle weight with trailer 12% Kat1, kg railer nose weight, kg JS weights gross vehicle weight, lbs ayoload lbs, lbs cront axle load lbs, lbs wide load limit rear, lbs whe load limit rear, lbs wehicle weight without driver empty fuel tank, lbs wehicle weight without driver empty fuel tank -FA, lbs wehicle weight without driver empty fuel tank -FA, lbs wehicle curb weight inkl. 100% SAa und 33% SAs, lbs derformance final drive ratio for speed, km/h b-100Km/h, s viel cons. City, L/100km viel cons. City, L/100km viel cons. Lighway, L/100km viel cons. Lighway, L/100km viel cons. Lighway, L/100km viel cons. Lighway, L/100km viel cons. Combined, L/100km viotor data communication vower to weight ratio, kg/kW Dutput per litre, kW/dm³ whotor ingine type cylinders larves of the search of t	53.4 3170 545 2700/3405 5870/6575 275 6989 1202 3020 4134 5234 2760 2474 5370 3.636 210 6.1 12 9.4 10.8 B58830M1 6 4 9.7 83.4	51 3320 540 2700/3405 6020/6725 275 7319 1190 3263 4134 5525 2780 2745 5661 3.385 210/250 4,7 15.5 11.4 13.6

BMW X7 Sports Activity Vehicle	CW23	CX63
, ,	BMW X7 xDrive40i	BMW X7 M50i
Engine torque, ftlbs	331	553
rpm at maximum torque, 1/min	1500-5200	1800-4600
minimum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min	1500 5200	1800 4600
Fuel type	gasoline	gasoline
Useable Fuel quality	AKI 89 MIN, E25 MAX	AKI 89 MIN, E25 MAX
recomm.	AKI 91	AKI 91
Engine oil (exchange quantity), I Gearbox	6.5	10.5
Combustion engine		
Transmission type V	GA8X51CZ	GA8X76AZ
Transmission type	Automatic	Automatic
Nr. of gears Gear ratios 1st gear**	8 5.25	8 5.5
2nd**	3.36	3.52
3rd**	2.172	2.2
4th**	1.72	1.72
5th** 6th**	1.316 1	1.317 1
7th**	0.822	0.823
8th**	0.64	0.64
Reverse gear**	3.712	3.993
Aerodynamics		
Cx Cx Min	0.33	0.36
Cx Max	0.38	0.38
Cx Range, m ²	0.33-0.38	0.36-0.38
Cx x A		
Cx x A Min, m ² Cx x A Max, m ²	1.05 1.14	1.08 1.14
Stirnflaeche	1.14	1,14
Facing surface , m ²	3	3
Emission		
Emission classification (type-certified)*** chassis	ULEV125	ULEV125
Wheel/Tyres		
Front tyres	N/A	285/45 R21 113 H XL AS, 275/40 R22 107 Y XL
Front tyres var.1	285/45 R21 113 H XL AS	285/45 R21 113 H XL AS, 275/40 R22 107 Y XL
Front tyres var.2 Front tyres var.3	285/45 R21 113 H XL AS 275/40 R22 107 Y XL	275/40 R22 107 Y XL 275/40 R22 107 Y XL
Front rims	N/A	9,5Jx21 LM, 9,5Jx22 LM
Front rims var.1	9,5Jx21 LM	9,5Jx21 LM, 9,5Jx22 LM
Front rims var.2	9,5Jx21 LM	9,5Jx22 LM
Front rims var.3 Rear tyres	9,5Jx22 LM N/A	9,5Jx22 LM 285/45 R21 113 H XL AS, 315/35 R22 111 Y XL
Rear tyres var.1	285/45 R21 113 H XL AS	285/45 R21 113 H XL AS, 315/35 R22 111 Y XL
Rear tyres var.2	285/45 R21 113 H XL AS	315/35 R22 111 Y XL
Rear tyres var.3	315/35 R22 111 Y XL	315/35 R22 111 Y XL
Rear rims Rear rims var.1	N/A	
		9,5Jx21 LM, 10,5Jx22 LM 9,5Jx21 LM, 10,5Jx22 LM
Rear rims var.2	9,5Jx21 LM 9,5Jx21 LM	9,51x21 LM, 10,51x22 LM 9,51x21 LM, 10,51x22 LM 10,51x22 LM
Rear rims var.2	9,5Jx21 LM	9,5Jx21 LM, 10,5Jx22 LM
Rear rims var.2 Rear rims var.3 Track front, mm	9,51x21 LM 9,51x21 LM 10,51x22 LM N/A	9,51x21 LM, 10,51x22 LM 10,51x22 LM 10,51x22 LM 1682
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm	9,51x21 LM 9,51x21 LM 10,51x22 LM N/A 1682	9,51x21 LM, 10,51x22 LM 10,51x22 LM 10,51x22 LM 1682 1682
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm	9,51x21 LM 9,51x21 LM 10,51x22 LM N/A 1682 1682	9,51x21 LM, 10,51x22 LM 10,51x22 LM 10,51x22 LM 1682 1682 1690
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.3, mm	9,51x21 LM 9,51x21 LM 10,51x22 LM N/A 1682 1682 1690 N/A	9,51x21 LM, 10,51x22 LM 10,51x22 LM 10,51x22 LM 1682 1682
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.3, mm Width of the rear track, mm Track rear var.1, mm	9,51x21 LM 9,51x21 LM 10,51x22 LM N/A 1682 1682 1690 N/A 1703	9,51x21 LM, 10,51x22 LM 10,51x22 LM 10,51x22 LM 1682 1682 1690 1690 1703 1703
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.3, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm	9,51x21 LM 9,51x21 LM 10,51x22 LM N/A 1682 1682 1690 N/A 1703	9,51x21 LM, 10,51x22 LM 10,51x22 LM 10,51x22 LM 1682 1682 1690 1690 1703 1703
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.3, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.3, mm	9,51x21 LM 9,51x21 LM 10,51x22 LM N/A 1682 1682 1690 N/A 1703 1703	9,51x21 LM, 10,51x22 LM 10,51x22 LM 10,51x22 LM 1682 1682 1690 1690 1703 1703 1703 1689
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.3, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.3, mm Wheel offset front, mm Wheel offset front var.1, mm	9,51x21 LM 9,51x21 LM 10,51x22 LM N/A 1682 1682 1690 N/A 1703	9,5ix21 LM, 10,5ix22 LM 10,5ix22 LM 10,5ix22 LM 1682 1682 1690 1703 1703 1689 1689 32/36
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.3, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.3, mm Wheel offset front, mm Wheel offset front var.1, mm Wheel offset front var.2, mm	9,5ix21 LM 9,5ix21 LM 10,5ix22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36	9,51x21 LM, 10,51x22 LM 10,51x22 LM 10,51x22 LM 1682 1682 1690 1703 1703 1703 1689 1689 32/36 32/36
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.2, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.3, mm Wheel offset front var.1, mm Wheel offset front var.1, mm Wheel offset front var.2, mm Wheel offset front var.3, mm	9,51x21 LM 9,51x21 LM 10,51x22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36	9,51x21 LM, 10,51x22 LM 10,51x22 LM 10,51x22 LM 1682 1682 1690 1690 1703 1703 1703 1689 1689 32/36 32/36 32
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.3, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.3, mm Wheel offset front, mm Wheel offset front var.1, mm Wheel offset front var.2, mm	9,5ix21 LM 9,5ix21 LM 10,5ix22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36	9,51x21 LM, 10,51x22 LM 10,51x22 LM 10,51x22 LM 1682 1682 1690 1703 1703 1703 1689 1689 32/36 32/36
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.3, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.3, mm Wheel offset front, mm Wheel offset front var.1, mm Wheel offset front var.2, mm Wheel offset front var.3, mm	9,5k21 LM 9,5k21 LM 10,5k22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36 36 32 N/A	9,5ix21 LM, 10,5ix22 LM 10,5ix22 LM 10,5ix22 LM 1682 1682 1690 1703 1703 1689 1689 1689 32/36 32/36 32 32
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.2, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.3, mm Wheel offset front, mm Wheel offset front var.1, mm Wheel offset front var.2, mm Wheel offset front var.3, mm Wheel offset front var.3, mm Wheel offset rear var.3, mm	9,5k21 LM 9,5k21 LM 10,5k22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36 36 32 N/A 36 36 36 43	9,51x21 LM, 10,51x22 LM 10,51x22 LM 10,51x22 LM 1682 1682 1682 1690 1703 1703 1703 1689 1689 32/36 32/36 32/36 32/36 32/36 32/36 32 36/43 43
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.3, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.3, mm Wheel offset front, mm Wheel offset front var.1, mm Wheel offset front var.2, mm Wheel offset front var.3, mm Wheel offset front var.3, mm Wheel offset rear var.3, mm Wheel offset rear var.3, mm Wheel offset rear var.2, mm Wheel offset rear var.2, mm Wheel offset rear var.2, mm Wheel offset rear var.3, mm Wheel offset rear var.3, mm Run flat tyres	9,5k21 LM 9,5k21 LM 10,5k22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36 36 32 N/A 36 36 32 N/A	9,5ix21 LM, 10,5ix22 LM 10,5ix22 LM 10,5ix22 LM 1682 1682 1690 1690 1703 1703 1689 1689 32/36 32/36 32/36 32 32 32 32 32 36/43 43 43
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.2, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.3, mm Wheel offset front, mm Wheel offset front var.1, mm Wheel offset front var.3, mm Wheel offset rear var.3, mm Run flat tyres var.1	9,5ix21 LM 9,5ix21 LM 10,5ix22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36 36 32 N/A 36 36 32 N/A	9,5ix21 LM, 10,5ix22 LM 10,5ix22 LM 10,5ix22 LM 1682 1682 1690 1690 1703 1703 189 1689 32/36 32/36 32/36 32/36 32 36/43 36/43 36/43 43 43 no yes
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.3, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.3, mm Wheel offset front, mm Wheel offset front var.1, mm Wheel offset front var.2, mm Wheel offset front var.3, mm Wheel offset front var.3, mm Wheel offset rear var.3, mm Wheel offset rear var.3, mm Wheel offset rear var.2, mm Wheel offset rear var.2, mm Wheel offset rear var.2, mm Wheel offset rear var.3, mm Wheel offset rear var.3, mm Run flat tyres	9,5k21 LM 9,5k21 LM 10,5k22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36 36 32 N/A 36 36 32 N/A	9,5ix21 LM, 10,5ix22 LM 10,5ix22 LM 10,5ix22 LM 1682 1682 1690 1690 1703 1703 1689 1689 32/36 32/36 32/36 32 32 32 32 32 36/43 43 43
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.2, mm Track front var.3, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.3, mm Wheel offset front, mm Wheel offset front var.1, mm Wheel offset front var.3, mm Wheel offset front var.3, mm Wheel offset front var.3, mm Wheel offset rear, mm Wheel offset rear, mm Wheel offset rear var.3, mm Wheel offset rear var.3, mm Run flat tyres Run flat tyres var.1 Run flat tyres var.2 Run flat tyres var.3 Steering	9,5ix21 LM 9,5ix21 LM 10,5ix22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36 36 32 N/A 36 43 N/A no yes	9,5ix21 LM, 10,5ix22 LM 10,5ix22 LM 10,5ix22 LM 1682 1682 1690 1690 1703 1703 1689 1689 32/36 32/36 32/36 32/36 34 43 43 43 no yes
Rear rims var. 2 Rear rims var. 3 Rear rims var. 3 Track front, mm Track front var. 1, mm Track front var. 2, mm Track front var. 2, mm Width of the rear track, mm Track rear var. 1, mm Track rear var. 2, mm Track rear var. 3, mm Wheel offset front, mm Wheel offset front var. 1, mm Wheel offset front var. 2, mm Wheel offset front var. 3, mm Wheel offset rear, mm Wheel offset rear, mm Wheel offset rear, mm Wheel offset rear var. 2, mm Wheel offset rear var. 3, mm Wheel offset rear var. 1, mm Wheel offset rear var. 2, mm Wheel offset rear var. 3, mm Run flat tyres Run flat tyres Run flat tyres var. 1 Run flat tyres var. 2 Run flat tyres var. 3 Steering Power-steering	9,5ix21 LM 9,5ix21 LM 10,5ix22 LM N/A 1682 1682 1690 N/A 1703 1703 1703 1689 N/A 36 36 32 N/A 36 36 32 N/A 36 36 37 37 38 38 38 39 39 39 30 30 30 30 30 30 30 30 30 30 30 30 30	9,51x21 LM, 10,51x22 LM 10,51x22 LM 10,51x22 LM 1682 1682 1690 1690 1703 1703 1899 1689 32/36 32/36 32/36 32/36 32/36 34 43 43 43 no yes no yes
Rear rims var.2 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.2, mm Track front var.3, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.3, mm Wheel offset front, mm Wheel offset front var.1, mm Wheel offset front var.3, mm Wheel offset front var.3, mm Wheel offset front var.3, mm Wheel offset rear, mm Wheel offset rear, mm Wheel offset rear var.3, mm Wheel offset rear var.3, mm Run flat tyres Run flat tyres var.1 Run flat tyres var.2 Run flat tyres var.3 Steering	9,5ix21 LM 9,5ix21 LM 10,5ix22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36 36 32 N/A 36 43 N/A no yes	9,5ix21 LM, 10,5ix22 LM 10,5ix22 LM 10,5ix22 LM 1682 1682 1690 1690 1703 1703 1689 1689 32/36 32/36 32/36 32/36 34 43 43 43 no yes
Rear rims var. 2 Rear rims var. 3 Track front, mm Track front var. 1, mm Track front var. 2, mm Track front var. 2, mm Track front var. 3, mm Width of the rear track, mm Track rear var. 1, mm Track rear var. 2, mm Track rear var. 3, mm Wheel offset front, mm Wheel offset front var. 1, mm Wheel offset front var. 2, mm Wheel offset front var. 2, mm Wheel offset front var. 3, mm Wheel offset rear var. 1, mm Wheel offset rear var. 3, mm Wheel offset rear var. 3, mm Wheel offset rear var. 1, mm Wheel offset rear var. 3, mm Run flat tyres Run flat tyres var. 1 Run flat tyres var. 2 Run flat tyres var. 3 Steering Power-steering Steering transmission, overall, :1	9,5ix21 LM 9,5ix21 LM 10,5ix22 LM N/A 1682 1682 1690 N/A 1703 1703 1703 1689 N/A 36 36 32 N/A 36 36 32 N/A 36 36 37 37 38 38 38 39 39 39 30 30 30 30 30 30 30 30 30 30 30 30 30	9,51x21 LM, 10,51x22 LM 10,51x22 LM 10,51x22 LM 1682 1682 1690 1690 1703 1703 1899 1689 32/36 32/36 32/36 32/36 32/36 34 43 43 43 no yes no yes
Rear rims var.2 Rear rims var.3 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.2, mm Track front var.2, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.2, mm Wheel offset front, mm Wheel offset front var.1, mm Wheel offset front var.2, mm Wheel offset front var.2, mm Wheel offset rear, mm Wheel offset rear, mm Wheel offset rear var.1, mm Wheel offset rear var.1, mm Wheel offset rear var.2, mm Wheel offset rear var.2, mm Wheel offset rear var.3, mm Run flat tyres Run flat tyres var.1 Run flat tyres var.2 Run flat tyres var.3 Steering Power-steering Steering Steering transmission, overall, :1 Fink Fuel tank capacity (approx.), Battery Battery	9,5k/21 LM 9,5k/21 LM 10,5k/22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36 36 36 32 N/A 36 36 43 N/A no yes yes	9,5ix21 LM, 10,5ix22 LM 10,5ix22 LM 10,5ix22 LM 1682 1682 1690 1690 1703 1689 1689 12/36 32/36 32/36 32/36 34 43 43 43 no yes no yes
Rear rims var.2 Rear rims var.3 Rear rims var.3 Track front var.1, mm Track front var.2, mm Track front var.2, mm Track front var.2, mm Width of the rear track, mm Track rear var.1, mm Track rear var.1, mm Track rear var.3, mm Wheel offset front, mm Wheel offset front var.1, mm Wheel offset front var.2, mm Wheel offset front var.3, mm Wheel offset rear var.1, mm Wheel offset rear var.2, mm Wheel offset rear var.2, mm Wheel offset rear var.2, mm Wheel offset rear var.3, mm Run flat tyres Run flat tyres var.1 Run flat tyres var.3 Steering Power-steering Steering transmission, overall, :1 Trank Fuel tank capacity (approx.), 1 Battery Battery Capacity (low voltage), Ah	9,5k/21 LM 9,5k/21 LM 10,5k/22 LM N/A 1682 1682 1680 N/A 1703 1703 1689 N/A 36 36 32 N/A 36 36 32 N/A 36 36 32 N/A 38 83	9,5ix21 LM, 10,5ix22 LM 10,5ix22 LM 10,5ix22 LM 1682 1682 1682 1690 1690 1703 1703 1703 1689 1689 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/38 36/43 43 43 43 40 43 43 43 43 43 43 43 43 48 48 48 49 48 49 49 49 49 49 49 49 49 49 49 40 40 40 40 40 40 40 40 40 40 40 40 40
Rear rims var. 2 Rear rims var. 3 Rear rims var. 3 Track front, mm Track front var. 1, mm Track front var. 2, mm Track front var. 2, mm Track front var. 3, mm Width of the rear track, mm Track rear var. 1, mm Track rear var. 2, mm Track rear var. 3, mm Wheel offset front, mm Wheel offset front var. 1, mm Wheel offset front var. 3, mm Wheel offset front var. 3, mm Wheel offset rear, mm Wheel offset rear, mm Wheel offset rear, mm Wheel offset rear var. 3, mm Runel offset rear var. 3, mm Runel at tyres var. 2, mm Wheel offset rear var. 3, mm Run flat tyres Run flat tyres var. 3 Steering Power-steering Steering Steering Steering transmission, overall, :1 Tank Fuel tank capacity (low voltage), V	9,5k/21 LM 9,5k/21 LM 10,5k/22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36 36 36 32 N/A 36 36 43 N/A no yes yes	9,5ix21 LM, 10,5ix22 LM 10,5ix22 LM 10,5ix22 LM 1682 1682 1690 1690 1703 1689 1689 12/36 32/36 32/36 32/36 34 43 43 43 no yes no yes
Rear rims var. 2 Rear rims var. 3 Rear rims var. 3 Track front, mm Track front var. 1, mm Track front var. 2, mm Track front var. 2, mm Track front var. 3, mm Width of the rear track, mm Track rear var. 1, mm Track rear var. 2, mm Track rear var. 3, mm Wheel offset front var. 1, mm Wheel offset front var. 1, mm Wheel offset front var. 2, mm Wheel offset front var. 2, mm Wheel offset rear var. 2, mm Wheel offset rear var. 3, mm Wheel offset rear var. 3, mm Wheel offset rear var. 1, mm Wheel offset rear var. 2, mm Wheel offset rear var. 3, mm Run flat tyres Run flat tyres var. 3 Run flat tyres var. 3 Steering Power-steering Steering Steering transmission, overall, :1 Tank Fuel tank capacity (low voltage), Ah System voltage (low voltage), V SCR SCR (Yes/No)	9,5k/21 LM 9,5k/21 LM 10,5k/22 LM N/A 1682 1682 1680 N/A 1703 1703 1689 N/A 36 36 32 N/A 36 36 32 N/A 36 36 32 N/A 38 83	9,5ix21 LM, 10,5ix22 LM 10,5ix22 LM 10,5ix22 LM 1682 1682 1682 1690 1690 1703 1703 1703 1689 1689 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/38 36/43 43 43 43 40 43 43 43 43 43 43 43 43 48 48 48 49 48 49 49 49 49 49 49 49 49 49 49 40 40 40 40 40 40 40 40 40 40 40 40 40
Rear rims var.2 Rear rims var.3 Rear rims var.3 Track front, mm Track front var.1, mm Track front var.2, mm Track front var.2, mm Track front var.3, mm Width of the rear track, mm Track rear var.1, mm Track rear var.2, mm Track rear var.3, mm Wheel offset front, mm Wheel offset front var.1, mm Wheel offset front var.3, mm Wheel offset front var.3, mm Wheel offset rear var.3, mm Wheel offset rear var.3, mm Wheel offset rear var.3, mm Succeeding the proof of	9,5k/21 LM 9,5k/21 LM 10,5k/22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36 36 32 N/A 36 36 32 N/A 36 36 32 N/A 38 80 12	9,5ix21 LM, 10,5ix22 LM 10,5ix22 LM 10,5ix22 LM 1682 1682 1690 1690 1703 1703 1703 1689 1689 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/38 36/43 43 43 43 43 43 43 43 43 43 43 43 43 4
Rear rims var. 2 Rear rims var. 3 Rear rims var. 3 Track front, mm Track front var. 1, mm Track front var. 2, mm Track front var. 2, mm Track front var. 3, mm Width of the rear track, mm Track rear var. 1, mm Track rear var. 2, mm Track rear var. 3, mm Wheel offset front var. 1, mm Wheel offset front var. 1, mm Wheel offset front var. 2, mm Wheel offset front var. 2, mm Wheel offset rear var. 2, mm Wheel offset rear var. 3, mm Wheel offset rear var. 3, mm Wheel offset rear var. 1, mm Wheel offset rear var. 2, mm Wheel offset rear var. 3, mm Run flat tyres Run flat tyres var. 3 Run flat tyres var. 3 Steering Power-steering Steering Steering transmission, overall, :1 Tank Fuel tank capacity (low voltage), Ah System voltage (low voltage), V SCR SCR (Yes/No)	9,5k/21 LM 9,5k/21 LM 10,5k/22 LM N/A 1682 1682 1690 N/A 1703 1703 1689 N/A 36 36 36 32 N/A 36 36 43 N/A no yes yes EPS 16.4/18.7	9,5ix21 LM, 10,5ix22 LM 10,5ix22 LM 10,5ix22 LM 1682 1682 1682 1690 1690 1703 1703 1689 1689 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/36 32/36 33/36/43 36/43 36/43 43 no yes no yes EPS 16.4/18.7

Code: 1PC Style: 754M	21" M Lt/Aly Wheels, Double-Spoke 754M,Bicolour, A/S Non-RFT	Front / Rear: 21x9.5, 285/45 R21	ZQX ZQX (upgrade) (Requires 2VC on indicated models)	Optional
Code: 1SL Style: 756	22" Lt/Aly Wheels, V-Spoke 756, Bicolour, Perf RFT	Front: 22x9.5, 275/40 R22 Rear: 22x10.5, 315/35 R22	Optional	
Code: 1SP Style: 755M	22" M Lt/ Aly Wheels, V-Spoke 755M, Bicolour Jet Black, Perf RFT	Front: 22x9.5, 275/40 R22 Rear: 22x10.5, 315/35 R22	ZQX	
Code: 1XK Style: 753	21" Lt/Aly Wheels, Y-Spoke 753, Bicolour, A/S RFT	Front / Rear: 21x9.5, 285/45 R21	Optional	
Code: 1XL Style: 753	21" Lt/Aly Wheels, Y-Spoke 753, Bicolour, A/S Non-RFT	Front / Rear: 21x9.5, 285/45 R21	Optional (Requires 2VC on indicated models)	
Code: 1XR Style: 758I	22" BMW Individual Lt/Aly Wheels, Y- Spoke 758I, Bicolour, Perf RFT	Front: 22x9.5, 275/40 R22 Rear: 22x10.5, 315/35 R22	Standard	Optional (Requires 258)
Code: 1Y6 Style: 755 M	22" M Lt/Aly Wheels, V-Spoke 755 M, Bicolour Cerium Grey, Perf. Non-RFT	Front: 22x9.5, 275/40 R22 Rear: 22x10.5, 315/35 R22		Standard
Code: 1Y7 Style: 755 M	22" M Lt/Aly Wheels, V-Spoke 755 M, Bicolour Cerium Grey, Perf. RFT	Front: 22x9.5, 275/40 R22 Rear: 22x10.5, 315/35 R22		Optional (Requires 258)
Code: 1YC Style: 757	22" Lt/Aly Wheels, Multi-Spoke 757, Bicolour, Perf. RFT	Front: 22x9.5, 275/40 R22 Rear: 22x10.5, 315/35 R22	Optional (Not in combination with ZQX)	
Code: Z3Z Style: 745M	21" M Lt/Aly Wheels, Double-Spoke 754M,Bicolour, A/S RFT	Front / Rear: 21x9.5, 285/45 R21	ZQX ZQX (upgrade) (Requires 258)	Optional (Requires 258) (Requires 1PB on indicated models)
Code: Z48 Style: 758I	22" BMW Individual Lt/Aly Wheels, Y- Spoke 758I, Bicolour, Perf RFT	Front: 22x9.5, 275/40 R22 Rear: 22x10.5, 315/35 R22	ZQX ZQX (upgrade) (Requires 1XR on indicated models)	

	luct Configuration Year 2020	X7 Effective: 08/01/19	X7 xDrive40i	X7 M50i
		CA Model Co AG Model Co		20G1 CX63
		Start of Producti		08/19
	Options			
1CR	Remote Engine Start		100%	100%
1MA	M Sport Exhaust System			100%
1PC	Included in package	ble-Spoke 754M,Bicolour, A/S Non-RFT	ZQX	,
IFC	(21x9.5, 285/45 R21)			X
	1PC will add 2VC to the c Alternate in package	order	X ZQX	
1SL		ke 756, Bicolour, Perf RFT	X	
.02		and 22x10.5, 315/35 R22 rear)	^	
1SP		poke 755M, Bicolour Jet Black, Perf RFT and 22x10.5, 315/35 R22 rear)		
	Included in package		ZQX	
1XK	21" Lt/Aly Wheels, Y-Spot (21x9.5, 285/45 R21)	ke 753, Bicolour, A/S RFT	x	
1XL	21" Lt/Aly Wheels, Y-Spot (21x9.5, 285/45 R21)	ke 753, Bicolour, A/S Non-RFT	x	
1XR		rder Wheels, Y-Spoke 758I, Bicolour, Perf RFT and 22x10.5, 315/35 R22 rear)	x 100%	x
	1XR requires ordering 25	8		x
1Y6	•	ooke 755 M, Bicolour Cerium Grey, Perf. Non-RFT and 22x10.5, 315/35 R22 rear)		100%
1Y7		ooke 755 M, Bicolour Cerium Grey, Perf. RFT and 22x10.5, 315/35 R22 rear)		х
	1Y7 requires ordering 258			x
1YC		poke 757, Bicolour, Perf. RFT and 22x10.5, 315/35 R22 rear)	X	
	1YC cannot be ordered w		x	
255	Leather Sport Steering W	neel	100%	
258	Runflat Tires	09/ aguinment 2VC	100%	X
	258 will delete STD or 10 258 requires ordering 1Pl			X X
2NH	M Sport Brakes	5, 1740 61 111		100%
	Included in package		ZQX	
2T4	M Sport Differential			100%
2TB	Sport Auto Trans w/Paddl	es	100%	100%
2VB	Tire Pressure Monitor		100%	100%
2VC	Tire Repair Kit	the ender	X	100%
	2VC will delete 258 from 2VC requires ordering 1P		X X	
2VH	Integral Active Steering	O 01 171E	^	
	Included in package		ZDE	ZDE
2VR	Adaptive 2-axle air susper	nsion	100%	100%
2VS	Active Comfort Drive with	Road Preview		
0.55	Included in package		ZDE	ZDE
302	Alarm System		100%	100%
319 322	Universal Remote Control Comfort Access		100% 100%	100% 100%
323	Soft Close Doors		10076	100%
-				

	Year 2020 X7 Effective	: 08/01/19		X7 xDrive40i	7 M50i
		Ä	CA Model Code AG Model Code rt of Production	20G0 CW23 08/19	20G1 CX63 08/19
	Included in package	Sta	II OI PIOGUCIIOII	ZGT	00/19
328	Aluminium Running Boards			ZGU x	
337	M Sport Package Included in package			ZQX	
3AC	Trailer tow hitch			ZQA X	Х
3AG	Rear View Camera			100%	100%
					100%
3AT	Satin Aluminum Roof Rails			100%	
3DS	BMW Display Key			Х	Х
3DZ	Without Exterior Lines Designation				
	Included in package			ZQX	
3E3	xOffroad Package			X	
	3E3 cannot be ordered with ZDE			X	
3MC	High Gloss Black Roof Rails				100%
	Included in package			ZQX	
402	Panorama Sunroof			100%	100%
407	Sky Lounge Panoramic Glass Sunro	of			
	Included in package			ZGU	Z1Q
417	Side Sunshades				100%
	Included in package			ZGT	
				ZGU	
418	Luggage Compartment Package			X	X
	Included in package			ZGT	Z1Q
				ZGU	
420	Sun Protection Glazing			100%	100%
423	Velour Floor Mats			100%	100%
44A	Heated and Cooled Cupholders				100%
	Included in package			ZGT	
450	Vantilated Coats			ZGU	
453	Ventilated Seats			7011	740
450	Included in package			ZGU	Z1Q
456	Comfort Seats, Front			707	100%
	Included in package			ZGT ZGU	
481	Sport Seats			100%	
488	Lumbar Support			100%	100%
		Interior Flomente			
4A2	Glass Application 'CraftedClarity' for	interior Elements		X	X 74.0
4FL	Included in package Travel and Comfort System			ZGU	Z1Q 100%
4FL	Travel and Comfort System			70T	100%
	Included in package			ZGT ZGU	
4HA	Seat Heating, Front and Rear			100%	100%
4HB	Heat Comfort Package, Front			100%	100%
4HB 4KR	Fine-Wood Fineline Stripe Brown Hi	gh-Gloss Trim		100%	
4KT		_			X
	Fine-Wood Poplar Grain Anthracite			X	X
4KU	Fine-Wood Ash Grain Black Trim w/			X	X 100%
4LM	Fineline Black Wood Trim w/Metal E	nect		X	100%
4845	4LM requires ordering ZQX			Х	
4M5	Walknappa Leather Dashboard			701/	740
	Included in package			Z8V ZGU	Z1Q
4 F AI	Diana Black Wood Trim Westin Chi	omo Highlight		ZGU	V
4ML	Piano Black Wood Trim w/Satin Chr	ome mgmgm		X	Х

	uct Configuration Year 2020 X7 Ef	7 ifective: 08/01/19	X7 xDrive40i	X7 M50i
		CA Model Code AG Model Code	20G0 CW23	20G1 CX63
4NB	Auto 4-Zone Climate Control	Start of Production	08/19 100%	08/19
4NM	Ambient Air Package		10076	
TIVIVI	Included in package		ZGU	Z1Q
4NN	Auto 5-Zone Climate Control		200	100%
71414	Included in package		ZGT	10070
	morado in padilago		ZGU	
4T7	Massage Function for Driver a	and Passenger		
	Included in package		ZGU	Z1Q
4U5	6-Seat Configuration		x	x
	4U5 requires ordering MCSW	/, VAEW, VASW, Z8V, ZBEW or ZBSW	x	x
4UB	3rd Seat Row		100%	100%
4UR	Ambient Lighting		100%	100%
4WW		Ash Grain Silver Trim w/ Grey High Gloss Highlight	X	x
552	Adaptive Full LED Headlights		100%	
5A1	LED Fog Lights		100%	100%
5AC	High-Beam Assistant		100%	100%
5AL	Active Protection		100%	100%
5AR	Traffic Jam Assistant			
	Included in package		ZGU	ZYU
EAC	Driving Assistant		ZYU	100%
5AS	Driving Assistant Professions		100%	100%
5AU	Driving Assistant Professional Included in package	I	ZGU	ZYU
	included in package		ZYU	210
5AZ	BMW Laserlight Headlights		x	100%
·	Included in package		ZGU	
5DN	Parking Assistant Plus w/Surr	ound View		100%
	Included in package		ZGT	
	. 3		ZGU	
610	Head-Up Display			100%
	Included in package		ZGT	
			ZGU	
655	SiriusXM Satellite Radio Tune		100%	100%
688	Harman/Kardon Sound System	m	100%	100%
6AC	Intelligent Emergency Call		100%	100%
6AE	Teleservices		100%	100%
6AK	ConnectedDrive Services		100%	100%
6C3	Connected Package Profession	onai	100%	100%
6CP	Apple CarPlay Preparation		100%	100%
6DR	BMW Drive Recorder		ZCT	X 710
	Included in package		ZGT ZGU	Z1Q
6F1	Bowers and Wilkins Diamond	Surround Sound System	x	x
6FH	Rear Entertainment System		x	x
	6FH will delete 4FL from the	order	×	×
	Alternate in package		ZGT	
			ZGU	
6NW	Wireless Charging w/Extende	d Bluetooth and USB	100%	100%
6U3	BMW Live Cockpit Profession		100%	100%
6U8	BMW Gesture Control		100%	100%
6UK	Night Vision w/pedestrian det		x	x
6WD	WiFi Hotspot		100%	100%

Effective: 08/01/19		luct Configuration	Ö	
CA Model Code	Model		7 xDrive4	7 M50i
AG Model Code CW23		CA Model Code		
Start of Production 08/19 08/19 08/19 100%				
Included in package				
M. Aerodynamics Package	710	M Leather Steering Wheel		100%
Included in package		Included in package	ZQX	
High-Gloss Black Window Surround 100%	715	,		100%
Included in package Anthractic Alcantara Roofliner 714 Design Pure Excellence 110% 110% 110% 110% 110% 110% 110% 110			ZQX	
Anthracite Alcantara Roofliner TO besign Pure Excellence TM9 High-Gloss Black Kidney Grille w/ Extended Contents TM9 requires ordering ZQX Night Blue Alcantara Roofliner Included in package Z8V Z8V Night Blue Leather Steering Wheel Included in package Z2° Night Blue Leather Steering Wheel Included in package Z8V Z8V Night Blue Leather Steering Wheel Included in package Z2° Night Blue Leather Steering Wheel Included in package Z2° Z1° M Lt/Aly Wheels, Double-Spoke 754M,Bicolour, A/S RFT (21x9.5, 285/45 R21) Z3Z requires ordering 258 Z3Z will add 178 to the order Alternate in package Z8V Z2° SMW Individual Lt/Aly Wheels, Y-Spoke 758I, Bicolour, Perf RFT (22x9.5, 275/40 R22 front and 22x10.5, 315/35 R22 rear) Z48 will add 178 to the order Alternate in package Z8ML Steering and Lane Control Included in package Z8ML Steering and Lane Control Included in package Z8ML Steering and Lane Control Included in package Z8M Z9W Z8M Evasion Assist Included in package Z8GU ZYU Z8W Active Cruise Control w/ Stop and Go Included in package Z8M Active Cruise Control w/ Stop and Go Included in package Z8M Active Cruise Control w/ Stop and Go Included in package Z8M Active Cruise Control w/ Stop and Go Included in package Z9MC Collision Warning W City Braking Z9MC Collision Warning W City Braking Z9MC Eather Dashboard Delete Alternate in package Z8M See Collision Prevention Z9M See Accillision Prevention Z9M See A	760	-		100%
Design Pure Excellence	770			1000/
High-Gloss Black Kidney Grille w/ Extended Contents				100%
Night Blue Alcantara Roofliner				v
Night Blue Alcantara Roofliner	<i>i</i> iviə	-		^
Included in package	Z2Y		^	
Night Blue Leather Steering Wheel		-	Z8V	Z8V
Included in package	Z3Q			-
(21x9.5, 285/45 R21) 23Z requires ordering 258			Z8V	
Z3Z requires ordering 258	Z3Z	21" M Lt/Aly Wheels, Double-Spoke 754M,Bicolour, A/S RFT		x
Z3Z will add 1PB to the order Alternate in package Z28 BMW Individual Lt/Aly Wheels, Y-Spoke 758I, Bicolour, Perf RFT (22x9.5, 275/40 R22 front and 22x10.5, 315/35 R22 rear) Z48 will add 1XR to the order Alternate in package ZML Steering and Lane Control Included in package ZMU ZMV Evasion Assist Included in package ZMU ZMV		(21x9.5, 285/45 R21)		
Alternate in package 22" BMW Individual Lt/Aly Wheels, Y-Spoke 758I, Bicolour, Perf RFT (22x9.5, 275/40 R22 front and 22x10.5, 315/35 R22 rear) Z48 will add 1XR to the order Alternate in package ZQX Steering and Lane Control Included in package ZGU ZYU ZMV Evasion Assist Included in package ZGU ZYU ZMV Evasion Assist Included in package ZGU ZYU ZRO BMW Laserlight Headlight Removal Alternate in package ZGU ZYU ZRO Cross-Traffic Alert (Rear) 100% 100% ZSF Cross Traffic Alert (Front) Included in package ZGU ZYU ZSM Active Cruise Control w/ Stop and Go Included in package ZGU ZYU ZVB Leather Dashboard Delete Alternate in package ZGU ZYU ZVB Leather Dashboard Delete Alternate in package ZGU ZYU ZVB Collision Warning w/ City Braking 100% 100% ZWC Collision Varning w/ City Braking 100% 100% ZWG Rear Collision Prevention 100% 100% ZXG Rear Collision Prevention 100% 100% ZXG Rear Collision Prevention 2CRU ZYU ZYU X x Non-Metallic X x x		Z3Z requires ordering 258	x	x
248 22" BMW Individual Lt/Aly Wheels, Y-Spoke 758I, Bicolour, Perf RFT (22x9.5, 275/40 R22 front and 22x10.5, 315/35 R22 rear) x Z48 will add 1XR to the order Alternate in package x ZML Steering and Lane Control Included in package ZGU ZYU ZMV Evasion Assist Included in package ZGU ZYU ZMV Evasion Assist Included in package ZGU ZYU ZRO BMW Laserlight Headlight Removal Alternate in package ZGU ZYU ZRO Cross-Traffic Alert (Rear) 100% 100% ZSF Cross Traffic Alert (Front) Included in package ZGU ZYU ZSM Active Cruise Control w/ Stop and Go Included in package ZGU ZYU ZVB Leather Dashboard Delete Alternate in package ZGU ZYU ZVWC Collision Warning w/ City Braking 100% 100% ZWC Collision Warning w/ City Braking 100% 100% ZWM Blind Spot Warning 100% 100% ZXY Speed Limit Info 100% 100% ZXY Speed Limit Info 100% 100% ZXR Lane Keep Assistant Included in package ZGU ZYU Included in package ZGU ZYU Non-Metallic x x				X
(22x9.5, 275/40 R22 front and 22x10.5, 315/35 R22 rear) Z48 will add 1XR to the order X Alternate in package ZQX ZML		· · · ·	ZQX	
Z48 will add 1XR to the order Alternate in package ZML Steering and Lane Control Included in package ZML Evasion Assist Included in package ZMC ZYU ZYU ZMV Evasion Assist Included in package ZGU ZYU ZYU ZRO BMW Laserlight Headlight Removal Alternate in package ZGT Cross-Traffic Alert (Rear) Included in package ZGU ZYU	Z48			
Alternate in package ZML Steering and Lane Control Included in package ZML Evasion Assist Included in package ZML Evasion Assist Included in package ZML ZYU ZYU ZMV Evasion Assist Included in package ZML ZYU ZYU ZMV ZMV Evasion Assist Included in package ZML ZYU ZYU ZML				
EML Steering and Lane Control Included in package ZGU ZYU EMW Evasion Assist Included in package ZGU ZYU EMW Laserlight Headlight Removal Alternate in package ZGU ZYU EMW Laserlight Headlight Removal Alternate in package ZGU ZYU EMW Laserlight Headlight Removal Alternate in package ZGU ZYU EMW Cross-Traffic Alert (Rear) 100% 100% EMW Laserlight Headlight Removal Alternate in package ZGU ZYU EMW Cross-Traffic Alert (Front) Included in package ZGU ZYU EMW Active Cruise Control w/ Stop and Go Included in package ZGU ZYU EMW Leather Dashboard Delete Alternate in package ZGU ZYU EMW Collision Warning W City Braking 100% 100% EMW Lane Departure Warning 100% 100% EMW Rear Collision Prevention 100% 100% EMW Rear Collisi				
Included in package ZGU ZYU ZMV Evasion Assist Included in package ZGU ZYU ZRO BMW Laserlight Headlight Removal Alternate in package ZGU Cross-Traffic Alert (Rear) 100% 100% 100% 100% 100% 100% 100% 100	7MI		ZQX	
ZYU Evasion Assist Included in package ZGU ZYU ZRO BMW Laserlight Headlight Removal Alternate in package ZGC Cross-Traffic Alert (Rear) Included in package ZGU ZYU ZYU ZYU ZGU ZYU ZGU ZYU ZGU ZYU ZYU	ZIVIL		ZGU	7YI I
Included in package ZGU ZYU ZRO BMW Laserlight Headlight Removal Alternate in package ZGU ZGU ZRO Cross-Traffic Alert (Rear) Included in package ZGU ZYU ZSSF Cross Traffic Alert (Front) Included in package ZGU ZYU ZYU ZYU ZSM Active Cruise Control w/ Stop and Go Included in package ZGU ZYU ZYU ZVB Leather Dashboard Delete Alternate in package ZGU ZYU ZVB Collision Warning w/ City Braking ZWC Collision Warning ZWG Rear Collision Prevention ZWG Rear Collision Prevention ZYG ZYU ZYU ZYU ZYU ZYU ZYU ZYU ZYU		moladod in paokago		210
ZYU ZRO BMW Laserlight Headlight Removal Alternate in package ZR7 Cross-Traffic Alert (Rear) ZSF Cross Traffic Alert (Front) Included in package ZRM Active Cruise Control w/ Stop and Go Included in package ZRW Leather Dashboard Delete Alternate in package ZRW Collision Warning w/ City Braking ZWF Lane Departure Warning ZWM Blind Spot Warning ZWG Rear Collision Prevention ZYM Speed Limit Info Lane Keep Assistant Included in package ZRU ZYU	ZMV	Evasion Assist		
BMW Laserlight Headlight Removal Alternate in package ZR7 Cross-Traffic Alert (Rear) ZSF Cross Traffic Alert (Front) Included in package ZGU ZYU ZSM Active Cruise Control w/ Stop and Go Included in package ZGU ZYU ZVB Leather Dashboard Delete Alternate in package ZGU ZYU ZVC Collision Warning w/ City Braking ZWC ZWR Lane Departure Warning Blind Spot Warning Blind Spot Warning ZXG Rear Collision Prevention ZXG Rear Collision Prevention Lane Keep Assistant Included in package ZGU ZYU ZYU ZYU ZYU ZYU ZYU ZYU ZYU ZYU ZY		Included in package		ZYU
Alternate in package ZR7 Cross-Traffic Alert (Rear) ZSF Cross Traffic Alert (Front) Included in package ZSM Active Cruise Control w/ Stop and Go Included in package ZSM Leather Dashboard Delete Alternate in package ZWC Collision Warning w/ City Braking ZWF Lane Departure Warning ZWM Blind Spot Warning ZWG Rear Collision Prevention ZXG Rear Collision Prevention ZZR Lane Keep Assistant Included in package ZGU ZYU			ZYU	
Cross-Traffic Alert (Rear) Cross-Traffic Alert (Front) Included in package ZGU ZYU ZYU ZSM Active Cruise Control w/ Stop and Go Included in package ZGU ZYU ZYU ZYU ZYU ZYU ZYU ZYU	ZR0		7011	
Cross Traffic Alert (Front) Included in package ZGU ZYU ZYU ZSM Active Cruise Control w/ Stop and Go Included in package ZGU ZYU ZYU ZYU ZYU ZYU ZYU ZYU ZYU	7D7	· · · ·		100%
Included in package ZGU ZYU ZYU ZYU ZYU ZYU ZYU ZYU ZYU			100 %	100 /6
Active Cruise Control w/ Stop and Go Included in package ZGU ZYU ZYU ZYU ZYU ZYU ZYU ZYU	201		ZGU.	<i>7</i> YU
Included in package ZYU ZYB Leather Dashboard Delete Alternate in package ZWC Collision Warning w/ City Braking ZWF Lane Departure Warning ZWM Blind Spot Warning ZXG Rear Collision Prevention ZXG Rear Collision Prevention ZXY Speed Limit Info Lane Keep Assistant Included in package ZGU Z1Q Z1Q Z1Q Z1Q Z1Q Z1Q Z1Q Z1		moladod in paolago		
ZYU ZYB Leather Dashboard Delete Alternate in package ZWC Collision Warning w/ City Braking ZWF Lane Departure Warning ZWM Blind Spot Warning ZXG Rear Collision Prevention ZXY Speed Limit Info ZXR Lane Keep Assistant Included in package ZGU Z1Q Z1Q Z1Q Z1Q Z1Q Z1Q Z1Q Z1Q	ZSM	Active Cruise Control w/ Stop and Go		
EVB Leather Dashboard Delete Alternate in package ZGU Z1Q ZWC Collision Warning w/ City Braking ZWF Lane Departure Warning ZWM Blind Spot Warning ZXG Rear Collision Prevention ZXY Speed Limit Info ZZR Lane Keep Assistant Included in package ZGU Z1Q Z1Q Z1Q Z1Q Z1Q Z1Q Z1Q Z1Q		Included in package		ZYU
Alternate in package ZGU Z1Q ZWC Collision Warning w/ City Braking ZWF Lane Departure Warning ZWM Blind Spot Warning ZXG Rear Collision Prevention ZXY Speed Limit Info ZZR Lane Keep Assistant Included in package ZGU Z1Q 100% 100% 100% 100% 100% 2XY Speed Limit Info ZZR Lane Keep Assistant Included in package ZGU ZYU X X			ZYU	
ZWC Collision Warning w/ City Braking ZWF Lane Departure Warning ZWM Blind Spot Warning ZXG Rear Collision Prevention ZXY Speed Limit Info Lane Keep Assistant Included in package Non-Metallic X X 100% 100% 100% 100% 100% 2XY Speed Limit Info 100% 100% 100% 100% 100% 100% 100% 100	ZVB		7011	740
ZWF Lane Departure Warning ZWM Blind Spot Warning ZXG Rear Collision Prevention ZXY Speed Limit Info ZZR Lane Keep Assistant Included in package Non-Metallic Too% 100% 100% 100% 100% 100% 100% 100% 1	7\\\C	· · · ·		
ZWM Blind Spot Warning ZXG Rear Collision Prevention ZXY Speed Limit Info ZZR Lane Keep Assistant Included in package Non-Metallic Too% 100% 100% 100% 2ZR ZGU ZYU X X				
ZXG Rear Collision Prevention ZXY Speed Limit Info Lane Keep Assistant Included in package Non-Metallic TO0% 100% 100% 100% 2ZYU XX X		·		
ZXY Speed Limit Info ZZR Lane Keep Assistant Included in package Non-Metallic X X	ZXG	•		
ZZR Lane Keep Assistant Included in package ZGU ZYU Non-Metallic X X	ZXY			
Included in package ZGU ZYU Non-Metallic x x x	ZZR	·		
Non-Metallic x x		·	ZGU	ZYU
			ZYU	
300 Alpine White Non Metallic x x		Non-Metallic	X	×
Aprile write inon inetallic	200	Alaina White Non Metallia		l
	300	Alpine white non metalic	X	X

	uct Configuration Year 2020	X7 Effective: 08/01/19	CA Model Code	0905 X7 xDrive40i	i03W 7 X M50 1
			AG Model Code	CW23	CX63
			Start of Production	08/19	08/19
	Metallic			Х	х
416	Carbon Black Metallic 416 requires ordering ZQX	(x x	Х
475	Black Sapphire Metallic			x	х
A90	Dark Graphite Metallic			x	
A 0.0	A90 cannot be ordered with	h ZQX		X	
A96 C1M	Mineral White Metallic Phytonic Blue Metallic			X X	X
C1Z	Vermont Bronze Metallic			X	Х
0.12	C1Z cannot be ordered wi	th ZQX		X	
C27	Arctic Grey Metallic			x	x
C3D	Manhattan Metallic			х	
C3Z	Tanzanite Blue Metallic			x	x
X1B	Ametrine Metallic			Х	Х
	Upholstery				
MA	Vernasca Leather			Х	х
MAH9	Black Vernasca Leather w/	Brown ContrastStitching		x	x
	MAH9 requires ordering Z	QX		х	
	MAH9 will add 481 to the			x	x
	MAH9 will delete 456 from			x	x
	MAH9 cannot be ordered	with Z2V			Х
МС	Perforated Vernasca Leath	er		X	х
MCHF	Coffee Perforated Vernasc	a Leather		x	x
MCSW	Black Perforated Vernasca	Leather		X	х
VA	BMW Ind. Extended Mering	n		Х	x
٧A		requires ordering ZGT or ZGU		x	^
	Included in package			ZGU	Z1Q
VAEW	Ivory White Extended Meri	no Leather		x	x
VAHF	Coffee Extended Merino Le	eather		x	x
	Black Extended Merino Lea			Х	Х
VATQ	Tartufo Extended Merino L			X	X
	VATQ requires ordering 40	J5		Х	Х
VB	BMW Ind. Full Merino			X	х
	BMW Ind. Full Merino requ	uires ordering Z8V		x	x
VBEI	_	ite/Night BlueFull Merino Leather		x	х
	Included in package			Z8V	Z8V
ZB	BMW Individual Full Merind)		X	х
		requires ordering ZGT or ZGU		x	
	BMW Individual Full Merind	requires ordering Z1Q			Х
ZBEW	•			x	Х
ZBHF	Coffee Full Merino Leather			x	Х
∠BSW	Black Full Merino Leather			X	Х
	Packages				
Z1Q	Premium Package				Х

	luct Configuration Year 2020	X7 Effective: 08/01/19		X7 xDrive40i	X7 M50i
			CA Model Code AG Model Code Start of Production	20G0 CW23 08/19	20G1 CX63 08/19
	407 - Sky Lounge Panora	mic Glass Sunroof	Start of Froduction	00/19	00/19
	418 - Luggage Compartm				
	453 - Ventilated Seats	· ·			
	4A2 - Glass Application 'C	raftedClarity' for Interior Elements	3		
	4M5 - Walknappa Leather				
	ZVB - Leather Dashb	pard Delete			
	4NM - Ambient Air Packag				
	4T7 - Massage Function f	_			
	6DR - BMW Drive Record				
	VA - BMW Ind. Extended				
Z8V	Two-Tone Night Blue Pa			X	
	4M5 - Walknappa Leather Z2Y - Night Blue Alcantar				
	Z3Q - Night Blue Leather				
	•	ory White/Night BlueFull Merino	eather		
	Z8V and ZQX will delete	,		x	
	Z8V requires ordering ZG			X	
Z8V	Two-Tone Night Blue Pa				x
	Z2Y - Night Blue Alcantara				
	VBEI - BMW Individual - I	ory White/Night BlueFull Merino	Leather		
	Z8V requires ordering Z1	Q			x
ZDE	Dynamic Handling Pack	_		X	X
	2VH - Integral Active Stee	•			
707	2VS - Active Comfort Driv				
ZGT	Premium Enhanced Pac 323 - Soft Close Doors	kage		X	
	417 - Side Sunshades				
	418 - Luggage Compartm	ent Package			
	44A - Heated and Cooled	_			
	456 - Comfort Seats, Fron	-			
	4FL - Travel and Comfort				
	6FH - Rear Entertainr	nent System			
	4NN - Auto 5-Zone Climat	e Control			
	5DN - Parking Assistant P	lus w/Surround View			
	610 - Head-Up Display				
	6DR - BMW Drive Record				
7011	ZGT cannot be ordered w			Х	
ZGU	Premium Excellence Pac	ckage		X	
	323 - Soft Close Doors 407 - Sky Lounge Panora	mic Glass Suproof			
	417 - Side Sunshades	The Glass Guillooi			
	418 - Luggage Compartm	ent Package			
	44A - Heated and Cooled				
	453 - Ventilated Seats	•			
	456 - Comfort Seats, Fron	t			
	4A2 - Glass Application 'C	raftedClarity' for Interior Elements	;		
	4FL - Travel and Comfort 6FH - Rear Entertainr	=			
	4M5 - Walknappa Leather	Dashboard			
	ZVB - Leather Dashb	pard Delete			

	luct Configuration Year 2020	X7 Effective: 08/01/19	X7 xDrive40i	X7 M50i
		CA Model Code	20G0	20G1
		AG Model Code	CW23	CX63
		Start of Production	08/19	08/19
	4NM - Ambient Air Packaç	ge		
	4NN - Auto 5-Zone Climat			
	4T7 - Massage Function f	or Driver and Passenger		
	5AR - Traffic Jam Assista	nt		
	5AU - Driving Assistant Pr	rofessional		
	5AZ - BMW Laserlight He ZR0 - BMW Laserligh			
	5DN - Parking Assistant P	lus w/Surround View		
	610 - Head-Up Display			
	6DR - BMW Drive Record	er		
	ZML - Steering and Lane	Control		
	ZMV - Evasion Assist			
	ZSF - Cross Traffic Alert (Front)		
	ZSM - Active Cruise Contr	rol w/ Stop and Go		
	ZZR - Lane Keep Assistar	nt		
	VA - BMW Ind. Extended	Merino		
	ZGU cannot be ordered v	vith ZGT	x	
ZQX	M Sport Package		x	
	1MA - M Sport Exhaust Sy	/stem		
	(22x9.5, 275/40 R22 front 1PC - 21" M Lt/Aly W Z3Z - 21" M Lt/Aly WI	ls, V-Spoke 755M, Bicolour Jet Black, Perf RFT and 22x10.5, 315/35 R22 rear) heels, Double-Spoke 754M,Bicolour, A/S Non-RFT neels, Double-Spoke 754M,Bicolour, A/S RFT dual Lt/Aly Wheels, Y-Spoke 758I, Bicolour, Perf RFT		
	2NH - M Sport Brakes			
	337 - M Sport Package			
	3DZ - Without Exterior Lin	es Designation		
	3MC - High Gloss Black R	coof Rails		
	710 - M Leather Steering			
	715 - M Aerodynamics Pa			
	760 - High-Gloss Black W	-		
	ZQX and Z3Z will add 1P		x	
ZYU	Advanced Driving Assis	tant Package	x	x
	5AR - Traffic Jam Assista	nt		
	5AU - Driving Assistant Pr	rofessional		
	ZML - Steering and Lane	Control		
	ZMV - Evasion Assist			
	ZSF - Cross Traffic Alert (Front)		
	ZSM - Active Cruise Contr	ol w/ Stop and Go		
	ZZR - Lane Keep Assistar	nt		
	ZYU cannot be ordered w	rith ZGU	х	
	ZYU requires ordering ZO	GT .	x	
	ZYU requires ordering Z1	Q		x

viodei Ye	ear 2020 X7 Effective: 01/01/2020		105W X 20G1
		Model Code CW23 f Production 08/19 Base Price \$94,000	CX63 08/19 \$114,05
300	Non-Metallic Alpine White Non Metallic	NC	NC
116	Metallic Carbon Black Metallic	NC	NC
175	416 requires ordering ZQX Black Sapphire Metallic	(req'd)	
490	Dark Graphite Metallic		NA
A96	Mineral White Metallic		
C1M	Phytonic Blue Metallic		
C1Z	Vermont Bronze Metallic		NA
C27	Arctic Grey Metallic		
C3D C3Z	Manhattan Metallic Tanzanite Blue Metallic	¢1 000	\$1,000
.3Z K1B	Ametrine Metallic	\$1,000 \$1,000	\$1,000 \$1,000
	Upholstery Vernasca Leather	NC	NC NC
МАН9	vernasca Leatner Black Vernasca Leather w/ Brown ContrastStitching MAH9 cannot be ordered with Z2V	NC	(req'd)
	MAH9 requires ordering ZQX	(req'd)	(icqu)
	MAH9 will delete 456 from the order	(req'd)	(req'd)
	MAH9 will add 481 to the order	(req'd)	(req'd)
	BMW Ind. Extended Merino In combination with ZGU	\$2,500 NC	\$2,500
	Included in package	ZGU	Z1Q
	In combination with Z1Q		NC
	BMW Ind. Extended Merino requires ordering ZGT or ZGU	(req'd)	
/AEW	Ivory White Extended Merino Leather		
/AHF	Coffee Extended Merino Leather		
/ASW /ATQ	Black Extended Merino Leather		
AIQ	Tartufo Extended Merino Leather VATQ requires ordering 4U5	(req'd)	(req'd)
	BMW Ind. Full Merino	NC	NC
	BMW Ind. Full Merino requires ordering Z8V	(req'd)	(req'd)
/BEI	BMW Individual - Ivory White/Night BlueFull Merino Leather Included in package	Z8V	Z8V
	BMW Individual Full Merino	\$5,100	\$2,500
	BMW Individual Full Merino requires ordering Z1Q		(req'd)
	In combination with ZGU	\$2,500	
	BMW Individual Full Merino requires ordering ZGT or ZGU	(req'd)	
ZBEW	Ivory White Full Merino Leather		
ZBHF ZBSW	Coffee Full Merino Leather Black Full Merino Leather		
	Perforated Vernasca Leather	NC	NC
MCHF	Coffee Perforated Vernasca Leather		
MCSW	Black Perforated Vernasca Leather		
Z1Q	Packages Premium Package	NA	\$8,000
-7	ZVB - Leather Dashboard Delete		(\$800
Z8V	Two-Tone Night Blue Package	\$5,100	\$2,500
	In combination with ZGU	\$2,500	
	Z8V and ZQX will delete Z3Q from the order	(req'd)	
	Z8V requires ordering ZGT or ZGU Z8V requires ordering Z1Q	(req'd)	(reg'd
ZDE	Dynamic Handling Package	\$4,750	\$4,750
ZGT	Premium Enhanced Package	\$7,000	NA
	6FH - Rear Entertainment System	\$1,950	
	ZGT cannot be ordered with ZGU	(req'd)	
ZGU	Premium Excellence Package	\$15,000	NA
	6FH - Rear Entertainment System 7R0 - RMW Lacerlight Headlight Removal	\$1,950 (\$1,000)	
	ZR0 - BMW Laserlight Headlight Removal ZVB - Leather Dashboard Delete	(\$1,000) (\$800)	
	ZGU cannot be ordered with ZGT	(req'd)	
'QX	M Sport Package	\$2,900	NA
	1PC - 21" M Lt/Aly Wheels, Double-Spoke 754M,Bicolour, A/S Non-RFT	NC	
	Z3Z - 21" M Lt/Aly Wheels, Double-Spoke 754M, Bicolour, A/S RFT	NC	
		T NC	
	Z48 - 22" BMW Individual Lt/Aly Wheels, Y-Spoke 758I, Bicolour, Perf RI		
ZYU	Z48 - 22" BMW Individual Lt/Aly Wheels, Y-Spoke 758I, Bicolour, Perf RI ZQX and Z3Z will add 1PB to the order Advanced Driving Assistant Package	(req'd) \$2,000	\$2,000

	Pricing	ē	
Model Y	ear 2020 X7 Effective: 01/01/2020	X7 xDrive40i	M50i
		₩	× ×
	CA Mode		20G1
	AG Mode Start of Pro		CX63 08/19
		Price \$94,000	\$114,050
	ZYU requires ordering Z1Q	7 1100	(req'd)
	ZYU requires ordering ZGT	(req'd)	
	Options		
PC	21* M Lt/Aly Wheels, Double-Spoke 754M,Bicolour, A/S Non-RFT (21x9.5, 285/45 R21)	NA	NC
	1PC will add 2VC to the order	(req'd)	
SL	In combination with ZQX 22" Lt/Aly Wheels, V-Spoke 756, Bicolour, Perf RFT (22x9.5, 275/40 R22 front and 22x10.5, 315/35 R22 rear)	NC NC	NA
K	21" Lt/Aly Wheels, Y-Spoke 753, Bicolour, A/S RFT	NC	NA
(L	(21x9.5, 285/45 R21) 21" Lt/Aly Wheels, Y-Spoke 753, Bicolour, A/S Non-RFT	NC	NA
·L	(21x9.5, 285/45 R21)		INA INA
/D	1XL will add 2VC to the order	(req'd)	NO
(R	22" BMW Individual Lt/Aly Wheels, Y-Spoke 758I, Bicolour, Perf RFT (22x9.5, 275/40 R22 front and 22x10.5, 315/35 R22 rear)	100%	NC
	1XR requires ordering 258		(req'd)
(7	22" M Lt/Aly Wheels, V-Spoke 755 M, Bicolour Cerium Grey, Perf. RFT (22x9.5, 275/40 R22 front and 22x10.5, 315/35 R22 rear)	NC	NC
	1Y7 requires ordering 258		(req'd)
'C	22" Lt/Aly Wheels, Multi-Spoke 757, Bicolour, Perf. RFT (22x9.5, 275/40 R22 front and 22x10.5, 315/35 R22 rear)	NC	NA
	1YC cannot be ordered with ZQX	(req'd)	
3	Runflat Tires	100%	NC (respected)
	258 will delete STD or 100% equipment 2VC 258 requires ordering 1PB, 1XR or 1Y7		(req'd)
0	Tire Repair Kit	NC	(req'd) 100%
,	2VC will delete 258 from the order	(req'd)	10070
	2VC requires ordering 1PC or 1XL	(req'd)	
	Aluminium Running Boards	\$800	NA
)	Trailer tow hitch	\$750	\$750
3	BMW Display Key	\$300	\$300
	xOffroad Package	\$2,950	NA
	3E3 cannot be ordered with ZDE	(req'd)	
	Luggage Compartment Package	\$500	\$500
	Included in package	ZGT, ZGU \$850	Z1Q
	Glass Application 'CraftedClarity' for Interior Elements Included in package	φ850 ZGU	\$850 Z1Q
2	Fine-Wood Fineline Stripe Brown High-Gloss Trim	100%	NC NC
	Fine-Wood Poplar Grain Anthracite BrownOpen-Pored Trim	NC	NC NC
J	Fine-Wood Ash Grain Black Trim w/ BronzeEffect	NC	NC
1	Fineline Black Wood Trim w/Metal Effect	NC	100%
	4LM requires ordering ZQX	(req'd)	
L	Piano Black Wood Trim w/Satin Chrome Highlight	\$400	\$400
5	6-Seat Configuration	\$750	\$750
	4U5 requires ordering MCSW, VAEW, VASW, Z8V, ZBEW or ZBSW	(req'd)	(req'd)
/W	BMW Individual - Fine-Wood Ash Grain Silver Trim w/ Grey High Gloss Highlig	ht \$400 \$1,500	\$400 100%
Z	BMW Laserlight Headlights Included in package	ZGU	100%
R	BMW Drive Recorder	NA NA	\$200
	Included in package	ZGT, ZGU	Z1Q
	Bowers and Wilkins Diamond Surround Sound System	\$4,900	\$4,900
1	Rear Entertainment System	\$1,950	\$1,950
	In combination with ZGT	\$1,950	
	In combination with ZGU	\$1,950	
	6FH will delete 4FL from the order	(req'd)	(req'd)
<	Night Vision w/pedestrian det.	\$2,500	\$2,500
9	High-Gloss Black Kidney Grille w/ Extended Contents	\$500 (regid)	\$500
Z	7M9 requires ordering ZQX 21" M Lt/Aly Wheels, Double-Spoke 754M,Bicolour, A/S RFT	(req'd) NA	NC
	(21x9.5, 285/45 R21)		(r = =1.10
	Z3Z will add 1PB to the order In combination with ZQX	NC	(req'd)
	Z3Z requires ordering 258	(req'd)	(req'd)