## MY21 MINI 5 door.

# **Product Guide.**







COOPER 5 door \$24,790



COOPER S 5 door \$29,090

F55, MINI				
[Validity date: 01.03.2020]	XU73	XU73	XU93	XU93
Basic data summary	MINI Cooper 5 door	MINI Cooper 5 door	MINI Cooper S 5 door	MINI Cooper S 5 door
Transmission type	Manual	DCT	Manual	DCT
Engine description Seats	B36A15M1	B36A15M1	B46A20M1	B46A20M1
Number of doors	5-door car	5-door car	5-door car	5-door car
Engine type SOP	Front-wheel drive 01.02.2020	Front-wheel drive 01.02.2020	Front-wheel drive 01.02.2020	Front-wheel drive 01.02.2020
Dimensions	01.02.2020	01.02.2020	01.02.2020	01.02.2020
Exterior Length, mm	3998	3998	4013	4013
Width, mm	1727	1727	1727	1727
Height, mm Width inc. mirrors, mm	1425 1932	1425 1932	1425 1932	1425 1932
Width incl.mirror driver, mm	966	966	966	966
Width incl.mirror passengers side, mm Wheelbase, mm	966 2567	966 2567	966 2567	966 2567
Overhang front, mm	765	765	765	765
Rear overhang, mm	666 11	666	681	681
Turning circle, m Ground clearance, mm	146	11 146	11 146	11 146
Interior Shoulder width front, mm	1301	1301	1301	1301
Shoulder room rear, mm	1261	1261	1261	1261
Elbow width front, mm	1345	1345	1345	1345
Elbowroom rear, mm effective legroom front (L34), mm	1326 1052	1326 1052	1326 1052	1326 1052
effective legroom rear second seating row (L51-2), mm	820	820	820	820
Max. headroom front, mm Headroom front/SR, mm	1013 981	1013 981	1013 981	1013 981
Maximum headroom second, mm	929	929	929	929
Maximum headroom rear, mm Knee clearance, mm	953 -17	953 -17	953 -17	953 -17
Seats	5	5	5	5
seats second row Luggage volumes	3	3	3	3
Press Trunk volume, ft <sup>3</sup>	13,1 - 40,7	13,1 - 40,7	13,1 - 40,7	13,1 - 40,7
Weight Vehicle weights				
Curb weight (without driver), kg	1282	1302	1337	1356
vehicle curb weight without driver (front axle), kg	772 510	797	818	835 521
vehicle curb weight without driver (rear axle), kg Axle load limit front, kg	510 925	505 950	519 955	521 975
rear axle load limit, kg	855	845	855	855
rear Weight distribution (empty car), % Gross veh. weight, kg	39.8 1730	38.8 1730	38.8 1750	38.4 1770
Payload, kg	401	381	392	393
US weights gross vehicle weight, lbs	3814	3814	3858	3902
Payload lbs, lbs	884	840	864	866
Front axle load lbs, lbs Axle load limit rear, lbs	2039 1885	2094 1863	2105 1885	2150 1885
vehicle weight without driver empty fuel tank, lbs	2754	2798	2875	2917
vehicle weight without driver empty fuel tank -FA, lbs	1687 1067	1742 1056	1788 1087	1825 1091
vehicle weight without driver empty fuel tank -RA, lbs vehicle curb weight inkl. 100% SAa und 33% SAs, lbs	2826	2870	2948	2989
Performance /fuel eco. Performance				
Final drive ratio	3.421	3.789	3.588	3.474
Top speed, km/h	207 8.3	207 8.3	233 6.9	233 6.8
0-100Km/h, s 80-120Km/h (5.), s	10.5	8.3 N/A	6.8	N/A
Top speed, mph	129	129	145	145
0-60 mph, s Motor data	7.9	7.9	6.6	6.5
Communication	***	40		
Power to weight ratio, kg/kW Output per litre, kW/dm <sup>3</sup>	12.8 66.7	13 66.7	9.5 70.6	9.6 70.6
Engine type	B36A15M1 3	B36A15M1 3	B46A20M1 4	B46A20M1 4
Engine type Cylinders Valves p.cyl.	3 4	3 4	4	4
Engine type Cylinders Valves p.cyl. Stroke, mm	3	3 4 94.6	4 4 94.6	4 4 94.6
Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Displacement, cm³	3 4 94.6 82 1499	3 4 94.6 82 1499	4 4 94.6 82 1998	4 4 94.6 82 1998
Engine type Cylinders Valves p.c.yl. Stroke, mm Bore, mm Displacement, cm <sup>3</sup> Compression rate, :1	3 4 94.6 82 1499 11	3 4 94.6 82 1499 11	4 94.6 82 1998 11	4 4 94.6 82 1998 11
Engine type Cylinders Valves, p.Cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), PS	3 4 94.6 82 1499 11 100	3 4 94.6 82 1499 11 100 136	4 94.6 82 1998 11 141	4 4 94.6 82 1998 11 141 192
Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), PS Engine power (HPH), BH	3 4 94.6 82 1499 11 100 136	3 4 94.6 82 1499 11 100 136	4 94.6 82 1998 11 141 192 189	4 94.6 82 1998 11 141 192
Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HW), BS Engine power (BHP), BHP rpm at maximum power, 1/min minimum Engine speed at maximum power, 1/min	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000
Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), PS Engine power (HP), BH rpm at maximum power, 1/min minimum Engine speed at maximum power, 1/min maximum Engine speed at maximum power, 1/min	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500	4 4 94.6 82 1998 11 141 192 189 500-6000 5000 6000	4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000
Engine type Cylinders Valves p.c.yl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), PS Engine power (HP), BH rym at maximum power, 1/min minimum Engine speed at maximum power, 1/min maximum Engine speed at maximum power, 1/min	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000
Engine type Cylinders Valves p.Cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), BP Engine power (HP), BP Engine power (HP), BP Engine power (bHP), bHP repm at maximum power, 1/min minimum Engine speed at maximum power, 1/min Engine torque, Nm rpm at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350
Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), PS Engine power (HP), BH rym at maximum power, 1/min minimum Engine speed at maximum power, 1/min Engine torque, Nm Engine speed at maximum power, 1/min Engine torque, Nm	3 4 94.5 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600	4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600
Engine type Cylinders Valves p.c.yl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), PS Engine power (bHP), bHP rpm at maximum power, 1/min minimum Engine speed at maximum power, 1/min maximum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min Fuel type Useable Fuel quality	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AK 89 MIN	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKISS MIN	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AK 89 MIN
Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), PS Engine power (HP), BH rym at maximum power, 1/min minimum Engine speed at maximum power, 1/min Engine torque, Nm minimum Engine speed at maximum power, 1/min Engine torque, Nm maximum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min Fuel type Useable Fuel quality recomm.	3 4 94.6 82 1499 11 1000 136 134 4500-6500 4500 6500 220 1880-4100 1480 4100 gasoline AKI 83 MIN AKI 91	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 88 MIN AKI 91	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline Akl 93 MINN Akl 91	4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91
Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (hW), EP Engine power (hHP), BP Engine power (hHP), BP Engine power (hHP), BP In at maximum power, 1/min minimum Engine speed at maximum power, 1/min maximum Engine speed at maximum power, 1/min minimum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min Fuel type Useable Fuel quality recomm. Engine oil (exchange quantity), 1 Grastbox	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AK 89 MIN	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKISS MIN	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN	4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN
Engine type Cylinders Valves p.Cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), BP Engine power (BP), BP The material maximum power, 1/min minimum Engine speed at maximum power, 1/min minimum Engine speed at maximum power, 1/min minimum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min Full Type Useable Fuel quality recomm. Engine oil (Exchange quantity), 1 Grantox Combustion engine	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 93 MIN AKI 91 4.5	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25
Engine type Cylinders Valves p.Cyl. Stroke, mm Bore, mm Displacement, cm² Compression rate, :1 Rated engine power (kW), kW Engine power (HP), BP Engine power (HP), BP Engine power (HP), BP Engine power (HP), BP Engine power (bHP), BP Engine power (bHP), BP Engine power (bHP), BP Engine to rough and the special of the sp	3 4 94.6 82 1499 11 1000 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AK 89 MIN AK 91 4.5	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5	4 4 94.6 82 1998 11 141 192 189 500-6000 5000 6000 280 1350-4600 1350 4600 gasoline Aki 89 MiN Aki 91 5.25	4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25
Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (bHP), bFS Engine power (bHP), bHP rpm at maximum power, 1/min minimum Engine speed at maximum power, 1/min maximum Engine speed at maximum power, 1/min maximum Engine speed at maximum power, 1/min maximum Engine speed at maximum torque, 1/min finimum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min fuel type Useable Fuel quality recomm. Engine oil (exchange quantity), I GENTON. Combustion engine Transmission type Transmission type Transmission type Nr. of gears	3 4 94.6 82 1499 111 1000 136 134 4500-6500 4500 220 1480-4100 1480 4100 gasoline AKI 99 MIN AKI 91 4.5	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 93 MIN AKI 91 4.5  Getrag 7DCT-300 (GD7F32AG) DCT 7	4 4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25  GS6-595G Manual 6	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25  Getrag 7DCT-300 (GD7F32AG) DCT 7
Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), PS Engine power (HP), PS Engine power (HP), PS Engine power (bHP), bHP rym at maximum power, 1/min minimum Engine speed at maximum power, 1/min maximum Engine speed at maximum power, 1/min maximum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min fuel type Useable Fuel quality recomm. Engine oli (exchange quantity), I Gearbox Combustion engine Transmission type V Transmission type V Transmission ratio 1st gear**; 1st** Transmission ratio 1st gear**; 2nd**	3 4 94.6 82 1499 11 1000 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AK 89 MIN AK 91 4.5	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5	4 4 94.6 82 1998 11 141 192 189 500-6000 5000 6000 280 1350-4600 1350 4600 gasoline Aki 89 MiN Aki 91 5.25	4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25
Engine type Cylinders Valves D.Cyl. Stroke, mm Bore, mm Displacement, cm Compression rate, :1 Rated engine power (kW), kW Engine power (HP), BS Engine power (Jmin maximum Engine speed at maximum power, 1/min maximum Engine speed at maximum torque, 1/min Engine torque, 1/min maximum Engine speed at maximum torque, 1/min Engine torque, 1/min maximum Engine speed at maximum torque, 1/min Engine torque,	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5  GS6-S8BG Manual 6 3.615 1.952 1.241	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 93 MIN AKI 91 4.5  Getrag 7DCT-300 (GD7F32AG) DCT 7 15.741 9.284 5.899	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline Aki 83 MiN Aki 91 5.25  GS6-595G Manual 6 3.923 2.136 1.393	4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 99 MIN AKI 91 5.25  Getrag 7DCT-300 (GD7F32AG) DCT 7 14.429 8.511 5.408
Engine type Cylinders Valves D.C.VI. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), BP Engine power (bHP), BP Engine power (bHP), BP Engine torque, MP India minimum Engine speed at maximum power, 1/min minimum Engine speed at maximum power, 1/min minimum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min Fuel type Useable Fuel quality recomm. Engine oil (exchange quantity), 1 Gratiox Combustion engine Transmission type V Transmission ratio 1st gear**; 1st** Transmission ratio 2rd gear**; 3rd** Transmission ratio 1st dgear**; 3rd** Transmission ratio 1st dgear**; 3rd** Transmission ratio 1st dgear**; 3rd** Transmission ratio 2rd gear*; 3rd** Transmission ratio 2rd gear*; 3rd** Transmission ratio 1st dgear**; 4th**	3 4 94.6 82 1499 111 100 136 134 4500-6500 4500 220 1480-4100 gasoline AKI 99 MIN AKI 91 4.5 GS6-588G Manual 6 3.615 1.952 1.241 0.969	3 4 94.6 82 1499 111 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5  Getrag 7DCT-300 (GD7F32AG) DCT 7 15.741 9.284 5.899 4.129	4 4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25  GS6-595G Manual 6 3.923 2.136 1.393 1.088	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25  Getrag 7DCT-300 (GD7F32AG) DCT 7 14.429 8.511 5.408 3.785
Engine type Cylinders Valves p.C.vl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), BP Engine power (HP), BP Engine power (HP), BP Engine power (HP), BP Engine power (BP), BP Engine power (BP), BP Engine torque, J/min minimum Engine speed at maximum power, 1/min maximum Engine speed at maximum power, 1/min minimum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min Fighie torque, MP Useable Fuel quality recomm. Engine oil (exchange quantity), I GESTION Combustion engine Transmission ratio 1st gear*; 1st** Transmission ratio 1st gear*; 1st** Transmission ratio 1st gear*; 3rd** Transmission ratio 1st gear*; 5th** Transmission to 6th gear*; 5th** Transmission to 6th gear*; 5th** Transmission to 6th gear*; 5th**	3 4 94.6 82 1499 111 1000 136 134 4500-6500 4500 6500 220 1480-4100 gasoline AKI 89 MIN AKI 91 4.5 666-58BG Manual 6 3.615 1.952 1.241 0.969 0.806 0.683	3 4 94.6 82 1499 11 1000 136 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5 DCT 7 15.741 9.284 5.899 4.129 3.196 2.558	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MINI AKI 91 5.25  GS6-595G Manual 6 3.923 2.136 1.393 1.088 0.892 0.756	4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25  Getrag 7DCT-300 (GD7F32AG) DCT 7 14.429 8.511 5.408 3.785 2.93 2.345
Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), PS Engine voice, Imminimum Engine speed at maximum power, 1/min maximum Engine speed at maximum power, 1/min maximum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min fuel type Useable Fuel quality recomm. Engine oil (exchange quantity), I Grantox Combustion engine Transmission type V Transmission type V Transmission ratio 1st gear**; 1st** Transmission ratio 2st gear**; 3st** Transmission ratio 2st gear**; 3st** Transmission ratio 2st gear**; 3st** Transmission ratio 2st gear**; 5st** Transmission ratio 5st gear**; 5st** Transmission ratio 6st gear**; 5st** Transmission ratio 6st gear**; 5st** Transmission ratio 6st gear**; 5st** Transmission ratio 5th gear**; 5st** Transmission ratio 5th gear**; 5st** Transmission ratio 6th gear**; 7th**	3 4 94.5 82 1499 111 1000 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 99 MIN AKI 91 4.5 66 3.615 1.952 1.241 0.969 0.806 0.683 N/A	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5  Getrag 7DCT-300 (GD7F32AG) DCT 7 15.741 9.284 5.899 4.129 3.196 2.558 2.073	4 4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350-4600 gasoline AKI 93 MIN AKI 91 5.25  GS6-595G Manual 6 3.923 2.136 1.393 1.088 0.892 0.756 N/A	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 99 MIN AKI 91 5.25  Getrag 7DCT-300 (GD7F32AG) DCT 7 14.429 8.511 5.408 3.785 2.93 2.345
Cylinders Valves p.Cyl. Stroke, mm Bore, mm Bore, mm Dosplacement, cm² Compression rate, :1 Rated engine power (kW), kW Engine power (kHP), PS Engine power (kHP), PS Engine power (hHP), PB Engine power (hHP), PB To may a maximum power, 1/min minimum Engine speed at maximum power, 1/min maximum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min fuel type Useable Fuel quality recomm. Engine oil (exchange quantity), I Grantbox Combustion engine Transmission type Nr. of gears Transmission ratio 1st gear**; 1st** Transmission ratio 1st gear**; 2nd* Transmission ratio 1st gear**; 3rd* Transmission ratio 1d rigear**; 3rd* Transmission ratio 1d rigear**; 5th** Transmission ratio 1bt gear**; 5th** Transmission ratio 1bt gear**; 5th* Transmission ratio 1bt gear**; 5th* Transmission ratio 1bt gear**; 5th* Transmission ratio 1bt gear**; 7th**	3 4 94.6 82 1499 111 1000 136 134 4500-6500 4500 6500 220 1480-4100 gasoline AKI 89 MIN AKI 91 4.5 666-58BG Manual 6 3.615 1.952 1.241 0.969 0.806 0.683	3 4 94.6 82 1499 11 1000 136 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5 DCT 7 15.741 9.284 5.899 4.129 3.196 2.558	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MINI AKI 91 5.25  GS6-595G Manual 6 3.923 2.136 1.393 1.088 0.892 0.756	4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25  Getrag 7DCT-300 (GD7F32AG) DCT 7 14.429 8.511 5.408 3.785 2.93 2.345
Engine type Cylinders Valves D.Cyl. Stroke, mm Bore, mm Displacement, cm² Compression rate, :1 Rated engine power (kW), kW Engine power (HP), BP Engine brouge, 1/min minimum Engine speed at maximum power, 1/min Fingine torque, Nm rpm at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min Fingine torque, Nm rpm at maximum torque, 1/min Fingine torque, Nm Fingine torque, 1/min Fingine	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5  GS6-S8BG Manual 6 3.615 1.952 1.241 0.969 0.806 0.683 N/A 3.538	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 93 MIN AKI 91 4.5  Getrag 7DCT-300 (GD7F32AG) DCT 7 15.741 9.284 5.899 4.129 3.196 2.558 2.073 14.22	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 8asoline Aki 83 MiN Aki 91 5.25  GS6-595G Manual 6 3.923 2.136 1.393 1.088 0.892 0.756 N/A 3.538	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 99 MIN AKI 91 5.25  Getrag 7DCT-300 (GD7F32AG) DCT 7 14.429 8.511 5.408 3.785 2.93 2.345 1.901 13.035
Engine type Cylinders Valves p.c.yl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), PS Engine torque, Nm rym at maximum power, 1/min minimum Engine speed at maximum power, 1/min minimum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min Fignite torque, Nm rym at maximum torque, 1/min Fignite torque, Nm rym at maximum torque, 1/min Fignite torque, Nm rym at maximum torque, 1/min Fignite	3 4 94.6 82 1499 111 1000 136 134 4500-6500 4500 6500 220 1480-4100 gasoline AKI 98 MIN AKI 91 4.5 GS6-58BG Manual 6 3.615 1.952 1.241 0.969 0.806 0.683 N/A 3.538	3 4 94.6 82 1499 111 1000 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5 Getrag 7DCT-300 (GD7F32AG) DCT 7 15.741 9.284 5.899 4.129 3.196 2.558 2.073 14.22	4 4 4 44 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25  GS6-595G Manual 6 3.923 2.136 1.393 1.088 0.892 0.756 N/A 3.538	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25  Getrag 7DCT-300 (GD7F32AG) DCT 7 14.429 8.511 5.408 3.785 2.93 2.345 1.901 13.035
Engine type Cylinders Valves p. c.yl. Stroke, mm Bore, mm Displacement, cm² Compression rate, :1 Rated engine power (kW), kW Engine power (HP), BS Engine power (HP), BP The material power (MP), BS Engine power (BP), BP The material power (Jmin maximum power, J/min maximum Engine speed at maximum power, J/min maximum Engine speed at maximum torque, 1/min Fuel type Useable Fuel quality Teacomm. Engine oil (exchange quantity), I Gratiox Combustion engine Transmission type V Transmission ratio 1st gear*; 1st** Transmission ratio 2rd gear*; 2rd** Transmission ratio 1st gear*; 5th** Transmission ratio 1st gear*; 5th** Transmission ratio type gear*; 7th** Transmission ratio type gear** Aerodynamics  CK CK Max CK Min CR Mare CR Mare CR Mange, m²	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5  GS6-S8BG Manual 6 3.615 1.952 1.241 0.969 0.806 0.683 N/A 3.538	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 93 MIN AKI 91 4.5  Getrag 7DCT-300 (GD7F32AG) DCT 7 15.741 9.284 5.899 4.129 3.196 2.558 2.073 14.22	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 8asoline Aki 83 MiN Aki 91 5.25  GS6-595G Manual 6 3.923 2.136 1.393 1.088 0.892 0.756 N/A 3.538	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 99 MIN AKI 91 5.25  Getrag 7DCT-300 (GD7F32AG) DCT 7 14.429 8.511 5.408 3.785 2.93 2.345 1.901 13.035
Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), PS Engine torque, / min minimum Engine speed at maximum power, 1/min maximum Engine speed at maximum torque, 1/min minimum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min fuel type Insimum Engine speed at maximum torque, 1/min Fuel type Insimum Engine speed at maximum torque, 1/min Fuel type Teaching to the speed at maximum torque, 1/min Fuel type Transmission to Engine Speed at maximum torque, 1/min Fuel type Transmission to Engine Speed at maximum torque, 1/min Fuel type Transmission to Engine Speed at maximum torque, 1/min Fuel type Transmission to Table Table Transmission to Table Transmission ratio Table gear*; 1st** Transmission ratio Table gear*; 2nd* Transmission ratio Table gear*; 3rd** Transmission ratio Table gear*; 5th** Transmission ratio Table gear*; 5th** Transmission ratio Table gear*; 7th** Transmission ratio Table gear**; 7th** Transmission ratio Table gear**; 7th** Transmission ratio	3 4 94.5 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5  GS6-58BG Manual 6 3.615 1.952 1.241 0.969 0.806 0.683 N/A 3.538	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5  Getrag 7DCT-300 (GD7F32AG) DCT 7 15.741 9.284 5.899 4.129 3.196 2.558 2.073 14.22	4 4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25  66 3 9.23 2.136 1.393 1.088 0.892 0.756 N/A 3.538	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MIN AKI 91 5.25  Getrag 7DCT-300 (GD7F32AG) DCT 7 14.429 8.511 5.408 3.785 2.93 2.345 1.901 13.035 0.33 0.33-0.35
Engine type Cylinders Valves p.cyl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), PS Engine broque, MP rym at maximum power, 1/min minimum Engine speed at maximum power, 1/min maximum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min fuel type Useable Fuel quality recomn. Engine torque, MP Transmission type V Transmission type V Transmission type V Transmission ratio 1st gear**; 3rd** Transmission ratio 2st gear**; 3rd** Transmission ratio 3rd gear**; 3rd** Transmission ratio 5th gear**; 5th** Transmission ratio 1st gear**; 5th** Transmission ratio 1st gear**; 7th** Transmission ratio 2st gear**	3 4 94.5 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AM 91 4.5  GS6-58BG Manual 6 3.615 1.952 1.241 0.969 0.806 0.683 N/A 3.538	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5  Getrag 7DCT-300 (GD7F32AG) DCT 7 15.741 9.284 5.899 4.129 3.196 2.558 2.073 14.22	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AKI 89 MiN AKI 91 5.25   CS6-595G Manual 6 3.923 2.136 1.393 1.088 0.892 0.756 N/A 3.538	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350 4600 gasoline AXI 89 MIN AXI 91 5.25  Getrag 7DCT-300 (GD7F32AG) DCT 7 14.429 8.511 5.408 3.785 2.93 2.345 1.901 13.035
Engine type Cylinders Valves p.C.yl. Stroke, mm Bore, mm Displacement, cm³ Compression rate, :1 Rated engine power (kW), kW Engine power (HP), ES Engine power (bHP), ES Engine power (bHP), ES Engine torque, Nymin minimum Engine speed at maximum power, 1/min minimum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min maximum Engine speed at maximum torque, 1/min Fighle torque, Minimum Engine speed at maximum torque, 1/min Fighle torque, Minimum Engine Speed at maximum torque, 1/min Fighle torque, 1/min Transmission ratio Expedit properties Transmission ratio 1 (exchange quantity), 1 GERIFICON Combustion engine Transmission ratio 1 tgear**; 2nd** Transmission ratio 1 tgear**; 2nd** Transmission ratio 1 tgear**; 3rd** Transmission ratio 1 th gear**; 5th** Transmission ratio 6 th gear**; 5th** Transmission ratio 6 th gear**; 7th** Transmission ratio 1 th gear**; 7th** Transmission ratio 2 th gear**;	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1890-4100 1480 4100 gasoline AKI 99 MIN AKI 91 4.5  GS6-S8BG Manual 6 3.615 1.952 1.241 0.969 0.806 0.683 N/A 3.538	3 4 94.6 82 1499 11 100 136 134 4500-6500 4500 6500 220 1480-4100 1480 4100 gasoline AKI 89 MIN AKI 91 4.5  Getrag 7DCT-300 (GD7F32AG) DCT 7 15.741 9.284 5.899 4.129 3.196 2.258 2.073 14.22 0.34 0.31 0.31-0.34	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 1350-4600 1350-4600 8350line AKI 93 MIN AKI 91 5.25  GS6-595G Manual 6 3.923 2.136 1.393 1.088 0.892 0.756 N/A 3.538	4 4 94.6 82 1998 11 141 192 189 5000-6000 5000 6000 280 6000 1350 4600 gasoline AKI 89 MIN AKI 91 5.25  Getrag 7DCT-300 (GD7F32AG) DCT 7 14.429 8.511 5.408 3.785 2.93 2.345 1.901 13.035 0.35 0.33 0.33-0.35

MINI 5 door				
F55, MINI				
[Validity date: 01.03.2020]	XU73	XU73	XU93	XU93
Emission	MINI Cooper 5 door	MINI Cooper 5 door	MINI Cooper S 5 door	MINI Cooper S 5 door
Emission classification (type-certified)***	SULEV30	SULEV30	SULEV30	SULEV30
chassis Wheel/Tyres				
Front tyres Front tyres var.1	175/65 R15 84 H AS 195/55 R16 87 V AS	175/65 R15 84 H AS 195/55 R16 87 V AS	195/55 R16 87 V AS 205/45 R17 88 V XL AS	195/55 R16 87 V AS 205/45 R17 88 V XL AS
Front tyres var.2	205/45 R17 88 V XL AS	205/45 R17 88 V XL AS	205/40 R18 86 W XL	205/40 R18 86 W XL
Front tyres var.3	205/45 R17 88 W XL	205/45 R17 88 W XL	N/A	N/A
Front tyres var.4 Front rims	205/40 R18 86 W XL 5,5Jx15 LM	205/40 R18 86 W XL 5,5Jx15 LM	N/A 6,5Jx16 LM	N/A 6,5Jx16 LM
Front rims var.1	6,5Jx16 LM	6,5Jx16 LM	7Jx17 LM	7Jx17 LM
Front rims var.2 Front rims var.3	7Jx17 LM 7Jx17 LM	7Jx17 LM 7Jx17 I M	7Jx18 LM N/A	7Jx18 LM N/A
Front rims var.4	7Jx18 LM	7Jx18 LM	N/A	N/A
Rear tyres Rear tyres var.1	175/65 R15 84 H AS 195/55 R16 87 V AS	175/65 R15 84 H AS 195/55 R16 87 V AS	195/55 R16 87 V AS 205/45 R17 88 V XL AS	195/55 R16 87 V AS 205/45 R17 88 V XL AS
Rear tyres var.2	205/45 R17 88 V XL AS	205/45 R17 88 V XL AS	205/40 R18 86 W XL	205/40 R18 86 W XL
Rear tyres var.3	205/45 R17 88 W XL	205/45 R17 88 W XL	N/A	N/A
Rear tyres var.4 Rear rims	205/40 R18 86 W XL 5,5Jx15 LM	205/40 R18 86 W XL 5,5Jx15 LM	N/A 6,5Jx16 LM	N/A 6,5Jx16 LM
Rear rims var.1	6,5Jx16 LM	6,5Jx16 LM	7Jx17 LM	7Jx17 LM
Rear rims var.2 Rear rims var.3	7Jx17 LM 7Jx17 LM	7Jx17 LM 7Jx17 LM	7J×18 LM N/A	7Jx18 LM N/A
Rear rims var.4	7Jx18 LM	7Jx18 LM	N/A	N/A
Track front, mm Track front var.1, mm	1501 1485	1501 1485	1485 1485	1485 1485
Track front var.2, mm	1485	1485	1485	1485
Track front var.3, mm	1485	1485	N/A	N/A
Track front var.4, mm Width of the rear track, mm	1485 1501	1485 1501	N/A 1485	N/A 1485
Track rear var.1, mm	1485	1485	1485	1485
Track rear var.2, mm Track rear var.3, mm	1485 1485	1485 1485	1485 N/A	1485 N/A
Track rear var.4, mm	1485	1485	N/A N/A	N/A N/A
Wheel offset front year 1 mm	46	46	54	54
Wheel offset front var.1, mm Wheel offset front var.2, mm	54 54	54 54	54 54	54 54
Wheel offset front var.3, mm	54	54	N/A	N/A
Wheel offset front var.4, mm Wheel offset rear, mm	54 46	54 46	N/A 54	N/A 54
Wheel offset rear var.1, mm	54	54	54	54
Wheel offset rear var.2, mm	54	54	54	54
Wheel offset rear var.3, mm Wheel offset rear var.4, mm	54 54	54 54	N/A N/A	N/A N/A
Run flat tyres	no	no	yes	yes
Run flat tyres var.1 Run flat tyres var.2	yes yes	yes yes	yes yes	yes yes
Run flat tyres var.3	no	no	N/A	N/A
Run flat tyres var.4, - Steering	yes	yes	N/A	N/A
Power-steering	EPS	EPS	EPS	EPS
Steering transmission, overall, :1 Tank	14	14	14	14
Fuel tank capacity (approx.) , I	44	44	44	44
US Tank capacity (gallons) - series, gal Battery	11.6	11.6	11.6	11.6
Battery Capacity (low voltage), Ah	80	80	80	80
System voltage (low voltage), V SCR	12	12	12	12
SCR (Yes/No)	No	No	No	No
US Motor conversion Lifting (inch), inch	3.72	3.72	3.72	3.72
Bore (inch), inch	3.23	3.23	3.23	3.23
Capacity (inch³), inch	91.46	91.46	121.95	121.95
Engineoil Engine torque, ftlbs	4.8 162	4.8 162	5.5 206	5.5 206
US driving dynamic conversion				
Track front (inch), inch Rear track (inch), inch	59.1 59.1	59.1 59.1	58.5 58.5	58.5 58.5
Track front var.1 (inch), inch	58.5	58.5	58.5	58.5
Rear track var.1 (inch), inch Track front var.2 (inch), inch	58.5 58.5	58.5 58.5	58.5 58.5	58.5 58.5
Rear track var.2 (inch), inch	58.5	58.5	58.5	58.5
Track front var.3 (inch), inch Rear track var.3 (inch), inch	58.5 58.5	58.5 58.5	N/A N/A	N/A N/A
Track front var.4 (inch), inch	58.5 58.5	58.5	N/A N/A	N/A N/A
Rear track var.4 (inch), inch	58.5	58.5	N/A	N/A
Aerodynamics conversion CXA min (ft²), ft	6.91	6.91	7.42	7.42
CXA max (ft²), ft	7.58	7.58	7.87	7.87
Facing surface (f²), ft Dimensions conversion	22.28	22.28	22.5	22.5
Veh. length (inch), inch	157.4	157.4	158	158
Veh. width (inch), inch Width incl mirrors (inch), inch	68 76.1	68 76.1	68 76.1	68 76.1
Veh. height (inch), inch	56.1	56.1	56.1	56.1
Wheelbase (inch), inch	101.1	101.1	101.1	101.1
Overhang front (inch), inch Rear overhang (inch), inch	30.1 26.2	30.1 26.2	30.1 26.8	30.1 26.8
Ground clearance (inch), inch	5.7	5.7	5.7	5.7
Legroom front (inch), inch Legroom 2nd row (inch), inch	41.4 32.3	41.4 32.3	41.4 32.3	41.4 32.3
Turning circle (ft), ft	36.1	36.1	36.1	36.1
Shoulder room front (inch), inch	51.2 49.6	51.2 49.6	51.2 49.6	51.2 49.6
Shoulder room rear (inch), inch Headroom front (inch), inch	49.6 39.9	49.6 39.9	49.6 39.9	49.6 39.9
Headroom front with Sunroof (inch), inch	38.6	38.6	38.6	38.6
Maximum headroom 2nd row (inch), inch Maximum headroom 2st row with sunroof (inch), inch	37.5 36.6	37.5 36.6	37.5 36.6	37.5 36.6
Front Seat Volume (ft <sup>3</sup> ), ft <sup>3</sup>	49	49	49	49
Rear Seat Volume (ft <sup>3</sup> ), ft <sup>3</sup> Luggage vol. (EPA) - only for homologation, ft <sup>3</sup>	34.8 13.1	34.8 13.1	34.8 13.1	34.8 13.1
EGPPOPE AO: (FL V) - ONLY IOI HOHIOIORQUIOL'IL.	13.1	13.1	13.1	15.1

### **Wheel Overview**

Model Year 2021

Cooper 5 Door Effective: 03/01/20

Cooper 5	
Z	door

Code: 1NA Style: 1NA	16" Loop Spoke RFT	Front / Rear: 16x6.5, 195/55 R16	Standard ZBA, ZBB
Code: 1NB Style: 1NB	16" Victory Spoke Blk RFT	Front / Rear: 16x6.5, 195/55 R16	ZBA, ZBB
Code: 1NC Style: 1NC	17" Cosmos Spoke RFT	Front / Rear: 17x7.0, 205/45 R17	ZBB, ZBC
Code: 1ND Style: 1ND	17" Cosmos Spoke Blk RFT	Front / Rear: 17x7.0, 205/45 R17	ZBB, ZBC

F55 Cooper S Effective: 03/01/20 MINI Cooper S 5 door

Code: 1NA Style: 1NA	16" Loop Spoke RFT	Front / Rear: 16x6.5, 195/55 R16	Standard ZFA, ZFB
Code: 1NB Style: 1NB	16" Victory Spoke Blk RFT	Front / Rear: 16x6.5, 195/55 R16	ZFA, ZFB
Code: 1NC Style: 1NC	17" Cosmos Spoke RFT	Front / Rear: 17x7.0, 205/45 R17	ZFB, ZFC
Code: 1ND Style: 1ND	17" Cosmos Spoke Blk RFT	Front / Rear: 17x7.0, 205/45 R17	ZFB, ZFC
Code: 1NK Style: 1NK	17" Roulette Spoke 2Tone RFT	Front / Rear: 17x7.0, 205/45 R17	ZFB, ZFC
Code: 1NM Style: 1NM	17" Rail Spoke 2Tone RFT	Front / Rear: 17x7.0, 205/45 R17	ZFB, ZFC
Code: 1NS Style: 1NS	18" MINIYours British Spoke 2Tone RFT	Front / Rear: 18x8.0, 225/40 R18	ZY9 ZFC
Code: 2E8 Style: 2E8	18"Cone Spoke RFT	Front / Rear: 18x7.0, 205/40 R18	ZFC

#### **Retail Pricing**

Model Year 2021

F55 Cooper Effective: 03/01/20 1 MW 21HD 21HD XU73 03/20 \$24,790

CA Model Code AG Model Code Start of Production Base Price

	Base Price	\$24,790
		OTE
050	Non-Metallic	STD \$590
850	Pepper White 850 cannot be ordered with 382	(red,q)
851	Chili Red	\$590
C1B	Solaris Orange	\$590
	C1B requires ordering ZBB or ZBC	(reg'd)
C1C	Emerald Grey	\$590
	C1C requires ordering ZBB or ZBC	(req'd)
C3B	British Racing Green IV	\$590
	Metallic	\$590
A62	White Silver Metallic	\$590
	A62 requires ordering ZBB or ZBC A62 requires ordering 382 or 383	(req'd) (req'd)
A94	Midnight Black Metallic	\$590
	A94 cannot be ordered with 383	(req'd)
B62	Starlight Blue Metallic	\$590
	B62 requires ordering ZBB or ZBC	(req'd)
B71	Moonwalk Grey Semi-Metallic	NC
C2K	Melting Silver Metallic	\$590
	C2K requires ordering ZBB or ZBC	(req'd)
	Upholstery	
	Punch Leather	\$1,500
	Punch Leather requires ordering 481	(req'd)
NEE1	Carbon Black Punch Leather	\$1,500
	In combination with ZBC	\$1,500
1/054	Leatherette	NC NC
K9E1	Carbon Black Leatherette	NC ZBA, ZBB, ZBC
	Included in package	ZDA, ZDD, ZDC
	Lines	
ZBA	CLASSIC	\$2,100
	1NB - 16" Victory Spoke Blk RFT	\$250
ZBB	PREMIER	\$4,700
	1NB - 16" Victory Spoke Blk RFT 1NC - 17" Cosmos Spoke RFT	\$250 \$750
	1ND - 17" Cosmos Spoke RFT	\$850
	ZMA - 6-Speed Manual Transmission	NC
ZBC	PREMIER+	\$7,200
	1ND - 17" Cosmos Spoke Blk RFT	\$250
	NEE1 - Carbon Black Punch Leather	\$1,500
	ZMA - 6-Speed Manual Transmission	NC ( ) I D
	ZBC and NEE1 requires ordering 481	(req'd)
	Packages	
ZZ1	LED Lights Package	\$1,400
	ZZ1 cannot be ordered with ZBA or ZBC	(reg'd)
	ZZ1 requires ordering ZBB	(req'd)
	Options	
2TF	7Spd Double Clutch Transmission	\$1,500
302	Included in package	ZBB, ZBC \$500
	Alarm System  Liniversal Remote Control	
319	Universal Remote Control 319 requires ordering ZBB or ZBC	\$250 (req'd)
327	White Bonnet Stripes	\$200
	327 requires ordering 382	(req'd)
329	Black Bonnet Stripes	\$200
	329 requires ordering 383	(req'd)
359	Electric Front Window Defroster	\$250
382	White Roof and Mirror Caps	NC
383	Black Roof and Mirror Caps	NC 1050
386 3AP	Roof Rails	\$250 \$250
3AR 481	Rear Rack Prep Sport Seats	\$250 \$500
701	481 requires ordering ZBB or ZBC	(req'd)
493	Storage Compartment Package	\$300
5AS	Driving Assistant	\$1,000
	5AS will add 541 to the order	(req'd)
	5AS requires ordering ZBB or ZBC	(req'd)
5DP	Park Assistant (Incl 508 PDC Front/Rear)	\$500
	5DP requires ordering ZBB or ZBC	(req'd)
674	Harman Kardon Sound System	\$750
	674 requires ordering ZBB or ZBC	(req'd)

Retail Pricing Model Year 2021

F55 Cooper S Effective: 03/01/20

CA Model Code 21HE
AG Model Code XU93

		AG Model Code Start of Production Base Price	XU93 03/20 \$29,090
850	Non-Metallic Pepper White		STD \$590
851	850 cannot be ordered with 382 Chili Red		(req'd) \$590
C1B	Solaris Orange C1B requires ordering ZFB or ZFC		\$590 (req'd)
C1C	Emerald Grey C1C requires ordering ZFB or ZFC		\$590 (reg'd)
СЗВ	British Racing Green IV  Metallic		\$590 \$590
A62	White Silver Metallic		\$590
	A62 requires ordering ZFB or ZFC A62 requires ordering 382 or 383		(req'd)
A94	Midnight Black Metallic A94 cannot be ordered with 383		\$590 (req'd)
358	Thunder Grey Metallic B58 requires ordering ZFB or ZFC		\$590 (req'd)
B62	Starlight Blue Metallic B62 requires ordering ZFB or ZFC		\$590 (reg'd)
B71 C2K	Moonwalk Grey Semi-Metallic Melting Silver Metallic		NC \$590
C3Y	C2K requires ordering ZFB or ZFC MINI Yours Enigmatic Black Metallic		(req'd) \$1,000
001	Included in package C3Y requires ordering ZFC		ZY9 (req'd)
	C3Y cannot be ordered with 383		(red,q)
	Upholstery		Ĉ4 F00
NEE1	Punch Leather Carbon Black Punch Leather		\$1,500 \$1,500
	In combination with ZFB In combination with ZFC		\$1,500 \$1,500
	Chester Leather		\$2,250
NYGK	Leather Chester Satellite Grey Included in package		\$2,250 7Y9
NYMJ	In combination with ZFC Leather Chester Malt Brown		\$2,250 \$2,250
. i wid	In combination with ZY9 In combination with ZFC		NC
			\$2,250
K9E1	Leatherette Carbon Black Leatherette		NC NC
	Included in package		ZFA, ZFB, br>ZFO
	MINI Yours Lounge Leather		\$2,250
TYE1	MINI Yours Leather Lounge Carbon Black In combination with ZY9		\$2,250 NC
	In combination with ZFC		\$2,250
ZFA	Lines CLASSIC		\$2,100
	1NB - 16" Victory Spoke Blk RFT		\$250
ZFB	PREMIER  1NB - 16" Victory Spoke Blk RFT		\$5,100 \$250
	1NC - 17" Cosmos Spoke RFT 1ND - 17" Cosmos Spoke Blk RFT		\$750 \$850
	1NK - 17" Roulette Spoke 2Tone RFT 1NM - 17" Rail Spoke 2Tone RFT		\$750 \$750
	NEE1 - Carbon Black Punch Leather ZMA - 6-Speed Manual Transmission		\$1,500 NC
ZFC	PREMIER+  1ND - 17" Cosmos Spoke Blk RFT		\$7,600 \$250
	1NK - 17" Roulette Spoke 2Tone RFT		NC NC
	1NM - 17* Rail Spoke 2Tone RFT 1NS - 18* MINIYours British Spoke 2Tone RFT		\$850
	2E8 - 18"Cone Spoke RFT NEE1 - Carbon Black Punch Leather		\$750 \$1,500
	NYGK - Leather Chester Satellite Grey NYMJ - Leather Chester Malt Brown		\$2,250 \$2,250
	TYE1 - MINI Yours Leather Lounge Carbon Black ZMA - 6-Speed Manual Transmission		\$2,250 NC
	ZFC and 1NS requires ordering ZB0 ZFC and 2E8 requires ordering ZB0		(req'd)
	Packages		
ZY5	Style Package 3L2 - Piano Black Exterior Trim		\$650 \$250
	4GV - MINI Yours Interior Style Piano Black illuminated ZY5 requires ordering ZFB or ZFC		\$250 (req'd)
ZY9	MINI Yours Package		\$3,500 \$250
	3L2 - Piano Black Exterior Trim 4BD - Interior Trim Piano Black		NC
	4DB - Dark Silver Interior Trim 4GV - MINI Yours Interior Style Piano Black illuminated		NC \$250
	NYMJ - Leather Chester Malt Brown TYE1 - MINI Yours Leather Lounge Carbon Black		NC NC
	ZY9 requires ordering ZFC ZY9 cannot be ordered with ZY5		(rea'd)
ZZ1	LED Lights Package ZZ1 cannot be ordered with ZFA or ZFC		\$1,400 (reg'd)
	ZZ1 requires ordering ZFB		(req'd)
	Options		
2TF	7Spd Double Clutch Transmission Included in package		\$1,500 ZFB, ZFC
302 319	Alarm System Universal Remote Control		\$500 \$250
327	319 requires ordering ZFB or ZFC White Bonnet Stripes		(req'd) \$200
329	327 requires ordering 382 Black Bonnet Stripes		(req'd) \$200
	329 requires ordering 383		(req'd)
359 382	Electric Front Window Defroster White Roof and Mirror Caps		\$250 NC
383 386	Black Roof and Mirror Caps Roof Rails		NC \$250
3AF	Silver Roof and Mirror Caps 3AF requires ordering C3Y		NC (req'd)
3AK	Silver Bonnet Stripes		\$200
	3AK requires ordering 3AF In combination with ZY9		(req'd) NC
3AR 493	Rear Rack Prep Storage Compartment Package		\$250 \$300
4AA 5AS	Anthracite Roofliner Driving Assistant		\$250 \$1,000
	5AS will add 541 to the order		(req'd)
5DP	5AS requires ordering ZFB or ZFC Park Assistant (Incl 508 PDC Front/Rear) 5DP requires ordering ZFB or ZFC		(req'd) \$500
JUI			(req'd)
	Harman Kardon Sound System		\$750
674			\$750 (req'd) \$750
674 6AD ZB0	Harman Kardon Sound System 674 requires ordering ZFB or ZFC		(req'd)

#### STANDARD EQUIPMENT - FEATURES & FUNCTIONS SAFETY BRAKING SYSTEMS: Antilock Braking System (ABS) pulses braking force on each brake disc to reduce wheel lockup and maintain steering ability while braking Brake Standby brake pads are moved closer to the discs when accelerator pedal is released quickly to anticipate braking brake pad lining applied slightly to discs to dry any moisture when windshield wipers are activated Brake Drying brake pressure is automatically increased under heavy braking to compensate for heat build-up or fading asymetrically distributes brake pressure to stabilizes vehicle when cornering while braking Brake Fade Support Cornering Brake Control (CBC) Drive-Off Assistant Dynamic Brake Lights holds the vehicle for up to 1.5s when taking off from an incline to prevent roll-back alerts others to abrupt and heavy braking with active brake intervention to maintain speed downhill and to reduce speed in curves if speed is too fast reduces engine power and applies brakes to wheels slipping to reduce over/understeer Dynamic Cruise Control Dynamic Stability Control (DSC) Dynamic Traction Control (DTC) increases traction for takeoff on slippery surfaces distributes braking pressure based on load and balance on the road transfers power to the front wheel with the most grip for traction in bends Electronic Brakeforce Distribution (EBD) . Electronically Controlled Differential Lock Control (EDLC) ATRBAGS: 2 front, 2 side located within front seat's side bolsters, 2 side curtain and 2 front knee airbags 8 Airbags SMART Airbag Deployment Advanced Head Protection System (AHPS) speed and intensity of airbag deployment adjusted based on size, shape, weight and position of occupants front and rear reaching side curtain airbag protection remains inflated longer incase of secondary MISCELANEOUS: Crash Sensor unlocks doors, turn on interior lights, activates 4-way flasher hazard lights in the event of a crash Fuel Pump cutoff automatically cuts off fuel pump in the event of a crash . ISOFIX LATCH anchors for child seat fixation Heated Side Mirrors & Windshield Washer Jets Rear View Camera with Park Distance Control for more reliable visibility in winter months acoustic distance warning of obstacles at the rear of the car by dynamic interval tone, visual display in screen & parking guidance . Automatic Headlights with rain sensor function for intermittent windshield wipers All Season Tires . allows driving on flat tire for 80km at a speed up to 80km/hr - drive to safety in the event of a fla dash warning light if any one of four tires loses air pressure (not tire specific) Runflat Tires Tire Pressure Indicator . Three-Point Seat Belts Headrests for all five S for four seats (2 front, 2 rear) and hip belt for middle rear seat manually adjustable, low positioning in rear passenger area for optimal rear view vision AUDIO/TECHNOLOGY connects the vehicle to the MINI Service Center for all relevant Service Diagnostics Data Teleservice Intelligent Emergency Calling connects the vehicle to a call center automatically in the event of an accident or manually at the push of a button for assistance that displays all infotainment and car settings operated via MINI Controller in center console an app that allows operation of a number of 3rd party apps via hand controller and in-car screen for safety $\delta$ convenience 6.5" Full Colour Screen MINI Connected short antenna on roof at rear of car for a more seamless design aesthetic Ariel Diversity Antenna with enhanced content available in center screen of MINTs dash radio data system displays relevant station information on the radio display connect using USB cable only, no additional cable required with iPhone Audio Bluetooth Streaming Anti-theft AM/FM stereo audio system with RDS . USB / AUX-in Input ports . SiriusXM Satellite Radio Preperation full satellite radio integration available as stand alone option with 6 month trial period pair 2 phones at one time and operate via steering wheel controls, center controller or voice co Bluetooth Phone Connectivity Condition Based Servicing maintenance intervals determined by driving conditions with on screen indicators for service requirements 2 in front door panels, 2 subwoofers under front seats, 2 in rear door panels 6 Speakers Electronic Vehicle Immobilizer prevents the engine from being started with out the correct key fob is present, prevents "hot wiring" thefts DRIVING 3-Cylinder 12-Valve Twin Power Turbocharged engine $134hp\ \&\ 162lb/ft$ torque with 0-100km/h in 7.9s (manual transmission) $189hp\ \&\ 207lb/ft$ torque with 0-100km/h in 6.8s (manual transmission) 4-Cylinder 16-Valve Twin Power Turbocharged engine Direct Injection fuel is injected directly into each piston for efficient combustion with less waste/emissions Valvetronic regulates engine performance by steplessly adjusting the amount of intake valve lift with less emissions regulates engine performance by steplessly adjusting the duration and timing of valve lift for less emissions adjusts vehicle's steering, throttle sensitivity, exhaust notes $\mathcal E$ gear changes (with automatic transmission) Driving Experience - Sport & Green Mode . Automatic Start/Stop Transmissions engine switches off when vehicle is stopped & restarts as soon as brake pedal is released saving fuel with automatic transmission, engine disengages when brake pedal is depressed, coasting to saving fuel . Coasting Manual Transmission 6-Speed manual transmission as standard with optional DCT 8 Automatic Transmissions - engine deper supresses initial understeer which reduces torque-steer Performance Control Single-joint spring-strut-type front axle Multi-link rear axle lightweight construction with rigidity providing MINI-typical driving dynamics lightweight construction with rigidity providing MINI-typical driving dynamics steering wheel cannot be unlocked without presence of key fob as a theft deterrent speed-dependent steering assist - more comfortable or precise steering based on vehicle speed Electric Steering Lock (ELV) INTERIOR $6-way\ manually\ adjustable\ in\ black\ leather ette\ upholstery\ (fore/aft, height\ up/down\ \delta\ backrest\ incline/decline)$ Sport Seats (front) as above with added side bolster support & thigh extension for added comfort Rear Seat Bench Rear Seats 60/40 Split Folding seating and seat belts for 3 people in the rear with 3 folding headrests allows extension of rear cargo 8 loading space, also features rear armpads and cupholders in side panels power controls located on door/armrest of driver $\delta$ passenger, auto lowering when door opens, one touch function power controls located on door/armrest of driver $\delta$ passenger Power Door Locks power controls located on door/armrest of driver manually adjustable heat/cool, location of airflow, stepless blower, fresh air or recirculation mode Power Side Mirrors Air Conditioning with microfilter with pushbutton start toggle in center stack lock/unlock/hatch release 6 horn if equipped with alarm system large center icon with LED ring integrates functional displays with light animation mounted above steering wheel in driver's line of sight with digital display for indicators Keyless Engine Activation Key Fob with convenience buttons MINI Centre Instrumen Speedometer & Revolution Counter & Fuel Gauge black leather black leather with Chil Red accent stitching 3-Spoke Sports Steering Wheel 3-Spoke Sports Steering Wheel Multifunction Steering Wheel Controls Tilt & Telescopic Steering Wheel Adjustment cruise control, audio volume/scan & Bluetooth telephone operations adjusts the steering wheel to the most comfortable and safe position for driver Ambient Interior Lighting Interior Rear View Mirror in one colour for front $\delta$ rear footwell, front door pockets, center console, glove compartment, vanity mirror with manually adjsutable anti-dazzle function Lashing Eyes in Luggage Compartment to secure cargo stored in rear compartment Luggage Compartment Lights for easy loading $\boldsymbol{\epsilon}$ unloading at night or in dimly lit garages Cupholders x 3 two in front center console & one in rear center console with storage and tilting up/down function for ideal placement for all arm lengths EXTERIOR 16" Alloy Wheels Silver Side Air Inlets Loop Spoke design in silver with All Season Runflat Tires with indicator lights for turn signals Side Air Inlets with indicator lights for turn signals and JCW logo Fuel Filler Cap on right side of vehicle, body coloured for Cooper Fuel Filler Cap on right side of vehicle, chrome for Cooper S Heated Rear Window with automatic shut off aerodynamic and sporty design, lip overhang spoiler Rear Roof Lip Spoiler Chrome Bezels Door Handles - one piece pull around front headlights and rear taillights single pipe, left side biased Exhaust tailpipe double pipes, center mounted closed vehicle underbody & rear axle cover improves aerodynamics and interior road noise Underfloor Concep with white turn signal indicators, available upgrade to LED Headlights/Taillights with iconic graphic design ciruclating stainless steel waistline finishing trim below windows and above shoulder line for premium aestl Halogen Headlights Waistline Finisher

	Product Configuration  Model Year 2021 Cooper 5 Door Effective: 03/01/20	
	CA Model Code AG Model Code Start of Production	21HD XU73 03/20
404	Options	1000/
1CA	CO2 Relevant Vehicle	100%
1CC 1NA	Automatic Start/Stop function 16" Loop Spoke RFT	STD 100%
IIIA	(16x6.5, 195/55 R16)	100 /6
	Included in package	ZBA ZBB
1NB	16" Victory Spoke Blk RFT	255
	(16x6.5, 195/55 R16)	
	Alternate in package	ZBA ZBB
1NC	17" Cosmos Spoke RFT (17x7.0, 205/45 R17)	200
	Alternate in package	ZBB
		ZBC
1ND	17" Cosmos Spoke Blk RFT (17x7.0, 205/45 R17)	
	Alternate in package	ZBB
		ZBC
216	Servotronic	STD
249	Multi-Function Steering Wheel with Cruise Control	STD
255	Leather Sport Steering Wheel	STD
258	Runflat Tires	100%
2TF	7Spd Double Clutch Transmission	x ZBB
	Included in package	ZBC
302	Alarm System	X
314	Heated Washer Jets and Exterior Mirrors	STD
319	Universal Remote Control	X
	319 requires ordering ZBB or ZBC	X
322	Comfort Access	
	Included in package	ZBA ZBB
		ZBC
327	White Bonnet Stripes	x
	327 requires ordering 382	x
329	Black Bonnet Stripes	X
350	329 requires ordering 383 Electric Front Window Defroster	X
359 381	Body Coloured Roof	X STD
382	White Roof and Mirror Caps	X
383	Black Roof and Mirror Caps	X
386	Roof Rails	x
3AB	Body Coloured Mirror Caps	STD
3AG	Rear View Camera	STD
3AR	Rear Rack Prep	Х
402	Panorama Sunroof Included in package	ZBA
	moluded in package	ZBB
		ZBC
423	Velour Floor Mats	100%
431	Auto Dimming Interior Mirror	

	Year 2021 Cooper 5 Door Effective: 03/01/20	MINI Cooper door
		MINIO
	CA Madal Cada	<b>≥ ຈັ</b> 21HD
	CA Model Code AG Model Code	XU73
	Start of Production	03/20
	Included in package	ZBA
		ZBB
		ZBC
450	Passenger Seat Height Adjustment	STD
473	Front Centre Armrest	100%
481	Sport Seats	X
	481 requires ordering ZBB or ZBC	X
493	Storage Compartment Package	Х
494	Heated Front Seats	
	Included in package	ZBA
		ZBB ZBC
4C1	Colour Line Carbon Black	STD
4EP	Interior surfaces Hazy Grey	STD
4NE	Blow-by heater	STD
507	Park Distance Control, rear	100%
521	Rain Sensor with Auto Headlamps	STD
530	Air conditioning	STD
534	Automatic Climate Control	
	Included in package	ZBA
		ZBB
		ZBC
544	Dynamic Cruise Control	STD
548	Km/h Speedometer	STD
550	On Board Computer	STD
563	Lights Package	STD
5A1	LED Fog Lights	
	Included in package	ZBC ZZ1
5A4	LED Headlights w/Cornering Function	221
0,	Included in package	ZBC
		ZZ1
5AS	Driving Assistant	х
	5AS requires ordering ZBB or ZBC	х
	5AS will add 541 to the order	х
5DP	Park Assistant (Incl 508 PDC Front/Rear)	x
	5DP requires ordering ZBB or ZBC	X
645	US Radio Specifications	STD
655	SiriusXM Satellite Radio Tuner	
	Included in package	ZBA
		ZBB ZBC
674	Harman Kardon Sound System	ZBC X
J1 <del>T</del>	674 requires ordering ZBB or ZBC	X
693	Satellite Radio Pre-Wire	100%
6AC	Intelligent Emergency Call	100%
6AE	Teleservices	100%
6AK	ConnectedDrive Services	. 30 70
<b>.</b>	Included in package	ZBB
		ZBC
6AM	Advanced Real Time Traffic Information	

	Year 2021 Cooper 5 Door Effective: 03/01/20	MINI Cooper 5 door
	CA Model Code	21HD
	AG Model Code	XU73
	Start of Production	03/20 ZBB
	Included in package	ZBC
6AP	Remote Services	250
	Included in package	ZBB
		ZBC
6CP	Apple CarPlay Preparation	
	Included in package	ZBB
.==	1	ZBC
6FP	Integrated Visual Display	100%
6NM	MINI Connected App Integration	100%
6NP	Enhanced Telephone Prep	100%
6NT	MINI Connected XL App Integration	700
CNIM	Included in package Wireless Charging w/Extended Bluetooth and USB	ZBC
6NW	Included in package	ZBC
6UM	MINI Navigation System	250
OOW	Included in package	ZBB
	included in package	ZBC
6WB	Full Digital Instrument Display	
	Included in package	ZBC
785	White Turn Signals	STD
7GK	Connected Navigation Plus	
	Included in package	ZBC
823	Hot-Climate Version	STD
838	Canadian Specifications	STD
842	Cold Climate Version	STD
845	Acoustic Seat-Belt Warning	STD
850	Additional tank filling,export	STD
853	English Language Version	STD
8KL	Oil Service Interval 15,000km	STD
8R9	Refrigerant	STD
8S4	Decoding of Variable Light	
	Included in package	ZBC
0014	VINI visible from outside	ZZ1
8SM 8WC	VIN, visible from outside Control LC	STD STD
925	Shipping Guard Package	STD
927	All-Season Tires	100%
992	Control of Number-Plate Attachment	STD
9AA	External Skin Protection	100%
Z10	Freight On Board	100%
Z1C	3yr/40k No Charge Scheduled Maintenance	100%
Z21	Model Year 2021	100%
ZMA	6-Speed Manual Transmission	
-	Alternate in package	ZBB
	. •	ZBC
	Non-Metallic	STD
850	Pepper White	X
	850 cannot be ordered with 382	X

	Year 2021 Cooper 5 Door Effective: 03/01/20		MINI Cooper 5 door
		CA Model Code AG Model Code Start of Production	21HD XU73 03/20
851	Chili Red		Х
C1B	Solaris Orange		X
	C1B requires ordering ZBB or ZBC		X
C1C	Emerald Grey		X
СЗВ	C1C requires ordering ZBB or ZBC British Racing Green IV		X X
	Metallic		X
A62	White Silver Metallic		X
	A62 requires ordering 382 or 383		X
A O 4	A62 requires ordering ZBB or ZBC		X
A94	Midnight Black Metallic A94 cannot be ordered with 383		X
B62	Starlight Blue Metallic		X X
D02	B62 requires ordering ZBB or ZBC		X
B71	Moonwalk Grey Semi-Metallic		X
C2K	Melting Silver Metallic		X
	C2K requires ordering ZBB or ZBC		Х
140	Upholstery		
K9 K9E1	Leatherette Carbon Black Leatherette		X
Kaeı	Included in package		x ZBA
	moradou in publicago		ZBB
			ZBC
NE	Punch Leather		Х
	Punch Leather requires ordering 481		X
NEE1	Carbon Black Punch Leather		x ZBC
	Alternate in package		ZBC
ZBA	Lines CLASSIC		X
	1NA - 16" Loop Spoke RFT		
	(16x6.5, 195/55 R16) 1NB - 16" Victory Spoke Blk RFT		
	322 - Comfort Access		
	402 - Panorama Sunroof		
	431 - Auto Dimming Interior Mirror		
	494 - Heated Front Seats 534 - Automatic Climate Control		
	655 - SiriusXM Satellite Radio Tuner		
	K9E1 - Carbon Black Leatherette		
	SiriusXM Satellite Radio includesl 6 month subs	cription	
ZBB	PREMIER		X
	1NA - 16" Loop Spoke RFT		
	(16x6.5, 195/55 R16) 1NB - 16" Victory Spoke Blk RFT		
	1NC - 17" Cosmos Spoke RFT		
	1ND - 17" Cosmos Spoke Blk RFT		

	ict Configuratio	Cooper 5 Door Effective: 03/01/20		MINI Cooper door
			CA Model Code AG Model Code Start of Production	21HD XU73 03/20
	2TF - 7Spd Double C ZMA - 6-Speed N	lutch Transmission Manual Transmission	Start of Froduction	00/20
ZBC	6AP - Remote Service 6CP - Apple CarPlay 6UM - MINI Navigatio K9E1 - Carbon Black SiriusXM Satellite Ra PREMIER+ 1NC - 17" Cosmos Sp (17x7.0, 205/45 R17) 1ND - 17" Cosmo 2TF - 7Spd Double C ZMA - 6-Speed M 322 - Comfort Access 402 - Panorama Suni 431 - Auto Dimming I 494 - Heated Front S 534 - Automatic Climi 5A1 - LED Fog Lights 5A4 - LED Headlights 655 - SiriusXM Satelli 6AK - ConnectedDriv 6AM - Advanced Rea 6AP - Remote Service 6CP - Apple CarPlay 6NT - MINI Connecte	nterior Mirror eats ate Control te Radio Tuner e Services I Time Traffic Information es Preparation n System Leatherette dio includes 6 month subscription6 poke RFT  os Spoke Blk RFT lutch Transmission Manual Transmission soof interior Mirror eats ate Control  s w/Cornering Function te Radio Tuner e Services I Time Traffic Information es Preparation d XL App Integration ging w/Extended Bluetooth and US in System trument Display vigation Plus riable Light		X
		Black Punch Leather  dio includes 6 month subscription&  ires ordering 481	8" Touch Screen	×
ZZ1	Packages LED Lights Package 5A1 - LED Fog Lights	- -		X
	8S4 - Decoding of Va ZZ1 requires orderin	riable Light		X

Product Configuration			7.
Model Year 2021	Cooper 5 Door Effective: 03/01/20		MINI Coope door
		CA Model Code	21HD
		AG Model Code	XU73
		Start of Production	03/20

ZZ1 cannot be ordered with ZBA or ZBC

	luct Configuration Year 2021	F55 Cooper S Effective: 03/01/20	CA Madal Cada	MINI Cooper S 5 door
			CA Model Code AG Model Code	XU93 03/20
	Options		Start of Production	03/20
1CA	CO2 Relevant Vehicle			100%
1CC 1NA	Automatic Start/Stop funct 16" Loop Spoke RFT	on		STD STD
IINA	(16x6.5, 195/55 R16)			315
	Included in package			ZFA ZFB
1NB	16" Victory Spoke Blk RFT (16x6.5, 195/55 R16)			ZFD
	Alternate in package			ZFA
1NC	17" Cosmos Spoke RFT (17x7.0, 205/45 R17)			ZFB
	Alternate in package			ZFB
1ND	17" Cosmos Spoke Blk RF (17x7.0, 205/45 R17)	Т		ZFC
	Alternate in package			ZFB
1NK	17" Roulette Spoke 2Tone (17x7.0, 205/45 R17)	RFT		ZFC
	Alternate in package			ZFB
1NM	17" Rail Spoke 2Tone RFT (17x7.0, 205/45 R17)			ZFC
	Alternate in package			ZFB
1NS	18" MINIYours British Spot (18x8.0, 225/40 R18)	ce 2Tone RFT		ZFC
	Included in package			ZY9
216	Alternate in package Servotronic			ZFC STD
223	Dynamic Damper Control			
	Included in package			ZFB ZFC
249	Multi-Function Steering W	neel with Cruise Control		STD
255	Leather Sport Steering Wh	eel		STD
258 2E8	Runflat Tires 18"Cone Spoke RFT			STD
0	(18x7.0, 205/40 R18)			
отп	Alternate in package	minnion		ZFC
2TF	7Spd Double Clutch Trans Included in package	1111551011		x ZFB
0) (0				ZFC
2VG 2XB	Performance Control  MINI Yours Sport Leather	Steering Wheel		STD
		J		

	Included in package	ZY5 ZY9
302	Alarm System	X
314	Heated Washer Jets and Exterior Mirrors	STD
319	Universal Remote Control	x
	319 requires ordering ZFB or ZFC	x
322	Comfort Access	
	Included in package	ZFA
		ZFB
	W// B 40/	ZFC
327	White Bonnet Stripes	Х
220	327 requires ordering 382	X
329	Black Bonnet Stripes	X
345	329 requires ordering 383 Chrome Line Interior	X
343	Included in package	ZY5
	included in package	ZY9
346	Chrome Line Exterior	
	Included in package	ZY5
		ZY9
359	Electric Front Window Defroster	X
381	Body Coloured Roof	STD
382	White Roof and Mirror Caps	X
383	Black Roof and Mirror Caps	X
386	Roof Rails	X
3AB	Body Coloured Mirror Caps	STD
3AF	Silver Roof and Mirror Caps	Х
240	3AF requires ordering C3Y	X
3AG	Rear View Camera	STD
3AK	Silver Bonnet Stripes 3AK requires ordering 3AF	X
3AR	Rear Rack Prep	X X
3L2	Piano Black Exterior Trim	^
OLZ	Alternate in package	ZY5
	, mornate in passage	ZY9
402	Panorama Sunroof	
	Included in package	ZFA
		ZFB
400	Valour Floor Mate	ZFC
423	Velour Floor Mats Included in package	100% ZY9
431	Auto Dimming Interior Mirror	219
401	Included in package	ZFA
	monded in package	ZFB
		ZFC
450	Passenger Seat Height Adjustment	STD
473	Front Centre Armrest	100%
481	Sport Seats	STD
493	Storage Compartment Package	x
494	Heated Front Seats	
	Included in package	ZFA
		ZFB ZFC
4AA	Anthracite Roofliner	Σ1 <b>Ο</b>
4BD	Interior Trim Piano Black	

	Included in package	ZY5
	Alternate in package	ZY9
4C1	Colour Line Carbon Black	STD
4DB	Dark Silver Interior Trim	
	Alternate in package	ZY9
4DC	· · · ·	STD
	Interior Trim Checkered Black	310
4GU	MINI Yours Fibre Alloy Interior	
	Included in package	ZY9
4GV	MINI Yours Interior Style Piano Black illuminated	
	Alternate in package	ZY5
		ZY9
4NE	Blow-by heater	STD
4V9	MINI Excitement Lights	
	Included in package	ZY5
	included in package	ZY9
4VA	MINI Driving Modes	100%
507	Park Distance Control, rear	100%
521	Rain Sensor with Auto Headlamps	STD
530	Air conditioning	STD
534	Automatic Climate Control	
	Included in package	ZFA
		ZFB
		ZFC
544	Dynamic Cruise Control	STD
548	Km/h Speedometer	STD
550	On Board Computer	STD
563	Lights Package	STD
		310
5A1	LED Fog Lights	
	Included in package	ZFC
- 4 4	LEDIU III IV. IV. IV. IV. IV. IV. IV. IV. IV.	ZZ1
5A4	LED Headlights w/Cornering Function	
	Included in package	ZFC
		ZZ1
5AS	Driving Assistant	X
	5AS requires ordering ZFB or ZFC	X
	5AS will add 541 to the order	X
5DP	Park Assistant (Incl 508 PDC Front/Rear)	X
	5DP requires ordering ZFB or ZFC	x
645	US Radio Specifications	STD
655	SiriusXM Satellite Radio Tuner	
	Included in package	ZFA
	included in package	ZFB
		ZFC
674	Harman Kardon Sound System	x
074	674 requires ordering ZFB or ZFC	
602	Satellite Radio Pre-Wire	X 100%
693		
6AC	Intelligent Emergency Call	100%
6AD	MINI Head-Up Display	X
	6AD requires ordering ZFC	X
6AE	Teleservices	100%
6AK	ConnectedDrive Services	
	Included in package	ZFB
		ZFC
6AM	Advanced Real Time Traffic Information	

	Included in package	ZFB
6AP	Remote Services	ZFC
DAP	Included in package	ZFB
	пісіййей її раскаўе	ZFC
6CP	Apple CarPlay Preparation	
	Included in package	ZFB
		ZFC
6FP	Integrated Visual Display	100%
6NM	MINI Connected App Integration	100%
6NP	Enhanced Telephone Prep	100%
6NT	MINI Connected XL App Integration	
	Included in package	ZFC
6NW	Wireless Charging w/Extended Bluetooth and USB	
	Included in package	ZFC
6UM	MINI Navigation System	755
	Included in package	ZFB ZFC
6WB	Full Digital Instrument Display	ZFC
OWB	Included in package	ZFC
785	White Turn Signals	STD
7GK	Connected Navigation Plus	OID
7010	Included in package	ZFC
7GW	MINI Yours Package	210
7011	Included in package	ZY9
823	Hot-Climate Version	STD
838	Canadian Specifications	STD
842	Cold Climate Version	STD
845	Acoustic Seat-Belt Warning	STD
850	Additional tank filling,export	STD
853	English Language Version	STD
8KL	Oil Service Interval 15,000km	STD
8R9	Refrigerant	STD
8S4	Decoding of Variable Light	
	Included in package	ZFC
	1	ZZ1
8SM	VIN, visible from outside	STD
8WC	Control LC	STD
925	Shipping Guard Package	STD
927	All-Season Tires	100%
992	Control of Number-Plate Attachment	STD
9AA	External Skin Protection	100%
Z10	Freight On Board	100%
Z1C	3yr/40k No Charge Scheduled Maintenance	100%
Z21	Model Year 2021	100%
ZB0	Performance Tires	x
	Included in package	ZY9
ZMA	6-Speed Manual Transmission	
	Alternate in package	ZFB
		ZFC
	Non Madallia	OTD
	Non-Metallic	STD
050	D. MIS	

Х

850

Pepper White

	850 cannot be ordered with 382	X
851	Chili Red	X
C1B	Solaris Orange	X
	C1B requires ordering ZFB or ZFC	X
C1C	Emerald Grey	X
	C1C requires ordering ZFB or ZFC	X
C3B	British Racing Green IV	X
	•• · · · · ·	
	Metallic	X
A62	White Silver Metallic	X
AUZ	A62 requires ordering 382 or 383	×
	A62 requires ordering ZFB or ZFC	X
A94	Midnight Black Metallic	X
	A94 cannot be ordered with 383	X
B58	Thunder Grey Metallic	x
	B58 requires ordering ZFB or ZFC	X
B62	Starlight Blue Metallic	X
	B62 requires ordering ZFB or ZFC	X
B71	Moonwalk Grey Semi-Metallic	X
C2K	Melting Silver Metallic	X
001/	C2K requires ordering ZFB or ZFC	X
C3Y	MINI Yours Enigmatic Black Metallic	X
	C3Y requires ordering ZFC C3Y cannot be ordered with 383	X
	Included in package	X ZY9
	moldded in package	219
	Upholstery	
K9	Leatherette	X
K9E1	Carbon Black Leatherette	x
	Included in package	ZFA
		ZFB
		ZFC
NE	Punch Leather	X
NEE1	Carbon Black Punch Leather	×
.,	Alternate in package	ZFB
	1	ZFC
NY	Chester Leather	X
NYGK	Leather Chester Satellite Grey	X
	Included in package	ZY9
NYMJ	Leather Chester Malt Brown	X
	Alternate in package	ZFC ZY9
		219
TY	MINI Yours Lounge Leather	X
TYE1	MINI Yours Leather Lounge Carbon Black	X
	Alternate in package	ZFC
	-	ZY9
	Lines	
ZFA	CLASSIC	X

	1NA - 16" Loop Spoke RFT (16x6.5, 195/55 R16) 1NB - 16" Victory Spoke Blk RFT	
	322 - Comfort Access	
	402 - Panorama Sunroof	
	431 - Auto Dimming Interior Mirror	
	494 - Heated Front Seats	
	534 - Automatic Climate Control	
	655 - SiriusXM Satellite Radio Tuner	
	K9E1 - Carbon Black Leatherette	
7ED	SiriusXM Radio includes 6 month subscription	
ZFB	PREMIER	X
	1NA - 16" Loop Spoke RFT	
	(16x6.5, 195/55 R16) 1NB - 16" Victory Spoke Blk RFT	
	1NC - 17" Cosmos Spoke RFT	
	1ND - 17" Cosmos Spoke Blk RFT	
	1NK - 17" Roulette Spoke 2Tone RFT	
	1NM - 17" Rail Spoke 2Tone RFT	
	223 - Dynamic Damper Control	
	2TF - 7Spd Double Clutch Transmission	
	ZMA - 6-Speed Manual Transmission	
	322 - Comfort Access	
	402 - Panorama Sunroof	
	431 - Auto Dimming Interior Mirror	
	494 - Heated Front Seats	
	534 - Automatic Climate Control	
	655 - SiriusXM Satellite Radio Tuner	
	6AK - ConnectedDrive Services	
	6AM - Advanced Real Time Traffic Information	
	6AP - Remote Services	
	6CP - Apple CarPlay Preparation	
	6UM - MINI Navigation System	
	K9E1 - Carbon Black Leatherette	
	NEE1 - Carbon Black Punch Leather	
	SiriusXM Satellite Radio includes 6 month subscription@5" Touch Screen	
ZFC	PREMIER+	x
	1NC - 17" Cosmos Spoke RFT	
	(17x7.0, 205/45 R17)	
	1ND - 17" Cosmos Spoke Blk RFT	
	1NK - 17" Roulette Spoke 2Tone RFT	
	1NM - 17" Rail Spoke 2Tone RFT 1NS - 18" MINIYours British Spoke 2Tone RFT	
	2E8 - 18"Cone Spoke RFT	
	223 - Dynamic Damper Control	
	2TF - 7Spd Double Clutch Transmission	
	ZMA - 6-Speed Manual Transmission 322 - Comfort Access	
	402 - Panorama Sunroof	
	431 - Auto Dimming Interior Mirror	
	494 - Heated Front Seats	
	534 - Automatic Climate Control	
	5A1 - LED Fog Lights	
	3 3	

5A4 - LED Headlights w/Cornering Function	
655 - SiriusXM Satellite Radio Tuner	
6AK - ConnectedDrive Services	
6AM - Advanced Real Time Traffic Information	
6AP - Remote Services	
6CP - Apple CarPlay Preparation	
6NT - MINI Connected XL App Integration	
6NW - Wireless Charging w/Extended Bluetooth and USB 6UM - MINI Navigation System	
6WB - Full Digital Instrument Display	
7GK - Connected Navigation Plus	
8S4 - Decoding of Variable Light	
K9E1 - Carbon Black Leatherette	
NEE1 - Carbon Black Punch Leather	
NYGK - Leather Chester Satellite Grey	
NYMJ - Leather Chester Malt Brown	
TYE1 - MINI Yours Leather Lounge Carbon Black	
SiriusXM Satellite Radio includes 6 month subscription818" Touch Screen	
ZFC and 2E8 requires ordering ZB0	X
ZFC and 1NS requires ordering ZB0	X
Packages	
Style Package	X
2XB - MINI Yours Sport Leather Steering Wheel	
345 - Chrome Line Interior	
346 - Chrome Line Exterior	
3L2 - Piano Black Exterior Trim	
4BD - Interior Trim Piano Black 4GV - MINI Yours Interior Style Piano Black illuminated	
4V9 - MINI Excitement Lights	
4V9 includes multi colour mood lighting in the interior, illuminated exterior	
door handles & Logo Projection from Driver's Side Mirror□	
ZY5 requires ordering ZFB or ZFC	X
MINI Yours Package	X
1NS - 18" MINIYours British Spoke 2Tone RFT (18x8.0, 225/40 R18)	
2XB - MINI Yours Sport Leather Steering Wheel	
345 - Chrome Line Interior	
346 - Chrome Line Exterior 3L2 - Piano Black Exterior Trim	
423 - Velour Floor Mats	
4GU - MINI Yours Fibre Alloy Interior	
4BD - Interior Trim Piano Black	
4DB - Dark Silver Interior Trim 4GV - MINI Yours Interior Style Piano Black illuminated	
4V9 - MINI Excitement Lights	
7GW - MINI Yours Package	
C3Y - MINI Yours Enigmatic Black Metallic	
ZB0 - Performance Tires	
NYGK - Leather Chester Satellite Grey	
NYMJ - Leather Chester Malt Brown	
TYE1 - MINI Yours Leather Lounge Carbon Black	

ZY5

ZY9

	MINI Yours Package includes Badging on exterior CPillar & Special Embroidery on Floor Mats. 3AK Silver Bonnet Stripes and 3AF SilverRoof/MirrorCaps are	
	ZY9 cannot be ordered with ZY5	X
	ZY9 requires ordering ZFC	X
ZZ1	LED Lights Package	X
	5A1 - LED Fog Lights	
	5A4 - LED Headlights w/Cornering Function	
	8S4 - Decoding of Variable Light	
	ZZ1 requires ordering ZFB	X
	ZZ1 cannot be ordered with ZFA or ZFC	X