


BMW M5 CS.

2022MY PRODUCT GUIDE.









BMW	5 Ser	ies Se	dan.
	ישכי כי	שכ כשו	:uaii,

BMW 5 Series Sedan,	
Basic data summary	
Transmission type	automatic
Engine description	S63B44T4
Seats	4
Number of doors	4-door car
Engine type	Four-wheel drive
SOV	01.03.2021-30.06.202
Dimensions	
Exterior	
Vehicle width (W103 OTD), mm	1903
Vehicle length, mm	5001
Overhang rear (L105OTD), mm	1117
Overhang front (L104 OTD), mm	902
Vehicle height, mm	1468
Wheelbase (L101), mm	2982
Width at passenger's mirror (W114-P), mm	1057
Vehicle width at side mirrors (W144), mm	2126
Width at driver's mirror (W114-D), mm	1069
Facing surface (AStirn), m ²	2.42
Minimum turning circle (D102), m	12.6
Interior	
Leg room 1.SR(L34), mm	1052
Shoulder room 2.SR(W3-2), mm	1420
Leg room 2.SR(L51-2), mm	928
Elbow width 1.SR (W3-1), mm	1523
Shoulder room 1.SR(W3-1), mm	1490
Elbow width 2.SR (W3-2), mm	1487
Head room 2.SR(H61-2), mm	977
Head room 1.SR(H62-1), mm	1034
Knee clearance 2.SR (L48-2 Prak), mm	53
Seats overall (N-ges)	4
Seats 2.SR (N-2)	2
Offroad data	
Ground clearance; curb weight (H156 OTD), mm	127
Luggage volumes	
Luggage volume (V210-2 Kom), I	530
Press luggage volume US (V US Kom), ft ³	14
Motor data	
Motor	
Stroke, mm	88.3
Bore, mm	89
Engine oil (exchange quantity), l	10
Rated engine power (kW), kW	467
Engine power (bHP), bHP	627

Engine type	S63B44T4
Cylinders	8
Useable Fuel quality	AKI 87 MIN
Valves p.cyl.	4
recomm.	AKI 93
Fuel type	gasoline
Engine torque, Nm	750
Compression rate, :1	10
Displacement, cm ³	4395
minimum Engine speed at maximum torque, 1/min	1800
maximum Engine speed at maximum torque, 1/min	5950
minimum Engine speed at maximum power, 1/min	6000
maximum Engine speed at maximum power, 1/min	6000
rpm at maximum torque, 1/min	1800-5950
rpm at maximum power, 1/min	6000-6000
Engine power (HP), PS	635
Emission classification (type-certified)***	ULEV125
Communication	
Power to weight ratio, kg/kW	4
Output per litre, kW/dm³	106.3
chassis	
Wheel/Tyres	
Run flat tyres	no
Rear rims	10,5J x 20
Front rims	9,5J x 20
Front tyres	275/35 ZR20 (102Y) X
Rear tyres	285/35 ZR20 (104Y) X
Steering	
Power-steering	EPS
Steering transmission, overall, :1	14.3
Battery	
System voltage (low voltage), V	12
Battery Capacity (low voltage), Ah	70
	70
Weight	70
Weight Vehicle weights	
Weight Vehicle weights Curb weight (without driver), kg	1866
Weight Vehicle weights Curb weight (without driver), kg Gross veh. weight, kg	1866 2291
Weight Vehicle weights Curb weight (without driver), kg Gross veh. weight, kg Payload, kg	1866 2291 392
Weight Vehicle weights Curb weight (without driver), kg Gross veh. weight, kg Payload, kg rear axle load limit, kg	1866 2291 392 1170
Weight Vehicle weights Curb weight (without driver), kg Gross veh. weight, kg Payload, kg rear axle load limit, kg Axle load limit front, kg	1866 2291 392 1170 1166
Weight Vehicle weights Curb weight (without driver), kg Gross veh. weight, kg Payload, kg rear axle load limit, kg Axle load limit front, kg rear Weight distribution (empty car), %	1866 2291 392 1170
Weight Vehicle weights Curb weight (without driver), kg Gross veh. weight, kg Payload, kg rear axle load limit, kg Axle load limit front, kg rear Weight distribution (empty car), % Performance /fuel eco.	1866 2291 392 1170 1166
Weight Vehicle weights Curb weight (without driver), kg Gross veh. weight, kg Payload, kg rear axle load limit, kg Axle load limit front, kg rear Weight distribution (empty car), % Performance /fuel eco. Performance	1866 2291 392 1170 1166 44.5
Weight Vehicle weights Curb weight (without driver), kg Gross veh. weight, kg Payload, kg rear axle load limit, kg Axle load limit front, kg rear Weight distribution (empty car), % Performance /fuel eco. Performance Top speed, km/h	1866 2291 392 1170 1166 44.5
Weight Vehicle weights Curb weight (without driver), kg Gross veh. weight, kg Payload, kg rear axle load limit, kg Axle load limit front, kg rear Weight distribution (empty car), % Performance /fuel eco. Performance	1866 2291 392 1170 1166 44.5

80-120Km/h (4.), s	2.3
Final drive ratio	3.154
Aerodynamics	
Сх	
Cx Min	0.33
Cx x A	
Cx x A Min, m ²	0.8
Tank	
Fuel tank capacity (approx.) , l	76
Gearbox	
Combustion engine	
Transmission ratio reverse gear**	-3.478
Transmission ratio 8th gear**; 8th**	0.64
Nr. of gears	8
Transmission type V	M8HP76
Transmission ratio 2nd gear**; 2nd**	3.2
Transmission ratio 6th gear**; 6th**	1
Transmission ratio 5th gear**; 5th**	1.313
Transmission ratio 4th gear**; 4th**	1.72
Transmission ratio 1st gear**; 1st**	5
Transmission ratio 3rd gear**; 3rd**	2.143
Transmission type	automatic
Transmission ratio 7th gear**; 7th**	0.823

Please note: Technical data show BC/WC ranges. Option specific configuration (pre-configuration) cannot be considered. If needed the information can be retrieved from WLTP sales documentation instead. If there is more than one value for a numerical data field within a combination of model type and transmission type, then the BC/WC value is shown. In case of non-numerical data fields, the values are separated by ",".

Wheel Overview

Not

Model Year 2022 M5 CS

Effective: 03/01/21

Front: Image 20 M Lt/Aly Wheels, Y-Code: 2TQ 20x9.5, 275/40 R20 Spoke 789M, Goldbronze, Style: 789M Rear: Available Track Tires 20x10.5, 285/35 R20

Front: Image Code: Z68 20" M Lt/Aly Wheels, Y-20x9.5, 275/35 R20 Not Style: 789M Spoke 789M, Goldbronze Rear: Available 20x10.5, 285/35 R20 Optional

M5 CS

Standard

Model Year 2022 M5 CS M5 CS Effective: 03/01/21 CA Model Code 2255 73CH AG Model Code Start of Production 03/21 Metallic NC C17 Brands Hatch Grey Upholstery **Packages** Options 2NK NC M Carbon Ceramic Brake

(req'd)

NC

\$4,900

\$4,900

Retail Pricing

Z68

Z6B

ZGD

2NK will add Z1G to the order

Frozen Brands Hatch Grey

Frozen Deep Green Metallic

20" M Lt/Aly Wheels, Y-Spoke 789M, Goldbronze

(20x9.5, 275/35 R20 front and 20x10.5, 285/35 R20 rear)

Product Configuration

1CR

1MA

1MD

223 2NK

Model Year 2022 M5 CS

Effective: 03/01/21

CA Model Code 2255 AG Model Code 73CH Start of Production 03/21

Options	
Remote Engine Start	100%
M Sport Exhaust System	100%
M Carbon Engine Cover	100%
Dynamic Damper Control	STD
M Carbon Ceramic Brake	
2NK will add Z1G to the order	х
Sport Auto Trans w/Paddles	STD

 2TB
 Sport Auto Trans w/Paddles
 STD

 2TQ
 20 M Lt/Aly Wheels, Y-Spoke 789M, Goldbronze, Track Tires
 100%

 (20x9.5, 275/40 R20 front and 20x10.5, 285/35 R20 rear)
 100%

2VB Tire Pressure Monitor 100% 2VC Tire Repair Kit 100% 302 Alarm System STD 319 Universal Remote Control 100% 322 Comfort Access 100% 3AG Rear View Camera STD

423Velour Floor MatsSTD431Auto Dimming Interior MirrorSTD459Electric Seats w/ Driver Mem.STD48CM Carbon Bucket SeatsSTD494Heated Front SeatsSTD

4GQ M Seat Belts 100% 4NB Auto 4-Zone Climate Control 100% 4T8 **Auto-Dimming Exterior Mirrors** STD 4U1 Ceramic Controls 100% 4UG STD Rear, two-seater 4UR Ambient Lighting STD

4WM Aluminum Carbon Trim w/Dark Chrome Highlight 100%
508 Park Distance Control, front and rear STD
575 Additional 12-V Outlets 100%

5ACHigh-Beam AssistantSTD5ALActive ProtectionSTD5ASDriving Assistant100%5AZBMW Laserlight HeadlightsSTD

610Head-Up DisplaySTD655SiriusXM Satellite Radio Tuner100%688Harman/Kardon Sound System100%6ACIntelligent Emergency CallSTD6AETeleservicesSTD

6AK ConnectedDrive Services STD 6C4 Connected Package Professional 100% 6CP Apple CarPlay Preparation 100% 6NH USB Integration with Bluetooth STD 6NW Wireless Charging w/Extended Bluetooth and USB 100% 6U3 BMW Live Cockpit Professional 100%

6WDWiFi Hotspot100%754M Rear SpoilerSTD760High-Gloss Black Window SurroundSTD

776Anthracite Alcantara Roofliner100%7MACompetition PackageSTD7MEM Driver's Package100%8KLOil Service Interval 15,000km100%

8KL Oil Service Interval 15,000km 100%

Z68 20" M Lt/Aly Wheels, Y-Spoke 789M, Goldbronze (20x9.5, 275/35 R20 front and 20x10.5, 285/35 R20 rear)

Z6BFrozen Brands Hatch GreyxZGDFrozen Deep Green Metallicx

ZR7 ZTR ZWC ZWM ZXG ZXY	Cross-Traffic Alert (Rear) Carbon Ceramic Brakes, Red Collision Warning w/ City Braking Blind Spot Warning Rear Collision Prevention Speed Limit Info	100% STD 100% 100% 100%
	Metallic	Х
C17	Brands Hatch Grey	Х

Packages