BMW Media Information

2/2015

Valid from 3/2015

Specifications. BMW 3 Series Sedan. 316d.



		BMW 316d		
Body				
No. of doors/seats		4/:		
L/W/H 1) (unladen)	mm	4624 / 1811 / 142		
Wheelbase	mm			
Front/rear track	mm	1543 / 158		
Ground clearance	mm			
Turning circle	m	• •		
Fuel capacity	approx. I	5		
Cooling and heating system	прргож. і	7.0		
reservoir capacity Engine oil capacity 2)	· ·	5.0		
Weight, unladen (DIN/EU)	kg	1420 / 149		
· · · · · ·	Ü	(1430 / 1505		
Payload (DIN)	kg	570		
Permitted total weight	kg	1995 (2005		
Permitted axle load, front/rear	kg	910 / 1150		
Permitted trailer load (12%) braked/unbraked	kg	1600 / 745		
Permitted roof load/trailer download	kg	75 / 75		
Luggage compartment capacity	I	480		
Aerodynamic drag	c _c x A			
Engine				
Type/no. of cylinders/valves		in-line / 4 / 4		
Engine technology		BMW TwinPower Turbo technology with variable-geometry turbocharger, Common Rail direct injection with solenoid valve injectors (max. injection pressure: 2000 bar)		
Effective capacity	CC	1995		
Stroke/bore	mm	90.0 / 84,0		
Compression ratio	:1	16.5		
Fuel type		Diese		
Output	kW/hp	85 / 116		
at rpm	min ⁻¹	4000		
Torque	Nm			
at rpm	min ⁻¹	1250 – 2750		
Electrical				
Battery charge/location	Ah/-	90 / luggage compartmen		
Alternator current/output	AW	150 / 2100		
Alternator current/output	~~~	13072100		
Driving Dynamics and Safety	,			
Front suspension		Aluminium double-joint spring-strut axle with displaced camber, small positive steering roll radius, transverse force compensation, anti-dive		
Rear suspension		Five-link axle in lightweight construction		
Front brakes		Single-piston floating-calliper disc brakes, vented		
Rear brakes		Single-piston floating-calliper disc brakes, vented		
Driving stability systems		As standard: DSC incl. ABS, ASC and DTC (Dynamic Traction Control), CBC Cornering Brake Control, DBC Dynamic Brake Control, brake drying function, fading compensation, start-off assist		
Safety equipment		As standard: driver and front-seat passenger airbags, driver and front-seat passenger side airbags, front and rear head airbags, three-point automatic seatbelts for all seats, seatbelt tensioners and seatbelt force limiters in front seats, crash sensors, tyre pressure indicator		
Steering		Electromechanical rack-and-pinion power steering (EPS) with Servotronic function, optional: Variable Sport Steering		
Steering Overall steering ratio	:1	Electromechanical rack-and-pinion power steering (EPS) with Servotronic function, optional: Variable Sport Steering		
	:1	Electromechanical rack-and-pinion power steering (EPS) with Servotronic function, optional: Variable Sport Steering		

BMW Media Information

2/2015

Valid from 3/2015

Specifications. BMW 3 Series Sedan.

			BMW 316c
Transmission			
Type of gearbox			6-speed manual (optional: 8-speed Steptronic)
Gear ratios	I	:1	4.002 (5.000
	II	:1	2.130 (3.200
	III	:1	1.396 (2.143
	IV	:1	1.000 (1.720
	V	:1	0.781 (1.314
	VI	:1	0.668 (1.000
	VII	:1	- (0.822
	VIII	:1	- (0.640
	R	:1	3.647 (3.456
Differential ratio		:1	3.077 (2.813
Performance			
Weight-to-power ra	atio	kg/kW	16.7 (16.8
Specific power outp	out	kW/l	42.0
Acceleration 0-	–100 km/h	sec.	10.7 (10.6
in 5th gear 80-120	0 km/h	sec.	11.8 (-
Max. speed		km/h	205 (204
BMW EfficientDy	namics		
BMW EfficientDyna included as standar		s	Brake Energy Regeneration, electromechanical power steering, Automatic Start/Stop function, gear shift indicator, ECO PRO mode with coasting function (automatic), intelligent lightweight construction, optimised aerodynamic attributes, on-demand operation of ancillary units, map-regulated oil pump, differential with optimized-warm-up behaviour, tyres with reduced rolling resistance
Fuel consumption	n (ELI\ ³⁾		
with standard whee	· ·		
Urban		/100 km	4.6 (4.6
Cutro urbon		/100 KIII	4.0 (4.0

Fuel consumption (E	<u> </u>		
with standard wheels a	nd tyres		
Urban	l/100 km		4.6 (4.6)
Extra-urban	l/100 km		3.5 (3.5)
Total	l/100 km		3.9 (3.9)
CO ₂ emissions	g/km		102 (102)
		7,5J x 17 wheels and 225/50 R 17 tyres, t rear and 225/50 R17 tyres at front, 255/45 R17 tyres at rear	
Urban	l/100 km		4.9 (4.9)
Extra-urban	l/100 km		3.7 (3.7)
Combined	l/100 km		4.1 (4.1)
CO ₂ emissions	g/km		109 (109)
	front, 8,5J x 18 wheels at r	ear and 225/45 R18 tyres at front, 255/40 R18 tyres at rear, ear and 225/40 R19 tyres at front, 255/35 R19 tyres at rear	
Urban	l/100 km		5.1 (5.1)
Extra-urban	l/100 km		3.8 (3.8)
Combined	l/100 km		4.3 (4.3)
CO ₂ emissions	g/km		113 (113)
Emissions standard			EU6

Technical data valid for ACEA countries/Some permitted weights valid only for Germany Figures in brackets are for vehicles with automatic transmission

 $^{^{1)}}$ Height with roof aerial: 1441 mm $^{2)}$ Oil change volume $^{3)}$ Fuel consumption and $\rm CO_2$ emissions depend on the selected tyre format