BMW M4 Coupé. BMW M4 Competition Coupé with M xDrive.

01/2024
Page 5

		BMW M4 Competition Coupé with M xDrive
Body		211
No. of doors/seats		2/4
Length/width/height (unladen)	mm	4801 / 1887 / 1398
Wheelbase	mm	2857
Track, front/rear	mm	1617 / 1605
Ground clearance	mm	121
Turning circle	m	12.6
	prox. Itr	59
Engine oil 1)	ltr	7.0
Weight, unladen, to DIN/EU	kg	1775 / 1850
Max. load to DIN	kg	430
Max. permissible weight	kg	2205
Max. axle load, front/rear	kg	1120 / 1150
Max. trailer load,		
braked (12%)/unbraked	kg	<b>-/-</b>
Max. roof load/towbar download	kg	75 / –
Luggage comp. capacity	ltr	440
Air resistance	c₀ x A	0.34 x 2.29
Engine		
Config./No. of cyls./valves		in-line / 6 / 4
Engine technology		M TwinPower Turbo technology with two mono-scroll turbochargers,
		indirect charge air cooling, High Precision Injection
		(maximum injection pressure: 350 bar), VALVETRONIC fully variable
		valve timing, Double-VANOS variable camshaft timing
Effective capacity	cm <sup>3</sup>	2993
Stroke/bore		90.0 / 84.0
	mm	
Compression ratio	:1	9.3
Fuel		RON 98 (min RON 91)
Max. output	kW/hp	390 / 530
at	rpm	6250
Max. torque	Nm	650
at	rpm	2750 – 5730
Electrical System		
Battery/installation	Ah/-	70 / luggage compartment
Dubring Dynamics and Safahr		
Driving Dynamics and Safety Suspension, front		Adaptive M suspension with double-joint spring strut axle in
Suspension, none		lightweight aluminium construction, M specific kinematics and
		elastokinematics
Cusponsian roor		Adaptive M suspension with five-link axle in lightweight
Suspension, rear		aluminium/steel construction, rear-axle subframe with rigid bolted
		connection to the body, M specific kinematics and elastokinematics
Dualina frank		- · · · · · · · · · · · · · · · · · · ·
Brakes, front		M Compound brakes, vented, with six-piston fixed callipers
Brakes, rear		M Compound brakes, vented, with single-piston floating callipers
Driving stability systems		Standard: DSC incl. ABS, ASC and M Dynamic Mode (MDM), can be
		switched off, integrated wheel slip limitation, CBC (Cornering Brake
		Control), DBC (Dynamic Brake Control), Dry Braking function, Start-Of
		Assistant, DSC linked with M xDrive allwheel drive,
		Active M Differential
Safety equipment		Standard: airbags for driver and front passenger, side airbags for
		driver and front passenger, head airbags for front and rear seats,
		three-point inertia-reel seatbelts on all seats with belt stopper, belt
		tensioner and belt force limiter at the front, crash sensors, tyre
		pressure indicator
Steering		Electromechanical rack-and-pinion power steering (EPS)
		with M specific Servotronic function and variable sport ratios
Steering ratio, overall	:1	14.6
Tyres, front/rear		275/35 ZR19 100Y XL
		285/30 ZR20 99Y XL
Rims, front/rear		9.5J x 19 light-alloy

			BMW M4 Competition Coupé with M xDrive	
Transmission				
Type of gearbo	ЭX		Eight-speed M Steptronic transmission with Drivelogic	
Gear ratios	I	:1	5.000	
	II	:1	3.200	
	III	:1	2.143	
	IV	:1	1.720	
	V	:1	1.313	
	VI	:1	1.000	
	VII	:1	0.823	
	VIII	:1	0.640	
	R	:1	3.478	
Final drive		:1	3.154	
Performance				
Power-to-weig	ght ratio (DIN)	kg/kW	4.6	
Output per litre	2	kW/I	130.3	
Acceleration	0-100 km/h	s	3.5	
Acceleration	80-120 km/h			
in 4th/5th gear		S	2.6 / 3.4	
Top speed		km/h	250 / 290 <sup>2)</sup>	
BMW Efficient	Dynamics			
BMW EfficientDynamics		Brake Energy Regeneration, Electric Power Steering, Auto Start Stop		
standard features		function, Optimum Shift Indicator in manual shift mode,		
		В	MW EfficientLightweight, on-demand operation of ancillary units,	
			ap-controlled oil pump, efficiency-optimised all-wheel drive, rear	
		diffe	erential with optimised efficiency, optimized aerodynamic attributes	
Fuel consump	tion EU cycle			
with standard				
Combined (WL		ltr/100	10.1 – 10.0	
Combined (NE	DC)	ltr/100	<del>-</del>	
CO <sub>2</sub> (WLTP)		g/km	229 – 226	
CO <sub>2</sub> (NEDC)		g/km		
Emission rating	9		Euro 6e	

Specifications apply to ACEA markets/data relevant to homologation applies in part only to Germany (weight)

Official fuel consumption,  $CO_2$  emissions, electric power consumption and electric range figures were determined based on the prescribed measurement procedure in accordance with European Regulation (EC) 2007/715 in the version applicable. Where a range is shown, the WLTP figures take into account the impact of any optional extras.

Only official figures based on the WLTP procedure are available for new models that have been type tested since 01.01.2021. In addition, according to EU Regulation 2022/195. the NEDC values will no longer be included in the EC certificates of conformity as of 01.01.2023. Further information on the WLTP and NEDC measurement procedures can also be found at www.bmw.de/wltp.

Further information on official fuel consumption figures and specific  $CO_2$  emission values of new passenger cars is included in the following guideline: 'Leitfaden über den Kraftstoffverbrauch, die  $CO_2$ -Emissionen und den Stromverbrauch neuer Personenkraftwagen' (Guide to the fuel economy,  $CO_2$  emissions and electric power consumption of new passenger cars), which can be obtained free of charge from all dealerships, from Deutsche Automobil Treuhand GmbH (DAT), Hellmuth-Hirth-Str. 1, 73760 Ostfildern-Scharnhausen and at https://www.dat.de/co2/.

<sup>1)</sup> Oil change volume

<sup>&</sup>lt;sup>2)</sup> Limited / with optional M Driver's Package