BMW Media Information

9/2011

Valid from 9/2011

Specifications BMW X6. X6 xDrive30d, X6 xDrive40d



BMW X6 xDrive40d

		DIVIVY AO ADITIVESUO	DIVIVE AO XDITVE400		
Body					
No of doors/seats		5 / 4 (5) 1)	5 / 4 (5) ¹⁾		
		4877 / 1983 / 1699 ²⁾	4877 / 1983 / 1699 ²⁾		
Length/width/height (unladen) Wheelbase	mm	2933	2933		
	mm	1644 / 1706	1644 / 1706		
Track, front/rear	mm	12.8	12.8		
Turning circle	m	85	85		
Tank capacity	app ltr	10.4	10.4		
Cooling system incl heater Engine oil 3)	ltr	6.7			
	ltr	2075 / 2150	6.7 2110 / 2185		
Weight, unladen, to DIN/EU	kg	600 (650) 4)	600 (650) 4)		
Max load to DIN Max permissible	kg	2675 (2725) 4)	2710 (2760) ⁴⁾		
Max axle load, front/rear	kg	1285 / 1475	1310 / 1475		
iviax axie ioau, ironi/rear	kg	(1285 / 1515) 4)	(1310 / 1515) ⁴⁾		
Max trailer load (12%),	kg	(12007 1010)	(101071010)		
braked/unbraked	Ng	2700 (3500) ⁵⁾ / 750	2700 (3500) ⁵⁾ / 750		
Max roofload/max towbar downl	kg	100 / 120 (140) 5)	100 / 120 (140) ⁵⁾		
Luggage comp capacity	ky Itr	570–1450	570–1450		
Air drag	Cd x A	0.33 x 2.82	0.34 x 2.82		
All ulay	CuxA	0.33 X 2.82	0.34 X 2.02		
Engine					
Config/No of cyls/valves		In-line / 6 / 4	In-line / 6 / 4		
Engine technology		BMW TwinPower Turbo	BMW TwinPower Turbo		
		technology with variable-	technology with two		
		geometry turbocharger, Common Rail direct	turbochargers		
	ir	niection with solenoid valve	(Variable Twin Turbo), Common Rail direct injection		
	"	injectors (max. injection	with piezo injectors (max.		
		pressure: 1800 bar)	injection pressure: 2000 bar)		
Capacity, effective	CC	2993	2993		
Stroke / bore	mm	90.0 / 84.0	90.0 / 84.0		
Compression ratio	:1	16.5	16.5		
Fuel		Diesel	Diesel		
Max output	kW/hp	180 / 245	225 / 306		
at	rpm	4000	4400		
Max torque	Nm/lb-ft	540	600		
at	rpm	1750–3000	1500-2500		
at	тріті	1700 0000	1000 2000		
Electrical System					
Battery/location	Ah/–	90 / luggage comp	90 / luggage comp		
Alternator	A/W	170 / 2380	170 / 2380		
Driving Dynamics and Safety	,				
Suspension, front	<u>/</u>	Double wishbone axle	e, small steering roll radius, anti-dive		
Suspension, rear		Integral-IV multi-arm axle, anti	-squat and anti-dive, optional: air suspension		
	with automatic self-levelling				
Brakes, front			n swing-calliper disc brakes		
Diameter	mm	332 x 30 / vented	348 x 30 / vented		
Brakes, rear			n swing-calliper disc brakes		
Diameter	mm	320 x 20 / vented	320 x 20 / vented		
Driving stability systems	Standard: DSC incl ABS and DTC Dynamic Traction Control, CBC Cornering Brake Control, DBC Dynamic Brake Control, Dry Braking, Fading Compensation, Start-Off Assistant, DSC cross-linked with xDrive, Dynamic Performance Control, hill descent control HDC, optional: Adaptive Drive				
Safety equipment	Standard: airbags for driver and front passenger, side airbags for driver and front passenger, head airbags front and rear, active headrests at the front, three-point inertia-reel seat belts on all seats, belt latch tensioners at the front, crash sensors, roll-over sensors, Tyre Defect Indicator				
		inertia-reel seat belts on all se	eats, belt latch tensioners at the front, crash		
Steering		inertia-reel seat belts on all si sensors, roll-ove Hydraulic rack-and-pinion optic	eats, belt latch tensioners at the front, crash r sensors, Tyre Defect Indicator power steering with servotronic function, onal: Active steering		
Steering Steering transmission, overall	:1	inertia-reel seat belts on all si sensors, roll-over Hydraulic rack-and-pinion optic 19.5	eats, belt latch tensioners at the front, crash r sensors, Tyre Defect Indicator power steering with servotronic function, anal: Active steering		
	:1	inertia-reel seat belts on all si sensors, roll-ove Hydraulic rack-and-pinion optic	eats, belt latch tensioners at the front, crash r sensors, Tyre Defect Indicator power steering with servotronic function, onal: Active steering		

BMW X6 xDrive30d

BMW Media

Information

Valid from 9/2011

9/2011

Specifications BMW X6.

Active Cruise Control with Stop & Go, Lane Departure Warning, Speed Limit Info, Automatic/Enhanced Emergency Call Transmission			BMW X6 xDrive30d	BMW X6 xDrive40d		
Opt. BMW Assist including Enquiry Service, remote-control function, Real-Time Traffic Information, BMW TeleServices, integration of mobile devices Infotainment	BMW ConnectedDrive					
News, Realtime Weather, BMW Routes, Office Functions, Bluetooth Audio Streaming, Online Update Music Tracks, Apps						
Distance Control, Side View, back-up camera with Top View, Head-Up Display, Active Cruise Control with Stop & Go, Lane Departure Warning, Speed Limit Info, Automatic/Enhanced Emergency Call Transmission	Infotainment	Opt: Internet, BMW Online incl Parkinfo, National Info, Google Local Search, News, Realtime Weather, BMW Routes, Office Functions, Bluetooth Audio				
Eight-speed automatic transmission with Steptronic function and shifting paddles	Safety	Distance Control, Side View, back-up camera with Top View, Head-Up Display, Active Cruise Control with Stop & Go, Lane Departure Warning, Speed Limit				
Eight-speed automatic transmission with Steptronic function and shifting paddles	Transmission					
:1 3.143						
III	Gear ratios I	:1	4.714	4.714		
IV ::1		:1	3.143	3.143		
V	III	:1	2.106	2.106		
VI 1 1 1.000 1.000 VII 1 1 0.839 0.839 VIII 1 0.667 0.667 R 1 3.317 3.317 Final drive 1 3.154 3.154 Performance Power-to-weight ratio kg/kW 11.5 9.4 Output per litre kW/hp 60.1 75.2 Acceleration O-100 km/h sec 7.5 6.5 Standing-start sec 28.4 26.9 Top speed km/h 222 236 Offroad characteristics Overhang angle ° front / rear 25.1 / 25.5 25.1 / 25.5 Ramp breakover angle ° 19.1 19.1 Ground cleerance mm 212 212 BMW EfficientDynamics Brake Energy Regeneration, on-demand operation of ancillary units, intelligent lightweight technology, a/c compressor detachable, tyres with reduced roll resistance Fuel Consumption in EU Urban Itr/100 km 8.7 8.8 Extra-urban Itr/100 km 7.4 7.5 CO ₂ g/km 195 196	IV	:1	1.667	1.667		
VII :1 0.839 0.839 VIII :1 0.667 0.667 R :1 3.317 3.317 Final drive :1 3.154 3.154 Performance	V	:1	1.285	1.285		
Vill :1 0.667 0.667	VI	:1	1.000	1.000		
R	VII	:1	0.839	0.839		
Performance	VIII	:1	0.667	0.667		
Performance Power-to-weight ratio kg/kW 11.5 9.4 Output per litre kW/hp 60.1 75.2 Acceleration 0-100 km/h sec 7.5 6.5 Standing-start sec 28.4 26.9 Top speed km/h 222 236 Offroad characteristics Overhang angle front / rear 25.1 / 25.5 25.1 / 25.5 Ramp breakover angle 9 19.1 19.1 Ground cleerance mm 212 212 BMW EfficientDynamics BMW EfficientDynamics Brake Energy Regeneration, on-demand operation of ancillary units, intelligent lightweight technology, a/c compressor detachable, tyres with reduced roll resistance Fuel Consumption in EU Urban ltr/100 km 8.7 8.8 Extra-urban ltr/100 km 6.7 6.8 Combined ltr/100 km 7.4 7.5 CO2 g/km 195 198	R	:1	3.317	3.317		
Power-to-weight ratio kg/kW 11.5 9.4	Final drive	:1	3.154	3.154		
Output per litre kWhp 60.1 75.2 Acceleration 0-100 km/h sec 7.5 6.5 Standing-start sec 28.4 26.9 Top speed km/h 222 236 Offroad characteristics Overhang angle front / rear 25.1 / 25.5 25.1 / 25.5 Ramp breakover angle 9 19.1 19.1 Ground cleerance mm 212 212 BMW EfficientDynamics BMW EfficientDynamics Brake Energy Regeneration, on-demand operation of ancillary units, intelligent lightweight technology, a/c compressor detachable, tyres with reduced roll resistance Fuel Consumption in EU Urban ltr/100 km 8.7 8.8 Extra-urban ltr/100 km 6.7 6.8 Combined ltr/100 km 7.4 7.5 CO2 g/km 195 198	Performance					
Acceleration 0-100 km/h sec 7.5 6.5			· · · · ·	9.4		
Standing-start sec 28.4 26.9 Top speed km/h 222 236 Offroad characteristics Overhang angle front / rear 25.1 / 25.5 25.1 / 25.5 Ramp breakover angle or ground cleerance 9 19.1 19.1 Ground cleerance mm 212 212 BMW EfficientDynamics Brake Energy Regeneration, on-demand operation of ancillary units, intelligent lightweight technology, a/c compressor detachable, tyres with reduced roll resistance 19.1 Fuel Consumption in EU Urban ltr/100 km 8.7 8.8 Extra-urban ltr/100 km 6.7 6.8 Combined ltr/100 km 7.4 7.5 CO2 g/km 195 198		•	****			
Top speed km/h 222 236 Offroad characteristics Overhang angle front / rear ° 25.1 / 25.5 25.1 / 25.5 Ramp breakover angle or ground cleerance ° 19.1 19.1 Ground cleerance mm 212 212 BMW EfficientDynamics Brake Energy Regeneration, on-demand operation of ancillary units, intelligent lightweight technology, a/c compressor detachable, tyres with reduced roll resistance Fuel Consumption in EU Urban ltr/100 km 8.7 8.8 Extra-urban ltr/100 km 6.7 6.8 Combined ltr/100 km 7.4 7.5 CO2 g/km 195 198						
Offroad characteristics Overhang angle front / rear 25.1 / 25.5 25.1 / 25.5 Ramp breakover angle or ground cleerance mm 19.1 19.1 BMW EfficientDynamics 19.1 212 BMW EfficientDynamics Brake Energy Regeneration, on-demand operation of ancillary units, intelligent lightweight technology, a/c compressor detachable, tyres with reduced roll resistance Fuel Consumption in EU Urban Itr/100 km 8.7 8.8 Extra-urban Itr/100 km 6.7 6.8 Combined Itr/100 km 7.4 7.5 CO2 g/km 195 198						
Overhang angle front / rear ° 25.1 / 25.5 25.1 / 25.5 Ramp breakover angle ° 19.1 19.1 Ground cleerance mm 212 212 BMW EfficientDynamics BMW EfficientDynamics Brake Energy Regeneration, on-demand operation of ancillary units, intelligent lightweight technology, a/c compressor detachable, tyres with reduced roll resistance Fuel Consumption in EU Urban ltr/100 km 8.7 8.8 Extra-urban ltr/100 km 6.7 6.8 Combined ltr/100 km 7.4 7.5 CO2 g/km 195 198	Top speed	km/h	222	236		
Section Combined Combined						
Standard features	0 0	0	25.1 / 25.5	25.1 / 25.5		
BMW EfficientDynamics BMW EfficientDynamics BMW EfficientDynamics standard features Brake Energy Regeneration, on-demand operation of ancillary units, intelligent lightweight technology, a/c compressor detachable, tyres with reduced roll resistance Fuel Consumption in EU Urban Itr/100 km 8.7 8.8 Extra-urban Itr/100 km 6.7 6.8 Combined Itr/100 km 7.4 7.5 CO ₂ g/km 195 198	Ramp breakover angle	0	19.1	19.1		
BMW EfficientDynamics standard features Brake Energy Regeneration, on-demand operation of ancillary units, intelligent lightweight technology, a/c compressor detachable, tyres with reduced roll resistance Fuel Consumption in EU Urban Itr/100 km 8.7 8.8 Extra-urban Itr/100 km 6.7 6.8 Combined Itr/100 km 7.4 7.5 CO ₂ g/km 195 198	Ground cleerance	mm	212	212		
standard features intelligent lightweight technology, a/c compressor detachable, tyres with reduced roll resistance Fuel Consumption in EU Urban ltr/100 km 8.7 8.8 Extra-urban ltr/100 km 6.7 6.8 Combined ltr/100 km 7.4 7.5 CO2 g/km 195 198	BMW EfficientDynamics					
tyres with reduced roll resistance Fuel Consumption in EU Urban ltr/100 km 8.7 8.8 Extra-urban ltr/100 km 6.7 6.8 Combined ltr/100 km 7.4 7.5 CO ₂ g/km 195 198	BMW EfficientDynamics					
Urban ltr/100 km 8.7 8.8 Extra-urban ltr/100 km 6.7 6.8 Combined ltr/100 km 7.4 7.5 CO ₂ g/km 195 198	standard features					
Urban ltr/100 km 8.7 8.8 Extra-urban ltr/100 km 6.7 6.8 Combined ltr/100 km 7.4 7.5 CO ₂ g/km 195 198	Fuel Consumption in EU					
Extra-urban ltr/100 km 6.7 6.8 Combined ltr/100 km 7.4 7.5 CO ₂ g/km 195 198		ltr/100 km	8.7	8.8		
Combined ltr/100 km 7.4 7.5 CO2 g/km 195 198				6.8		
CO ₂ g/km 195 198				7.5		
9				198		
		9/11/11		EU5		

Specifications applicable to ACEA markets/homologation data applicable in part only to Germany (weights, top speed)

- With optional third seat in rear
 Height without roof antenna: 1690 mm
 Oil change
 With Adaptive Drive and / or levelling system with air suspension
 With option extended trailer load in combination with levelling system incl. air suspension