BMW Media Information

2/2013

Valid from 3/2013

Specifications. BMW 3 Series Touring. 335i xDrive



		BMW 335i xDrive Touring
Body		5.0
No. of doors/seats		5/5
L/W/H ¹⁾ (unladen)	mm	4624 / 1811 / 1434
Wheelbase	mm	2810
Front/rear track	mm	1531 / 1570
Ground clearance	mm	145
Turning circle	m	11.3
	approx. I	60
Cooling and heating system reservoir capacity	I	7.2
Engine oil capacity ²⁾		6.5
Weight, unladen (DIN/EU)	kg	1655 / 1730
Payload (DIN)	kg	550
Permitted total weight	kg	2205
Permitted axle load, front/rear	kg	1030 / 1230
Permitted trailer load (12%) braked/unbraked	kg	1800 / 750
Permitted roof load/trailer	kg	75175
download		
Luggage compartment capacity	<u> </u>	495 – 1500
Aerodynamic drag	c _c x A	0.33 x 2.20
Engine		
Type/no. of cylinders/valves		in-line / 6 / 4
Engine technology		BMW TwinPower Turbo technology with twin-scroll turbocharger, High Precision Injection, VALVETRONIC fully variable valve control and Double-VANOS variable camshaft control
Effective capacity	CC	2979
Stroke/bore	mm	89.6 / 84.0
Compression ratio	:1	10.2
Fuel type	• • • • • • • • • • • • • • • • • • • •	min. RON 91
Output	kW/hp	225 / 306
at rpm	min ⁻¹	5800 – 6000
Torque	Nm	400
at rpm	min ⁻¹	1200 – 5000
Electrical		
Battery charge/location	Ah/-	00 / Juggaga comportment
	An-	90 / luggage compartment
Alternator current/output	AVVV	210 / 2940
Driving Dynamics and Safety		
Front suspension		Aluminium double-joint spring-strut axle with displaced camber, small positive steering roll radius, transverse force compensation, anti-dive
Rear suspension		Five-link axle in lightweight construction
Front brakes		Single-piston floating-calliper disc brakes
Rear brakes		Single-piston floating-calliper disc brakes
Driving stability systems	ł	As standard: DSC incl. ABS, ASC and DTC (Dynamic Traction Control), CBC Cornering Brake Control, DBC Dynamic Brake Control, orake drying function, fading compensation, start-off assist, cross-linking of the four-wheel drive with the stability control system DSC within the Integrated Chassis Management (ICM)
Safety equipment		As standard: driver and front-seat passenger airbags, driver and front-seat passenger side airbags, front and rear head airbags, three-point automatic seatbelts for all seats, seatbelt tensioners and seatbelt force limiters in front seats, crash sensors, tyre defect indicator
Steering		Electromechanical rack-and-pinion power steering (EPS) with Servotronic function, optional: Variable Sport Steering
Overall steering ratio	:1	15.1
Front/rear tyres		225/50 R17 94W RSC

BMW

Media Information

2/2013

Valid from 3/2013

Specifications. BMW 3 Series Touring.

		BMW 335i xDrive Touring
BMW ConnectedDrive		
Comfort		Optional: BMW Assist including information service,
ooo.		remote functions, Real Time Traffic Information, BMW TeleServices, mobile device integration
Information and entertainment		Optional: Internet connectivity, BMW Online including parking information, country information, Google business search, news, real-time weather, BMW Routes, office functions, Bluetooth audio streaming, online music title update, apps
Safety		Optional: Adaptive Headlights with turning lights, variable light distribution and adaptive headlight range adjustment, high beam assistance, park distance control, rear view camera, Surround View incl. Side View and Top View, BMW Head-Up Display, active cruise control with stop & go function, Parking Assistant, Lane Chance Warning, Lane Departure Warning with Collision Warning, speed limit and no passing information, Active Protection, extended emergency call
Transmission		
Type of gearbox		Eight-speed automatic with Steptronic
Gear ratios I	:1	4.714
ll l	:1	
III	:1	
<u>IV</u>	:1	
V	:1	
VI	:1 :1	
VII	:1	
R		
Differential ratio	:1	
Performance		
Weight-to-power ratio (DIN unladen)	kg/kW	7.4
Specific power output	kW/l	75.5
Acceleration 0–100 km/h	sec.	5.1
0–1,000 m	sec.	24.6
in 4th/5th gear 80–120 km/h	sec.	-1-
Max. speed	km/h	250
BMW EfficientDynamics		
BMW EfficientDynamics Featuincluded as standard	ıres	Brake Energy Regeneration, electromechanical power steering, Automatic Start/Stop function, ECO PRO mode, intelligent lightweight construction, on-demand operation of ancillary units, map-regulated oil pump, air flap control, differential with optimized-warm-up behaviour, tyres with reduced rolling resistance
Fuel consumption (EU)		
Urban (EU)	l/100 km	11.1
Extra-urban	1/100 km	6.0
Total	I/100 km	7.9
1		7.5
CO ₂ emissions	g/km	184

Technical data valid for ACEA countries/Some permitted weights valid only for Germany

¹⁾ Height with roof aerial: 1467 mm ²⁾ Oil change volume