

Specifications.

BMW 4 Series Gran Coupe.

430d



BMW 430d Gran Coupe		
Body		
No. of doors/seats		4 / 5
Length/width/height ¹⁾ (unladen)	mm	4638 / 1825 / 1389
Wheelbase	mm	2810
Front/rear track	mm	1545 / 1594
Ground clearance	mm	130
Turning circle	m	11.3
Fuel capacity	approx. l	57
Cooling and heating system reservoir capacity	l	7.2
Engine oil capacity ²⁾	l	6.5
Weight, unladen (DIN/EU)	kg	1605 / 1680
Payload (DIN)	kg	560
Permitted total weight	kg	2165
Permitted axle load, front/rear	kg	990 / 1225
Permitted trailer load (12%) braked/unbraked	kg	1800 / 750
Permitted roof load/trailer download	kg	75 / 75
Luggage compartment capacity	l	480 – 1300
Aerodynamic drag	c _d x A	0.29 x 2.16
Engine		
Type/no. of cylinders/valves		in-line / 6 / 4
Engine technology		BMW TwinPower Turbo technology with variable-geometry turbocharger, Common Rail direct injection with solenoid valve injectors (max. injection pressure: 1800 bar)
Effective capacity	cc	2993
Stroke/bore	mm	90.0 / 84.0
Compression ratio	:1	16.5
Fuel type		Diesel
Output	kW/hp	190 / 258
at rpm	min ⁻¹	4000
Torque	Nm	560
at rpm	min ⁻¹	1500 – 3000
Electrical		
Battery charge/location	Ah/-	90 / luggage compartment
Alternator current/output	A/W	170 / 2380
Driving Dynamics and Safety		
Front suspension		Aluminium double-joint spring-strut axle with displaced camber, small positive steering roll radius, compensation of lateral forces, anti-dive
Rear suspension		Five-link axle in lightweight steel construction
Front brakes		Single-piston floating-calliper disc brakes, inner-vented
Rear brakes		Single-piston floating-calliper disc brakes, inner-vented
Driving stability systems		Standard: DSC incl. ABS, ASC and DTC (Dynamic Traction Control), CBC Cornering Brake Control, DBC Dynamic Brake Control, brake drying function, fading compensation, start-off assist; optional: Adaptive Suspension
Safety equipment		Standard: driver and front-seat passenger airbags, driver and front-seat passenger side airbags, head airbags for front and rear seats, three-point automatic seatbelts for all seats, seatbelt tensioners and seatbelt force limiters in front seats, crash sensors, tyre pressure indicator
Steering		Electromechanical rack-and-pinion power steering (EPS) with Servotronic function; optional: Variable Sport Steering
Overall steering ratio	:1	15.0
Front/rear tyres		225/50 R17 94W
Front/rear wheels		7,5J x 17 light-alloy

Specifications. BMW 4 Series Gran Coupe.

BMW 430d Gran Coupe

Transmission

Type of gearbox	8-speed Steptronic		
Gear ratios	I	:1	4.714
	II	:1	3.143
	III	:1	2.106
	IV	:1	1.667
	V	:1	1.285
	VI	:1	1.000
	VII	:1	0.839
	VIII	:1	0.667
	R	:1	3.317
Differential ratio		:1	2.563

Performance

Weight-to-power ratio (DIN unladen)	kg/kW		8.4
Specific power output	kW/l		63.5
Acceleration	0–100 km/h	sec.	5.6
	0–1,000 m	sec.	³⁾
in 5th gear	80–120 km/h	sec.	–
Max. speed	km/h		250

BMW EfficientDynamics

BMW EfficientDynamics Features included as standard	Brake Energy Regeneration with recuperation display, electric power steering (EPS), Auto Start Stop function, ECO PRO mode with coasting function, intelligent lightweight construction, optimised aerodynamic attributes, on-demand operation of ancillary units, differential with optimized warm-up behaviour, tyres with reduced rolling resistance, BMW BluePerformance technology
---	---

Fuel consumption (EU) ⁴⁾

With standard wheels and tyres			
Urban	l/100 km		5.9
Extra-urban	l/100 km		4.6
Total	l/100 km		5.1
CO ₂ emissions	g/km		134
With 8J x 18" rims and 225/45 R18 tyres and winter tyres, With 8J x 18" front rims, 8.5J x 18" rear rims, 225/45 R18 front tyres and 255/40 R18 rear tyres, With 8J x 19" front rims, 8.5J x 19" rear rims, 225/40 R19 front tyres and 255/35 R19 rear tyres			
Urban	l/100 km		6.1
Extra-urban	l/100 km		4.8
Combined	l/100 km		5.3
CO ₂ emissions	g/km		138
Emissions standard			EU6

Technical data valid for ACEA countries/Some permitted weights valid only for Germany

¹⁾ Height with roof aerial: 1397 mm

²⁾ Oil change volume

³⁾ Data not yet available

⁴⁾ Fuel consumption and CO₂ emissions depend on the selected tyre format