

Specifications.

BMW 4 Series Coupe.

435d xDrive



BMW 435d xDrive Coupe

Body

No. of doors/seats		2 / 4
Length/width/height ¹⁾ (unladen)	mm	4638 / 1825 / 1392
Wheelbase	mm	2810
Front/rear track	mm	1545 / 1594
Ground clearance	mm	145
Turning circle	m	11.8
Fuel capacity	approx. l	57
Cooling and heating system reservoir capacity	l	⁴⁾
Engine oil capacity ²⁾	l	6.5
Weight, unladen (DIN/EU)	kg	1625 / 1700
Payload (DIN)	kg	520
Permitted total weight	kg	2145
Permitted axle load, front/rear	kg	1050 / 1135
Permitted trailer load (12%) braked/unbraked	kg	1800 / 750
Permitted roof load/trailer download	kg	75 / 75
Luggage compartment capacity	l	445
Aerodynamic drag	c _d x A	0.30 x 2.16

Engine

Type/no. of cylinders/valves		in-line / 6 / 4
Engine technology		BMW TwinPower Turbo technology with multi-stage variable-geometry high-pressure turbocharger, Common Rail direct injection with piezo injectors (max. injection pressure 2000 bar)
Effective capacity	cc	2993
Stroke/bore	mm	90.0 / 84.0
Compression ratio	:1	16.5
Fuel type		Diesel
Output	kW/hp	230 / 313
at rpm	min ⁻¹	4400
Torque	Nm	630
at rpm	min ⁻¹	1500 – 2500

Electrical

Battery charge/location	Ah/-	90 / luggage compartment
Alternator current/output	A/W	210 / 2940

Driving Dynamics and Safety

Front suspension	Aluminium double-joint spring-strut axle with displaced camber, small positive steering roll radius, compensation of lateral forces, anti-dive
Rear suspension	Five-link axle in lightweight steel construction
Front brakes	Single-piston floating-calliper disc brakes, inner-vented
Rear brakes	Single-piston floating-calliper disc brakes, inner-vented
Driving stability systems	Standard: DSC incl. ABS, ASC and DTC (Dynamic Traction Control), CBC Cornering Brake Control, DBC Dynamic Brake Control, brake drying function, fading compensation, start-off assist, linked to xDrive all-wheel-drive system in Integrated Chassis Management (ICM);
Safety equipment	Standard: driver and front-seat passenger airbags, driver and front-seat passenger side airbags, front and rear head airbags, three-point automatic seatbelts for all seats, seatbelt tensioners and seatbelt force limiters in front seats, crash sensors, tyre defect indicator
Steering	Electromechanical rack-and-pinion power steering (EPS) with Servotronic function; optional: Variable Sport Steering
Overall steering ratio	:1 15.0
Front/rear tyres	225/50 R17 94W
Front/rear wheels	7,5J x 17 light-alloy

Specifications. BMW 4 Series Coupe.

BMW 435d xDrive Coupe

Transmission

Type of gearbox	8-speed automatic with Steptronic		
Gear ratios	I	:1	4.714
	II	:1	3.143
	III	:1	2.106
	IV	:1	1.667
	V	:1	1.285
	VI	:1	1.000
	VII	:1	0.839
	VIII	:1	0.667
	R	:1	3.317
Differential ratio		:1	2.563

Performance

Weight-to-power ratio (DIN unladen)	kg/kW		7.1
Specific power output	kW/l		76.8
Acceleration	0–100 km/h	sec.	4.7
	0–1,000 m	sec.	23.7
in 4th/5th gear	80–120 km/h	sec.	–
Max. speed	km/h		250

BMW EfficientDynamics

BMW EfficientDynamics Features included as standard

Brake Energy Regeneration with recuperation display, electric power steering (EPS), Auto Start Stop function, ECO PRO mode with coasting function, intelligent lightweight construction, optimised aerodynamic attributes, on-demand operation of ancillary units, differential with optimized-warm-up behaviour, tyres with reduced rolling resistance

Fuel consumption (EU) ³⁾

With standard wheels and tyres			
Urban	l/100 km		6.4
Extra-urban	l/100 km		4.9
Total	l/100 km		5.4
CO ₂ emissions	g/km		143
With 8J x 18" rims and 225/45 R18 tyres and winter tyres, With 8J x 18" front rims, 8.5J x 18" rear rims, 225/45 R18 front tyres and 255/40 R18 rear tyres, With 8J x 19" front rims, 8.5J x 19" rear rims, 225/40 R19 front tyres and 255/35 R19 rear tyres			
Urban	l/100 km		6.6
Extra-urban	l/100 km		5.0
Combined	l/100 km		5.6
CO ₂ emissions	g/km		146
Emissions standard			EU6

Technical data valid for ACEA countries/Some permitted weights valid only for Germany

¹⁾ Height including roof aerial

²⁾ Oil change volume

³⁾ Fuel consumption and CO₂ emissions depend on the selected tyre format

⁴⁾ Data not yet available