

# Νέο MINI Countryman. Περιεχόμενα.



## Νέο MINI Countryman.

Προφίλ. .... 2

MINI Countryman: Κορυφαίο στυλ: ..... 6

Τεχνικές Προδιαγραφές. .... 11

# Νέο MINI Countryman. Προφίλ.



- Νέα έκδοση του πρώτου MINI με τέσσερις πόρτες, μία μεγάλη πίσω πόρτα, πέντε καθίσματα και προαιρετική τετρακίνηση (AWD). Το νέο MINI Countryman (κατανάλωση μικτού κύκλου: 7.1- 4.2 l/100 km, εκπομπές CO<sub>2</sub> στο μικτό κύκλο: 165 – 111 g/km) αναβαθμίζει το προφίλ του σαν ένα χαρισματικό όχημα παντός εδάφους που προσφέρει ευελιξία στις μετακινήσεις και υποστηρίζει ένα δραστήριο τρόπο ζωής. Καινοτόμα μέτρα διασφαλίζουν τη συνέχιση της επιτυχίας του premium μικρού που έχει πουλήσει πάνω από 350.000 μονάδες σε όλο τον κόσμο. Επιλεκτικές, σχεδιαστικές παρεμβάσεις, βελτιωμένες επιδόσεις, βελτιστοποιημένα επίπεδα κατανάλωσης και εκπομπών ρύπων, αυξημένη κινητήρια ισχύς στο MINI Cooper S Countryman. Λανσάρισμα όλων των εκδόσεων, συμπερ. του κορυφαίου σπορ μοντέλου MINI John Cooper Works Countryman τον Ιούλιο του 2014.
- Εντυπωσιακές πινελιές υπογραμμίζουν μία διαφορετική ερμηνεία της εμβληματικής σχεδίασης MINI. Έμφαση στις διαστάσεις και τις αναλογίες που διασφαλίζουν ευπροσάρμοστη λειτουργία και αθλητική ευελιξία σε όλα τα εδάφη. Χαρακτηριστική εξαγωνική μάσκα σε μία νέα εκδοχή που αναδεικνύει το κάθετο εμπρός. Εμφανείς ποδιές εμπρός, πίσω και στα μαρσπιέ, τώρα στάνταρ σε συνδυασμό με το σύστημα AWD.
- MINI ALL4 (στάνταρ στο MINI John Cooper Works Countryman, προαιρετικό για όλες τις υπόλοιπες εκδόσεις). Νέες στάνταρ και προαιρετικές ζάντες αλουμινίου με μειωμένο βάρος και βελτιστοποιημένα αεροδυναμικά χαρακτηριστικά. Ελαστικά μειωμένης αντίστασης κύλισης, προαιρετικά. Νέες εξωτερικές αποχρώσεις σε Jungle Green metallic, Midnight Grey metallic και Starlight Blue metallic. Πρόσθετες επιλογές εξατομίκευσης περιλαμβάνουν αντίθετες αποχρώσεις για την οροφή και τα κελύφη των εξωτερικών καθρεπτών, ρίγες στο καπό και Sport Stripes καθώς και Piano Black Εξωτερικό – για πρώτη φορά στο MINI.
- Βελτιωμένες λεπτομέρειες, βελτιστοποιημένη ακουστική άνεση και αναβαθμισμένα ποιοτικά χαρακτηριστικά στο εσωτερικό. Σκούρες ενδείξεις ταχύμετρου και στροφόμετρου. Το MINI John Cooper Works Countryman με λογότυπο John Cooper Works στο κεντρικό όργανο. Χειριστήρια εξαερισμού διακοσμημένα με χρώμιο. Πέντε καθίσματα και άριστη προσαρμοστικότητα, πίσω καθίσματα με δυνατότητα ρύθμισης εμπρός /πίσω κατά 13cm, πλάτες με ρύθμιση κλίσης, διαιρούμενες 40:20:40 & αναδιπλούμενες. Ο χώρος αποσκευών μπορεί να αυξηθεί από τα 350 μέχρι τα 1.170 L.
- Εκτενής γκάμα κινητήρων που περιλαμβάνει 4-κύλινδρους βενζινοκινητήρες και diesel. Όλοι οι τύποι κινητήρων πληρούν τώρα τις προδιαγραφές εκπομπών ρύπων EU6. Αύξηση ισχύος κατά 5 kW στα 140 kW/190 bhp στο MINI Cooper S Countryman. Βελτιστοποιημένες τιμές επιδόσεων και κατανάλωσης χάρη στην επέκταση της τεχνολογίας MINIMALISM που περιλαμβάνει βελτιωμένα αεροδυναμικά χαρακτηριστικά. 6-τάχυτο μηχανικό κιβώτιο στάνταρ, 6-τάχυτο αυτόματο προαιρετικό (εξαίρεση: MINI One D Countryman), AWD σύστημα ALL4 ειδικό για MINI, προαιρετικό για τα μοντέλα MINI Cooper Countryman, MINI Cooper S Countryman, MINI Cooper D Countryman και MINI Cooper SD Countryman, στάνταρ στο MINI John Cooper Works Countryman.

- Κορυφαία ασφάλεια, MINI Countryman με 5άστερη κατάταξη στο Euro NCAP crash test χάρη στον πλούσια στάνταρ εξοπλισμό στους τομείς ενεργητικής και παθητικής ασφάλειας, που τώρα περιλαμβάνουν έλεγχο πίεσης ελαστικού σε κάθε τροχό ατομικά και φώτα ημέρας.
- Υψηλής ποιότητας στάνταρ εξοπλισμός και μεγάλη ποικιλία προαιρετικού εξοπλισμού για πρόσθετη οδηγική απόλαυση, αυξημένη άνεση και μέγιστη εξατομίκευση. Νέοι προβολείς ομίχλης LED με φώτα ημέρας και στάθμευσης τεχνολογίας LED.
- Προαιρετικά διατίθενται προβολείς xenon και προσαρμοζόμενος φωτισμός στροφών, πρόσβαση άνεσης, πανοραμική κρυστάλλινη οροφή, αυτόματο A/C, αφαιρούμενος κοτσαδόρος με φορτίο τρέιλερ έως 1 200 kg, σύστημα πλοήγησης MINI, Sport Button, σπορ ανάρτηση, σπορ δερμάτινο τιμόνι με χειριστήρια αλλαγών ταχυτήτων (paddles) για αυτόματο κιβώτιο, τιμόνι πολλαπλών λειτουργιών με cruise control, hi-fi σύστημα ηχίων Harman Kardon και αποκλειστικά αξεσουάρ John Cooper Works.
- Εκτενές πρόγραμμα συστημάτων ενημέρωσης & ψυχαγωγίας MINI Connected, μοναδική ποικιλία λειτουργιών και δυνατότητα συνεχούς επέκτασης με εφαρμογές ενσωματωμένες στο αυτοκίνητο μέσω smartphone. Αυξημένη οδηγική απόλαυση με κλασικές λειτουργίες MINI όπως Mission Control, Dynamic Music, Driving Excitement και MINIMALISM Analyser, online σύνδεση επιτρέπει τη χρήση μέσων κοινωνικής δικτύωσης όπως Facebook, Twitter και foursquare καθώς και Glympse, λήψη news feed RSS και ψυχαγωγικά προγράμματα όπως such as AUPEO!, Stitcher, Deezer, Audible, Napster/Rhapsody και TuneIn.

#### Εκδόσεις μοντέλου:

- **MINI John Cooper Works Countryman:** 4-κύλινδρος βενζινοκινητήρας με υπερσυμπιεστή twin-scroll, άμεσο ψεκασμό και πλήρως μεταβλητό έλεγχο βαλβίδων βασισμένο στην τεχνολογία VALVETRONIC του BMW Group, κυβισμός: 1 598 cc, ισχύς: 160 kW/218 bhp στις 6 000 rpm, μέγιστη ροπή: 280 Nm στις 1 900 - 5 000 rpm (300 Nm στις 2 100 - 4 500 rpm με overboost), επιτάχυνση (0-100 km/h): 6,9 δευτ. (αυτόματο : 6,9 δευτ.), τελική ταχύτητα: 228 km/h (225 km/h), μέση κατανάλωση σύμφωνα με E.E.: 7.1 lit/100 km (7,5 lit.), Εκπομπές CO<sub>2</sub> : 165 g/km (175 g/km), πρότυπο εκπομπών ρύπων: EU6.
- **MINI Cooper S Countryman:** 4-κύλινδρος βενζινοκινητήρας με υπερσυμπιεστή twin-scroll, άμεσο ψεκασμό και πλήρως μεταβλητό έλεγχο βαλβίδων βασισμένο στην τεχνολογία VALVETRONIC του BMW Group, κυβισμός: 1 598 cc, ισχύς: 140 kW/190 bhp στις 5 500 - 6 500 rpm, μέγιστη ροπή: 240 Nm στις 1 600 - 5 000 rpm (260 Nm στις 1 700 - 4 500 με overboost), επιτάχυνση (0-100 km/h): 7.5 δευτ. (αυτόματο: 7.8 δευτ.), τελική ταχύτητα: 218 km/h (214 km/h), μέση κατανάλωση σύμφωνα με E.E.: 6,0 lit/100 km (6.8 lit.), Εκπομπές CO<sub>2</sub> : 139 g/km (157 g/km), πρότυπο εκπομπών ρύπων: EU6.
- **MINI Cooper S Countryman ALL4:** 4-κύλινδρος βενζινοκινητήρας με υπερσυμπιεστή twin-scroll, άμεσο ψεκασμό και πλήρως μεταβλητό έλεγχο βαλβίδων βασισμένο στην τεχνολογία VALVETRONIC του BMW Group, κυβισμός: 1 598 cc, ισχύς: 140 kW/190 bhp στις 5 500 - 6 500 rpm, μέγιστη ροπή: 240 Nm στις 1 600 - 5 000 rpm (260 Nm στις 1 700 - 4 500 με overboost), επιτάχυνση (0-100 km/h): 7.7 δευτ. (αυτόματο: 8,1 δευτ.), τελική ταχύτητα: 215 km/h (213 km/h), μέση κατανάλωση σύμφωνα με E.E.: 6.4 lit/100 km (7,1 lit.), Εκπομπές CO<sub>2</sub> : 148 g/km (165 g/km), πρότυπο εκπομπών ρύπων: EU6.

- **MINI Cooper Countryman:** 4-κύλινδρος βενζινοκινητήρας με πλήρως μεταβλητό έλεγχο βαλβίδων βασισμένο στην τεχνολογία VALVETRONIC του BMW Group, κυβισμός: 1 598 cc, ισχύς: 90 kW/122 bhp στις 6 000 rpm, μέγιστη ροπή: 160 Nm στις 4 250 rpm, επιτάχυνση (0-100 km/h): 10,4 δευτ. (αυτόματο : 11,6 δευτ.), τελική ταχύτητα: 191 km/h (184 km/h), μέση κατανάλωση σύμφωνα με Ε.Ε.: 5,9 lit/100 km (6.9 lit.), Εκπομπές CO<sub>2</sub> : 137 g/km (159 g/km), πρότυπο εκπομπών ρύπων: EU6.
- **MINI Cooper Countryman ALL4:** 4-κύλινδρος βενζινοκινητήρας με πλήρως μεταβλητό έλεγχο βαλβίδων βασισμένο στην τεχνολογία VALVETRONIC του BMW Group (στο MINI Cooper Countryman ALL4 με αυτόματο κιβώτιο επίσης: υπερσυμπιεστής twin-scroll, άμεσος ψεκασμός), κυβισμός: 1 598 cc, ισχύς: 90 kW /122 bhp στις 6 000 rpm, μέγιστη ροπή: 160 Nm (MINI Cooper Countryman ALL4 με αυτόματο κιβώτιο: 190 Nm) στις 4 250 rpm, επιτάχυνση (0-100 km/h): 11,5 δευτ. (αυτόματο: 11,7 δευτ.), τελική ταχύτητα: 186 km/h (184 km/h), μέση κατανάλωση σύμφωνα με Ε.Ε.: 6,7 lit/100 km (7.0 lit.), Εκπομπές CO<sub>2</sub>: 156 g/km (164 g/km), πρότυπο εκπομπών ρύπων: EU6
- **MINI One Countryman:** 4-κύλινδρος βενζινοκινητήρας με πλήρως μεταβλητό έλεγχο βαλβίδων βασισμένο στην τεχνολογία VALVETRONIC του BMW Group, κυβισμός: 1 598 cc, ισχύς: 72 kW/98 bhp στις 6 000 rpm, μέγιστη ροπή: 153 Nm στις 3 000 rpm, επιτάχυνση (0-100 km/h): 11.9 δευτ. (αυτόματο : 13,9 δευτ.), τελική ταχύτητα: 175 km/h (170 km/h), μέση κατανάλωση σύμφωνα με Ε.Ε.: 5,7 lit/100 km (6.9 lit.), Εκπομπές CO<sub>2</sub>: 134 g/km (159 g/km), πρότυπο εκπομπών ρύπων: EU6.
- **MINI Cooper SD Countryman:** 4-κύλινδρος turbodiesel με αλουμινένιο στροφαλοθάλαμο, ψεκασμό common rail και τουρμπίνα μεταβλητής γεωμετρίας, κυβισμός: 1 995 cc, ισχύς: 105 kW/143 bhp at 4 000 rpm, μέγιστη ροπή: 305 Nm στις 1750 -2 700 rpm, επιτάχυνση (0-100 km/h): 9,2 δευτ. (αυτόματο : 9,4 δευτ.), τελική ταχύτητα: 200 km/h (197 km/h), μέση κατανάλωση σύμφωνα με Ε.Ε.: 4,5 lit/100 km (5,7 lit.), Εκπομπές CO<sub>2</sub>: 119 g/km (149 g/km), πρότυπο εκπομπών ρύπων: EU6.
- **MINI Cooper SD Countryman ALL4:** 4-κύλινδρος turbodiesel με αλουμινένιο στροφαλοθάλαμο, ψεκασμό common rail και τουρμπίνα μεταβλητής γεωμετρίας, κυβισμός: 1 995 cc, ισχύς: 105 kW/143 bhp at 4 000 rpm, μέγιστη ροπή: 305 Nm στις 1 750 - 2 700 rpm, επιτάχυνση (0-100 km/h): 9.3 δευτ. (αυτόματο: 9.4 δευτ.), τελική ταχύτητα: 197 km/h (195 km/h), μέση κατανάλωση σύμφωνα με Ε.Ε.: 4,8 lit/100 km (5,9 lit.), Εκπομπές CO<sub>2</sub>: 126 g/km (156 g/km), πρότυπο εκπομπών ρύπων: EU6.
- **MINI Cooper D Countryman:** 4-κύλινδρος turbodiesel με αλουμινένιο στροφαλοθάλαμο, ψεκασμό common rail και τουρμπίνα μεταβλητής γεωμετρίας, κυβισμός: 1 598 cc (MINI Cooper D Countryman με αυτόματο κιβώτιο: 1 995 cc), ισχύς: 82 kW/112 bhp στις 4000 rpm, μέγιστη ροπή: 270 Nm στις 1 750 - 2 250 rpm, επιτάχυνση: (0-100 km/h): 10,9 δευτ. (αυτόματο : 11.3 δευτ.), τελική ταχύτητα: 186 km/h (181 km/h), μέση κατανάλωση σύμφωνα με Ε.Ε.: 4,2 lit./100 km (5,6 lit.), Εκπομπές CO<sub>2</sub>: 111 g/km (148 g/km), πρότυπο εκπομπών ρύπων: EU6.
- **MINI Cooper D Countryman ALL4:** 4-κύλινδρος turbodiesel με αλουμινένιο στροφαλοθάλαμο, ψεκασμό common rail και τουρμπίνα μεταβλητής γεωμετρίας, κυβισμός: 1 598 cc (MINI Cooper D Countryman ALL4 με αυτόματο κιβώτιο: 1 995 cc), ισχύς: 82 kW/112 bhp στις 4000 rpm, μέγιστη ροπή: 270 Nm στις 1 750 - 2 250 rpm, επιτάχυνση (0-100 km/h): 11,6 δευτ. (αυτόματο : 11,9 δευτ.), τελική ταχύτητα: 181 km/h (176 km/h), μέση κατανάλωση σύμφωνα με Ε.Ε.: 4,7 lit/100 km (5,9 lit.), Εκπομπές CO<sub>2</sub>: 123 g/km (155 g/km), πρότυπο εκπομπών ρύπων: EU6.

- **MINI One D Countryman:** 4-κύλινδρος turbodiesel με αλουμινένιο στροφαλοθάλαμο, ψεκασμό common rail και τουρμπίνα μεταβλητής γεωμετρίας, κυβισμός: 1 598 cc, ισχύς: 66 kW/90 bhp στις 4 000 rpm, μέγ. ροπή: 215 Nm στις 1 750 - 2 500 rpm, επιτάχυνση (0-100 km/h): 12,9 δευτ., τελική ταχύτητα: 171 km/h, μέση κατανάλωση σύμφωνα με Ε.Ε.: 4,2 lit/100 km, Εκπομπές CO<sub>2</sub> : 111 g/km, πρότυπο εκπομπών ρύπων: EU6.
- **Εξωτερικές διαστάσεις:**  
Μήκος: 4 097 mm (MINI Cooper Countryman ALL4 και MINI Cooper D Countryman ALL4: 110 mm, MINI Cooper S Countryman και MINI Cooper SD Countryman: 4 109 mm, MINI John Cooper Works Countryman: 4 133 mm)  
Πλάτος: 1 789 mm  
Ύψος: MINI John Cooper Works Countryman 1 549 mm)  
Μεταξόνιο: 2 595 mm

## Νέο MINI Countryman. Κορυφαίο Στυλ.



Το MINI Countryman έχει ακολουθήσει μία επιτυχημένη πορεία εντός και εκτός δρόμου. Το πρώτο MINI με τέσσερις πόρτες, μεγάλη πίσω πόρτα, πέντε καθίσματα και προαιρετικό σύστημα τετρακίνησης κάνει το επόμενο βήμα στην premium μικρή κατηγορία. Επιλεκτικές σχεδιαστικές παρεμβάσεις στο εξωτερικό και το εσωτερικό, βελτιστοποιημένες τιμές κατανάλωσης και ρύπων και καινοτόμα στοιχεία εξοπλισμού συμβάλλουν στην ωριμότητα και αυξημένη γοητεία του νέου MINI Countryman. Αυτό του προσδίδει μεγαλύτερη απήχηση σαν ένα όχημα παντός εδάφους κατάλληλο για ευέλικτες μετακινήσεις και ενεργούς ρυθμούς ζωής, στην πόλη αλλά και σε πιο μακρινές διαδρομές.

Με εντυπωσιακές στιλιστικές πινελιές στο αμάξωμα, αναβαθμισμένη ποιότητα στο εσωτερικό και αυξημένη ευελιξία και απόδοση, το νέο MINI Countryman δίνει έμφαση σε όλες τις αρετές που το κάνουν να ξεχωρίζει από τον ανταγωνισμό. Σημαντικός παράγοντας ανάπτυξης του MINI και με πωλήσεις ήδη 350.000 μονάδων, το μικρό μοντέλο έχει όλα τα απαραίτητα για να προσελκύσει νέα target groups στη γνώριμη οδηγική απόλαυση και το ξεχωριστό στυλ της premium Βρετανικής μάρκας. Μία αύξηση ισχύος 5 kW στα 140 kW/190 bhp στο νέο MINI Cooper S Countryman, τα βελτιωμένα αεροδυναμικά χαρακτηριστικά και βελτιστοποιημένες λεπτομέρειες στον τομέα της τεχνολογίας MINIMALISM μεταφράζονται σε βελτιωμένη επιτάχυνση, ελαστικότητα και τελική ταχύτητα σε μερικά μοντέλα.

Παράλληλα, όλες οι εκδόσεις έχουν χαμηλότερες τιμές κατανάλωσης και ρύπων, ενώ πληρούν τις προδιαγραφές εκπομπών ρύπων EU6. Το AWD σύστημα ALL4 που έχει εξελιχθεί ειδικά για το MINI εξακολουθεί να διατίθεται για τα μοντέλα MINI Cooper S Countryman, MINI Cooper Countryman, MINI Cooper SD Countryman και MINI Cooper D Countryman. Προσφέρεται στάνταρ με το MINI John Cooper Works Countryman. Ο κορυφαίος αθλητής της οικογένειας λανσάρεται παράλληλα με το νέο MINI Countryman φέτος τον Ιούλιο με αυξημένες επιδόσεις.

### **Εξωτερικό: εντυπωσιακές πινελιές για ανανεωμένη εμφάνιση και ξεχωριστό στυλ.**

Η χαρακτηριστική εμφάνιση του MINI Countryman διαμορφώνεται μέσα από τις διαστάσεις του, τις τέσσερις πόρτες, τη μεγάλη πίσω πόρτα και το ιδιαίτερο σχήμα της οροφής καθώς και από μία δική του ερμηνεία των διάσημων αναλογιών και σχεδιαστικών στοιχείων της μάρκας.

Στο νέο MINI Countryman, τόσο τα χαρακτηριστικά του μοντέλου όσο και τα στοιχεία ταυτότητας της μάρκας αποκτούν πρόσθετη έμφαση. Το κάθετο εμπρός τμήμα αποπνέει άμεσα μία αίσθηση δυναμισμού, ενώ η νέα σχεδιαστική δομή της κλασικής εξαγωνικής μάσκας ενισχύει αυτή την εντύπωση. Μια οριζόντια μπάρα μάσκας από χρώμιο στο νέο MINI Cooper S Countryman και το νέο MINI Cooper SD Countryman μαζί με ένα καμπύλο "S" σε κόκκινο χαρίζουν τώρα στην εμπρός όψη μία πολύ συγκεκριμένη έκφραση που την κάνει άμεσα αναγνωρίσιμη. Το εμπρός τμήμα του νέου MINI John Cooper Works Countryman διαθέτει κόκκινη μπάρα μάσκας που συμπληρώνεται με το λογότυπο John Cooper Works.

Σε όλες τις υπόλοιπες εκδόσεις του μοντέλου, η μάσκα υποδιαιρείται μέσω δύο μπαρών. Στα MINI One Countryman και MINI One D Countryman έχουν γυαλιστερό, μαύρο φινίρισμα ενώ στα MINI Cooper Countryman και MINI Cooper D Countryman είναι ματ ασημί.

Ο στιβαρός και παράλληλα πολυμορφικός χαρακτήρας του νέου MINI Countryman τονίζεται ακόμα περισσότερο. Σε συνδυασμό με το σύστημα τετρακίνησης ALL4, όλες οι προστατευτικές ποδιές εμπρός, πίσω και στα μαρσπιέ περιλαμβάνονται τώρα στάνταρ (εξαιρέση: MINI John Cooper Works Countryman). Τα στοιχεία αυτά αναδεικνύουν με εντυπωσιακό τρόπο την απόσταση από το έδαφος του MINI Countryman, δηλώνοντας τις δυνατότητές του για οδηγική απόλαυση εκτός ασφάλτου. Επίσης διατίθενται προαιρετικά για τις εκδόσεις με εμπρόσθια κίνηση (FWD).

Η γκάμα εξωτερικών αποχρώσεων διευρύνεται με την προσθήκη των μεταλλικών Jungle Green και Midnight Grey, ενώ η μεταλλική Starlight Blue διατίθεται τώρα με το

### **MINI Countryman για πρώτη φορά.**

Κατόπιν παραγγελίας διατίθεται μία αντίθετη απόχρωση για την οροφή και τα καλύμματα των εξωτερικών καθρεπτών σε μαύρο ή λευκό, και χωρίς έξτρα κόστος για όλες τις εκδόσεις με εξαίρεση τα MINI One Countryman και MINI One D. Μία κόκκινη απόχρωση για δημιουργία κοντράστ προσφέρεται επίσης χωρίς έξτρα χρέωση αποκλειστικά για το νέο MINI John Cooper Works Countryman. Υπάρχουν επίσης Sport Stripes και ρίγες καπτό σε ποικιλία χρωμάτων. Ένα ακόμα στοιχείο εξατομίκευσης που διατίθεται για πρώτη φορά με το MINI είναι το νέο Εξωτερικό σε Piano Black. Αυτό περιλαμβάνει ένα γυαλιστερό μαύρο φινίρισμα για επιλεγμένες επιφάνειες, για ένα πρωτότυπο αποτέλεσμα που αναδεικνύει όχι μόνο τα χαρακτηριστικά γνωρίσματα αλλά και τις αναλογίες του MINI Countryman.

Πέρα από τα πλαίσια των προβολών και των πίσω φώτων που έχουν χρωμιωμένο φινίρισμα στάνταρ, μία ποιοτική σκούρα απόχρωση χρησιμοποιείται μεταξύ των κολόνων A και των θόλων των εμπρός τροχών, των ραγών οροφής και των εγκάρσιων μπαρών στις μάσκες των MINI One Countryman, MINI Cooper Countryman και MINI Cooper D Countryman.

### **Νέες ζάντες αλουμινίου με μειωμένο βάρος, προαιρετικοί προβολείς ομίχλης LED.**

Προσαρμογές στο πρόγραμμα ζαντών συμβάλλουν στην αυξημένη ευελιξία και απόδοση του νέου MINI Countryman. Τα MINI Cooper Countryman και MINI Cooper D Countryman εφοδιάζονται τώρα στάνταρ με 16-άρες ζάντες αλουμινίου σε Σχέδιο 5-Star Air Spoke με το πλεονέκτημα μειωμένου βάρους και των βελτιστοποιημένων αεροδυναμικών χαρακτηριστικών. Οι 17-άρες ζάντες αλουμινίου με νέο Σχέδιο 5-Star Triangle Spoke για τα MINI Cooper S Countryman και MINI Cooper SD Countryman είναι επίσης ελαφρύτερες από τις προηγούμενες εκδόσεις. Προαιρετικά, διατίθενται σε δίχρωμη σχεδίαση. Και οι δύο τύποι ζαντών διατίθενται σε έκδοση MINIMALISM προαιρετικά, συμπερ. ελαστικών με μειωμένη αντίσταση κύλισης για μικρότερες τιμές κατανάλωσης και ρύπων.

Μία ακόμα προσθήκη είναι οι προβολείς ομίχλης LED με φώτα στάθμευσης και ημέρας σε τεχνολογία LED – διατίθενται σαν προαιρετικός, έξτρα εξοπλισμός για πρώτη φορά. Αυτοί παράγουν μία έντονη λευκή δέσμη φωτός με πολύ υψηλότερη ενεργειακή απόδοση σε σχέση με τους συμβατικούς προβολείς. Η δομή των πηγών φωτός στην τεχνολογία πλήρους συστήματος LED κάνει άκρως εντυπωσιακή και αναγνωρίσιμη την εμπρός όψη του νέου MINI Countryman.

Αυτός ο φωτισμός μπορεί επίσης να χρησιμοποιείται για βελτίωση της ορατότητας στην ομίχλη, ενώ παράγεται από τρεις μονάδες LED διατεταγμένες οριζόντια στο κέντρο του φωτιστικού σώματος, με το φως να εκπέμπεται σε ολόκληρη την επιφάνεια του προβολέα. Το φως ημέρας παίρνει τη μορφή ενός φωτεινού δακτυλίου που τροφοδοτείται από 15 μονάδες LED. Όταν τα φώτα στάθμευσης είναι αναμμένα, μόνο πέντε λυχνίες LED είναι ενεργές στο πάνω 1/3 τμήμα του δακτυλίου.

### **Εσωτερικό με βελτιστοποιημένη ακουστική άνεση και πιο ποιοτικά χαρακτηριστικά.**

Στο εσωτερικό του MINI Countryman, τα σχεδιαστικά στοιχεία ταυτότητας συνδυάζονται με ένα εξαιρετικά ευέλικτο εσωτερικό. Το premium μικρό προσφέρει πέντε καθίσματα στάνταρ μαζί με το σύστημα έδρασης MINI Center Rail που τοποθετείται ανάμεσα στο κάθισμα οδηγού και συνοδηγού. Το MINI Countryman υπόσχεται άνεση όχι μόνο σε ανώμαλα εδάφη αλλά και σε ταξίδια μεγάλων αποστάσεων. Η αύξηση του χώρου αποσκευών από 350 σε 1.170 L παρέχει χώρο για αποσκευές, πιο ογκώδη εξοπλισμό και άλλα αξεσουάρ που ενδέχεται να χρειαστούν για δραστηριότητες ελεύθερου χρόνου.

Για το σκοπό αυτό, τα πίσω καθίσματα μπορούν να μετατοπιστούν εμπρός /πίσω κατά 13 cm, είτε μαζί ή διαιρούμενα κατά 40 : 60. Επίσης έχουν ρυθμιζόμενη κλίση πλάτης ενώ αναδιπλώνονται σε διάταξη 40:20:40.

Ένας ακόμα παράγοντας που συντελεί σε μία ευχάριστη εμπειρία οδήγησης και ταξιδιού στο νέο MINI Countryman είναι η ακουστική άνεση που έχει επίσης βελτιωθεί. Οι ενδείξεις και τα χειριστήρια έχουν ανασχεδιαστεί προάγοντας τον σπορ και ποιοτικό χαρακτήρα του αυτοκινήτου. Όλες οι εκδόσεις του νέου MINI Countryman έχουν ανθρακί ενδείξεις στο στροφόμετρο και το ταχύμετρο στο στυλ του MINI John Cooper Works Countryman, του οποίου το κεντρικό όργανο φέρει επίσης το λογότυπο John Cooper Works. Ο στάνταρ εξοπλισμός του νέου MINI Countryman περιλαμβάνει επίσης στοιχεία χρωμίου στα χειριστήρια εξαερισμού.

### **Εκτενής χρήση τεχνολογίας MINIMALISM για αυξημένη οδηγική απόλαυση και μειωμένη κατανάλωση.**

Οι κινητήρες βενζίνης και diesel που διατίθενται για το νέο MINI Countryman πληρούν τις προδιαγραφές εκπομπών ρύπων EU6 χωρίς εξαίρεση. Η υψηλή απόδοση των σύγχρονων 4-κύλινδρων κινητήριων μονάδων και η εκτενής χρήση της τεχνολογίας MINIMALISM διασφαλίζουν ακόμα καλύτερη ισορροπία μεταξύ οδηγικής απόλαυσης και κατανάλωσης. Ανάμεσα στα μέτρα που προάγουν την απόδοση είναι η βελτιστοποιημένη ροή του αέρα στο κάτω τμήμα του αμαξώματος, τα ρουλεμάν των τροχών με μικρότερο συντελεστή τριβής και τα ελαστικά με μειωμένη αντίσταση κύλισης. Αυτό σημαίνει ότι οι τιμές επιτάχυνσης, ελαστικότητας και τελικής ταχύτητας είναι σημαντικά βελτιωμένες σε ορισμένες εκδόσεις του μοντέλου.

Ο 4-κύλινδρος βενζινοκινητήρας που χρησιμοποιείται στο MINI Cooper S Countryman με υπερσυμπιεστή twin-scroll, άμεσο ψεκασμό και μεταβλητό έλεγχο βαλβίδων πετυχαίνει αύξηση ισχύος 5 kW στα 140 kW/190 bhp. Αυτό μεταφράζεται σε μείωση του χρόνου επιτάχυνσης από στάση στα 100 km/h κατά 0,1 στα 7,5 δευτ., ενώ η εν κινήσει επιτάχυνση 80 - 120 km/h με πέμπτη σχέση απαιτεί τώρα μόνο 8,4 δευτ. - 0,2 δευτ. λιγότερο από πριν - ενώ η τελική ταχύτητα αυξάνεται κατά 3 km/h στα 218 km/h. Παράλληλα, η κατανάλωση καυσίμου στον κύκλο δοκιμών της Ε.Ε. του νέου MINI Cooper S Countryman έχει μειωθεί στα 6,0 lit / 100 km, ενώ οι σχετικές εκπομπές CO2 μειώνονται κατά 3% στα 139 gram / km.

Παρόμοια βελτίωση φαίνεται και στην επιτάχυνση και ρεπρίζ του νέου MINI Cooper Countryman με 90 kW/122 bhp. Η μέση κατανάλωση στον Ευρωπαϊκό κύκλο δοκιμών πέφτει στα 5,9 lit. /100 km (εκπομπές CO<sub>2</sub>: 137 g/km). Το νέο MINI One Countryman (72 kW/98 PS) ειδικά αυξάνει τις επιδόσεις του στις εν κινήσει επιταχύνσεις (ρεπρίζ), ενώ η μέση κατανάλωση στον Ευρωπαϊκό κύκλο δοκιμών είναι τώρα μόλις 5.7 lit. /100 km (Εκπομπές CO<sub>2</sub> : 134 g/km).

Οι τρεις εκδόσεις diesel του νέου MINI Countryman είναι επίσης πιο ελαστικές και οικονομικές. Το νέο 105 kW/143 bhp MINI Cooper SD Countryman επιταχύνει σε 9,2 δευτ. (0,1 δευτ. λιγότερο) από στάση στα 100 km/h και σε 9,7 δευτ. (0,4 δευτ. λιγότερο.) από 80 στα 120 km/h. Η μέση κατανάλωση στον Ευρωπαϊκό κύκλο δοκιμών πέφτει στα 4,5 lit. /100 km (Εκπομπές CO<sub>2</sub> : 119 g/km). Το νέο MINI Cooper D Countryman (82 kW/112 bhp) και το νέο MINI One D Countryman (66 kW/90 bhp) προσφέρουν περισσότερη οδηγική απόλαυση από ποτέ με ελαστικότητα αυξημένη κατά 0,4 και 0,3 αντίστοιχα. Τα δύο μοντέλα παρουσιάζουν επίσης αισθητή μείωση κατανάλωσης και εκπομπών ρύπων στον Ευρωπαϊκό κύκλο δοκιμών: 4.2 lit. /100 km και 111 g/km.

Το σύστημα τετρακίνησης ALL4 που έχει εξελιχθεί ειδικά για το MINI διατίθεται προαιρετικά αντί της κλασικής εμπρόσθιας κίνησης FWD της μάρκας για τα μοντέλα MINI Cooper S Countryman, MINI Cooper Countryman, MINI Cooper SD Countryman και MINI Cooper D Countryman. Το σύστημα βασίζεται σε ένα ηλεκτρομαγνητικό κεντρικό διαφορικό και κατανέμει συνεχώς μεταβαλλόμενα την κινητήρια ισχύ μεταξύ εμπρός και πίσω άξονα. Το ηλεκτρονικό σύστημα διαχείρισης του ALL4 που είναι ενσωματωμένο απευθείας στη μονάδα DSC επιτρέπει την μεταβολή της κατανομής ισχύος, σύμφωνα με τις απαιτήσεις και με απόκριση σε χιλιοστά του δευτερολέπτου.

Η τετρακίνηση προσφέρεται σάνταρ με το MINI John Cooper Works Countryman. Επομένως, η κορυφαία ισχύς του κινητήρα 160 kW/218 bhp turbo μεταφέρεται και στους τέσσερις τροχούς προκειμένου να διασφαλίζεται μέγιστη πρόσφυση, ευστάθεια και σπορ συμπεριφορά στις στροφές σε όλες τις συνθήκες. Η υπέρτατη οδηγική απόλαυση που προσφέρει ο κορυφαίος αθλητής της οικογένειας έχει επίσης λάβει νέες διαστάσεις. Ο χρόνος που απαιτείται για να επιταχύνει από στάση στα 100 km/h έχει μειωθεί κατά 0,1 δευτ. στα 6,9 δευτ., ενώ μόλις 7,7 δευτ. αντί 7,9 δευτ. απαιτούνται για εν κινήσει επιτάχυνση 80 – 120 km/h. Η τελική ταχύτητα του νέου MINI John Cooper Works Countryman αυξάνεται κατά 3 km/h στα 228 km/h. Εν τω μεταξύ, ο κορυφαίος αθλητής κατάφερε να βελτιώσει και την απόδοσή του. Η μέση κατανάλωση στον Ευρωπαϊκό κύκλο δοκιμών έχει πέσει στα 7.1 lit. / 100 km (Εκπομπές CO<sub>2</sub>: 165 g/km).

Όλοι οι κινητήρες συνδυάζονται με 6-τάχυτο μηχανικό κιβώτιο σάνταρ. Ένα προαιρετικό 6-τάχυτο αυτόματο κιβώτιο διατίθεται για όλες τις εκδόσεις του μοντέλου πλην του MINI One D Countryman. Χειριστήρια στο τιμόνι (paddles) για μηχανικές αλλαγές σχέσεων είναι μία ακόμα επιλογή. Sport Button διατίθεται για όλες τις εκδόσεις του νέου MINI Countryman, επιτρέποντας την ενεργοποίηση μιας πιο άμεσης απόκρισης του τιμονιού και του γκαζιού. Σε συνδυασμό με το αυτόματο κιβώτιο, πιέζοντας το Sport Button μεταβάλλονται επίσης και τα σημεία αλλαγών σχέσεων. Στο νέο MINI Cooper S Countryman αυτό ενεργοποιεί έναν ιδιαίτερα εντυπωσιακό, σπορ ήχο κινητήρα.

### **Ασφάλεια 5-αστέρων, έλεγχος πίεσης ελαστικών και φώτα ημέρας τώρα στάνταρ.**

Η φιλοσοφία ολοκληρωμένης ασφάλειας του MINI Countryman εγγυάται εξαιρετική προστασία επιβατών. Η εκτενής λίστα στάνταρ χαρακτηριστικών ενεργητικής και παθητικής ασφάλειας είχαν σαν αποτέλεσμα αξιολόγηση 5 αστέρων στο Euro NCAP crash test to 2010.

Ο στάνταρ εξοπλισμός του MINI Countryman περιλαμβάνει τώρα επίσης φώτα ημέρας και έλεγχο πίεσης ελαστικών. Χάρη στη συνεχή μέτρηση της πίεσης κάθε ελαστικού, ο οδηγός λαμβάνει μία έγκαιρη προειδοποίηση για πιθανή απώλεια πίεσης.

### **Εξοπλισμός υψηλής ποιότητας, καινοτόμα συστήματα ενημέρωσης και ψυχαγωγίας MINI Connected.**

Ο υπόλοιπος στάνταρ εξοπλισμός του νέου MINI Countryman είναι επίσης υψηλού επιπέδου και περιλαμβάνει A/C, την κεντρική ράγα MINI Center Rail ανάμεσα στα εμπρός καθίσματα και ηχοσύστημα υψηλών προδιαγραφών που περιέχει

CD player με συμβατότητα MP3, είσοδο AUX και πέντε ηχεία. Επιπλέον, υπάρχει μία αποκλειστική για το μοντέλο γκάμα ειδικού εξοπλισμού και αξεσουάρ. Άλλες επιλογές υψηλής ποιότητας είναι: φώτα xenon και προσαρμοζόμενος φωτισμός στροφών, πρόσβαση άνεσης, πανοραμική κρυστάλλινη οροφή, αυτόματο A/C, αφαιρούμενο κοτσαδόρος με φορτίο τρέιλερ έως 1 200 kg, σύστημα πλοήγησης MINI, τιμόνι πολλαπλών λειτουργιών με cruise control, hi-fi σύστημα ηχείων Harman Kardon και αξεσουάρ αποκλειστικά για το John Cooper Works.

Ένα ακόμα αξιοσημείωτο χαρακτηριστικό στην κατηγορία του νέου MINI Countryman

είναι η πλούσια γκάμα λειτουργιών MINI Connected που χρησιμοποιούνται σε συνδυασμό με το Radio MINI Visual Boost και το σύστημα πλοήγησης MINI. Αυτό προσφέρει εκτενή ενσωμάτωση smartphones στο αυτοκίνητο, επιτρέποντας τη χρήση διαδικτυακών υπηρεσιών στον τομέα ενημέρωσης / ψυχαγωγίας, επικοινωνίας και εμπειρίας οδηγού. Όλα παρέχονται μέσω εφαρμογών η ποικιλία των οποίων συνεχώς επεκτείνεται. Υπάρχουν λειτουργίες σχετικές με το αυτοκίνητο όπως Mission Control, Dynamic Music, Driving Excitement και MINIMALISM Analyser καθώς και άλλες online υπηρεσίες.

Ανάμεσα στις τρέχουσες διαθέσιμες λειτουργίες είναι το web radio, η χρήση μέσων κοινωνικής δικτύωσης όπως τα Facebook, Twitter, foursquare και Glympse, η λήψη RSS news feed και ψυχαγωγικά προγράμματα όπως AUPEO!, Stitcher, Deezer, Audible, Napster/Rhapsody και TuneIn. Η λειτουργία είναι φιλική προς το χρήστη, και δηλώνει το στυλ MINI μέσω ενός joystick στην κεντρική κονσόλα ή του υπολογιστή ταξιδιού στο κεντρικό όργανο.



# Τεχνικές Προδιαγραφές.

## MINI John Cooper Works Countryman,

## MINI John Cooper Works Countryman Automatic.

| Body                                               |                                     | MINI John Cooper Works Countryman                                                                                                                                                                                                                                                                                                                                                                                                                               | MINI John Cooper Works Countryman Automatic |
|----------------------------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| Number of doors/seats                              |                                     | 5 / 5                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 5 / 5                                       |
| Length/width/height (empty)                        | mm                                  | 4133 / 1789 / 1549                                                                                                                                                                                                                                                                                                                                                                                                                                              | 4133 / 1789 / 1549                          |
| Wheelbase                                          | mm                                  | 2596                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 2596                                        |
| Track width, front/rear                            | mm                                  | 1527 / 1554                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 1527 / 1554                                 |
| Turning circle                                     | m                                   | 11.6                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 11.6                                        |
| Fuel tank capacity                                 | approx. l                           | 47                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 47                                          |
| Cooling system incl. heating                       | l                                   | 6.0                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 6.5                                         |
| Engine oil                                         | l                                   | 4.2                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 4.2                                         |
| Transmission oil incl. drivetrain                  | l                                   | lifetime filling                                                                                                                                                                                                                                                                                                                                                                                                                                                | lifetime filling                            |
| Unladen weight according to                        | kg                                  | 1405 / 1480                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 1430 / 1505                                 |
| Payload according to DIN                           | kg                                  | 510                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 510                                         |
| Permitted gross vehicle weight                     | kg                                  | 1915                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 1940                                        |
| Permitted axle loads, front/rear                   | kg                                  | 1000 / 940                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 1025 / 940                                  |
| Permitted trailer load<br>braked (12 %) / unbraked | kg                                  | - / -                                                                                                                                                                                                                                                                                                                                                                                                                                                           | - / -                                       |
| Permitted roof load/permitted                      | kg                                  | 75 / -                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 75 / -                                      |
| Luggage compartment capacity                       | l                                   | 350 - 1170                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 350 - 1170                                  |
| Aerodynamic drag c / A / c <sub>x</sub> × A        | - / m <sup>2</sup> / m <sup>2</sup> | 0.36 / 2.36 / 0.85                                                                                                                                                                                                                                                                                                                                                                                                                                              | 0.36 / 2.36 / 0.85                          |
| <b>Engine</b>                                      |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                             |
| Type/no. of cylinders/valves                       |                                     | in-line / 4 / 4                                                                                                                                                                                                                                                                                                                                                                                                                                                 | in-line / 4 / 4                             |
| Engine control                                     |                                     | MEVD 1727                                                                                                                                                                                                                                                                                                                                                                                                                                                       | MEVD 1727                                   |
| Capacity                                           | cc                                  | 1598                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 1598                                        |
| Bore/stroke                                        | mm                                  | 77.0 / 85.8                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 77.0 / 85.8                                 |
| Compression                                        | :1                                  | 10.5                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 10.5                                        |
| Fuel                                               | RON                                 | 91-98                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 91-98                                       |
| Output                                             | kW/bhp                              | 160 / 218                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 160 / 218                                   |
| at engine speed                                    | rpm                                 | 6000                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 6000                                        |
| Torque (with overboost)                            | Nm                                  | 280 (300)                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 280 (300)                                   |
| at engine speed                                    | rpm                                 | 1900-5000 (2100-4500)                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1900-5000 (2100-4500)                       |
| <b>Electrical system</b>                           |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                             |
| Battery/installation                               | Ah / -                              | 70 / engine compartment                                                                                                                                                                                                                                                                                                                                                                                                                                         | 70 / engine compartment                     |
| Alternator                                         | A                                   | 120                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 120                                         |
| <b>Suspension</b>                                  |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                             |
| Front wheel suspension                             |                                     | Single-joint McPherson spring strut axle with anti-dive control                                                                                                                                                                                                                                                                                                                                                                                                 |                                             |
| Rear wheel suspension                              |                                     | Multilink axle with aluminium trailing arms and centrally mounted wishbones                                                                                                                                                                                                                                                                                                                                                                                     |                                             |
| Brakes, front                                      |                                     | disc, vented                                                                                                                                                                                                                                                                                                                                                                                                                                                    | disc, vented                                |
| Diameter                                           | mm                                  | 307 × 24                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 307 × 24                                    |
| Rear brakes                                        |                                     | disc                                                                                                                                                                                                                                                                                                                                                                                                                                                            | disc                                        |
| Diameter                                           | mm                                  | 296 × 10                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 296 × 10                                    |
| Driving stability systems                          |                                     | Hydraulic 2-circuit brake system with anti-lock brakes (ABS), electronic brake force distribution (EBD) and Cornering Brake Control (CBC), Dynamic Stability Control (DSC) with brake assistant, hill start assistant, Dynamic Traction Control (DTC) and Electronic Differential Lock Control (EDLC), DSC control unit with integrated electronic management system for the all-wheel drive system MINI ALL4.<br>Handbrake impacts mechanically on rear wheels |                                             |
| Steering                                           |                                     | Electrically supported steering (EPS); 2.4 revolutions from lock to lock                                                                                                                                                                                                                                                                                                                                                                                        |                                             |
| Overall steering ratio                             | :1                                  | 14.1                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 14.1                                        |
| Tyres                                              |                                     | 225/45 R18 91W                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 225/45 R18 91W                              |
| Rims                                               |                                     | 7.5J × 18 light alloy                                                                                                                                                                                                                                                                                                                                                                                                                                           | 7.5J × 18 light alloy                       |
| <b>Transmission</b>                                |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                             |
| Transmission type                                  |                                     | 6-speed manual transmission                                                                                                                                                                                                                                                                                                                                                                                                                                     | 6-speed automatic transmission              |
| Gear ratio                                         | I                                   | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 4.044                                       |
|                                                    | II                                  | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 2.371                                       |
|                                                    | III                                 | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 1.483                                       |
|                                                    | IV                                  | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 1.139                                       |
|                                                    | V                                   | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 0.949                                       |
|                                                    | VI                                  | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 0.816                                       |
| Reverse gear                                       | :1                                  | 3.231                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 3.193                                       |
| Final drive ratio                                  | :1                                  | 3.706                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 3.683                                       |
| <b>Driving performance figures</b>                 |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                             |
| Power-to-weight ratio according to                 | kg/kW                               | 8.8                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 8.9                                         |
| Power output per litre                             | kW/l                                | 100.1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 100.1                                       |
| Acceleration                                       | 0-100 km/h                          | s                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 6.9                                         |
|                                                    | 0-1000 m                            | s                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 27.5                                        |
| in 5th gear                                        | 80-120 km/h                         | s                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 7.7                                         |
| Top speed                                          | km/h                                | 228                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 225                                         |

| Fuel consumption in EU cycle |                 |              |              |
|------------------------------|-----------------|--------------|--------------|
| Urban                        | l/100 km        | 9.1          | 10.4         |
| Extra-urban                  | l/100 km        | 6.0          | 5.9          |
| Total                        | l/100 km        | 7.1          | 7.5          |
| CO <sub>2</sub>              | g/km            | 165          | 175          |
| Other                        |                 |              |              |
| Emission rating              |                 | EU6          | EU6          |
| Insurance rating             | 3rd party/fully | <sup>2</sup> | <sup>2</sup> |
| Ground clearance (empty)     | mm              | 128          | 128          |

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany in some cases (weights)

<sup>1)</sup> Weight of road-ready automobile (DIN) plus 75 kg for driver and luggage

<sup>2)</sup> Details not yet available

# MINI Cooper S Countryman, MINI Cooper S Countryman Automatic.

| Body                                                            |                                     | MINI Cooper S Countryman                                                                                                                                                                                                                                                                                                                             | MINI Cooper S Countryman Automatic |
|-----------------------------------------------------------------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| Number of doors/seats                                           |                                     | 5 / 5                                                                                                                                                                                                                                                                                                                                                | 5 / 5                              |
| Length/width/height (empty)                                     | mm                                  | 4109 / 1789 / 1561                                                                                                                                                                                                                                                                                                                                   | 4109 / 1789 / 1561                 |
| Wheelbase                                                       | mm                                  | 2595                                                                                                                                                                                                                                                                                                                                                 | 2595                               |
| Track width, front/rear                                         | mm                                  | 1525 / 1551                                                                                                                                                                                                                                                                                                                                          | 1525 / 1551                        |
| Turning circle                                                  | m                                   | 11.6                                                                                                                                                                                                                                                                                                                                                 | 11.6                               |
| Fuel tank capacity                                              | approx. l                           | 47                                                                                                                                                                                                                                                                                                                                                   | 47                                 |
| Cooling system incl. heating                                    | l                                   | 5.5                                                                                                                                                                                                                                                                                                                                                  | 6.0                                |
| Engine oil                                                      | l                                   | 4.2                                                                                                                                                                                                                                                                                                                                                  | 4.2                                |
| Transmission oil incl. drivetrain                               | l                                   | lifetime filling                                                                                                                                                                                                                                                                                                                                     | lifetime filling                   |
| Unladen weight according to                                     | kg                                  | 1310 / 1385                                                                                                                                                                                                                                                                                                                                          | 1335 / 1410                        |
| Payload according to DIN                                        | kg                                  | 510                                                                                                                                                                                                                                                                                                                                                  | 510                                |
| Permitted gross vehicle weight                                  | kg                                  | 1820                                                                                                                                                                                                                                                                                                                                                 | 1845                               |
| Permitted axle loads, front/rear                                | kg                                  | 970 / 880                                                                                                                                                                                                                                                                                                                                            | 995 / 880                          |
| Permitted trailer load <sup>2</sup><br>braked (12 %) / unbraked | kg                                  | 750 / 500                                                                                                                                                                                                                                                                                                                                            | 1000 / 500                         |
| Permitted roof load/permitted                                   | kg                                  | 75 / 75                                                                                                                                                                                                                                                                                                                                              | 75 / 75                            |
| Luggage compartment capacity                                    | l                                   | 350 - 1170                                                                                                                                                                                                                                                                                                                                           | 350 - 1170                         |
| Aerodynamic drag c <sub>d</sub> / A / c <sub>x</sub> × A        | - / m <sup>2</sup> / m <sup>2</sup> | 0.36 / 2.36 / 0.85                                                                                                                                                                                                                                                                                                                                   | 0.36 / 2.35 / 0.85                 |
| Engine                                                          |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                    |
| Type/no. of cylinders/valves                                    |                                     | in-line / 4 / 4                                                                                                                                                                                                                                                                                                                                      | in-line / 4 / 4                    |
| Engine control                                                  |                                     | MEVD 17.2.2                                                                                                                                                                                                                                                                                                                                          | MEVD 17.2.2                        |
| Capacity                                                        | cc                                  | 1598                                                                                                                                                                                                                                                                                                                                                 | 1598                               |
| Bore/stroke                                                     | mm                                  | 77.0 / 85.8                                                                                                                                                                                                                                                                                                                                          | 77.0 / 85.8                        |
| Compression                                                     | :1                                  | 10.5                                                                                                                                                                                                                                                                                                                                                 | 10.5                               |
| Fuel                                                            | RON                                 | 91-98                                                                                                                                                                                                                                                                                                                                                | 91-98                              |
| Output                                                          | kW/bhp                              | 140 / 190                                                                                                                                                                                                                                                                                                                                            | 140 / 190                          |
| at engine speed                                                 | rpm                                 | 5500                                                                                                                                                                                                                                                                                                                                                 | 5500                               |
| Torque (with overboost)                                         | Nm                                  | 240 (260)                                                                                                                                                                                                                                                                                                                                            | 240 (260)                          |
| at engine speed                                                 | rpm                                 | 1600 - 5000 (1700 - 4500)                                                                                                                                                                                                                                                                                                                            | 1600 - 5000 (1700 - 4500)          |
| Electrical system                                               |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                    |
| Battery/installation                                            | Ah / -                              | 60 / engine compartment                                                                                                                                                                                                                                                                                                                              | 55 / engine compartment            |
| Alternator                                                      | A                                   | 150                                                                                                                                                                                                                                                                                                                                                  | 120                                |
| Suspension                                                      |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                    |
| Front wheel suspension                                          |                                     | Single-joint McPherson spring strut axle with anti-dive control                                                                                                                                                                                                                                                                                      |                                    |
| Rear wheel suspension                                           |                                     | Multilink axle with trailing arms in aluminium lightweight construction                                                                                                                                                                                                                                                                              |                                    |
| Brakes, front                                                   |                                     | disc, vented                                                                                                                                                                                                                                                                                                                                         | disc, vented                       |
| Diameter                                                        | mm                                  | 307 × 24                                                                                                                                                                                                                                                                                                                                             | 307 × 24                           |
| Rear brakes                                                     |                                     | disc                                                                                                                                                                                                                                                                                                                                                 | disc                               |
| Diameter                                                        | mm                                  | 280 × 10                                                                                                                                                                                                                                                                                                                                             | 280 × 10                           |
| Driving stability systems                                       |                                     | Hydraulic 2-circuit brake system with anti-lock brakes (ABS), electronic brake force distribution (EBD) and Cornering Brake Control (CBC), Dynamic Stability Control (DSC) with brake assistant, hill start assistant, Dynamic Traction Control (DTC) and Electronic Differential Lock Control (EDLC). Handbrake impacts mechanically on rear wheels |                                    |
| Steering                                                        |                                     | Electrically supported steering (EPS); 2.4 revolutions from lock to lock                                                                                                                                                                                                                                                                             |                                    |
| Overall steering ratio                                          | :1                                  | 14.1                                                                                                                                                                                                                                                                                                                                                 | 14.1                               |
| Tyres                                                           |                                     | 205/55 R17 91V RSC                                                                                                                                                                                                                                                                                                                                   | 205/55 R17 91V RSC                 |
| Rims                                                            |                                     | 7J × 17 light alloy                                                                                                                                                                                                                                                                                                                                  | 7J × 17 light alloy                |
| Transmission                                                    |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                    |
| Transmission type                                               |                                     | 6-speed manual transmission                                                                                                                                                                                                                                                                                                                          | 6-speed automatic transmission     |
| Gear ratio                                                      | I                                   | :1                                                                                                                                                                                                                                                                                                                                                   | 3.308                              |
|                                                                 | II                                  | :1                                                                                                                                                                                                                                                                                                                                                   | 2.130                              |
|                                                                 | III                                 | :1                                                                                                                                                                                                                                                                                                                                                   | 1.483                              |
|                                                                 | IV                                  | :1                                                                                                                                                                                                                                                                                                                                                   | 1.139                              |
|                                                                 | V                                   | :1                                                                                                                                                                                                                                                                                                                                                   | 0.949                              |
|                                                                 | VI                                  | :1                                                                                                                                                                                                                                                                                                                                                   | 0.816                              |
| Reverse gear                                                    | :1                                  | 3.231                                                                                                                                                                                                                                                                                                                                                | 3.193                              |
| Final drive ratio                                               | :1                                  | 3.706                                                                                                                                                                                                                                                                                                                                                | 3.683                              |
| Driving performance figures                                     |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                    |
| Power-to-weight ratio according to                              | kg/kW                               | 9.7                                                                                                                                                                                                                                                                                                                                                  | 9.9                                |
| Power output per litre                                          | kW/l                                | 84.5                                                                                                                                                                                                                                                                                                                                                 | 84.5                               |
| Acceleration                                                    | 0-100 km/h                          | s                                                                                                                                                                                                                                                                                                                                                    | 7.5                                |
|                                                                 | 0-1000 m                            | s                                                                                                                                                                                                                                                                                                                                                    | 28.2                               |
| in 5th gear                                                     | 80-120 km/h                         | s                                                                                                                                                                                                                                                                                                                                                    | 8.4                                |
| Top speed                                                       | km/h                                | 218                                                                                                                                                                                                                                                                                                                                                  | 214                                |

| Fuel consumption in EU cycle |                 |              |              |
|------------------------------|-----------------|--------------|--------------|
| Urban                        | l/100 km        | 7.5          | 9.2          |
| Extra-urban                  | l/100 km        | 5.1          | 5.4          |
| Total                        | l/100 km        | 6.0          | 6.8          |
| CO <sub>2</sub>              | g/km            | 139          | 157          |
| Other                        |                 |              |              |
| Emission rating              |                 | EU6          | EU6          |
| Insurance rating             | 3rd party/fully | <sup>2</sup> | <sup>2</sup> |
| Ground clearance (empty)     | mm              | 135          | 135          |

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany in some cases (weights)

<sup>1)</sup> Weight of road-ready automobile (DIN) plus 75 kg for driver and luggage

<sup>2)</sup> Details not yet available

# MINI Cooper S Countryman ALL4, MINI Cooper S Countryman ALL4 Automatic.

| Body                                                            | MINI Cooper S Countryman ALL4       |                                                                                                                                                                                                                                                                                                                                                                                                                                                               | MINI Cooper S Countryman ALL4 Automatic |                                |
|-----------------------------------------------------------------|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|--------------------------------|
| Number of doors/seats                                           |                                     | 5 / 5                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                         | 5 / 5                          |
| Length/width/height (empty)                                     | mm                                  | 4109 / 1789 / 1561                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                         | 4109 / 1789 / 1561             |
| Wheelbase                                                       | mm                                  | 2595                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                         | 2595                           |
| Track width, front/rear                                         | mm                                  | 1525 / 1551                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                         | 1525 / 1551                    |
| Turning circle                                                  | m                                   | 11.6                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                         | 11.6                           |
| Fuel tank capacity                                              | approx. l                           | 47                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                         | 47                             |
| Cooling system incl. heating                                    | l                                   | 5.5                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                         | 6.0                            |
| Engine oil                                                      | l                                   | 4.2                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                         | 4.2                            |
| Transmission oil incl. drivetrain                               | l                                   | lifetime filling                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         | lifetime filling               |
| Unladen weight according to                                     | kg                                  | 1390 / 1465                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                         | 1415 / 1490                    |
| Payload according to DIN                                        | kg                                  | 510                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                         | 510                            |
| Permitted gross vehicle weight                                  | kg                                  | 1900                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                         | 1925                           |
| Permitted axle loads, front/rear                                | kg                                  | 1000 / 930                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                         | 1025 / 930                     |
| Permitted trailer load <sup>2</sup><br>braked (12 %) / unbraked | kg                                  | 750 / 500                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                         | 1000 / 500                     |
| Permitted roof load/permitted                                   | kg                                  | 75 / 75                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                         | 75 / 75                        |
| Luggage compartment capacity                                    | l                                   | 350 – 1170                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                         | 350 – 1170                     |
| Aerodynamic drag c / A / c <sub>x</sub> × A                     | – / m <sup>2</sup> / m <sup>2</sup> | 0.36 / 2.36 / 0.85                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                         | 0.36 / 2.36 / 0.85             |
| <b>Engine</b>                                                   |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                         |                                |
| Type/no. of cylinders/valves                                    |                                     | in-line / 4 / 4                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                         | in-line / 4 / 4                |
| Engine control                                                  |                                     | MEVD 17.2.2                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                         | MEVD 17.2.2                    |
| Capacity                                                        | cc                                  | 1598                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                         | 1598                           |
| Bore/stroke                                                     | mm                                  | 77.0 / 85.8                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                         | 77.0 / 85.8                    |
| Compression                                                     | :1                                  | 10.5                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                         | 10.5                           |
| Fuel                                                            | RON                                 | 91–98                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                         | 91–98                          |
| Output                                                          | kW/bhp                              | 140 / 190                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                         | 140 / 190                      |
| at engine speed                                                 | rpm                                 | 5500                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                         | 5500                           |
| Torque (with overboost)                                         | Nm                                  | 240 (260)                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                         | 240 (260)                      |
| at engine speed                                                 | rpm                                 | 1600 - 5000 (1700 - 4500)                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                         | 1600 - 5000 (1700 - 4500)      |
| <b>Electrical system</b>                                        |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                         |                                |
| Battery/installation                                            | Ah / –                              | 70 / engine compartment                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                         | 55 / engine compartment        |
| Alternator                                                      | A                                   | 150                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                         | 120                            |
| <b>Suspension</b>                                               |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                         |                                |
| Front wheel suspension                                          |                                     | Single-joint McPherson spring strut axle with anti-dive control                                                                                                                                                                                                                                                                                                                                                                                               |                                         |                                |
| Rear wheel suspension                                           |                                     | Multilink axle with trailing arms in aluminium lightweight construction                                                                                                                                                                                                                                                                                                                                                                                       |                                         |                                |
| Brakes, front                                                   |                                     | disc, vented                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                         | disc, vented                   |
| Diameter                                                        | mm                                  | 307 × 24                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                         | 307 × 24                       |
| Rear brakes                                                     |                                     | disc                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                         | disc                           |
| Diameter                                                        | mm                                  | 280 × 10                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                         | 280 × 10                       |
| Driving stability systems                                       |                                     | Hydraulic 2-circuit brake system with anti-lock brakes (ABS), electronic brake force distribution (EBD) and Cornering Brake Control (CBC), Dynamic Stability Control (DSC) with brake assistant, hill start assistant, Dynamic Traction Control (DTC) and Electronic Differential Lock Control (EDLC), DSC control unit with integrated electronic management system for the all-wheel drive system MINI ALL4, handbrake acts mechanically on the rear wheels |                                         |                                |
| Steering                                                        |                                     | Electrically supported steering (EPS); 2.4 revolutions from lock to lock                                                                                                                                                                                                                                                                                                                                                                                      |                                         |                                |
| Overall steering ratio                                          | :1                                  | 14.1                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                         | 14.1                           |
| Tyres                                                           |                                     | 205/55 R17 91V R5C                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                         | 205/55 R17 91V R5C             |
| Rims                                                            |                                     | 7J × 17 light alloy                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                         | 7J × 17 light alloy            |
| <b>Transmission</b>                                             |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                         |                                |
| Transmission type                                               |                                     | 6-speed manual transmission                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                         | 6-speed automatic transmission |
| Gear ratio                                                      | I                                   | :1 3.308                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                         | 4.044                          |
|                                                                 | II                                  | :1 2.130                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                         | 2.371                          |
|                                                                 | III                                 | :1 1.483                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                         | 1.556                          |
|                                                                 | IV                                  | :1 1.139                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                         | 1.159                          |
|                                                                 | V                                   | :1 0.949                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                         | 0.852                          |
|                                                                 | VI                                  | :1 0.816                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                         | 0.672                          |
| Reverse gear                                                    | :1                                  | 3.231                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                         | 3.193                          |
| Final drive ratio                                               | :1                                  | 3.706                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                         | 3.683                          |
| <b>Driving performance figures</b>                              |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                         |                                |
| Power-to-weight ratio according to                              | kg/kW                               | 10.2                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                         | 10.4                           |
| Power output per litre                                          | kW/l                                | 84.5                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                         | 84.5                           |
| Acceleration                                                    | 0–100 km/h                          | s 7.7                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                         | 8.1                            |
|                                                                 | 0–1000 m                            | s 28.4                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                         | 29.0                           |
| in 5th gear                                                     | 80–120 km/h                         | s 9.2                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                         | – / –                          |
| Top speed                                                       | km/h                                | 215                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                         | 213                            |

| Fuel consumption in EU cycle |                 |              |              |
|------------------------------|-----------------|--------------|--------------|
| Urban                        | l/100 km        | 8.0          | 9.5          |
| Extra-urban                  | l/100 km        | 5.5          | 5.7          |
| Total                        | l/100 km        | 6.4          | 7.1          |
| CO <sub>2</sub>              | g/km            | 148          | 165          |
| Other                        |                 |              |              |
| Emission rating              |                 | EU6          | EU6          |
| Insurance rating             | 3rd party/fully | <sup>2</sup> | <sup>2</sup> |
| Ground clearance (empty)     | mm              | 135          | 135          |

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany in some cases (weights)

<sup>1)</sup> Weight of road-ready automobile (DIN) plus 75 kg for driver and luggage

<sup>2)</sup> Details not yet available

# MINI Cooper Countryman, MINI Cooper Countryman Automatic.

| Body                                                            |                                     | MINI Cooper Countryman                                                                                                                                                                                                                                                                                                                                            | MINI Cooper Countryman Automatic |
|-----------------------------------------------------------------|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| Number of doors/seats                                           |                                     | 5 / 5                                                                                                                                                                                                                                                                                                                                                             | 5 / 5                            |
| Length/width/height (empty)                                     | mm                                  | 4097 / 1789 / 1561                                                                                                                                                                                                                                                                                                                                                | 4097 / 1789 / 1561               |
| Wheelbase                                                       | mm                                  | 2595                                                                                                                                                                                                                                                                                                                                                              | 2595                             |
| Track width, front/rear                                         | mm                                  | 1534 / 1559                                                                                                                                                                                                                                                                                                                                                       | 1534 / 1559                      |
| Turning circle                                                  | m                                   | 11.6                                                                                                                                                                                                                                                                                                                                                              | 11.6                             |
| Fuel tank capacity                                              | approx. l                           | 47                                                                                                                                                                                                                                                                                                                                                                | 47                               |
| Cooling system incl. heating                                    | l                                   | 5.5                                                                                                                                                                                                                                                                                                                                                               | 6.0                              |
| Engine oil                                                      | l                                   | 4.2                                                                                                                                                                                                                                                                                                                                                               | 4.2                              |
| Transmission oil incl. drivetrain                               | l                                   | lifetime filling                                                                                                                                                                                                                                                                                                                                                  | lifetime filling                 |
| Unladen weight according to DIN/EU <sup>1</sup>                 | kg                                  | 1265 / 1340                                                                                                                                                                                                                                                                                                                                                       | 1295 / 1370                      |
| Payload according to DIN                                        | kg                                  | 510                                                                                                                                                                                                                                                                                                                                                               | 510                              |
| Permitted gross vehicle weight                                  | kg                                  | 1775                                                                                                                                                                                                                                                                                                                                                              | 1805                             |
| Permitted axle loads, front/rear                                | kg                                  | 930 / 880                                                                                                                                                                                                                                                                                                                                                         | 960 / 880                        |
| Permitted trailer load <sup>2</sup><br>braked (12 %) / unbraked | kg                                  | - / -                                                                                                                                                                                                                                                                                                                                                             | 1000/500                         |
| Permitted roof load/permitted                                   | kg                                  | 75 / -                                                                                                                                                                                                                                                                                                                                                            | 75 / 75                          |
| Luggage compartment capacity                                    | l                                   | 350 – 1170                                                                                                                                                                                                                                                                                                                                                        | 350 – 1170                       |
| Aerodynamic drag c <sub>d</sub> / A / c <sub>x</sub> × A        | - / m <sup>2</sup> / m <sup>2</sup> | 0.35 / 2.36 / 0.83                                                                                                                                                                                                                                                                                                                                                | 0.35 / 2.36 / 0.83               |
| <b>Engine</b>                                                   |                                     |                                                                                                                                                                                                                                                                                                                                                                   |                                  |
| Type/no. of cylinders/valves                                    |                                     | in-line / 4 / 4                                                                                                                                                                                                                                                                                                                                                   | in-line / 4 / 4                  |
| Engine control                                                  |                                     | MEV 17.2.2                                                                                                                                                                                                                                                                                                                                                        | MEV 17.2.2                       |
| Capacity                                                        | cc                                  | 1598                                                                                                                                                                                                                                                                                                                                                              | 1598                             |
| Bore/stroke                                                     | mm                                  | 77 / 85.8                                                                                                                                                                                                                                                                                                                                                         | 77 / 85.8                        |
| Compression                                                     | :1                                  | 11.0                                                                                                                                                                                                                                                                                                                                                              | 11.0                             |
| Fuel                                                            | RON                                 | 91–98                                                                                                                                                                                                                                                                                                                                                             | 91–98                            |
| Output                                                          | kW/bhp                              | 90 / 122                                                                                                                                                                                                                                                                                                                                                          | 90 / 122                         |
| at engine speed                                                 | rpm                                 | 6000                                                                                                                                                                                                                                                                                                                                                              | 6000                             |
| Torque (with overboost)                                         | Nm                                  | 160                                                                                                                                                                                                                                                                                                                                                               | 160                              |
| at engine speed                                                 | rpm                                 | 4250                                                                                                                                                                                                                                                                                                                                                              | 4250                             |
| <b>Electrical system</b>                                        |                                     |                                                                                                                                                                                                                                                                                                                                                                   |                                  |
| Battery/installation                                            | Ah / –                              | 60 / engine compartment                                                                                                                                                                                                                                                                                                                                           | 55 / engine compartment          |
| Alternator                                                      | A                                   | 150                                                                                                                                                                                                                                                                                                                                                               | 120                              |
| <b>Suspension</b>                                               |                                     |                                                                                                                                                                                                                                                                                                                                                                   |                                  |
| Front wheel suspension                                          |                                     | Single-joint McPherson spring strut axle with anti-dive control                                                                                                                                                                                                                                                                                                   |                                  |
| Rear wheel suspension                                           |                                     | Multilink axle with trailing arms in aluminium lightweight construction                                                                                                                                                                                                                                                                                           |                                  |
| Brakes, front                                                   |                                     | disc, vented                                                                                                                                                                                                                                                                                                                                                      | disc, vented                     |
| Diameter                                                        | mm                                  | 294 × 22                                                                                                                                                                                                                                                                                                                                                          | 294 × 22                         |
| Rear brakes                                                     |                                     | disc                                                                                                                                                                                                                                                                                                                                                              | disc                             |
| Diameter                                                        | mm                                  | 280 × 10                                                                                                                                                                                                                                                                                                                                                          | 280 × 10                         |
| Driving stability systems                                       |                                     | Hydraulic 2-circuit brake system with anti-lock brakes (ABS), electronic brake force distribution (EBD) and Cornering Brake Control (CBC), Dynamic Stability Control (DSC) with brake assistant and hill start assistant, optional: Dynamic Traction Control (DTC) and Electronic Differential Lock Control (EDLC). Handbrake impacts mechanically on rear wheels |                                  |
| Steering                                                        |                                     | Electrically supported steering (EPS); 2.4 revolutions from lock to lock                                                                                                                                                                                                                                                                                          |                                  |
| Overall steering ratio                                          | :1                                  | 14.1                                                                                                                                                                                                                                                                                                                                                              | 14.1                             |
| Tyres                                                           |                                     | 205/60 R16 92H                                                                                                                                                                                                                                                                                                                                                    | 205/60 R16 92H                   |
| Rims                                                            |                                     | 6.5J × 16 light alloy                                                                                                                                                                                                                                                                                                                                             | 6.5J × 16 light alloy            |
| <b>Transmission</b>                                             |                                     |                                                                                                                                                                                                                                                                                                                                                                   |                                  |
| Transmission type                                               |                                     | 6-speed manual transmission                                                                                                                                                                                                                                                                                                                                       | 6-speed automatic transmission   |
| Gear ratio                                                      | I                                   | :1                                                                                                                                                                                                                                                                                                                                                                | 3.214                            |
|                                                                 | II                                  | :1                                                                                                                                                                                                                                                                                                                                                                | 1.792                            |
|                                                                 | III                                 | :1                                                                                                                                                                                                                                                                                                                                                                | 1.194                            |
|                                                                 | IV                                  | :1                                                                                                                                                                                                                                                                                                                                                                | 0.914                            |
|                                                                 | V                                   | :1                                                                                                                                                                                                                                                                                                                                                                | 0.784                            |
|                                                                 | VI                                  | :1                                                                                                                                                                                                                                                                                                                                                                | 0.683                            |
| Reverse gear                                                    | :1                                  | 3.143                                                                                                                                                                                                                                                                                                                                                             | 3.394                            |
| Final drive ratio                                               | :1                                  | 4.722                                                                                                                                                                                                                                                                                                                                                             | 4.643                            |
| <b>Driving performance figures</b>                              |                                     |                                                                                                                                                                                                                                                                                                                                                                   |                                  |
| Power-to-weight ratio according to                              | kg/kW                               | 14.1                                                                                                                                                                                                                                                                                                                                                              | 14.4                             |
| Power output per litre                                          | kW/l                                | 56.3                                                                                                                                                                                                                                                                                                                                                              | 56.3                             |
| Acceleration                                                    | 0–100 km/h                          | s                                                                                                                                                                                                                                                                                                                                                                 | 10.4                             |
|                                                                 | 0–1000 m                            | s                                                                                                                                                                                                                                                                                                                                                                 | 32.2                             |
| in 5th gear                                                     | 80–120 km/h                         | s                                                                                                                                                                                                                                                                                                                                                                 | 14.7                             |
| Top speed                                                       | km/h                                | 191                                                                                                                                                                                                                                                                                                                                                               | 184                              |

| Fuel consumption in EU   |                 |              |              |
|--------------------------|-----------------|--------------|--------------|
| Urban                    | l/100 km        | 7.3          | 9.0          |
| Extra-urban              | l/100 km        | 5.1          | 5.6          |
| Total                    | l/100 km        | 5.9          | 6.9          |
| CO <sub>2</sub>          | g/km            | 137          | 159          |
| Other                    |                 |              |              |
| Emission rating          |                 | EU6          | EU6          |
| Insurance rating         | 3rd party/fully | <sup>2</sup> | <sup>2</sup> |
| Ground clearance (empty) | mm              | 145          | 145          |

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany in some cases (weights)

<sup>1)</sup> Weight of road-ready automobile (DIN) plus 75 kg for driver and luggage

<sup>2)</sup> Details not yet available

# MINI Cooper Countryman ALL4, MINI Cooper Countryman ALL4 Automatic.

| Body                                               |                                     | MINI Cooper Countryman ALL4                                                                                                                                                                                                                                                                                                                                                                                                                                  | MINI Cooper Countryman ALL4 Automatic |
|----------------------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Number of doors/seats                              |                                     | 5 / 5                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 5 / 5                                 |
| Length/width/height (empty)                        | mm                                  | 4100 / 1789 / 1561                                                                                                                                                                                                                                                                                                                                                                                                                                           | 4100 / 1789 / 1561                    |
| Wheelbase                                          | mm                                  | 2596                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 2596                                  |
| Track width, front/rear                            | mm                                  | 1537 / 1564                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 1537 / 1564                           |
| Turning circle                                     | m                                   | 11.6                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 11.6                                  |
| Fuel tank capacity                                 | approx. l                           | 47                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 47                                    |
| Cooling system incl. heating                       | l                                   | 7.5                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 7.5                                   |
| Engine oil                                         | l                                   | 4.2                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 4.2                                   |
| Transmission oil incl. drivetrain                  | l                                   | lifetime filling                                                                                                                                                                                                                                                                                                                                                                                                                                             | lifetime filling                      |
| Unladen weight according to DIN/EU <sup>1)</sup>   | kg                                  | 1350 / 1425                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 1395 / 1470                           |
| Payload according to DIN                           | kg                                  | 510                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 510                                   |
| Permitted gross vehicle weight                     | kg                                  | 1860                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1905                                  |
| Permitted axle loads, front/rear                   | kg                                  | 960 / 930                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 1005 / 930                            |
| Permitted trailer load<br>braked (12 %) / unbraked | kg                                  | - / -                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 1000 / 500                            |
| Permitted roof load/permitted                      | kg                                  | 75 / -                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 75 / 75                               |
| Luggage compartment capacity                       | l                                   | 350 - 1170                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 350 - 1170                            |
| Aerodynamic drag $c_x / A / c_x \times A$          | - / m <sup>2</sup> / m <sup>2</sup> | 0.35 / 2.36 / 0.83                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.35 / 2.36 / 0.83                    |
| <b>Engine</b>                                      |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                       |
| Type/no. of cylinders/valves                       |                                     | in-line / 4 / 4                                                                                                                                                                                                                                                                                                                                                                                                                                              | in-line / 4 / 4                       |
| Engine control                                     |                                     | MEV 1722                                                                                                                                                                                                                                                                                                                                                                                                                                                     | MEVD 1722                             |
| Capacity                                           | cc                                  | 1598                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1598                                  |
| Bore/stroke                                        | mm                                  | 77.0 / 85.8                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 77.0 / 85.8                           |
| Compression                                        | :1                                  | 11.0                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 10.5                                  |
| Fuel                                               | RON                                 | 91-98                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 91-98                                 |
| Output                                             | kW/bhp                              | 90 / 122                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 90 / 122                              |
| at engine speed                                    | rpm                                 | 6000                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 6000                                  |
| Torque                                             | Nm                                  | 160                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 190                                   |
| at engine speed                                    | rpm                                 | 4250                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4250                                  |
| <b>Electrical system</b>                           |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                       |
| Battery/installation                               | Ah / -                              | 55 / engine compartment                                                                                                                                                                                                                                                                                                                                                                                                                                      | 55 / engine compartment               |
| Alternator                                         | A                                   | 120                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 120                                   |
| <b>Suspension</b>                                  |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                       |
| Front wheel suspension                             |                                     | Single-joint McPherson spring strut axle with anti-dive control                                                                                                                                                                                                                                                                                                                                                                                              |                                       |
| Rear wheel suspension                              |                                     | Multilink axle with trailing arms in aluminium lightweight construction                                                                                                                                                                                                                                                                                                                                                                                      |                                       |
| Brakes, front                                      |                                     | disc, vented                                                                                                                                                                                                                                                                                                                                                                                                                                                 | disc, vented                          |
| Diameter                                           | mm                                  | 294 × 22                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 294 × 22                              |
| Rear brakes                                        |                                     | disc                                                                                                                                                                                                                                                                                                                                                                                                                                                         | disc                                  |
| Diameter                                           | mm                                  | 280 × 10                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 280 × 10                              |
| Driving stability systems                          |                                     | Hydraulic 2-circuit brake system with anti-lock brakes (ABS), electronic brake force distribution (EBD) and Cornering Brake Control (CBC), Dynamic Stability Control (DSC) with brake assistant, hill start assistant, Dynamic Traction Control (DTC) and Electronic Differential Lock Control (EDLC). DSC control unit with integrated electronic management system for the all-wheel drive system MINI ALL4. Handbrake impacts mechanically on rear wheels |                                       |
| Steering                                           |                                     | Electrically supported steering (EPS); 2.4 revolutions from lock to lock                                                                                                                                                                                                                                                                                                                                                                                     |                                       |
| Overall steering ratio                             | :1                                  | 14.1                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 14.1                                  |
| Tyres                                              |                                     | 205/60 R16 92H                                                                                                                                                                                                                                                                                                                                                                                                                                               | 205/60 R16 92H                        |
| Rims                                               |                                     | 6.5J × 16 light alloy                                                                                                                                                                                                                                                                                                                                                                                                                                        | 6.5J × 16 light alloy                 |
| <b>Transmission</b>                                |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                       |
| Transmission type                                  |                                     | 6-speed manual transmission                                                                                                                                                                                                                                                                                                                                                                                                                                  | 6-speed automatic transmission        |
| Gear ratio                                         | I                                   | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 3.308                                 |
|                                                    | II                                  | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 2.130                                 |
|                                                    | III                                 | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1.483                                 |
|                                                    | IV                                  | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1.139                                 |
|                                                    | V                                   | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.949                                 |
|                                                    | VI                                  | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.816                                 |
| Reverse gear                                       | :1                                  | 3.231                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 3.394                                 |
| Final drive ratio                                  | :1                                  | 4.353                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 3.683                                 |
| <b>Driving performance figures</b>                 |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                       |
| Power-to-weight ratio according to                 | kg/kW                               | 14.9                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 15.4                                  |
| Power output per litre                             | kW/l                                | 56.3                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 56.3                                  |
| Acceleration                                       | 0-100 km/h                          | s                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 11.7                                  |
|                                                    | 0-1000 m                            | s                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 33.5                                  |
| in 5th gear                                        | 80-120 km/h                         | s                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 14.6                                  |
| Top speed                                          | km/h                                | 186                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 184                                   |

| Fuel consumption in EU cycle |          |              |              |
|------------------------------|----------|--------------|--------------|
| Urban                        | l/100 km | 8.2          | 9.4          |
| Extra-urban                  | l/100 km | 5.8          | 5.7          |
| Total                        | l/100 km | 6.7          | 7.0          |
| CO <sub>2</sub>              | g/km     | 156          | 164          |
| Other                        |          |              |              |
| Emission rating              |          | EU6          | EU6          |
| Insurance rating             | 3rd      | <sup>2</sup> | <sup>2</sup> |
| Ground clearance (empty)     | mm       | 145          | 130          |

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany in some cases (weights)

<sup>1)</sup> Weight of road-ready automobile (DIN) plus 75 kg for driver and luggage

<sup>2)</sup> Details not yet available

# MINI One Countryman, MINI One Countryman Automatic.

| Body                                            |                                     | MINI One Countryman                                                                                                                                                                                                                                                                                                                                            | MINI One Countryman Automatic  |
|-------------------------------------------------|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| Number of doors/seats                           |                                     | 5 / 5                                                                                                                                                                                                                                                                                                                                                          | 5 / 5                          |
| Length/width/height (empty)                     | mm                                  | 4097 / 1789 / 1561                                                                                                                                                                                                                                                                                                                                             | 4097 / 1789 / 1561             |
| Wheelbase                                       | mm                                  | 2595                                                                                                                                                                                                                                                                                                                                                           | 2595                           |
| Track width, front/rear                         | mm                                  | 1534 / 1559                                                                                                                                                                                                                                                                                                                                                    | 1534 / 1559                    |
| Turning circle                                  | m                                   | 11.6                                                                                                                                                                                                                                                                                                                                                           | 11.6                           |
| Fuel tank capacity                              | approx. l                           | 47                                                                                                                                                                                                                                                                                                                                                             | 47                             |
| Cooling system incl. heating                    | l                                   | 5.5                                                                                                                                                                                                                                                                                                                                                            | 6.0                            |
| Engine oil                                      | l                                   | 4.2                                                                                                                                                                                                                                                                                                                                                            | 4.2                            |
| Transmission oil incl. drivetrain               | l                                   | lifetime filling                                                                                                                                                                                                                                                                                                                                               | lifetime filling               |
| Unladen weight according to DIN/EU <sup>1</sup> | kq                                  | 1265 / 1340                                                                                                                                                                                                                                                                                                                                                    | 1295 / 1370                    |
| Payload according to DIN                        | kq                                  | 510                                                                                                                                                                                                                                                                                                                                                            | 510                            |
| Permitted gross vehicle weight                  | kq                                  | 1775                                                                                                                                                                                                                                                                                                                                                           | 1805                           |
| Permitted axle loads, front/rear                | kq                                  | 935 / 880                                                                                                                                                                                                                                                                                                                                                      | 965 / 880                      |
| Permitted trailer load <sup>2</sup>             |                                     |                                                                                                                                                                                                                                                                                                                                                                |                                |
| braked (12 %) / unbraked                        | kg                                  | - / -                                                                                                                                                                                                                                                                                                                                                          | - / -                          |
| Permitted roof load/permitted                   | kq                                  | 75 / -                                                                                                                                                                                                                                                                                                                                                         | 75 / -                         |
| Luggage compartment capacity                    | l                                   | 350 – 1170                                                                                                                                                                                                                                                                                                                                                     | 350 – 1170                     |
| Aerodynamic drag $c_x / A / c_x \times A$       | - / m <sup>2</sup> / m <sup>2</sup> | 0.36 / 2.36 / 0.85                                                                                                                                                                                                                                                                                                                                             | 0.36 / 2.36 / 0.85             |
| Engine                                          |                                     |                                                                                                                                                                                                                                                                                                                                                                |                                |
| Type/no. of cylinders/valves                    |                                     | in-line/ 4 / 4                                                                                                                                                                                                                                                                                                                                                 | in-line/ 4 / 4                 |
| Engine control                                  |                                     | MEV 17.2.2                                                                                                                                                                                                                                                                                                                                                     | MEV 17.2.2                     |
| Capacity                                        | cc                                  | 1598                                                                                                                                                                                                                                                                                                                                                           | 1598                           |
| Bore/stroke                                     | mm                                  | 77 / 85.8                                                                                                                                                                                                                                                                                                                                                      | 77 / 85.8                      |
| Compression                                     | :1                                  | 11.0                                                                                                                                                                                                                                                                                                                                                           | 11.0                           |
| Fuel                                            | RON                                 | 91–98                                                                                                                                                                                                                                                                                                                                                          | 91–98                          |
| Output                                          | kW/bhp                              | 72 / 98                                                                                                                                                                                                                                                                                                                                                        | 72 / 98                        |
| at engine speed                                 | rpm                                 | 6000                                                                                                                                                                                                                                                                                                                                                           | 6000                           |
| Torque                                          | Nm                                  | 153                                                                                                                                                                                                                                                                                                                                                            | 153                            |
| at engine speed                                 | rpm                                 | 3000                                                                                                                                                                                                                                                                                                                                                           | 3000                           |
| Electrical system                               |                                     |                                                                                                                                                                                                                                                                                                                                                                |                                |
| Battery/installation                            | Ah / –                              | 60 / engine compartment                                                                                                                                                                                                                                                                                                                                        | 55 / engine compartment        |
| Alternator                                      | A                                   | 150                                                                                                                                                                                                                                                                                                                                                            | 120                            |
| Suspension                                      |                                     |                                                                                                                                                                                                                                                                                                                                                                |                                |
| Front wheel suspension                          |                                     | Single-joint Mc Pherson spring strut axle with anti-dive control                                                                                                                                                                                                                                                                                               |                                |
| Rear wheel suspension                           |                                     | Multilink axle with trailing arms in aluminium lightweight construction                                                                                                                                                                                                                                                                                        |                                |
| Brakes, front                                   |                                     | disc, vented                                                                                                                                                                                                                                                                                                                                                   | disc, vented                   |
| Diameter                                        | mm                                  | 294 x 22                                                                                                                                                                                                                                                                                                                                                       | 294 x 22                       |
| Rear brakes                                     |                                     | disc                                                                                                                                                                                                                                                                                                                                                           | disc                           |
| Diameter                                        | mm                                  | 280 x 10                                                                                                                                                                                                                                                                                                                                                       | 280 x 10                       |
| Driving stability systems                       |                                     | Hydraulic 2-circuit brake system with anti-lock brakes (ABS), electronic brake force distribution (EBD) and Cornering Brake Control (CBC), Dynamic Stability Control (DSC) with brake assistant, hill start assistant, optional: Dynamic Traction Control (DTC) and Electronic Differential Lock Control (EDLC). Handbrake impacts mechanically on rear wheels |                                |
| Steering                                        |                                     | Electrically supported steering (EPS); 2.4 revolutions from lock to lock                                                                                                                                                                                                                                                                                       |                                |
| Overall steering ratio                          | :1                                  | 14.1                                                                                                                                                                                                                                                                                                                                                           | 14.1                           |
| Tyres                                           |                                     | 205 / 60 R16 92H                                                                                                                                                                                                                                                                                                                                               | 205 / 60 R16 92H               |
| Rims                                            |                                     | 6.5J x 16                                                                                                                                                                                                                                                                                                                                                      | 6.5J x 16                      |
| Transmission                                    |                                     |                                                                                                                                                                                                                                                                                                                                                                |                                |
| Transmission type                               |                                     | 6-speed manual transmission                                                                                                                                                                                                                                                                                                                                    | 6-speed automatic transmission |
| Gear ratio                                      | I                                   | 3.214                                                                                                                                                                                                                                                                                                                                                          | 4.148                          |
|                                                 | II                                  | 1.792                                                                                                                                                                                                                                                                                                                                                          | 2.370                          |
|                                                 | III                                 | 1.194                                                                                                                                                                                                                                                                                                                                                          | 1.556                          |
|                                                 | IV                                  | 0.914                                                                                                                                                                                                                                                                                                                                                          | 1.155                          |
|                                                 | V                                   | 0.784                                                                                                                                                                                                                                                                                                                                                          | 0.859                          |
|                                                 | VI                                  | 0.683                                                                                                                                                                                                                                                                                                                                                          | 0.686                          |
| Reverse gear                                    | :1                                  | 3.143                                                                                                                                                                                                                                                                                                                                                          | 3.394                          |
| Final drive ratio                               | :1                                  | 4.353                                                                                                                                                                                                                                                                                                                                                          | 4.643                          |
| Driving performance figures                     |                                     |                                                                                                                                                                                                                                                                                                                                                                |                                |
| Power-to-weight ratio according to              | kq/kW                               | 17.6                                                                                                                                                                                                                                                                                                                                                           | 18.0                           |
| Power output per litre                          | kW/l                                | 45.1                                                                                                                                                                                                                                                                                                                                                           | 45.1                           |
| Acceleration                                    | 0–100 km/h                          | s                                                                                                                                                                                                                                                                                                                                                              | 11.9                           |
|                                                 | 0–1000 m                            | s                                                                                                                                                                                                                                                                                                                                                              | 33.7                           |
| in 5th gear                                     | 80–120 km/h                         | s                                                                                                                                                                                                                                                                                                                                                              | 17.6                           |
| Top speed                                       | km/h                                | 175                                                                                                                                                                                                                                                                                                                                                            | 170                            |

| Fuel consumption in EU cycle |                                                      |     |     |
|------------------------------|------------------------------------------------------|-----|-----|
| Urban                        | l/100 km                                             | 7.1 | 9.0 |
| Extra-urban                  | l/100 km                                             | 5.0 | 5.6 |
| Total                        | l/100 km                                             | 5.7 | 6.9 |
| CO <sub>2</sub>              | g/km                                                 | 134 | 159 |
| Other                        |                                                      |     |     |
| Emission rating              |                                                      | EU6 | EU6 |
| Insurance rating             | 3rd party/fully comprehensive/3rd party fire + theft | 2   | 2   |
| Ground clearance             | mm                                                   | 145 | 145 |

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany in some cases (weights)

<sup>1)</sup> Weight of road-ready automobile (DIN) plus 75 kg for driver and luggage

<sup>2)</sup> Details not yet available

# MINI Cooper SD Countryman, MINI Cooper SD Countryman Automatic.

| Body                                               |                                     | MINI Cooper SD Countryman                                                                                                                                                                                                                                                                                                                            | MINI Cooper SD Countryman Automatic |
|----------------------------------------------------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Number of doors/seats                              |                                     | 5 / 5                                                                                                                                                                                                                                                                                                                                                | 5 / 5                               |
| Length/width/height (empty)                        | mm                                  | 4109 / 1789 / 1561                                                                                                                                                                                                                                                                                                                                   | 4109 / 1789 / 1561                  |
| Wheelbase                                          | mm                                  | 2596                                                                                                                                                                                                                                                                                                                                                 | 2596                                |
| Track width, front/rear                            | mm                                  | 1529 / 1556                                                                                                                                                                                                                                                                                                                                          | 1529 / 1556                         |
| Turning circle                                     | m                                   | 11.6                                                                                                                                                                                                                                                                                                                                                 | 11.6                                |
| Fuel tank capacity                                 | approx. l                           | 47                                                                                                                                                                                                                                                                                                                                                   | 47                                  |
| Cooling system incl. heating                       | l                                   | 6.0                                                                                                                                                                                                                                                                                                                                                  | 6.5                                 |
| Engine oil                                         | l                                   | 5.2                                                                                                                                                                                                                                                                                                                                                  | 5.2                                 |
| Transmission oil incl. drivetrain                  | l                                   | lifetime filling                                                                                                                                                                                                                                                                                                                                     | lifetime filling                    |
| Unladen weight according to DIN/EU <sup>1)</sup>   | kg                                  | 1320 / 1395                                                                                                                                                                                                                                                                                                                                          | 1350 / 1425                         |
| Payload according to DIN                           | kg                                  | 510                                                                                                                                                                                                                                                                                                                                                  | 510                                 |
| Permitted gross vehicle weight                     | kg                                  | 1830                                                                                                                                                                                                                                                                                                                                                 | 1860                                |
| Permitted axle loads, front/rear                   | kg                                  | 995 / 880                                                                                                                                                                                                                                                                                                                                            | 1025 / 880                          |
| Permitted trailer load<br>braked (12 %) / unbraked | kg                                  | 800 / 500                                                                                                                                                                                                                                                                                                                                            | 1200 / 500                          |
| Permitted roof load/permitted                      | kg                                  | 75 / 75                                                                                                                                                                                                                                                                                                                                              | 75 / 75                             |
| Luggage compartment capacity                       | l                                   | 350 – 1170                                                                                                                                                                                                                                                                                                                                           | 350 – 1170                          |
| Aerodynamic drag $c_x / A / c_x \times A$          | – / m <sup>2</sup> / m <sup>2</sup> | 0.35 / 2.36 / 0.83                                                                                                                                                                                                                                                                                                                                   | 0.35 / 2.36 / 0.83                  |
| <b>Engine</b>                                      |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                     |
| Type/no. of cylinders/valves                       |                                     | in-line / 4 / 4                                                                                                                                                                                                                                                                                                                                      | in-line / 4 / 4                     |
| Engine control                                     |                                     | DDE 701                                                                                                                                                                                                                                                                                                                                              | DDE 701                             |
| Capacity                                           | cc                                  | 1995                                                                                                                                                                                                                                                                                                                                                 | 1995                                |
| Bore/stroke                                        | mm                                  | 84.0 / 90.0                                                                                                                                                                                                                                                                                                                                          | 84.0 / 90.0                         |
| Compression                                        | :1                                  | 16.5                                                                                                                                                                                                                                                                                                                                                 | 16.5                                |
| Fuel                                               | RON                                 | Diesel                                                                                                                                                                                                                                                                                                                                               | Diesel                              |
| Output                                             | kW/bhp                              | 105 / 143                                                                                                                                                                                                                                                                                                                                            | 105 / 143                           |
| at engine speed                                    | rpm                                 | 4000                                                                                                                                                                                                                                                                                                                                                 | 4000                                |
| Torque                                             | Nm                                  | 305                                                                                                                                                                                                                                                                                                                                                  | 305                                 |
| at engine speed                                    | rpm                                 | 1750 – 2700                                                                                                                                                                                                                                                                                                                                          | 1750 – 2700                         |
| <b>Electrical system</b>                           |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                     |
| Battery/installation                               | Ah / –                              | 70 / engine compartment                                                                                                                                                                                                                                                                                                                              | 70 / engine compartment             |
| Alternator                                         | A                                   | 150                                                                                                                                                                                                                                                                                                                                                  | 150                                 |
| <b>Suspension</b>                                  |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                     |
| Front wheel suspension                             |                                     | Single-joint McPherson spring strut axle with anti-dive control                                                                                                                                                                                                                                                                                      |                                     |
| Rear wheel suspension                              |                                     | Multilink axle with trailing arms in aluminium lightweight construction                                                                                                                                                                                                                                                                              |                                     |
| Brakes, front                                      |                                     | disc, vented                                                                                                                                                                                                                                                                                                                                         | disc, vented                        |
| Diameter                                           | mm                                  | 307 × 24                                                                                                                                                                                                                                                                                                                                             | 307 × 24                            |
| Rear brakes                                        |                                     | disc                                                                                                                                                                                                                                                                                                                                                 | disc                                |
| Diameter                                           | mm                                  | 280 × 10                                                                                                                                                                                                                                                                                                                                             | 280 × 10                            |
| Driving stability systems                          |                                     | Hydraulic 2-circuit brake system with anti-lock brakes (ABS), electronic brake force distribution (EBD) and Cornering Brake Control (CBC), Dynamic Stability Control (DSC) with brake assistant, hill start assistant, Dynamic Traction Control (DTC) and Electronic Differential Lock Control (EDLC). Handbrake impacts mechanically on rear wheels |                                     |
| Steering                                           |                                     | Electrically supported steering (EPS); 2.4 revolutions from lock to lock                                                                                                                                                                                                                                                                             |                                     |
| Overall steering ratio                             | :1                                  | 14.1                                                                                                                                                                                                                                                                                                                                                 | 14.1                                |
| Tyres                                              |                                     | 205/55 R17 91V                                                                                                                                                                                                                                                                                                                                       | 205/55 R17 91V                      |
| Rims                                               |                                     | 7J × 17 light alloy                                                                                                                                                                                                                                                                                                                                  | 7J × 17 light alloy                 |
| <b>Transmission</b>                                |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                     |
| Transmission type                                  |                                     | 6-speed manual transmission                                                                                                                                                                                                                                                                                                                          | 6-speed automatic transmission      |
| Gear ratio                                         | I                                   | :1                                                                                                                                                                                                                                                                                                                                                   | 3.308                               |
|                                                    | II                                  | :1                                                                                                                                                                                                                                                                                                                                                   | 1.870                               |
|                                                    | III                                 | :1                                                                                                                                                                                                                                                                                                                                                   | 1.194                               |
|                                                    | IV                                  | :1                                                                                                                                                                                                                                                                                                                                                   | 0.872                               |
|                                                    | V                                   | :1                                                                                                                                                                                                                                                                                                                                                   | 0.721                               |
|                                                    | VI                                  | :1                                                                                                                                                                                                                                                                                                                                                   | 0.596                               |
| Reverse gear                                       | :1                                  | 3.231                                                                                                                                                                                                                                                                                                                                                | 3.193                               |
| Final drive ratio                                  | :1                                  | 3.706                                                                                                                                                                                                                                                                                                                                                | 3.683                               |
| <b>Driving performance figures</b>                 |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                     |
| Power-to-weight ratio according to                 |                                     | kg/kW                                                                                                                                                                                                                                                                                                                                                | 12.6                                |
| Power output per litre                             |                                     | kW/l                                                                                                                                                                                                                                                                                                                                                 | 52.6                                |
| Acceleration                                       | 0–100 km/h                          | s                                                                                                                                                                                                                                                                                                                                                    | 9.2                                 |
|                                                    | 0–1000 m                            | s                                                                                                                                                                                                                                                                                                                                                    | 30.4                                |
| in 5th gear                                        | 80–120 km/h                         | s                                                                                                                                                                                                                                                                                                                                                    | 9.7                                 |
| Top speed                                          | km/h                                | 200                                                                                                                                                                                                                                                                                                                                                  | 197                                 |

| Fuel consumption in EU cycle |          |              |              |
|------------------------------|----------|--------------|--------------|
| Urban                        | l/100 km | 5.1          | 7.2          |
| Extra-urban                  | l/100 km | 4.2          | 4.8          |
| Total                        | l/100 km | 4.5          | 5.7          |
| CO <sub>2</sub>              | g/km     | 119          | 149          |
| Other                        |          |              |              |
| Emission rating              |          | EU6          | EU6          |
| Insurance rating             | 3rd      | <sup>2</sup> | <sup>2</sup> |
| Ground clearance (empty)     | mm       | 150          | 150          |

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany in some cases (weights)

<sup>1)</sup> Weight of road-ready automobile (DIN) plus 75 kg for driver and luggage

<sup>2)</sup> Details not yet available

# MINI Cooper SD Countryman ALL4, MINI Cooper SD Countryman ALL4 Automatic.

| Body                                               |                                     | MINI Cooper SD Countryman ALL4                                                                                                                                                                                                                                                                                                                                                                                                                               | MINI Cooper SD Countryman ALL4 Automatic |
|----------------------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| Number of doors/seats                              |                                     | 5 / 5                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 5 / 5                                    |
| Length/width/height (empty)                        | mm                                  | 4109 / 1789 / 1561                                                                                                                                                                                                                                                                                                                                                                                                                                           | 4109 / 1789 / 1561                       |
| Wheelbase                                          | mm                                  | 2596                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 2596                                     |
| Track width, front/rear                            | mm                                  | 1529 / 1556                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 1529 / 1556                              |
| Turning circle                                     | m                                   | 11.6                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 11.6                                     |
| Fuel tank capacity                                 | approx. l                           | 47                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 47                                       |
| Cooling system incl. heating                       | l                                   | 6.0                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 6.5                                      |
| Engine oil                                         | l                                   | 5.2                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 5.2                                      |
| Transmission oil incl. drivetrain                  | l                                   | lifetime filling                                                                                                                                                                                                                                                                                                                                                                                                                                             | lifetime filling                         |
| Unladen weight according to DIN/EU <sup>1)</sup>   | kg                                  | 1405 / 1480                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 1430 / 1505                              |
| Payload according to DIN                           | kg                                  | 510                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 510                                      |
| Permitted gross vehicle weight                     | kg                                  | 1915                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1940                                     |
| Permitted axle loads, front/rear                   | kg                                  | 1020 / 930                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 1040 / 930                               |
| Permitted trailer load<br>braked (12 %) / unbraked | kg                                  | 800 / 500                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 1200 / 500                               |
| Permitted roof load/permitted                      | kg                                  | 75 / 75                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 75 / 75                                  |
| Luggage compartment capacity                       | l                                   | 350 – 1170                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 350 – 1170                               |
| Aerodynamic drag $c_x / A / c_x \times A$          | – / m <sup>2</sup> / m <sup>2</sup> | 0.35 / 2.36 / 0.83                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.35 / 2.36 / 0.83                       |
| <b>Engine</b>                                      |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                          |
| Type/no. of cylinders/valves                       |                                     | in-line / 4 / 4                                                                                                                                                                                                                                                                                                                                                                                                                                              | in-line / 4 / 4                          |
| Engine control                                     |                                     | DDE 701                                                                                                                                                                                                                                                                                                                                                                                                                                                      | DDE 701                                  |
| Capacity                                           | cc                                  | 1995                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1995                                     |
| Bore/stroke                                        | mm                                  | 84.0 / 90.0                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 84.0 / 90.0                              |
| Compression                                        | :1                                  | 16.5                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 16.5                                     |
| Fuel                                               | RON                                 | Diesel                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Diesel                                   |
| Output                                             | kW/bhp                              | 105 / 143                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 105 / 143                                |
| at engine speed                                    | rpm                                 | 4000                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4000                                     |
| Torque                                             | Nm                                  | 305                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 305                                      |
| at engine speed                                    | rpm                                 | 1750 – 2700                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 1750 – 2700                              |
| <b>Electrical system</b>                           |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                          |
| Battery/installation                               | Ah / –                              | 70 / engine compartment                                                                                                                                                                                                                                                                                                                                                                                                                                      | 70 / engine compartment                  |
| Alternator                                         | A                                   | 150                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 150                                      |
| <b>Suspension</b>                                  |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                          |
| Front wheel suspension                             |                                     | Single-joint McPherson spring strut axle with anti-dive control                                                                                                                                                                                                                                                                                                                                                                                              |                                          |
| Rear wheel suspension                              |                                     | Multilink axle with trailing arms in aluminium lightweight construction                                                                                                                                                                                                                                                                                                                                                                                      |                                          |
| Brakes, front                                      |                                     | disc, vented                                                                                                                                                                                                                                                                                                                                                                                                                                                 | disc, vented                             |
| Diameter                                           | mm                                  | 307 × 24                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 307 × 24                                 |
| Rear brakes                                        |                                     | disc                                                                                                                                                                                                                                                                                                                                                                                                                                                         | disc                                     |
| Diameter                                           | mm                                  | 280 × 10                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 280 × 10                                 |
| Driving stability systems                          |                                     | Hydraulic 2-circuit brake system with anti-lock brakes (ABS), electronic brake force distribution (EBD) and Cornering Brake Control (CBC), Dynamic Stability Control (DSC) with brake assistant, hill start assistant, Dynamic Traction Control (DTC) and Electronic Differential Lock Control (EDLC). DSC control unit with integrated electronic management system for the all-wheel drive system MINI ALL4. Handbrake impacts mechanically on rear wheels |                                          |
| Steering                                           |                                     | Electrically supported steering (EPS); 2.4 revolutions from lock to lock                                                                                                                                                                                                                                                                                                                                                                                     |                                          |
| Overall steering ratio                             | :1                                  | 14.1                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 14.1                                     |
| Tyres                                              |                                     | 205/55 R17 91V                                                                                                                                                                                                                                                                                                                                                                                                                                               | 205/55 R17 91V                           |
| Rims                                               |                                     | 7J × 17 light alloy                                                                                                                                                                                                                                                                                                                                                                                                                                          | 7J × 17 light alloy                      |
| <b>Transmission</b>                                |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                          |
| Transmission type                                  |                                     | 6-speed manual transmission                                                                                                                                                                                                                                                                                                                                                                                                                                  | 6-speed automatic transmission           |
| Gear ratio                                         | I                                   | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 3.308                                    |
|                                                    | II                                  | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1.870                                    |
|                                                    | III                                 | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1.194                                    |
|                                                    | IV                                  | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.872                                    |
|                                                    | V                                   | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.721                                    |
|                                                    | VI                                  | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.596                                    |
| Reverse gear                                       | :1                                  | 3.231                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 3.193                                    |
| Final drive ratio                                  | :1                                  | 3.706                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 3.683                                    |
| <b>Driving performance figures</b>                 |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                          |
| Power-to-weight ratio according to                 | kg/kW                               | 13.3                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 13.5                                     |
| Power output per litre                             | kW/l                                | 52.6                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 52.6                                     |
| Acceleration                                       | 0–100 km/h                          | s                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 9.4                                      |
|                                                    | 0–1000 m                            | s                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 30.6                                     |
| in 5th gear                                        | 80–120 km/h                         | s                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 10.3                                     |
| Top speed                                          | km/h                                | 197                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 195                                      |

| Fuel consumption in EU cycle |          |              |              |
|------------------------------|----------|--------------|--------------|
| Urban                        | l/100 km | 5.4          | 7.5          |
| Extra-urban                  | l/100 km | 4.5          | 5.0          |
| Total                        | l/100 km | 4.8          | 5.9          |
| CO <sub>2</sub>              | g/km     | 126          | 156          |
| Other                        |          |              |              |
| Emission rating              |          | EU6          | EU6          |
| Insurance rating             | 3rd      | <sup>2</sup> | <sup>2</sup> |
| Ground clearance (empty)     | mm       | 150          | 150          |

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany in some cases (weights)

<sup>1)</sup> Weight of road-ready automobile (DIN) plus 75 kg for driver and luggage

<sup>2)</sup> Details not yet available

# MINI Cooper D Countryman, MINI Cooper D Countryman Automatic.

| Body                                               |                                     | MINI Cooper D Countryman                                                                                                                                                                                                                                                                                                                             | MINI Cooper D Countryman Automatic |
|----------------------------------------------------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| Number of doors/seats                              |                                     | 5 / 5                                                                                                                                                                                                                                                                                                                                                | 5 / 5                              |
| Length/width/height (empty)                        | mm                                  | 4097 / 1789 / 1561                                                                                                                                                                                                                                                                                                                                   | 4097 / 1789 / 1561                 |
| Wheelbase                                          | mm                                  | 2596                                                                                                                                                                                                                                                                                                                                                 | 2596                               |
| Track width, front/rear                            | mm                                  | 1537 / 1564                                                                                                                                                                                                                                                                                                                                          | 1537 / 1564                        |
| Turning circle                                     | m                                   | 11.6                                                                                                                                                                                                                                                                                                                                                 | 11.6                               |
| Fuel tank capacity                                 | approx. l                           | 47                                                                                                                                                                                                                                                                                                                                                   | 47                                 |
| Cooling system incl. heating                       | l                                   | 5.4                                                                                                                                                                                                                                                                                                                                                  | 5.4                                |
| Engine oil                                         | l                                   | 5.2                                                                                                                                                                                                                                                                                                                                                  | 5.2                                |
| Transmission oil incl. drivetrain                  | l                                   | lifetime filling                                                                                                                                                                                                                                                                                                                                     | lifetime filling                   |
| Unladen weight according to DIN/EU <sup>1)</sup>   | kg                                  | 1310 / 1385                                                                                                                                                                                                                                                                                                                                          | 1335 / 1410                        |
| Payload according to DIN                           | kg                                  | 510                                                                                                                                                                                                                                                                                                                                                  | 510                                |
| Permitted gross vehicle weight                     | kg                                  | 1820                                                                                                                                                                                                                                                                                                                                                 | 1845                               |
| Permitted axle loads, front/rear                   | kg                                  | 985 / 880                                                                                                                                                                                                                                                                                                                                            | 1005 / 880                         |
| Permitted trailer load<br>braked (12 %) / unbraked | kg                                  | 800 / 500                                                                                                                                                                                                                                                                                                                                            | 1200 / 500                         |
| Permitted roof load/permited                       | kg                                  | 75 / 75                                                                                                                                                                                                                                                                                                                                              | 75 / 75                            |
| Luggage compartment capacity                       | l                                   | 350 – 1170                                                                                                                                                                                                                                                                                                                                           | 350 – 1170                         |
| Aerodynamic drag $c_x / A / c_x \times A$          | – / m <sup>2</sup> / m <sup>2</sup> | 0.35 / 2.36 / 0.83                                                                                                                                                                                                                                                                                                                                   | 0.35 / 2.36 / 0.83                 |
| Engine                                             |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                    |
| Type/no. of cylinders/valves                       |                                     | in-line / 4 / 4                                                                                                                                                                                                                                                                                                                                      | in-line / 4 / 4                    |
| Engine control                                     |                                     | DDE 701                                                                                                                                                                                                                                                                                                                                              | DDE 701                            |
| Capacity                                           | cc                                  | 1598                                                                                                                                                                                                                                                                                                                                                 | 1995                               |
| Bore/stroke                                        | mm                                  | 78.0 / 83.6                                                                                                                                                                                                                                                                                                                                          | 84.0 / 90.0                        |
| Compression                                        | :1                                  | 16.5                                                                                                                                                                                                                                                                                                                                                 | 16.5                               |
| Fuel                                               | RON                                 | Diesel                                                                                                                                                                                                                                                                                                                                               | Diesel                             |
| Output                                             | kW/bhp                              | 82 / 112                                                                                                                                                                                                                                                                                                                                             | 82 / 112                           |
| at engine speed                                    | rpm                                 | 4000                                                                                                                                                                                                                                                                                                                                                 | 4000                               |
| Torque                                             | Nm                                  | 270                                                                                                                                                                                                                                                                                                                                                  | 270                                |
| at engine speed                                    | rpm                                 | 1750 – 2250                                                                                                                                                                                                                                                                                                                                          | 1750 – 2250                        |
| Electrical system                                  |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                    |
| Battery/installation                               | Ah / –                              | 70 / engine compartment                                                                                                                                                                                                                                                                                                                              | 70 / engine compartment            |
| Alternator                                         | A                                   | 150                                                                                                                                                                                                                                                                                                                                                  | 150                                |
| Suspension                                         |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                    |
| Front wheel suspension                             |                                     | Single-joint McPherson spring strut axle with anti-dive control                                                                                                                                                                                                                                                                                      |                                    |
| Rear wheel suspension                              |                                     | Multilink axle with trailing arms in aluminium lightweight construction                                                                                                                                                                                                                                                                              |                                    |
| Brakes, front                                      |                                     | disc, vented                                                                                                                                                                                                                                                                                                                                         | disc, vented                       |
| Diameter                                           | mm                                  | 294 × 22                                                                                                                                                                                                                                                                                                                                             | 294 × 22                           |
| Rear brakes                                        |                                     | disc                                                                                                                                                                                                                                                                                                                                                 | disc                               |
| Diameter                                           | mm                                  | 280 × 10                                                                                                                                                                                                                                                                                                                                             | 280 × 10                           |
| Driving stability systems                          |                                     | Hydraulic 2-circuit brake system with anti-lock brakes (ABS), electronic brake force distribution (EBD) and Cornering Brake Control (CBC), Dynamic Stability Control (DSC) with brake assistant, hill start assistant, Dynamic Traction Control (DTC) and Electronic Differential Lock Control (EDLC). Handbrake impacts mechanically on rear wheels |                                    |
| Steering                                           |                                     | Electrically supported steering (EPS); 2.4 revolutions from lock to lock                                                                                                                                                                                                                                                                             |                                    |
| Overall steering ratio                             | :1                                  | 14.1                                                                                                                                                                                                                                                                                                                                                 | 14.1                               |
| Tyres                                              |                                     | 205/60 R16 92H                                                                                                                                                                                                                                                                                                                                       | 205/60 R16 92H                     |
| Rims                                               |                                     | 6.5J × 16 light alloy                                                                                                                                                                                                                                                                                                                                | 6.5J × 16 light alloy              |
| Transmission                                       |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                    |
| Transmission type                                  |                                     | 6-speed manual transmission                                                                                                                                                                                                                                                                                                                          | 6-speed automatic transmission     |
| Gear ratio                                         | I                                   | :1                                                                                                                                                                                                                                                                                                                                                   | 3.308                              |
|                                                    | II                                  | :1                                                                                                                                                                                                                                                                                                                                                   | 1.870                              |
|                                                    | III                                 | :1                                                                                                                                                                                                                                                                                                                                                   | 1.194                              |
|                                                    | IV                                  | :1                                                                                                                                                                                                                                                                                                                                                   | 0.872                              |
|                                                    | V                                   | :1                                                                                                                                                                                                                                                                                                                                                   | 0.721                              |
|                                                    | VI                                  | :1                                                                                                                                                                                                                                                                                                                                                   | 0.596                              |
| Reverse gear                                       | :1                                  | 3.231                                                                                                                                                                                                                                                                                                                                                | 3.193                              |
| Final drive ratio                                  | :1                                  | 3.706                                                                                                                                                                                                                                                                                                                                                | 3.683                              |
| Driving performance figures                        |                                     |                                                                                                                                                                                                                                                                                                                                                      |                                    |
| Power-to-weight ratio according to                 | kg/kW                               | 16.0                                                                                                                                                                                                                                                                                                                                                 | 16.3                               |
| Power output per litre                             | kW/l                                | 51.3                                                                                                                                                                                                                                                                                                                                                 | 41.1                               |
| Acceleration                                       | 0–100 km/h                          | s                                                                                                                                                                                                                                                                                                                                                    | 10.9                               |
|                                                    | 0–1000 m                            | s                                                                                                                                                                                                                                                                                                                                                    | 32.6                               |
| in 5th gear                                        | 80–120 km/h                         | s                                                                                                                                                                                                                                                                                                                                                    | 11.5                               |
| Top speed                                          | km/h                                | 186                                                                                                                                                                                                                                                                                                                                                  | 181                                |

| Fuel consumption in EU cycle |          |              |              |
|------------------------------|----------|--------------|--------------|
| Urban                        | l/100 km | 4.7          | 7.2          |
| Extra-urban                  | l/100 km | 3.9          | 4.8          |
| Total                        | l/100 km | 4.2          | 5.6          |
| CO <sub>2</sub>              | g/km     | 111          | 148          |
| Other                        |          |              |              |
| Emission rating              |          | EU6          | EU6          |
| Insurance rating             | 3rd      | <sup>2</sup> | <sup>2</sup> |
| Ground clearance (empty)     | mm       | 145          | 145          |

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany in some cases (weights)

<sup>1)</sup> Weight of road-ready automobile (DIN) plus 75 kg for driver and luggage

<sup>2)</sup> Details not yet available

# MINI Cooper D Countryman ALL4, MINI Cooper D Countryman ALL4 Automatic.

| Body                                               |                                     | MINI Cooper D Countryman ALL4                                                                                                                                                                                                                                                                                                                                                                                                                                | MINI Cooper D Countryman ALL4 Automatic |
|----------------------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
| Number of doors/seats                              |                                     | 5 / 5                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 5 / 5                                   |
| Length/width/height (empty)                        | mm                                  | 4110 / 1789 / 1561                                                                                                                                                                                                                                                                                                                                                                                                                                           | 4110 / 1789 / 1561                      |
| Wheelbase                                          | mm                                  | 2596                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 2596                                    |
| Track width, front/rear                            | mm                                  | 1537 / 1564                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 1537 / 1564                             |
| Turning circle                                     | m                                   | 11.6                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 11.6                                    |
| Fuel tank capacity                                 | approx. l                           | 47                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 47                                      |
| Cooling system incl. heating                       | l                                   | 5.4                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 5.4                                     |
| Engine oil                                         | l                                   | 5.2                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 5.2                                     |
| Transmission oil incl. drivetrain                  | l                                   | lifetime filling                                                                                                                                                                                                                                                                                                                                                                                                                                             | lifetime filling                        |
| Unladen weight according to DIN/EU <sup>1)</sup>   | kg                                  | 1390 / 1465                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 1415 / 1490                             |
| Payload according to DIN                           | kg                                  | 510                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 510                                     |
| Permitted gross vehicle weight                     | kg                                  | 1900                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1925                                    |
| Permitted axle loads, front/rear                   | kg                                  | 1010 / 930                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 1030 / 930                              |
| Permitted trailer load<br>braked (12 %) / unbraked | kg                                  | 800 / 500                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 1200 / 500                              |
| Permitted roof load/permitted                      | kg                                  | 75 / 75                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 75 / 75                                 |
| Luggage compartment capacity                       | l                                   | 350 – 1170                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 350 – 1170                              |
| Aerodynamic drag $c_x / A / c_x \times A$          | – / m <sup>2</sup> / m <sup>2</sup> | 0.35 / 2.36 / 0.83                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.35 / 2.36 / 0.83                      |
| <b>Engine</b>                                      |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         |
| Type/no. of cylinders/valves                       |                                     | in-line / 4 / 4                                                                                                                                                                                                                                                                                                                                                                                                                                              | in-line / 4 / 4                         |
| Engine control                                     |                                     | DDE 701                                                                                                                                                                                                                                                                                                                                                                                                                                                      | DDE 701                                 |
| Capacity                                           | cc                                  | 1598                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1995                                    |
| Bore/stroke                                        | mm                                  | 78.0 / 83.6                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 84.0 / 90.0                             |
| Compression                                        | :1                                  | 16.5                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 16.5                                    |
| Fuel                                               | RON                                 | Diesel                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Diesel                                  |
| Output                                             | kW/bhp                              | 82 / 112                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 82 / 112                                |
| at engine speed                                    | rpm                                 | 4000                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4000                                    |
| Torque                                             | Nm                                  | 270                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 270                                     |
| at engine speed                                    | rpm                                 | 1750 – 2250                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 1750 – 2250                             |
| <b>Electrical system</b>                           |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         |
| Battery/installation                               | Ah / –                              | 70 / engine compartment                                                                                                                                                                                                                                                                                                                                                                                                                                      | 70 / engine compartment                 |
| Alternator                                         | A                                   | 150                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 150                                     |
| <b>Suspension</b>                                  |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         |
| Front wheel suspension                             |                                     | Single-joint McPherson spring strut axle with anti-dive control                                                                                                                                                                                                                                                                                                                                                                                              |                                         |
| Rear wheel suspension                              |                                     | Multilink axle with trailing arms in aluminium lightweight construction                                                                                                                                                                                                                                                                                                                                                                                      |                                         |
| Brakes, front                                      |                                     | disc, vented                                                                                                                                                                                                                                                                                                                                                                                                                                                 | disc, vented                            |
| Diameter                                           | mm                                  | 294 × 22                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 294 × 22                                |
| Rear brakes                                        |                                     | disc                                                                                                                                                                                                                                                                                                                                                                                                                                                         | disc                                    |
| Diameter                                           | mm                                  | 280 × 10                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 280 × 10                                |
| Driving stability systems                          |                                     | Hydraulic 2-circuit brake system with anti-lock brakes (ABS), electronic brake force distribution (EBD) and Cornering Brake Control (CBC), Dynamic Stability Control (DSC) with brake assistant, hill start assistant, Dynamic Traction Control (DTC) and Electronic Differential Lock Control (EDLC). DSC control unit with integrated electronic management system for the all-wheel drive system MINI ALL4. Handbrake impacts mechanically on rear wheels |                                         |
| Steering                                           |                                     | Electrically supported steering (EPS); 2.4 revolutions from lock to lock                                                                                                                                                                                                                                                                                                                                                                                     |                                         |
| Overall steering ratio                             | :1                                  | 14.1                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 14.1                                    |
| Tyres                                              |                                     | 205/60 R16 92H                                                                                                                                                                                                                                                                                                                                                                                                                                               | 205/60 R16 92H                          |
| Rims                                               |                                     | 6.5J × 16 light alloy                                                                                                                                                                                                                                                                                                                                                                                                                                        | 6.5J × 16 light alloy                   |
| <b>Transmission</b>                                |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         |
| Transmission type                                  |                                     | 6-speed manual transmission                                                                                                                                                                                                                                                                                                                                                                                                                                  | 6-speed automatic transmission          |
| Gear ratio                                         | I                                   | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 3.308                                   |
|                                                    | II                                  | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1.870                                   |
|                                                    | III                                 | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1.194                                   |
|                                                    | IV                                  | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.872                                   |
|                                                    | V                                   | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.721                                   |
|                                                    | VI                                  | :1                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.596                                   |
| Reverse gear                                       | :1                                  | 3.231                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 3.193                                   |
| Final drive ratio                                  | :1                                  | 3.706                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 3.683                                   |
| <b>Driving performance figures</b>                 |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         |
| Power-to-weight ratio according to                 | kg/kW                               | 16.8                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 17.1                                    |
| Power output per litre                             | kW/l                                | 51.3                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 41.1                                    |
| Acceleration                                       | 0–100 km/h                          | s                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 11.6                                    |
|                                                    | 0–1000 m                            | s                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 33.1                                    |
| in 5th gear                                        | 80–120 km/h                         | s                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 12.5                                    |
| Top speed                                          | km/h                                | 181                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 176                                     |

| Fuel consumption in EU cycle |          |              |              |
|------------------------------|----------|--------------|--------------|
| Urban                        | l/100 km | 5.2          | 7.5          |
| Extra-urban                  | l/100 km | 4.4          | 5.0          |
| Total                        | l/100 km | 4.7          | 5.9          |
| CO <sub>2</sub>              | g/km     | 123          | 155          |
| Other                        |          |              |              |
| Emission rating              |          | EU6          | EU6          |
| Insurance rating             | 3rd      | <sup>2</sup> | <sup>2</sup> |
| Ground clearance (empty)     | mm       | 145          | 145          |

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany in some cases (weights)

<sup>1)</sup> Weight of road-ready automobile (DIN) plus 75 kg for driver and luggage

<sup>2)</sup> Details not yet available

# MINI One D Countryman.

| Body                                      |                                     |      | MINI One D Countryman                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------|-------------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Number of doors/seats                     |                                     |      | 5 / 4 / (5)                                                                                                                                                                                                                                                                                                                                                    |
| Length/width/height (empty)               | mm                                  |      | 4097 / 1789 / 1561                                                                                                                                                                                                                                                                                                                                             |
| Wheelbase                                 | mm                                  |      | 2595                                                                                                                                                                                                                                                                                                                                                           |
| Track width, front/rear                   | mm                                  |      | 1534 / 1559                                                                                                                                                                                                                                                                                                                                                    |
| Turning circle                            | m                                   |      | 11.6                                                                                                                                                                                                                                                                                                                                                           |
| Fuel tank capacity                        | approx. l                           |      | 47                                                                                                                                                                                                                                                                                                                                                             |
| Cooling system incl. heating              | l                                   |      | 5.4                                                                                                                                                                                                                                                                                                                                                            |
| Engine oil                                | l                                   |      | 5.2                                                                                                                                                                                                                                                                                                                                                            |
| Transmission oil incl. drivetrain         | l                                   |      | lifetime filling                                                                                                                                                                                                                                                                                                                                               |
| Unladen weight according to               | kg                                  |      | 1310 / 1385                                                                                                                                                                                                                                                                                                                                                    |
| Payload according to DIN                  | kg                                  |      | 510                                                                                                                                                                                                                                                                                                                                                            |
| Permitted gross vehicle weight            | kg                                  |      | 1820                                                                                                                                                                                                                                                                                                                                                           |
| Permitted axle loads, front/rear          | kg                                  |      | 995 / 850                                                                                                                                                                                                                                                                                                                                                      |
| Permitted trailer load <sup>2</sup>       |                                     |      |                                                                                                                                                                                                                                                                                                                                                                |
| braked (12 %) / unbraked                  | kg                                  |      | -                                                                                                                                                                                                                                                                                                                                                              |
| Permitted roof load/permitted             | kg                                  |      | 75 / -                                                                                                                                                                                                                                                                                                                                                         |
| Luggage compartment capacity              | l                                   |      | 350 / 450 / 1170                                                                                                                                                                                                                                                                                                                                               |
| Aerodynamic drag $c_x / A / c_x \times A$ | - / m <sup>2</sup> / m <sup>2</sup> |      | 0.35 / 2.36 / 0.83                                                                                                                                                                                                                                                                                                                                             |
| Engine                                    |                                     |      |                                                                                                                                                                                                                                                                                                                                                                |
| Type/no. of cylinders/valves              |                                     |      | in-line / 4 / 4                                                                                                                                                                                                                                                                                                                                                |
| Engine control                            |                                     |      | DDE 7.0                                                                                                                                                                                                                                                                                                                                                        |
| Capacity                                  | cc                                  |      | 1598                                                                                                                                                                                                                                                                                                                                                           |
| Bore/stroke                               | mm                                  |      | 78 / 83.6                                                                                                                                                                                                                                                                                                                                                      |
| Compression                               | :1                                  |      | 16.5                                                                                                                                                                                                                                                                                                                                                           |
| Fuel                                      | RON                                 |      | Diesel                                                                                                                                                                                                                                                                                                                                                         |
| Output                                    | kW/bhp                              |      | 66 / 90                                                                                                                                                                                                                                                                                                                                                        |
| at engine speed                           | rpm                                 |      | 4000                                                                                                                                                                                                                                                                                                                                                           |
| Torque (with overboost)                   | Nm                                  |      | 215                                                                                                                                                                                                                                                                                                                                                            |
| at engine speed                           | rpm                                 |      | 1750 – 2500                                                                                                                                                                                                                                                                                                                                                    |
| Electrical system                         |                                     |      |                                                                                                                                                                                                                                                                                                                                                                |
| Battery/installation                      | Ah / -                              |      | 70 / engine compartment                                                                                                                                                                                                                                                                                                                                        |
| Alternator                                | A                                   |      | 150                                                                                                                                                                                                                                                                                                                                                            |
| Suspension                                |                                     |      |                                                                                                                                                                                                                                                                                                                                                                |
| Front wheel suspension                    |                                     |      | Single-joint McPherson spring strut axle with anti-dive control                                                                                                                                                                                                                                                                                                |
| Rear wheel suspension                     |                                     |      | Multilink axle with trailing arms in aluminium lightweight construction                                                                                                                                                                                                                                                                                        |
| Brakes, front                             |                                     |      | disc, vented                                                                                                                                                                                                                                                                                                                                                   |
| Diameter                                  | mm                                  |      | 294 × 22                                                                                                                                                                                                                                                                                                                                                       |
| Rear brakes                               |                                     |      | disc                                                                                                                                                                                                                                                                                                                                                           |
| Diameter                                  | mm                                  |      | 280 × 10                                                                                                                                                                                                                                                                                                                                                       |
| Driving stability systems                 |                                     |      | Hydraulic 2-circuit brake system with anti-lock brakes (ABS), electronic brake force distribution (EBD) and Cornering Brake Control (CBC), Dynamic Stability Control (DSC) with brake assistant, hill start assistant, optional: Dynamic Traction Control (DTC) and Electronic Differential Lock Control (EDLC). Handbrake impacts mechanically on rear wheels |
| Steering                                  |                                     |      | Electrically supported steering (EPS); 2.4 revolutions from lock to lock                                                                                                                                                                                                                                                                                       |
| Overall steering ratio                    | :1                                  |      | 14.1                                                                                                                                                                                                                                                                                                                                                           |
| Tyres                                     |                                     |      | 205/60 R16 92H                                                                                                                                                                                                                                                                                                                                                 |
| Rims                                      |                                     |      | 6.5J × 16 steel                                                                                                                                                                                                                                                                                                                                                |
| Transmission                              |                                     |      |                                                                                                                                                                                                                                                                                                                                                                |
| Transmission type                         |                                     |      | 6-speed manual transmission                                                                                                                                                                                                                                                                                                                                    |
| Gear ratio                                | I                                   | :1   | 3.308                                                                                                                                                                                                                                                                                                                                                          |
|                                           | II                                  | :1   | 1.870                                                                                                                                                                                                                                                                                                                                                          |
|                                           | III                                 | :1   | 1.194                                                                                                                                                                                                                                                                                                                                                          |
|                                           | IV                                  | :1   | 0.872                                                                                                                                                                                                                                                                                                                                                          |
|                                           | V                                   | :1   | 0.721                                                                                                                                                                                                                                                                                                                                                          |
|                                           | VI                                  | :1   | 0.596                                                                                                                                                                                                                                                                                                                                                          |
| Reverse gear                              |                                     | :1   | 3.231                                                                                                                                                                                                                                                                                                                                                          |
| Final drive ratio                         |                                     | :1   | 3.706                                                                                                                                                                                                                                                                                                                                                          |
| Driving performance figures               |                                     |      |                                                                                                                                                                                                                                                                                                                                                                |
| Power-to-weight ratio according to        | kg/kW                               |      | 19.8                                                                                                                                                                                                                                                                                                                                                           |
| Power output per litre                    | kW/l                                |      | 41.3                                                                                                                                                                                                                                                                                                                                                           |
| Acceleration                              | 0–100 km/h                          | s    | 12.9                                                                                                                                                                                                                                                                                                                                                           |
|                                           | 0–1000 m                            | s    | 34.8                                                                                                                                                                                                                                                                                                                                                           |
| in 5th gear                               | 80–120 km/h                         | s    | 15.9                                                                                                                                                                                                                                                                                                                                                           |
| Top speed                                 |                                     | km/h | 171                                                                                                                                                                                                                                                                                                                                                            |

| Fuel consumption in EU cycle |                 |               |
|------------------------------|-----------------|---------------|
| Urban                        | l/100 km        | 4.7           |
| Extra-urban                  | l/100 km        | 3.9           |
| Total                        | l/100 km        | 4.2           |
| CO <sub>2</sub>              | g/km            | 111           |
| Other                        |                 |               |
| Emission rating              |                 | EU6           |
| Insurance rating             | 3rd party/fully | <sup>2)</sup> |
| Ground clearance (empty)     | mm              | 145           |

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany in some cases (weights)

<sup>1)</sup> Weight of road-ready automobile (DIN) plus 75 kg for driver and luggage

<sup>2)</sup> Details not yet available