Τεχνικές προδιαγραφές. Η νέα BMW M5.



		BMW M5
D. J.		
Body No of doors/seats		4/5
Length/width/height (unladen	\ mm	4965/1903/1473
Wheelbase		2982
Track, front/rear	mm	1626/1595
Ground clearance	mm mm	132
Turning circle	m	12.6
Fuel tank capacity	approx. I	68
Cooling system incl. heater	арргол. 1	16.0
Engine oil ¹⁾	1	10.0
Weight, unladen, to EU	kg	1930/1855
(incl. driver/excl. driver)	9	100011000
Max load to EU	kg	585
Max permissible weight	kg	2440
Max axle load, front/rear	kg	1215/1260
Max trailer load,	kg	2000/750
Braked (12%)/unbraked		
Max roofload/max towbar	kg	100/90
download		
Luggage comp capacity		530
Air resistance	c _d x A	0.758
Power Unit		
Config/No of cyls/valves		V/8/4
Engine technology		M TwinPower Turbo technology with cross-bank exhaust manifold,
		M TwinScroll TwinTurbo, indirect charge air cooling, High Precision Injection,
		maximum injection pressure 350 bar, VALVETRONIC fully variable valve timing, Double-VANOS variable camshaft timing
Effective consoity		4395
Effective capacity Stroke/bore	cc mm	88.3/89.0
Compression ratio	:1	10.0
Fuel	.1	RON 98 (min. RON 91)
Max output	kW/hp	441/600
at	rpm	5600 – 6700
Max torque	Nm/lb-ft	750/553
at	rpm	1800 – 5600
	Ipini	1000 0000
Electrical System		
Battery/installation	Ah/-	70 (li-ion)/ Luggage
		compartment
Alternator	AW	249/3486
Driving Dynamics and Saf	ety	
Suspension, front		Adaptive M suspension with double wishbone axle in lightweight aluminium
		construction, M-specific kinematics and elastokinematics, Variable Damper
		Control (VDC)
Suspension, rear		Adaptive M suspension with five-link axle in lightweight aluminium construction,
		M-specific elastokinematics, Variable Damper Control (VDC)
Brakes, front		M compound brakes, vented, with six-piston fixed callipers
Brakes, rear		M compound brakes, vented, with single-piston floating callipers
Driving stability systems	(Standard: DSC incl. ABS, ASC and M Dynamic Mode (MDM), can be switched off,
		CBC (Cornering Brake Control), DBC (Dynamic Brake Control), Dry Braking
		function, Start-Off Assistant, Active M Differential, DSC linked with M xDrive all-
Cofoty on vine		wheel drive
Safety equipment		Standard: airbags for driver and front passenger, side airbags for driver and front passenger, head airbags for front and root seats three point inertia real scatbalts.
		passenger, head airbags for front and rear seats, three-point inertia-reel seatbelts on all seats with belt stopper, belt latch tensioner and belt force limiter, crash-
		active front head restraints, crash sensors, tyre pressure indicator
		active inclined recognition of tool of the procedure indicator

		BMW M5
Steering		Electric Power Steering (EPS) with M-specific Servotronic function and variable
Oteening		sport ratio
Steering ratio, overall	:1	14.3
Tyres, front/rear		275/40 ZR 19 102Y
		285/40 ZR 19 104Y
Rims, front/rear		9.5 J x 19 Light Alloy
		10.5 J x 19 Light Alloy
Power transfer		
		M xDrive intelligent al-wheel drive, central transfer case with fully-variable multi-
		plate clutch, fully-variable torque distribution between front and rear axle,
		differential with fully-variable Active M Differential, locking effect 0 – 100 per
		cent
Transmission		OOTE
Type of transmission		Eight-speed M Steptronic transmission with Drivelogic, transmission oil cooling
Gear ratios	l :1	
Geal Tallos	II :1	3.200
	III :1	2.143
	IV :1	
	V :1	1.313
	VI :1	1.000
I	VI :1	0.823
	VI :1	0.640
<u>II</u>	R :1	4.172
Final drive	:1	
Performance		
Power-to-weight ratio EU excl. driver	kg/kW	4.2
Output per litre	kW/l	100.3
Acceleration 0–100/200 km	n/h s	3.4/11.1
Top speed	km/h	
DMW EfficientD memics		
BMW EfficientDynamics	5	Duelle France Description Florido Description Auto Charles Charles
BMW EfficientDynamics standard features		Brake Energy Regeneration, Electric Power Steering, Auto Start Stop function, Optimum Shift Indicator in manual shift mode, intelligent lightweight design, BMW Efficient Lightweight, on-demand operation of ancillary units, li-ion battery; mapregulated oil pump, differential and transfer case with optimised warm-up behaviour, aerodynamics (underside panelling, front spoiler, rear spoiler)
		, , , , , , , , , , , , , , , , , , , ,
Fuel Consumption ECE	3)	
With standard tyres:	1/4.00 !	4.5
Urban	I/100 km	
Extra-urban	I/100 km	
Combined	l/100 km	
CO ₂	g/km	
Emission rating		EU6

Specifications apply to ACEA markets/data relevant to homologation apply in part only to Germany (weight)


Further information on official fuel consumption figures, specific CO₂ emission values and the electric power consumption of new passenger cars is included in the following guideline: "Leitfaden über Kraftstoffverbrauch, die CO₂-Emissionen und den Stromverbrauch neuer Personenkraftwagen" (Guideline for fuel consumption, CO₂ emissions and electric power consumption of new passenger cars), which can be obtained from all dealerships, from Deutsche Automobil Treuhand GmbH (DAT), Hellmuth-Hirth-Str. 1, 73760 Ostfildern-Scharnhausen and at http://www.dat.de/en/offers/publications/guideline-for-fuel-consumption.html.

 $^{^{1)}}$ Oil change with filter $^{2)}$ Limited / with optional M Driver's Package $^{3)}$ Provisional fuel consumption and CO $_2$ emissions depend on the selected tyre format

BMW Media Information 08/2017 Σελίδα 3

Καμπύλες ισχύος και ροπής. Η νέα BMW M5.





BMW Media Information 08/2017 Σελίδα 4

Εξωτερικές και εσωτερικές διαστάσεις. Η νέα BMW M5.



