Technical specifications. BMW i3 (120 Ah).



		BMW i3 (120 Ah)
Body		
Construction		CFRP passenger cell, aluminium chassis
No of doors / seats		5/4
Length	mm	4011
Width	mm	1775
Height (with roof fin)	mm	1598
Wheelbase	mm	2570
Track width front / rear	mm	1571 / 1576
Turning circle	m	9.86
Overhang front / rear	mm / mm	715/726
Ground clearance	mm	139
Boot capacity	ltr	260 – 1100
Fuel tank capacity	ltr	-
Weight, unladen, to DIN / EU	kg	1270 / 1345
Max permissible weight / load	kg / kg	1710 / 440
Max axle load, front / rear	kg / kg	770 / 965
Axle load distribution (unladen)	% f / r	48 / 52
Air resistance (cd x A)	– / m2	0.29 x 2.38
,		
Electric motor		
Motor technology		BMW eDrive technology:
		hybrid synchronous electric motor with integrated power electronics,
N.A		charging unit and generator function for energy recuperation
Max output	kW (hp)	125 (170)
Rated output / at	kW (hp) / rpm	75 (102) / 4800
Torque / at	Nm / rpm	250/0
Recuperation output	kW	Up to 50
High-voltage battery		
Voltage	V	352
Battery capacity	Ah	120
Energy content (gross / net)	kWh	42.2 / 37.9
Storage technology		Lithium-ion
Combustion engine		
Config / no of cyls / valves per cyl.		-
Effective capacity	CC	-
Stroke / bore	mm/mm	-
Output at	kW (hp) / rpm	-
Torque / at	Nm / rpm	-
Compression ratio / poss. petrol type (recommended type)	:1/–	-
Chassie		
Chassis Drive configuration		Rear-wheel drive
Suspension, front		Aluminium single-joint McPherson spring strut with anti-dive
Suspension, rear		Aluminium five-link axle directly mounted to the Drive module
Tyres, front / rear		155/70 R19 / 155/70 R19
Rims, front / rear		5J x 19 light-alloy / 5J x 19 light-alloy
Steering		Electric Power Steering (EPS), ratio 14:1
Brakes		Vented discs front / rear
Transmission		Automatic, single-speed with fixed ratio (9.665:1)

09/2018

kg / kW s s s km/h	10.2 7.3 3.8 5.1 150
s s s	7.3 3.8 5.1
S S	3.8 5.1
S	5.1
-	
km/h	150
	150
km	359
km	285 – 310
km	Up to 260
	~ 45 min from fast-charging station (50 kW, DC) ~ 3.10 h from BMW i Wallbox (11 kW / 16 A / 380 V) ~ 9.40 h from BMW i Wallbox (3.7 kW / 16 A / 240 V) ~ 15.00 h from domestic socket (2.4 kW / 10 A / 240 V)
kWh / 100 km	13.1
l/100 km	0.0
g/km	0
	Electric vehicle
	km km km kWh / 100 km l/100 km

Specifications apply to ACEA markets/data relevant to homologation apply in part only to Germany (weight)

* The consumption, emissions and operating range figures are based on the new WLTP test cycle and are translated back into NEDC-equivalent values in order to ensure comparability between the vehicles (dependent on the tyre format specified). With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO₂ emissions, the CO₂ values may differ from the values stated here (depending on national legislation). These figures are provisional.
** Ranges according to WLTP test cycle, may vary depending on the tyre format specified and the equipment level. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO₂ emissions, the CO₂ values may differ from the tyre format specified and the equipment level. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO₂ emissions, the CO₂ values may differ from the values stated here (depending on national legislation). These figures are provisional.

These figures are provisional. *** Figures according to BMW range measurements in everyday use in urban areas, exterior temperature: 20°C, heating/air conditioning, pre-conditioning, COMFORT driving mode. Range dependent on various factors. In particular: personal driving style, route characteristics, exterior temperature, pre-conditioning.

The fuel consumption, CO₂ emissions and electric power consumption figures were determined according to the European Regulation (EC) 715/2007 in the version applicable. The figures refer to a vehicle with basic configuration in Germany. The range shown considers the different sizes of the selected wheels/tyres and the selected items of optional equipment, and may vary during configuration.

The values are already based on the new WLTP test cycle and are translated back into NEDC-equivalent values in order to ensure comparability between the vehicles. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO_2 emissions, the CO_2 values may differ from the values stated here (depending on national legislation).

Further information on official fuel consumption figures and specific CO₂ emission values of new passenger cars is included in the following guideline: 'Leitfaden über den Kraftstoffverbrauch, die CO₂-Emissionen und den Stromverbrauch neuer Personenkraftwagen' (Guide to the fuel economy, CO₂ emissions and electric power consumption of new passenger cars), which can be obtained free of charge from all dealerships, from Deutsche Automobil Treuhand GmbH (DAT), Hellmuth-Hirth-Str. 1, 73760 Ostfildern-Scharnhausen and at https://www.dat.de/co2/.

Technical specifications. BMW i3s (120 Ah).

		BMW i3s (120 Ah)
Body		
Construction		CFRP passenger cell, aluminium chassis
No of doors / seats		5/4
Length	mm	4006
Width	mm	1791
Height (with roof fin)	mm	1590
Wheelbase	mm	2570
Track width front / rear	mm	1592 / 1578
Turning circle	m	10.31
Overhang front / rear	mm / mm	714/722
Ground clearance	mm	131
Boot capacity	ltr	260 – 1100
Fuel tank capacity	ltr	-
Weight, unladen, to DIN / EU	kg	1290 / 1365
Max permissible weight / load	kg/kg	1730 / 440
Max axle load, front / rear	kg/kg	770 / 980
Axle load distribution (unladen)	% f / r	47 / 53
Air resistance (cd x A)	$-/m^{2}$	0.30 x 2.41
Electric motor		
Motor technology		BMW eDrive technology: hybrid synchronous electric motor with integrated power electronics, charging unit and generator function for energy recuperation
Max output	kW (hp)	135 (184)
Rated output / at	kW (hp) / rpm	75 (102) / 4800
Torque / at	Nm / rpm	270/0
Recuperation output	kW	Up to 50
High-voltage battery		
Voltage	V	352
Battery capacity	Ah	120
Energy content (gross / net)	kWh	42.2/37.9
Storage technology		Lithium-ion
Combustion engine		
Config / no of cyls / valves per cyl.		-
Effective capacity	CC	-
Stroke / bore	mm/mm	-
Output at	kW (hp) / rpm	-
Torque / at	Nm / rpm	-
Compression ratio / poss. petrol type (recommended type)	:1/–	-
Chassis		
Drive configuration		Rear-wheel drive
Suspension, front		Aluminium single-joint McPherson spring strut with anti-dive
Suspension, rear		Aluminium five-link axle directly mounted to the Drive module
Tyres, front / rear		175/55 R20 / 195/50 R20
Rims, front / rear		5.5J x 20 light-alloy / 6J x 20 light-alloy
Steering		Electric Power Steering (EPS), ratio 14:1
Brakes		Vented discs front / rear
Transmission		Automatic, single-speed with fixed ratio (9.665:1)

09/2018

	BMW i3s (120 Ah)
kg / kW	9.6
S	6.9
S	3.7
S	4.3
km/h	160
km	330 – 345
km	270 – 285
km	Up to 260
	~ 45 min from fast-charging station (50 kW, DC) ~ 3.10 h from BMW i Wallbox (11 kW / 16 A / 380 V) ~ 9.40 h from BMW i Wallbox (3.7 kW / 16 A / 240 V) ~ 15.00 h from domestic socket (2.4 kW / 10 A / 240 V)
kWh / 100 km	14.6 – 14.0
l/100 km	0.0
g/km	0
	Electric vehicle
	s s km/h km km km km km km

Specifications apply to ACEA markets/data relevant to homologation apply in part only to Germany (weight)

* The consumption, emissions and operating range figures are based on the new WLTP test cycle and are translated back into NEDC-equivalent values in order to ensure comparability between the vehicles (dependent on the tyre format specified). With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO₂ emissions, the CO₂ values may differ from the tyre format specified and the equipment level. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO₂ emissions, the CO₂ emissions of the equipment level. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO₂ emissions, the CO₂ values may differ from the values stated here (depending on national legislation). These figures are provisional.

These figures are provisional. *** Figures according to BMW range measurements in everyday use in urban areas, exterior temperature: 20°C, heating/air conditioning, pre-conditioning, COMFORT driving mode. Range dependent on various factors. In particular: personal driving style, route characteristics, exterior temperature, pre-conditioning.


The fuel consumption, CO₂ emissions and electric power consumption figures were determined according to the European Regulation (EC) 715/2007 in the version applicable. The figures refer to a vehicle with basic configuration in Germany. The range shown considers the different sizes of the selected wheels/tyres and the selected items of optional equipment, and may vary during configuration.

The values are already based on the new WLTP test cycle and are translated back into NEDC-equivalent values in order to ensure comparability between the vehicles. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO_2 emissions, the CO_2 values may differ from the values stated here (depending on national legislation).


Further information on official fuel consumption figures and specific CO₂ emission values of new passenger cars is included in the following guideline: 'Leitfaden über den Kraftstoffverbrauch, die CO₂-Emissionen und den Stromverbrauch neuer Personenkraftwagen' (Guide to the fuel economy, CO₂ emissions and electric power consumption of new passenger cars), which can be obtained free of charge from all dealerships, from Deutsche Automobil Treuhand GmbH (DAT), Hellmuth-Hirth-Str. 1, 73760 Ostfildern-Scharnhausen and at https://www.dat.de/co2/.

BMW Media Information





BMW Media Information



Media Information

09/2018

BMW

