

[illegible]

[illegible]

750L d xDrive	740Le iPerformance	740Le xDrive iPerformance
857030550	B48B20C00	B48B20C00
automatic	automatic	automatic
7H01	7J01	7J21 7J22
5	5	5
4	4	4
5238	5238	5238
1902	1902	1902
1479	1479	1479
2169	2169	2169
1090	1090	1090
1079	1079	1079
3210	3210	3210
880	880	880
1148	1148	1148
12.8	12.8	12.8
135	135	135
1503	1503	1503
1469	1469	1469
1454	1454	1454
1560	1560	1560
1061	1061	1061
1128	1128	1128
1013	1013	1013
889	889	889
287	287	287
0.515	0.42	0.42
78	46	46
1980	1940	2000
2055	2015	2075
47.3	52.2	51.1
2070	2000	2050
690	690	655
1316	1160	1205
1416	1479	1489
2770	-	-
1010	-	-
790	-	-
2300	-	-
2300	-	-
750	-	-
100	-	-
100	100	100
5895	5732	5853
1521	1455	1444
2888	2597	2697
3120	3252	3274
220	220	220
5071	-	-
1653	-	-
220	-	-
857030550	B48B20C00	B48B20C00
6	4	4
4	4	4
80	84.6	84.6
84	82	82
2993	1998	1998
16	10.2	10.2
294	190	190
400	258	258
394	255	255
4400	5000-6500	5000-6500
4400	5000	5000
780	400	400
540	295	295
2000-3000	1550-4400	1550-4400
2000	1550	1550
4000	4400	4400
direct	direct	direct
direct	RO291-100	RO291-100
direct	RO295	RO295
6.5	5.25	5.25
-	electrical traction machine	electrical traction machine
-	GC1P25A	GC1P25A
-	84	84
-	3170	3170
-	250	250
-	0.3170	0.3170
-	0	0
-	3170	3170
-	95	95
-	5000	5000
-	105	105
-	92	92
-	5000	5000
-	100	100
-	240	240
-	325	325
-	322	322
-	500	500
-	389	389
-	8.1	8.3
98.2	-	-
6.7	-	-
none	PHEV	PHEV
8P75	8P7H	8P7H
automatic transmission	automatic transmission	automatic transmission
5	4.714	4.714
1.2	3.143	3.143
2.143	2.106	2.106
1.72	1.687	1.687
3.313	3.285	3.285
1	1	1
0.632	0.639	0.639
0.64	0.667	0.667
3.478	3.317	3.317
3.813	3.077	3.223
EPS	EPS	EPS
19.9	16.9	16.9
2.42	2.42	2.42
0.25	0.25	0.25
0.65	0.61	0.61
250	250	250
4.7	140	140
-	5.5	5.3
21	31	31
6.6	-	-
5.5	-	-
5.7	2.1	2.1
-	12.5	13.2
174	-	-
135	-	-
149	45	49
1370	-	-
22	46	46
23K, 23L, 24L, 24M, 24N, 27Z, 2WR, 2T3, 21F, 21H, 22M, 9WR, 931	2WS, 2WT, 23G, 23H, 27X, 27Y	2WS, 2WT, 23G, 23H, 27X, 27Y
6.9	-	-
5.9	2.1	2.4
100	13.1	13.1
180	-	-
139	-	-
154	49	54
-	45	42
-	33	33
-	23K, 23L, 24L, 24M, 24N, 27Z, 2WR, 2T3, 21F, 21H, 22M, 9WR, 931	23K, 23L, 24L, 24M, 24N, 27Z, 2WR, 2T3, 21F, 21H, 22M, 9WR, 931
-	-	-
-	2.2	2.5
-	13.3	13.5
-	-	-
-	51	56
-	44	41
155	155	155
42.8	-	-
55.4	141.2	134.5
EU6	EU6	EU6
0.1416	0.0727	0.0724
0.0981	0.0066	0.0064
-	0.0067	0.0064
-	0.0049	0.0047
0.0984	0.0009	0.0012
0.00093	0.0009	0.0012
0.03	1.9	0
11	11	0
89	73	72
72	73	73
3300	3750	3750
Yes	No	No
G Tank by container / refillable with car nozzle	-	-
20	90	90
105	12	12
12	26	26
-	351	351
-	Li-Ion	Li-Ion
-	9.2	9.2
-	7.4	7.4
-	underfloor exterior area, rear left (under bench)	underfloor exterior area, rear left (under bench)
-	AC 3.1 kW	AC 3.1 kW
-	2.1	2.1
-	2.7	2.7