BMW Media information

10/2024 Page 1

Technical specifications. BMW 2 Series Gran Coupé. 220.



		BMW 220 Gran Coupé
Dod.		
Number of deeps (seeks		4/5
Number of doors/seats		475
Length/width/height (empty) Wheelbase	mm mm	2670
Track width, front/rear	mm	1561 / 1562
Ground clearance	mm	
Turning circle	m	11.7
Fuel tank capacity	approx. I	49
Engine oil 1)	I	5.3
Unladen weight acc. to DIN/EU	kg	1450 / 1525
Payload according to DIN	kg	535
Permitted total weight	kg	
Permitted axle loads, front/rear	kg	1065 / 1025
Perm. trailer load (12%)	l.a	1200 / 750
braked/unbraked Permitted roof load/ trailer nose v	<u>kg</u> veight kg	1300 / 750 75 / 75
Luggage compartment capacity	veigiit kg	
Drag	C _X	
2149	<u>CX</u>	HOIN OLES
Drive		
Engine technology		BMW TwinPower Turbo Technology: Turbocharger, dual injection with direct injection, High Precision Injection and intake pipe fuel injection, fully variable valve control VALVETRONIC, variable camshaft control double VANOS, 48-volt mild hybrid technology with an electric motor integrated into the transmission
Power output / total ²⁾	kW/hp	125 / 170
Torque / total ²⁾	Nm	280
Detrol engine		
Petrol engine Type/no. of cylinders/valves		in-line / 3 / 4
Capacity, effective	СС	
Stroke/bore	mm	
Compression	:1	11.1
Fuel		min RON 91
Nominal power output	kW/hp	115 / 156
at engine speed	rpm	4700 - 6500
Nominal torque	Nm	240
at engine speed	rpm	1500 - 4400
Power output per litre	kW/l	76.7
Electric motor		
Nominal power output	kW/hp	15 / 20
Nominal torque	Nm	55
Electrical system		
12-volt battery/installation	Ah / –	60 / engine compartment
48-volt battery/installation	Ah / –	20 / luggage compartment
Priving dynamics and safety Front wheel suspension		Single-joint suspension strut axle in aluminium-steel lightweight
Post whool average!		construction Three is in outs in liably right steel construction
Rear wheel suspension		Three-joint axle in lightweight steel construction
Brakes, front Brakes, rear		Single-piston, floating-caliper disc brakes Single-piston, floating-caliper disc brakes
Driving stability systems		Standard: DSC incl. ABS and DTC (Dynamic Traction Control),
Driving stubility systems	,	directly controlled wheel slip limitation ARB, Cornering Brake Assist CBC, Brake Assist DBC, Performance Control, Dry Brake Function, Fade Compensation, Hill Start Control, Trailer Stability Control; optional: Adaptive M Chassis
Safety equipment		Standard: Airbags for driver and front passenger, side airbags for driver and front passenger, head airbags for the front and rear rows of seats, interaction airbag between driver and front passenger, three-point automatic seat belts for all seats, front with belt tensioner and belt force limiter, crash sensors, tyre pressure display
Steering	'	Electromechanical power steering (EPS) with Servotronic function, optional: Sports steering
Overall steering ratio	:1	15.3
Tyres, front/rear		205/55 R17 91V
Wheel rims, front/rear		7.5J × 17 light alloy

		BMW 220 Gran Coupé
Transmission		
Transmission type		7-speed Steptronic transmission with double clutch
Gear ratio I	:1	16.324
	:1	9,573
- III	:1	5.952
IV	:1	4.081
V	:1	3.243
VI	:1	2.549
VII	:1	2.072
R	:1	14.663
Driving performance figures		
Weight-to-power ratio (DIN)	kg/kW	11.6
Acceleration 0-100 km/h	<u></u>	7.9
Top speed	km/h	230
BMW EfficientDynamics		
BMW EfficientDynamics measures as standard		48-volt mild hybrid technology, brake energy recuperation with recuperation indicator, Auto Start Stop function, PERSONAL and EFFICIENT modes with coasting function, Forward View Assist, shift display in manual shift mode, electromechanical power steering, BMW EfficientLightweight, optimised aerodynamic properties, active air flap control, auxiliary units controlled according to demand, characteristic map-controlled oil pump, axle differential with optimised warm-up phase properties, tyres with reduced rolling resistance
Fuel consumption in EU cycle		
combined (WLTP)	I/100 km	5.8 - 5.2
CO ₂ (WLTP)	g/km	131 - 119
combined (Pkw-EnVKV)	I/100 km	5.8
CO ₂ (Pkw-EnVKV)	g/km	131
Emission rating		Euro 6e
CO_2 class(es) acc. to Pkw-EnVK	/	D

 $Technical \ specifications \ valid \ for \ ACEA \ markets \ / \ registration-related \ data \ only \ relevant \ to \ Germany \ in \ some \ cases \ (weights)$

¹⁾ Oil change amount

²⁾ Is made up of combustion engine drive (stated nominal value) and electric drive (up to stated nominal value)

BMW 2 Series Gran Coupé. M235 xDrive.

1	0/20	024
Ρ	age	3

		BMW M235 xDrive Gran Coupé
Body		
Number of doors/seats		4/5
Length/width/height (empty)	mm	4546 / 1800 / 1435
Wheelbase	mm	2670
Track width, front/rear	mm	1562 / 1562
Ground clearance	mm	145
Turning circle	m	11.7
Fuel tank capacity ap	prox. I	49
Engine oil 1)	- 1	6.3
Unladen weight acc. to DIN/EU	kg	1575 / 1650
Payload according to DIN	kg	555
Permitted total weight	kg	2130
Permitted axle loads, front/rear	kg	1115 / 1090
Perm. trailer load (12%)		
braked/unbraked	kg	750
Permitted roof load/ trailer nose weight	kg	75 / 75
Luggage compartment capacity	<u> </u>	430
Drag	C _X	2)
Engine		
Type/no. of cylinders/valves		in-line / 4 / 4
Engine technology	1	M TwinPower Turbo Technology: Turbocharger, dual injection with
		direct injection, High Precision Injection and intake pipe fuel
		injection, fully variable valve control VALVETRONIC, variable
<u> </u>		camshaft control double VANOS
Capacity, effective	СС	1998
Stroke/bore	mm	94.6 / 82.0
Compression	:1	9.5
Fuel		min RON 91
	kW/hp	221 / 300
at engine speed	rpm	5750 - 6500
Nominal torque	Nm	400
at engine speed	rpm	2000 - 4500
Power output per litre	kW/I	110.6
Electrical system		
12-volt battery/installation	Ah / –	60 / engine compartment
location	AII / -	oo / engine compartment
location		
Driving dynamics and safety		
Front wheel suspension		Single-joint suspension strut axle in aluminium-steel lightweight
		construction, M specific elastokinematics
Rear wheel suspension		Three-joint axle in lightweight steel construction, M specific
		elastokinematics
Brakes, front		Four-piston, fixed-caliper disc brakes, ventilated
Brakes, rear		Single-piston, floating-caliper disc brakes, ventilated
Driving stability systems		Standard: DSC incl., ASC and DTC (Dynamic Traction Control),
		lirectly controlled wheel slip limitation ARB, Cornering Brake Assist
		CBC, Brake Assist DBC, Performance Control, Dry Brake Function,
	F	ade Compensation, Hill Start Control, Trailer Stability Control, DSC
		linked with xDrive all-wheel drive, mechanical differential lock,
Safety equipment		Adaptive M Chassis
Surety equipment	_	Standard: Airbags for driver and front passenger, side airbags for
	C	lriver and front passenger, head airbags for the front and rear rows of seats, interaction airbag between driver and front passenger,
		three-point automatic seat belts for all seats, front with belt
	ь	ensioner and belt force limiter, crash sensors, tyre pressure display
Steering		Electromechanical power steering (EPS)
Steering		with Servotronic function, sports steering
Overall steering ratio	:1	15.3
Tyres, front/rear		225/45 R18 95Y XL
Wheel rims, front/rear		8J × 18 light alloy
The control of the co		o, ·· To light unoy

			BMW M235 xDrive Gran Coupé
Transmission			
Transmission ty	/pe		7-speed Steptronic transmission with double clutch
Gear ratio	1	:1	16.991
	II	:1	10.588
	III	:1	7.076
	IV	:1	4.910
	V	:1	4.001
	VI	:1	3.273
	VII	:1	2.522
	R	:1	16.323
Driving perform	nance figures		
Weight-to-pow	er ratio (DIN)	kg/kW	7.1
Acceleration	0-100 km/h	S	4.9
Top speed		km/h	250
BMW Efficient	Dynamics		
BMW EfficientD measures as sto	ynamics		Brake energy recuperation with recuperation indicator, Auto Start Stop function, PERSONAL and EFFICIENT modes with coasting function, Forward View Assist, shift display in manual shift mode,
			electromechanical power steering, BMW EfficientLightweight, optimised aerodynamic properties, active air flap control, auxiliary
		UI	nits controlled according to demand, characteristic map-controlled
		0	il pump, efficiency-optimised all-wheel drive, axle differential with optimised warm-up phase properties, tyres with reduced rolling
			resistance
Fuel consumpti	ion in FU cycle		
combined (WLT		I/100 km	8,2 - 7.5
CO ₂ (WLTP)	. ,	g/km	185 - 170
combined (Pkw	-EnVKV)	I/100 km	8.2
CO ₂ (Pkw-EnVK	•	g/km	185
Emission rating			Euro 6e
CO ₂ class(es) ac	cc. to Pkw-EnVKV	1	G

 $Technical \ specifications \ valid \ for \ ACEA \ markets \ / \ registration-related \ data \ only \ relevant \ to \ Germany \ in \ some \ cases \ (weights)$

¹⁾ Oil change amount

BMW 2 Series Gran Coupé. 218d.

		BMW 218d Gran Coupé
Body		
Number of doors/seats		4/5
Length/width/height (empty)	mm	2.77
Wheelbase	mm	
Track width, front/rear	mm	
Ground clearance	mm	
Turning circle	m	
	pprox. l	
Engine oil 1)	l	
Unladen weight according to DIN/EU	kg	
Payload according to DIN	kg	
Permitted total weight	kg	
Permitted axle loads, front/rear	kg	1105 / 1030
Perm. trailer load (12%)	_	
braked/unbraked	kg	
Permitted roof load/ trailer nose weight	kg	
Luggage compartment capacity	l	
Drag	C _X	from 0.25
Engine		
Type/no. of cylinders/valves		in-line / 4 / 4
Engine technology		BMW TwinPower Turbo Technology: Multi-stage turbocharging,
		low-pressure charger with variable inlet geometry, common-rail
		direct injection with solenoid valve injectors (max. injection
		pressure: 2500 bar)
Capacity, effective	cc	1995
Stroke/bore	mm	90.0 / 84.0
Compression	:1	16.5
Fuel		Diesel
Output	kW/hp	110 / 150
at engine speed	rpm	3750 - 4000
Torque	Nm	360
at engine speed	rpm	1500 - 2500
Power output per litre	kW/l	55.1
Electrical system		
Battery/installation location	Ah / –	70 / engine compartment
Butter y/ installation location	A117	7 o 7 engine compartment
Driving dynamics and safety		
Front wheel suspension		Single-joint suspension strut axle in aluminium-steel lightweight
		construction
Rear wheel suspension		Three-joint axle in lightweight steel construction
Brakes, front		Single-piston, floating-caliper disc brakes
Brakes, rear		Single-piston, floating-caliper disc brakes
Driving stability systems		Standard: DSC incl. ABS and DTC (Dynamic Traction Control),
		directly controlled wheel slip limitation ARB, Cornering Brake
		Assist CBC, Brake Assist DBC, Performance Control, Dry Brake
		Function, Fade Compensation, Hill Start Control, Trailer Stability
		Control; optional: Adaptive M Chassis
Safety equipment		Standard: Airbags for driver and front passenger, side airbags fo
		driver and front passenger, head airbags for the front and rear
		rows of seats, interaction airbag between driver and front
		passenger, three-point automatic seat belts for all seats, front
		with belt tensioner and belt force limiter, crash sensors, tyre
		pressure display
Steering		Electromechanical power steering (EPS)
		with Servotronic function, optional: Sports steering
Overall steering ratio	:1	
Tyres, front/rear		205/55 R17 91V
Wheel rims, front/rear		7.5J × 17 light alloy

			BMW 218d Gran Coupé
Transmission			
Transmission ty	/pe		7-speed Steptronic transmission with double clutch
Gear ratio	1	:1	14.964
	II	:1	8.776
	III	:1	5.456
	IV	:1	3.741
	V	:1	2.972
	VI	:1	2.337
	VII	:1	1.900
	R	:1	13.441
Driving perform	nance figures		
Weight-to-powe	er ratio (DIN)	kg/kW	13.5
Acceleration	0-100 km/h	S	8.4
Top speed		km/h	226
BMW Efficient)ynamics		
BMW EfficientD measures as sta	,	di: E c m	Brake energy recuperation with recuperation indicator, ectromechanical power steering, Auto Start Stop function, shift splay in manual mode, PERSONAL and EFFICIENT modes with coasting function, Forward View Assist, BMW EfficientLightweight, optimised aerodynamic properties, active air flap control, auxiliary units controlled according to demand, nap-controlled oil pump, axle differential with optimised warmup phase properties, tyres with reduced rolling resistance, Blue Performance technology with SCR catalytic converter
Fuel consumpti	on in EU cycle		
combined (WLT		I/100 km	5.0 - 4.6
CO ₂ (WLTP)	•	g/km	132 - 120
combined (Pkw-	-EnVKV)	I/100 km	5.0
CO ₂ (Pkw-EnVK	(V)	g/km	132
Emission rating			Euro 6e
CO ₂ class(es) ac	cc. to Pkw-EnVKV		D

Technical specifications valid for ACEA markets / registration-related data only relevant to Germany in some cases (weights)

¹⁾ Oil change amount

BMW 2 Series Gran Coupé. 220d.

10/2024	i
Page 7	

		BMW 220d Gran Coupé
Dody		
Body Number of doors/seats		4/5
Length/width/height (empty)	mm	4546 / 1800 / 1435
Wheelbase	mm	2670
Track width, front/rear		1561 / 1562
Ground clearance	mm	145
	mm m	11.7
Turning circle	m L veren	49
	approx. I	
Engine oil 1)		
Unladen weight according to DIN/EU	kg	
Payload according to DIN	kg	560
Permitted total weight	kg	2085 1125 / 1055
Permitted axle loads, front/rear	kg	1125 / 1055
Perm. trailer load (12%)	1	1200 / 750
braked/unbraked	kg	1300 / 750
Permitted roof load/ trailer nose weight	kg	75 / 75
Luggage compartment capacity	<u> </u>	360
Drag	CX	from 0.25
Drive		
Engine technology		BMW TwinPower Turbo Technology: Multi-stage turbocharging,
		high and low-pressure charger with variable inlet geometry,
		common-rail direct injection with solenoid valve injectors (max.
		injection pressure: 2500 bar), 48-volt mild hybrid technology
		with an electric motor integrated into the transmission
Power output / total ²⁾	kW/hp	120 / 163
Torque / total ²⁾	Nm	400
- 4		**
Diesel engine		
Type/no. of cylinders/valves		in-line / 4 / 4
Capacity, effective	СС	1995
Stroke/bore	mm	90.0 / 84.0
Compression	:1	16.5
Fuel		Diesel
Nominal power output	kW/hp	110 / 150
at engine speed	rpm	3750 - 4000
Nominal torque	Nm	360
at engine speed	rpm	1500 - 2500
Power output per litre	kW/l	55.1
ower output per nitre	KVV/I	33.1
Electric motor		
Nominal power output	kW/hp	15 / 20
Nominal torque	Nm	55
Electrical system		
12-volt battery/installation	Ah / –	60 / engine compartment
48-volt battery/installation	Ah / –	20 / Luggage compartment
Dubling demander and autoba		
Driving dynamics and safety		Cingle joint suspension strut avie in aluminium steel lightweight
Front wheel suspension		Single-joint suspension strut axle in aluminium-steel lightweight
Deer wheel evenencies		construction Three-joint axle in lightweight steel construction
Rear wheel suspension		
Brakes, front		Single-piston, floating-caliper disc brakes
Brakes, rear		Single-piston, floating-caliper disc brakes
Driving stability systems		Standard: DSC incl. ABS and DTC (Dynamic Traction Control),
		directly controlled wheel slip limitation ARB, Cornering Brake
		Assist CBC, Brake Assist DBC, Performance Control, Dry Brake
		Function, Fade Compensation, Hill Start Control, Trailer Stability
Graduate de la constantia del constantia de la constantia de la constantia della constantia della constantia		Control; optional: Adaptive M Chassis
Safety equipment		tandard: Airbags for driver and front passenger, side airbags for
		ver and front passenger, head airbags for the front and rear rows
	(of seats, interaction airbag between driver and front passenger,
		three-point automatic seat belts for all seats, front with belt
Chanina	ter	nsioner and belt force limiter, crash sensors, tyre pressure display
Steering		Electromechanical power steering (EPS)
Overall steaming well-		with Servotronic function, optional: M sports steering
Overall steering ratio	:1	15.3
Tyres, front/rear Wheel rims, front/rear		205/55 R17 91V
		7.5J × 17 light alloy

		BMW 220d Gran Coupé
Transmission		
Transmission type		7-speed Steptronic transmission with double clutch
Gear ratio I	:1	14.964
- II	:1	8.776
III	:1	5.456
IV	:1	3.741
V	:1	2.972
VI	:1	2.337
VII	:1	1.900
R	:1	13.441
Driving performance figures		
Weight-to-power ratio (DIN)	kg/kW	12.7
Acceleration 0-100 km/h	s	8.0
Top speed	km/h	226
BMW EfficientDynamics		
BMW EfficientDynamics measures as standard	1	48-volt mild hybrid technology, brake energy recuperation with recuperation indicator, electromechanical power steering, Auto Start Stop function, shift display in manual mode, PERSONAL and EFFICIENT modes with coasting function, Forward View Assist, BMW EfficientLightweight, optimised aerodynamic properties, active air flap control, auxiliary units controlled according to demand, map-controlled oil pump, efficiency-optimised all-wheel drive, axle differential with optimised warm-up phase properties, tyres with reduced rolling resistance, Blue Performance technology with SCR catalytic converter
Fuel consumption in EU cycle		
combined (WLTP)	1/100	4.6 - 4.2
CO ₂ (WLTP)	g/km	121 - 110
combinedl (Pkw-EnVKV)	1/100	4.6
CO ₂ (Pkw-EnVKV)	g/km	121
Emission rating		Euro 6e
CO2 class(es) acc. to Pkw-EnVK\	/	D

 $Technical \ specifications \ valid \ for \ ACEA \ markets \ / \ registration-related \ data \ only \ relevant \ to \ Germany \ in \ some \ cases \ (weights)$


¹⁾ Oil change amount

²⁾ Is made up of combustion engine drive (stated nominal value) and electric drive (up to stated nominal value)

BMW Media information 10/2024 Page 9

Exterior and interior dimensions. BMW 2 Series Gran Coupé.






The dimensions in the technical drawing are in millimetres and may vary depending on the model and the optional equipment.

BMW 2 Series. M235 xDrive Gran Coupé.

10/2024 Page 10



The dimensions in the technical drawing are in millimetres and may vary depending on the model and the optional equipment.