BMW Media Inormation

9/2012

Valid from 11/2012



BMW 120d xDrive

Body		0.14.(5)
No. of doors/seats		3 / 4 (5)
L/W/H ¹⁾ (unladen)	mm	4324 / 1765 / 1421
Wheelbase	mm	2690
Front/rear track	mm	1521 / 1556
Ground clearance	mm	140
Turning circle	m	11.3
Fuel capacity	approx. I	52
Cooling and heating system		7.0
Engine oil capacity ²⁾	I	5,2
Weight, unladen (DIN/EU)	kg	1420 / 1495
Payload (DIN)	kg	530
Permitted total weight	kg	1950
Permitted axle load, front/rea	r kg	960 / 1090
Permitted trailer load (12%) braked/unbraked	kg	1200 / 710
Permitted roof load/trailer download	kg	75775
Luggage compartment capa	citv I	360 – 1200
Aerodynamic drag	c _x x A	0.32 x 2.14
	0,	
Engine		
Type/no. of cylinders/valves		in-line / 4 / 4
Engine technology		BMW TwinPower Turbo technology with variable-geometry
		turbocharger, common-rail direct fuel injection with magnetic valve injectors, maximum injection pressure 1800 bar
Effective capacity	CC	1995
Stroke/bore	mm	90.0/84.0
Compression ratio	:1	16.5
Fuel type		Diesel
Output	kW/hp	135/184
at rpm	min ⁻¹	4000
Torque	Nm	380
at rpm	min ⁻¹	1750 – 2750
Electrical		
Battery charge/location	Ah/–	90 / luggage compartment
Alternator current/output	A/W	175/2450
Driving Dynamics and Sa	fetv	
Front suspension		Aluminium double-link hinged-tiebar sprung axle
Rear suspension		Five-link, double elastic bearing lightweight steel axle
Front brakes		Single-piston floating-caliper disc brakes
Diameter	mm	⁴⁾ / vented
Rear brakes		Single-piston floating-caliper disc brakes
Diameter	mm	⁴⁾ / vented
Driving stability systems		As standard: DSC inc. ABS, ASC and DTC Dynamic Traction Control,
		CBC Corner Braking Control, DBC Dynamic Brake Control, brake drying function, fading compensation, hill assist, DSC networked with xDrive all-wheel-drive system within the Integrated Chassis Management
Safety equipment		As standard: Driver and front-seat passenger airbags, driver and front-seat passenger side airbags, front and rear head airbags, three-point automatic seatbelts for all seats, seatbelt tensioners and seatbelt force limiters in front seats, crash sensors, tyre pressure warning
Steering		Electromechanical power steering (EPS) Optional: Servotronic function, Variable Sport Steering
Overall steering ratio	:1	15.0
Front/rear tyres		205/55 R16 91V
Front/rear wheels		7J x 16 steel

9/2012

Valid from 11/2012

Specifications. BMW 1 Series 3 Door Hatch.

		BMW 120d xDrive
BMW ConnectedDrive		
Comfort		Optional: BMW Assist including information service, remote functions, Real Time Traffic Information, BMW TeleServices, mobile device integration
Information and entertainmen		tional: Internet connectivity, BMW Online including parking information, country nformation, Google business search, news, real-time weather, BMW Routes, office functions, Bluetooth audio streaming, online music title update, apps
Safety		ional: Adaptive Headlights with turning light, variable light distribution, Adaptive Headlight range adjustment, high beam assistance, park distance control, reversing camera, cruise control with brake function, parking assistant, Lane Departure Warning with Collision Warning, speed limit and no passing information, extended emergency call
Transmission		
Type of gearbox		6-speed manual
Gear ratios	:1	4.110
	:1	2.248
	:1	1.403
N	:1	1.000
V	:1	0.802
N	:1	0.659
R Differential ratio	:1 :1	<u> </u>
Performance Weight-to-power ratio (DIN unladen)	kg/kW	10.5
Specific power output	kW/I	67.7
Acceleration 0–100 km/h		7.2
		27.7
0-1,000 m	sec.	6.1/7.9
in 4th/5th gear 80–120 km/h Max. speed	n sec. km/h	225
BMW EfficientDynamics		
PMM/ EfficientDunemice		Braking Energy Regeneration, electromechanical power steering,
BMW EfficientDynamics Features included as standard		Automatic Start/Stop function, gear shift indicator, ECO PRO mode, intelligent lightweight construction, automatically disconnecting ancillary components, map-regulated oil pump, differential with optimized-warm-up behaviour, weight and efficiency-optimised power divider, tyres with reduced rolling resistance
Features included as standard		Automatic Start/Stop function, gear shift indicator, ECO PRO mode, intelligent lightweight construction, automatically disconnecting ancillary components, map-regulated oil pump, differential with optimized-warm-up behaviour, weight
Features included as standard		Automatic Start/Stop function, gear shift indicator, ECO PRO mode, intelligent lightweight construction, automatically disconnecting ancillary components, map-regulated oil pump, differential with optimized-warm-up behaviour, weight
Features included as standard Fuel consumption (EU) ³⁾ With standard wheels and tyre	es	Automatic Start/Stop function, gear shift indicator, ECO PRO mode, intelligent lightweight construction, automatically disconnecting ancillary components, map-regulated oil pump, differential with optimized-warm-up behaviour, weight and efficiency-optimised power divider, tyres with reduced rolling resistance
Features included as standard Fuel consumption (EU) ³⁾ With standard wheels and tyre Urban	es 1/100 km	Automatic Start/Stop function, gear shift indicator, ECO PRO mode, intelligent lightweight construction, automatically disconnecting ancillary components, map-regulated oil pump, differential with optimized-warm-up behaviour, weight and efficiency-optimised power divider, tyres with reduced rolling resistance 5.8
Features included as standard Fuel consumption (EU) ³⁾ With standard wheels and tyre Urban Extra-urban	es 1/100 km 1/100 km	Automatic Start/Stop function, gear shift indicator, ECO PRO mode, intelligent lightweight construction, automatically disconnecting ancillary components, map-regulated oil pump, differential with optimized-warm-up behaviour, weight and efficiency-optimised power divider, tyres with reduced rolling resistance 5.8 4.0
Features included as standard Fuel consumption (EU) ³⁾ With standard wheels and tyre Urban Extra-urban Total	es 1/100 km 1/100 km 1/100 km	Automatic Start/Stop function, gear shift indicator, ECO PRO mode, intelligent lightweight construction, automatically disconnecting ancillary components, map-regulated oil pump, differential with optimized-warm-up behaviour, weight and efficiency-optimised power divider, tyres with reduced rolling resistance 5.8 4.0 4.7
Features included as standard Fuel consumption (EU) ³⁾ With standard wheels and tyr Urban Extra-urban Total CO ₂ With 7J x 17" rims and 205/5 With 7.5J x 17" front rims, 8J	es 1/100 km 1/100 km 1/100 km g/km 50 R17 tyres, J x 17" rear rir	Automatic Start/Stop function, gear shift indicator, ECO PRO mode, intelligent lightweight construction, automatically disconnecting ancillary components, map-regulated oil pump, differential with optimized-warm-up behaviour, weight and efficiency-optimised power divider, tyres with reduced rolling resistance 5.8
Features included as standard Fuel consumption (EU) ³⁾ With standard wheels and tyre Urban Extra-urban Total CO ₂ With 7J x 17" rims and 205/5 With 7.5J x 17" front rims, 8J With 7.5J x 18" front rims, 8J	es //100 km //100 km //100 km g/km 50 R17 tyres, J x 17" rear rir J x 18" rear rir	Automatic Start/Stop function, gear shift indicator, ECO PRO mode, intelligent lightweight construction, automatically disconnecting ancillary components, map-regulated oil pump, differential with optimized-warm-up behaviour, weight and efficiency-optimised power divider, tyres with reduced rolling resistance 5.8 5.8 5.8 6.0 4.0 4.7 123 with 7.5J x 17" rims and 225/45 R17 tyres, ns, 225/45 R17 front tyres and 245/40 R17 rear tyres, ns, 225/40 R18 front tyres and 245/35 R18 rear tyres
Features included as standard Fuel consumption (EU) ³⁾ With standard wheels and tyre Urban Extra-urban Total CO ₂ With 7J x 17" rims and 205/5 With 7J.5J x 17" front rims, 8J With 7.5J x 18" front rims, 8J Urban	es 1/100 km 1/100 km 1/100 km g/km 50 R17 tyres, 1 x 17" rear rir 1 x 18" rear rir 1/100 km	Automatic Start/Stop function, gear shift indicator, ECO PRO mode, intelligent lightweight construction, automatically disconnecting ancillary components, map-regulated oil pump, differential with optimized-warm-up behaviour, weight and efficiency-optimised power divider, tyres with reduced rolling resistance 5.8 5.8 6.0 6.0 7.5J x 17" rims and 225/45 R17 tyres, ns, 225/45 R17 front tyres and 245/40 R17 rear tyres, ns, 225/40 R18 front tyres and 245/35 R18 rear tyres 5.9
Features included as standard Fuel consumption (EU) ³⁾ With standard wheels and tyre Urban Extra-urban Total CO ₂ With 7J x 17" rims and 205/5 With 7J.5J x 17" front rims, 8J With 7.5J x 18" front rims, 8J Urban Extra-urban	es 1/100 km 1/100 km 1/100 km g/km 50 R17 tyres, 1 x 17" rear rir 1 x 18" rear rir 1/100 km 1/100 km	Automatic Start/Stop function, gear shift indicator, ECO PRO mode, intelligent lightweight construction, automatically disconnecting ancillary components, map-regulated oil pump, differential with optimized-warm-up behaviour, weight and efficiency-optimised power divider, tyres with reduced rolling resistance 5.8 5.8 6.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7
Features included as standard Fuel consumption (EU) ³⁾ With standard wheels and tyre Urban Extra-urban Total CO ₂ With 7J x 17" rims and 205/5 With 7.5J x 17" front rims, 8J With 7.5J x 18" front rims, 8J Urban	es 1/100 km 1/100 km 1/100 km g/km 50 R17 tyres, J x 17" rear rir J x 18" rear rir 1/100 km	Automatic Start/Stop function, gear shift indicator, ECO PRO mode, intelligent lightweight construction, automatically disconnecting ancillary components, map-regulated oil pump, differential with optimized-warm-up behaviour, weight and efficiency-optimised power divider, tyres with reduced rolling resistance 5.8 5.8 6.0 6.0 7.5J x 17" rims and 225/45 R17 tyres, ns, 225/45 R17 front tyres and 245/40 R17 rear tyres, ns, 225/40 R18 front tyres and 245/35 R18 rear tyres 5.9

Technical data valid for ACEA countries/Some permitted weights valid only for Germany

Height with roof aerial: 1440 mm
Oil change volume
Fuel consumption and CO₂ emissions depend on the selected tyre format
Not yet available