BMW Media Information

monnat

6/2012

Valid from 7/2012



BMW 640d xDrive Coupe

		BMW 6400 XDrive Coupe
Body		
Number of doors/seats		21
Length/Width/Height (unladen)	mm	4894 / 1894 / 136
Wheelbase	mm	285
Track front/rear	mm	1600 / 166
Ground clearance	mm	12
Turning circle	m	11.
Tank capacity	appr I	7
Cooling system incl. heating	 	8.
Engine oil ¹⁾	i	7.
Weight, unladen, to DIN/EU		
Max. load to DIN	kg	45
	kg	231
Max. perm. weight, overall	kg	1150 / 122
Max perm axle load front/rear	kg	-/
Max perm trailer load (12%) braked/unbraked	kg	
Perm roof load/trail download	kg	757
Luggage capacity		46
Air resistance	cd x A	0.30 x 2.2
Engine		
Configuration/No. of cyls./valves		R/6/-
Engine technology		BMW TwinPower Turbo technolog with two turbocharger (Variable Twin Turbo and Common Rail direct injectio with solenoid valve injector
		(max. injection pressure: 2000 ba
Capacity	CC	2993
Stroke/bore	mm	90.0 / 84.
Compression ratio	:1	16.
Fuel grade		Diese
Max output	kW/hp	230/31
at	min ⁻¹	440
Torque	Nm	63
at	min ⁻¹	1500 – 250
Electrical system		
Battery/installation	Ah/–	90 / luggage com
Alternator	A/W	220/308
Driving dynamics and safety		
Suspension, front		Double track control arm with separate lower track arm level, aluminium, small steering roll radius, anti-dive
Suspension, rear		Integral-V multi-arm axle, aluminium, anti-squat and anti-dive, double acoustic separation
Brakes, front		Single-piston aluminium floating-calliper disc brakes in frame structure
Brakes, rear		Single-piston aluminium floating-calliper disc brakes
Driving stability systems		Standard: DSC incl. ABS, ASC and DTC (Dynamic Traction Control), CBC (Cornering Brake Control), DBC (Dynamic Brake Control), Dry Braking function, Fading Compensation, Start-Off Assistant; cross-linking of the four-wheel drive with the stability control system DSC within the Integrated Chassis Management (ICM), optional: Dynamic Damper Control, Adaptive Drive
Safety features		Standard: airbags for driver and front passenger, side airbags for driver and front passenger, head airbags for front and rear seats, three-point inertia-reel seatbelts on all seats with belt latch tensioner and belt force limiter integrated in the front seats, crash-activated head restraints at the front, crash sensors, runflat tyres, Tyre Defect Indicator
Steering		Hydraulic rack-and-pinion steering with Servotronic
Overall steering transmission	:1	18.0
Tyres front/rear		225/55 R17 97Y RS(
Wheels front/rear		8J x 17 LN

6/2012

Valid from 7/2012

Specifications. The new BMW 6 Series Coupé. 640d xDrive

			BMW 640d xDrive Coupe
BMW Connec	tedDrive		
Comfort			Extras: Enquiry Service, remote-control
			functions, Real Time Traffic Information,
			BMW TeleServices, integration of mobile devices
Infotainment			Extras: Internet access, BMW Online incl. Park Info,
			National Info, Google Local Search, News, Realtime Weather,
			BMW Routes, Office functions, Bluetooth Audio Streaming, Online Update Music Tracks, Apps
Safety			Extras: Adaptive Headlights with cornering lights, variable
Salety		li	ight distribution and adaptive headlight range control, High Beam Assistant,
		F	Park Distance Control, rear-view camera, Surround View incl. Top View and
			Side View, BMW Night Vision with pedestrian recognition, Head-Up Display,
		Ac	tive Cruise Control including rear-end collision warning with braking function
		c	Lane Change Warning, Lane Departure Warning, Speed Limit Info incl. No Passing Info, Automatic/Advanced Emergency Call
			speed Limit into incl. No Passing into, Automatic/Auvanced Emergency Call
Transmission	1		
Туре	·		Eight-speed automatic with Steptronic
Gear ratios	I	:1	4.71
		:1	3.14
		:1	2.10
	IV	:1	1.66
	V	:1	1.28
	VI	:1	1.00
	VI	:1	0.83
	VIII	:1	0.66
	R	:1	3.31
Final drive	1	:1	2.81
		.1	
Performance			
Power-to-weigl	nt ratio (DIN)	kg/kW	7
Output per litre		kW/I	76
Acceleration	0–100 km/h	S	5
	0–1000 m	S	24
Top speed		km/h	25
	4D		
BMW Efficient			Brake Energy Regeneration with recuperation display,
BMW Efficient[Διι	to Start-Stop function, ECO PRO Modus, intelligent lightweight construction
measures as st	anuaru	Au	on-demand operation of ancillary units, air flap control, detachable a/c
			compressor, tyres with reduced rolling resistance
Fuel consum			
	vheels and tyres		els, 225/55 R17 tyres (SA 2K1)
Urban		l/100km	6
Extra-urban		l/100km	5
Composite		l/100km	5
CO ₂		g/km	14
	heels and 245/4		nd with winter tyres (SA 2SR, 9WR, 931)
Urban		l/100km	7
Extra-urban		l/100km	5
Composite		l/100km	5
CO ₂		g/km	15
			he rear and 245/45 R18 tyres at the front, 275/45 R18 at the rear (SA 2DN),
With 8.5J x 19 2DP).	wneels at the fro	ont, 9J x 19 at	t the rear and 245/40 R19 tyres at the front, 275/35 R19 at the rear (SA 2FB
<i>''</i>	wheels at the fro	ont, 9J x 20 at	the rear and 245/35 R20 tyres at the front, 275/30 R20 at the rear (SA 2H9
Urban	22.2 40 40 10	l/100km	7
Extra-urban		l/100km	5
		l/100km	5
Composito		II TOOKIII	
Composite		allem	15
Composite CO ₂ Emission classi	fication	g/km	15 EL

 $^{1)}$ Oil change quantity $^{2)}$ Fuel consumption and $\rm CO_2$ emissions depend on the selected tyre format