BMW Media Information

11/2018 Page 1

Specifications.The new BMW 8 Series Convertible. M850i xDrive.



| | | BMW M850i xDrive Convertible |
|----------------------------------|-----------|--|
| Body | | |
| No of doors/seats | | 2/4 |
| Length/width/height (unladen) | mm | 4851 / 1902 / 1345 |
| Wheelbase | mm | 2822 |
| Track, front/rear | mm | 1627 / 1642 |
| Ground clearance | mm | 125 |
| Turning circle | m | 11.9 |
| Fuel tank capacity | approx. I | 68 |
| Engine oil 1) | 1 | 10.5 |
| Weight, unladen, to DIN/EU | kg | 2015 / 2090 |
| Max load to DIN | kg | 500 |
| Max permissible weight | kg | 2515 |
| Max axle load, front/rear | kg | 1235 / 1340 |
| Max trailer load, | kg | |
| braked (12%)/unbraked | 9 | -/- |
| Max roofload/max towbar | kg | -/- |
| download | J | |
| Luggage comp capacity | | 350 |
| Air resistance | Cd X A | 0.32 x 2.22 |
| | | |
| Power Unit | | |
| Config/No of cyls/valves | | V/8/4 |
| Engine technology | | BMW TwinPower Turbo technology: two TwinScroll turbochargers, High |
| | | Precision Direct Injection, VALVETRONIC fully variable valve timing, Double- |
| | | VANOS variable camshaft timing |
| Effective capacity | CC | 4395 |
| Stroke/bore | mm | 88.3 / 89.0 |
| Compression ratio | :1 | 10.5 |
| Fuel | | min. RON 91 |
| Max output | kW/hp | 390 / 530 |
| at | rpm | 5500 – 6000 |
| Max torque | Nm | 750 |
| at | rpm | 1800 – 4600 |
| | | |
| Electrical System | | |
| Battery/installation | Ah/– | 90 / luggage compartment |
| | | |
| Driving Dynamics and Safe | ety | |
| Suspension, front | | Double-wishbone axle in aluminium construction with separate lower track arm |
| | | and specific elastokinematics |
| Suspension, rear | ı | Five-link axle in aluminium/steel lightweight construction with dual elastic bearing |
| | | and specific elastokinematics |
| Brakes, front | | Vented disc brakes, with four-piston fixed callipers |
| Brakes, rear | | Vented disc brakes, with single-piston floating callipers |
| Driving stability systems | | Standard: DSC incl. ABS and DTC (Dynamic Traction Control), CBC (Cornering |
| | | Brake Control), DBC (Dynamic Brake Control), Dry Braking function, |
| | | fading compensation, Start-Off Assistant, DSC linked with xDrive all-wheel drive, |
| | | Dynamic Damper Control, electronically controlled rear-axle differential lock; |
| Cafatrianidament | | optional: active roll stabilisation |
| Safety equipment | | Standard: airbags for driver and front passenger, side airbags for driver and front |
| | ŀ | passenger, head airbags for front and rear seats, three-point inertia-reel seatbelts on all seats with belt stopper, belt latch tensioner and belt force limiter in the |
| | | front, crash sensors, rollover protection system, tyre pressure indicator |
| Steering | | Electric Power Steering (EPS), |
| oteening | | Integral Active Steering |
| Steering ratio, overall | :1 | 16.3 |
| Tyres, front/rear | .1 | 245/35 R20 95Y XL/ |
| i yi co, ii ci iui cai | | 275/30 R20 97Y XL |
| Rims, front/rear | | 8J x 20 light-alloy/ |
| raino, nontroal | | 9J x 20 light-alloy |
| | | 30 % 20 light diloy |

| | | BMW M850i xDrive Convertible |
|---------------------------|----------|---|
| | | |
| Transmission | | |
| Type of transmission | | Eight-speed Steptronic transmission |
| Gear ratios | l :1 | 5.500 |
| | II :1 | 3.520 |
| | III :1 | 2.200 |
| | IV :1 | 1.720 |
| | V :1 | 1.317 |
| | VI :1 | 1.000 |
| | VII :1 | 0.823 |
| | VIII :1 | 0.640 |
| | R :1 | 3.993 |
| Final drive | :1 | 2.813 |
| Performance | | |
| Power-to-weight ratio (DI | N) kg/kW | 5.2 |
| Output per litre | kW/l | 88.7 |
| Acceleration 0-100 k | km/h s | 3.9 |
| Top speed | km/h | 250 |
| BMW EfficientDynamic | cs | |
| BMW EfficientDynamics | | Brake Energy Regeneration with recuperation display, Electric Power Steering |
| standard features | | (EPS), Auto Start Stop function, Optimum Shift Indicator, ECO PRO mode with coasting function, BMW EfficientLightweight, optimised aerodynamics, active air flap control, on-demand operation of ancillary units, map-regulated oil pump. |
| | | efficiency- and weight-optimised all-wheel drive, rear differential and transfer |
| | | case with optimised efficiency |
| Fuel Consumption ECI | E | |
| Urban . | l/100 km | 13.6 – 13.3 |
| Extra-urban | l/100 km | 8.0 – 7.9 |
| Combined | l/100 km | 10.0 – 9.9 |
| CO ₂ | g/km | 229 – 225 |
| Emission rating | 9 | Euro 6d-TEMP |

Specifications apply to ACEA markets/data relevant to homologation apply in part only in Germany (weight) All technical specifications are provisional

The fuel consumption, CO_2 emissions and electric power consumption figures were determined according to the European Regulation (EC) 715/2007 in the version applicable. The figures refer to a vehicle with basic configuration in Germany. The range shown considers the different sizes of the selected wheels/tyres and the selected items of optional equipment, and may vary during configuration.

The values are already based on the new WLTP test cycle and are translated back into NEDC-equivalent values in order to ensure comparability between the vehicles. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO₂ emissions, the CO₂ values may differ from the values stated here (depending on national legislation).

Effective: 02.11.2018

Further information on official fuel consumption figures and specific CO₂ emission values of new passenger cars is included in the following guideline: Leitfaden über den Kraftstoffverbrauch, die CO₂-Emissionen und den Stromwerbrauch neuer Personenkraftwagen' (Guide to the fuel economy, CO₂ emissions and electric power consumption of new passenger cars), which can be obtained free of charge from all dealerships, from Deutsche Automobil Treuhand GmbH (DAT), Hellmuth-Hirth-Str. 1, 73760 Ostfildem-Scharnhausen and at https://www.dat.de/co2/.

¹⁾ Oil change

The new BMW 8 Series Convertible. 840d xDrive.

| | | BMW 840d xDrive Convertible |
|---|------------|---|
| | | Bill o to ABINO Goliverable |
| Body | | |
| No of doors/seats | | 2/4 |
| Length/width/height (unladen) | mm | 4843 / 1902 / 1339 |
| Wheelbase | mm | 2822 |
| Track, front/rear | mm | 1619 / 1642 |
| Ground clearance | mm | 118 |
| Turning circle | m | 11.9 |
| Fuel tank capacity | approx. I | 66 |
| Engine oil 1) | I | 6.5 |
| Weight, unladen, to DIN/EU | kg | 1955 / 2030 |
| Max load to DIN | kg | 530 |
| Max permissible weight | kg | 2485 |
| Max axle load, front/rear | kg | 1170 / 1365 |
| Max trailer load, | kg | |
| braked (12%)/unbraked | | |
| Max roofload/max towbar | kg | -1- |
| download | I | 350 |
| Luggage comp capacity Air resistance | Cd X A | 0.30 x 2.22 |
| All Tesistance | CuxA | 0.00 x 2.22 |
| Power Unit | | |
| Config/No of cyls/valves | | In-line / 6 / 4 |
| Engine technology | | BMW TwinPower Turbo technology: multi-stage turbocharging, high- and low- pressure turbochargers with variable intake geometry, common-rail direct |
| | | injection with piezo injectors (max. injection pressure: 2500 bar) |
| Effective capacity | CC | 2993 |
| Stroke/bore | mm | 90.0 / 84.0 |
| Compression ratio | :1 | 16.5 |
| Fuel | 1.1.1.1/1= | Diesel |
| Max output | kW/hp | 235 / 320 |
| at | rpm | 4400 |
| Max torque | Nm | 680 |
| <u>at</u> | rpm | 1750 – 2250 |
| Electrical System | | |
| Battery/installation | Ah/– | 90 / luggage compartment |
| | _ | |
| Driving Dynamics and Safe Suspension, front | ety | Double-wishbone axle in aluminium construction with separate lower track arm |
| Suspension, none | | and specific elastokinematics |
| Suspension, rear | | Five-link axle in aluminium/steel lightweight construction with dual elastic bearing |
| ouspension, real | | and specific elastokinematics |
| Brakes, front | | Vented disc brakes, with four-piston fixed callipers |
| Brakes, rear | | Vented disc brakes, with single-piston floating callipers |
| Driving stability systems | | Standard: DSC incl. ABS and DTC (Dynamic Traction Control), CBC (Cornering |
| | | Brake Control), DBC (Dynamic Brake Control), Dry Braking function, |
| | | fading compensation, Start-Off Assistant, DSC linked with xDrive all-wheel drive |
| | | Dynamic Damper Control; optional: electronically controlled rear-axle differentia lock |
| Safety equipment | | Standard: airbags for driver and front passenger, side airbags for driver and front |
| | | passenger, head airbags for front and rear seats, three-point inertia-reel seatbelt |
| | | on all seats with belt stopper, belt latch tensioner and belt force limiter in the |
| | | front, crash sensors, rollover protection system, tyre pressure indicator |
| Steering | | Electric Power Steering (EPS), |
| 9 | | Integral Active Steering |
| Steering ratio, overall | :1 | 16.3 |
| Tyres, front/rear | | 245/45 R18 100Y XL/ |
| | | 275/40 R18 103Y XL |
| | | 8J x 18 light-alloy/ |
| Rims, front/rear | | 9J x 18 light-alloy |

| | | | BMW 840d xDrive Convertible |
|---|---------|----------|--|
| | | | DIVIVI 0400 XDTIVE COTIVETUDIE |
| Transmission | | | |
| Type of transmission | | | Eight-speed Steptronic transmission |
| Gear ratios | I | :1 | 5.500 |
| | II | :1 | 3.520 |
| | III | :1 | 2.200 |
| | IV | :1 | 1.720 |
| | V | :1 | 1.317 |
| | VI | :1 | 1.000 |
| | VII | :1 | 0.823 |
| | VIII | :1 | 0.640 |
| | R | :1 | 3.993 |
| Final drive | | :1 | 2.647 |
| Performance | | | |
| Power-to-weight ratio | (DIN) | kg/kW | 8.3 |
| Output per litre | , | kW/l | 78.5 |
| Acceleration 0–10 | 00 km/h | S | 5.2 |
| Top speed | | km/h | 250 |
| DMW EfficientDune | | | |
| BMW EfficientDynai | | | Duelle France Description of the grant and the description of the desc |
| BMW EfficientDynamic standard features | CS | | Brake Energy Regeneration with recuperation display, Electric Power Steering (EPS), Auto Start Stop function, Optimum Shift Indicator, ECO PRO mode with coasting function, BMW EfficientLightweight, optimised aerodynamics, active air flap control, on-demand operation of ancillary units, map-regulated oil pump, efficiency- and weight-optimised all-wheel drive, rear differential and transfer case with optimised efficiency, BMW Blue Performance technology with SCR catalytic converter |
| | | | <u> </u> |
| Fuel Consumption E | | | |
| Urban | | l/100 km | 7.4 – 7.3 |
| Extra-urban | | l/100 km | 5.6 – 5.1 |
| Combined | | l/100 km | 6.3 – 5.9 |
| CO ₂ | | g/km | 166 – 155 |
| Emission rating | | | Euro 6d-TEMP |

Specifications apply to ACEA markets/data relevant to homologation apply in part only in Germany (weight) All technical specifications are provisional

The fuel consumption, CO_2 emissions and electric power consumption figures were determined according to the European Regulation (EC) 715/2007 in the version applicable. The figures refer to a vehicle with basic configuration in Germany. The range shown considers the different sizes of the selected wheels/tyres and the selected items of optional equipment, and may vary during configuration.

The values are already based on the new WLTP test cycle and are translated back into NEDC-equivalent values in order to ensure comparability between the vehicles. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO_2 emissions, the CO_2 values may differ from the values stated here (depending on national legislation).

Effective: 02.11.2018

Further information on official fuel consumption figures and specific CO₂ emission values of new passenger cars is included in the following guideline: Leitfaden über den Kraftstoffverbrauch, die CO₂-Emissionen und den Stromverbrauch neuer Personenkraftwagen' (Guide to the fuel economy, CO₂ emissions and electric power consumption of new passenger cars), which can be obtained free of charge from all dealerships, from Deutsche Automobil Treuhand GmbH (DAT), Hellmuth-Hirth-Str. 1, 73760 Ostfildem-Scharnhausen and at https://www.dat.de/co2/.


¹⁾ Oil change

BMW Media Information


Page 5

Output and torque diagrams. The new BMW 8 Series Convertible. M850i xDrive.





The new BMW 8 Series Convertible. 840d xDrive.



BMW Media Information 11/2018 Page 7

Exterior and interior dimensions.The new BMW 8 Series Convertible.



