

Specifications.

BMW M8 Coupe.

M8.



BMW M8 Coupe		
Body		
No of doors/seats		2 / 4
Length/width/height (unladen)	mm	4867 / 1907 / 1362
Wheelbase	mm	2827
Track, front/rear	mm	1627 / 1632
Ground clearance	mm	³⁾
Turning circle	m	12.2
Fuel tank capacity	approx. l	68
Engine oil ¹⁾	l	10.0
Weight, unladen, to DIN/EU	kg	1885 / 1960
Max load to DIN	kg	500
Max permissible weight	kg	2385
Max axle load, front/rear	kg	1200 / 1230
Max trailer load, braked (12%/unbraked)	kg	- / -
Max roofload/max towbar download	kg	³⁾ / -
Luggage comp capacity	l	420
Air resistance	c _d x A	³⁾
Power Unit		
Config/No of cyls/valves		V / 8 / 4
Engine technology		M TwinPower Turbo technology with cross-bank exhaust manifold: M TwinScroll twin turbocharger, indirect charge air cooling, High Precision Injection (maximum injection pressure: 350 bar), VALVETRONIC fully variable valve timing, Double-VANOS variable camshaft timing
Effective capacity	cc	4395
Stroke/bore	mm	88.3 / 89.0
Compression ratio	:1	10.0
Fuel		RON 98 (min. RON 91)
Max output	kW/hp	441 / 600
at	rpm	6000
Max torque	Nm	750
at	rpm	1800 – 5600
Electrical System		
Battery/installation	Ah/-	70 (Li-ion) / Luggage compartment
Driving Dynamics and Safety		
Suspension, front		Adaptive M suspension with double wishbone axle in lightweight aluminium construction, M-specific kinematics and elastokinematics, Variable Damper Control
Suspension, rear		Adaptive M suspension with five-link axle in lightweight aluminium construction, M-specific elastokinematics, Variable Damper Control
Brakes, front		M compound brakes, vented, with six-piston fixed callipers
Brakes, rear		M compound brakes, vented, with single-piston floating callipers
Driving stability systems		Standard: DSC incl. ABS, ASC and M Dynamic Mode (MDM), can be switched off; CBC (Cornering Brake Control), DBC (Dynamic Brake Control), Dry Braking function, Start-Off Assistant, Active M Differential, DSC linked with M xDrive all-wheel drive
Safety equipment		Standard: airbags for driver and front passenger, side airbags for driver and front passenger, head airbags for front and rear seats, three-point inertia-reel seatbelts on all seats with belt stopper, belt latch tensioner and belt force limiter in the front, crash sensors, tyre pressure indicator
Steering		Electric Power Steering (EPS) with M-specific Servotronic function and variable sport ratio
Steering ratio, overall	:1	14.3
Tyres, front/rear		275/40 ZR19 105Y XL 285/40 ZR19 107Y XL
Rims, front/rear		9.5J x 19 light-alloy 10.5J x 19 light-alloy

BMW M8 Coupe

Power Transfer

M xDrive intelligent all-wheel-drive system, central transfer case with fully-variable multi-plate clutch, fully-variable torque distribution between front and rear axle, rear differential with fully-variable Active M Differential, locking effect 0 – 100 per cent

Transmission

Type of transmission	Eight-speed M Steptronic transmission with Drivelogic, transmission oil cooling		
Gear ratios	I	:1	5.000
	II	:1	3.200
	III	:1	2.143
	IV	:1	1.720
	V	:1	1.313
	VI	:1	1.000
	VII	:1	0.823
	VIII	:1	0.640
	R	:1	3.478
Final drive		:1	3.154

Performance

Power-to-weight ratio (DIN)	kg/kW	4.3
Output per litre	kW/l	100.3
Acceleration 0–100 km/h	s	3.3
Acceleration 0–200 km/h	s	10.8
Top speed	km/h	250 / 305 ²⁾

BMW EfficientDynamics

BMW EfficientDynamics standard features Brake Energy Regeneration, Electric Power Steering, Auto Start Stop function, Optimum Shift Indicator in manual shift mode, BMW EfficientLightweight, on-demand operation of ancillary units, Li-ion battery, map-regulated oil pump, rear differential and transfer case with optimised efficiency, optimised aerodynamics (underside panelling, front spoiler, rear spoiler)

Fuel Consumption ECE

with standard tyres		
Urban	l/100 km	15.2 – 15.2
Extra-urban	l/100 km	8.0 – 7.7
Combined	l/100 km	10.6 – 10.5
CO ₂	g/km	242 – 238
Emission rating		Euro 6d-TEMP

Specifications apply to ACEA markets/data relevant to homologation applies in part only to Germany (weight)

- ¹⁾ Oil change with filter
- ²⁾ Governed / with optional M Driver's Package
- ³⁾ Figures not yet available

The fuel consumption, CO₂ emission and electric power consumption figures are determined according to the European Regulation (EC) 2007/715 in the version applicable. The figures refer to a vehicle with basic configuration in Germany. The range shown considers the different sizes of the selected wheels/tyres and the selected items of optional equipment, and may vary during configuration.

The values are based on the new WLTP test cycle and are translated back into NEDC-equivalent values in order to ensure comparability between the vehicles. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO₂ emissions, the CO₂ values may differ from the values stated here (depending on national legislation).

Further information on official fuel consumption figures and specific CO₂ emission values of new passenger cars is included in the following guideline: 'Leitfaden über den Kraftstoffverbrauch, die CO₂-Emissionen und den Stromverbrauch neuer Personenkraftwagen' (Guide to the fuel economy, CO₂ emissions and electric power consumption of new passenger cars), which can be obtained free of charge from all dealerships, from Deutsche Automobil Treuhand GmbH (DAT), Hellmuth-Hirth-Str. 1. 73760 Ostfildern-Scharnhausen and at <https://www.dat.de/co2/>.

BMW M8 Coupe. M8 Competition.

BMW M8 Competition Coupe		
Body		
No of doors/seats		2 / 4
Length/width/height (unladen)	mm	4867 / 1907 / 1362
Wheelbase	mm	2827
Track, front/rear	mm	1627 / 1632
Ground clearance	mm	³⁾
Turning circle	m	12.2
Fuel tank capacity	approx. l	68
Engine oil ¹⁾	l	10.0
Weight, unladen, to DIN/EU	kg	1885 / 1960
Max load to DIN	kg	500
Max permissible weight	kg	2385
Max axle load, front/rear	kg	1200 / 1230
Max trailer load, braked (12%/unbraked)	kg	- / -
Max roofload/max towbar download	kg	³⁾ / -
Luggage comp capacity	l	420
Air resistance	$c_d \times A$	³⁾
Power Unit		
Config/No of cyls/valves		V / 8 / 4
Engine technology		M TwinPower Turbo technology with cross-bank exhaust manifold: M TwinScroll twin turbocharger, indirect charge air cooling, High Precision Injection (maximum injection pressure: 350 bar), VALVETRONIC fully variable valve timing, Double-VANOS variable camshaft timing
Effective capacity	cc	4395
Stroke/bore	mm	88.3 / 89.0
Compression ratio	:1	10.0
Fuel		RON 98 (min. RON 91)
Max output	kW/hp	460 / 625
at	rpm	6000
Max torque	Nm	750
at	rpm	1800 – 5800
Electrical System		
Battery/installation	Ah/-	70 (Li-ion) / Luggage compartment
Driving Dynamics and Safety		
Suspension, front		Adaptive M suspension with double wishbone axle in lightweight aluminium construction, M-specific kinematics and elastokinematics, Variable Damper Control
Suspension, rear		Adaptive M suspension with five-link axle in lightweight aluminium construction, M-specific elastokinematics, Variable Damper Control
Brakes, front		M compound brakes, vented, with six-piston fixed callipers
Brakes, rear		M compound brakes, vented, with single-piston floating callipers
Driving stability systems		Standard: DSC incl. ABS, ASC and M Dynamic Mode (MDM), can be switched off; CBC (Cornering Brake Control), DBC (Dynamic Brake Control), Dry Braking function, Start-Off Assistant, Active M Differential, DSC linked with M xDrive all-wheel drive
Safety equipment		Standard: airbags for driver and front passenger, side airbags for driver and front passenger, head airbags for front and rear seats, three-point inertia-reel seatbelts on all seats with belt stopper, belt latch tensioner and belt force limiter in the front, crash sensors, tyre pressure indicator
Steering		Electric Power Steering (EPS) with M-specific Servotronic function and variable sport ratio
Steering ratio, overall	:1	14.3
Tyres, front/rear		275/35 ZR20 102Y XL 285/35 ZR20 104Y XL
Rims, front/rear		9.5J x 20 light-alloy 10.5J x 20 light-alloy

BMW M8 Competition Coupe

Power Transfer

M xDrive intelligent all-wheel-drive system, central transfer case with fully-variable multi-plate clutch, fully-variable torque distribution between front and rear axle, rear differential with fully-variable Active M Differential, locking effect 0 – 100 per cent

Transmission

Type of transmission	Eight-speed M Steptronic transmission with Drivelogic, transmission oil cooling		
Gear ratios	I	:1	5.000
	II	:1	3.200
	III	:1	2.143
	IV	:1	1.720
	V	:1	1.313
	VI	:1	1.000
	VII	:1	0.823
	VIII	:1	0.640
	R	:1	3.478
Final drive		:1	3.154

Performance

Power-to-weight ratio (DIN)	kg/kW	4.1
Output per litre	kW/l	104.7
Acceleration 0–100 km/h	s	3.2
Acceleration 0–200 km/h	s	10.6
Top speed	km/h	250 / 305 ²⁾

BMW EfficientDynamics

BMW EfficientDynamics standard features	Brake Energy Regeneration, Electric Power Steering, Auto Start Stop function, Optimum Shift Indicator in manual shift mode, BMW EfficientLightweight, on-demand operation of ancillary units, Li-ion battery, map-regulated oil pump, rear differential and transfer case with optimised efficiency, optimised aerodynamics (underside panelling, front spoiler, rear spoiler)
---	--

Fuel Consumption ECE

with standard tyres		
Urban	l/100 km	15.3 – 15.2
Extra-urban	l/100 km	8.0 – 7.7
Combined	l/100 km	10.6 – 10.5
CO ₂	g/km	242 – 238
Emission rating		Euro 6d-TEMP

Specifications apply to ACEA markets/data relevant to homologation applies in part only to Germany (weight)


- ¹⁾ Oil change with filter
- ²⁾ Governed / with optional M Driver's Package
- ³⁾ Figures not yet available

The fuel consumption, CO₂ emission and electric power consumption figures are determined according to the European Regulation (EC) 2007/715 in the version applicable. The figures refer to a vehicle with basic configuration in Germany. The range shown considers the different sizes of the selected wheels/tyres and the selected items of optional equipment, and may vary during configuration.


The values are based on the new WLTP test cycle and are translated back into NEDC-equivalent values in order to ensure comparability between the vehicles. With respect to these vehicles, for vehicle-related taxes or other duties based (at least inter alia) on CO₂ emissions, the CO₂ values may differ from the values stated here (depending on national legislation).

Further information on official fuel consumption figures and specific CO₂ emission values of new passenger cars is included in the following guideline: 'Leitfaden über den Kraftstoffverbrauch, die CO₂-Emissionen und den Stromverbrauch neuer Personenkraftwagen' (Guide to the fuel economy, CO₂ emissions and electric power consumption of new passenger cars), which can be obtained free of charge from all dealerships, from Deutsche Automobil Treuhand GmbH (DAT), Hellmuth-Hirth-Str. 1. 73760 Ostfildern-Scharnhausen and at <https://www.dat.de/co2/>.

Output and torque diagrams. BMW M8 Coupe. M8.



BMW M8 Coupe. M8 Competition.



Exterior and interior dimensions. BMW M8 Coupe.

