

Media information 26 October 2023

#### BMW Motorrad presents the new S 1000 XR.

Improved performance, optimised ergonomics, sleeker design, and more standard and optional features.



P90527498

**Munich.** BMW Motorrad is introducing the new S 1000 XR, an enhanced version of the successful long-distance sports bike and multiple test winner. Increased engine power, improved ergonomics, design refinements, and expanded standard features define the model's upgrades.

# The reworked in-line 4-cylinder engine now delivers even more impressive performance, with a flow-optimised geometry for the intake channels and a power output of 125 kW (170 hp).

The new S 1000 XR still shares its in-line 4-cylinder engine with the S 1000 RR, providing a smooth and powerful torque delivery and a harmonious power characteristic that contributes to excellent rideability. Compared to the predecessor model, the engine power has been increased by 4 kW (5 hp) to now 125 kW (170 hp) at an unchanged nominal engine speed of 11,000 rpm. The main reasons for the performance increase are a flow-optimised geometry of the intake channels and a customised mapping. The maximum torque generated is still 114 Nm at 9,250 rpm.

Company Bayerische Motoren Werke Aktiengesellschaft

Postal address BMW AG 80788 Munich

Telephone +49 89 382-0

Internet www.bmwgroup.com



Media information

Date 26 October 2023

Topic BMW Motorrad presents the new S 1000 XR.

Page 2

# Improved ergonomics thanks to new seat and even sportier rear section.

In order to provide even more freedom of movement, especially during high-performance riding on country roads and race tracks, the seat of the long-distance sports bike has been completely redesigned. It now offers an extra 10 mm of seat height (850 mm) and provides more space for the buttocks by increasing the usable length and width of the seat, allowing for better adjustment of the seating position depending on the riding conditions. The improved ergonomics make it easier for riders to manoeuvre the S 1000 XR on the road or on the race track, providing even better control. A total of three different seat heights are available.

The new S 1000 XR also benefits from redesigned elements in its design. The rear section now features new side panels and air intakes inspired by motorsports, giving it a more dynamic look. Additionally, the radiator trim now has a textured surface, and the previously black-coloured "beak" fender is now painted in body colour.

#### Extended range of standard equipment and new optional extras / Original BMW Motorrad Accessories.

The new S 1000 XR comes with an expanded standard equipment list. As part of the standard equipment, **Headlight Pro** provides additional safety during night-time rides with its adaptive turning light. The rider benefits from improved road illumination in corners. The package also includes Daytime Running Lights (DRL) for better vehicle recognition during the day. **Keyless Ride** and a **12 Ah capacity battery** are now standard features. Additionally, the new BMW S 1000 XR is equipped with a **USB charging option** as standard.

Other updates include the availability of the **E-Call feature** in the USA, the option to equip the S 1000 XR with the optional **M GPS Laptrigger**, and the availability of **M Carbon wheels** as a new optional extra or as Original BMW Motorcycle accessories.



Media information

Date 26 October 2023

Topic BMW Motorrad presents the new S 1000 XR.

Page 3

#### Three new attractive colour options.

Three new colour options reflect the dynamic character of the new BMW S 1000 XR.

#### Blackstorm metallic

Gravityblue metallic

#### Lightwhite solid paint/Motorsport

(in conjunction with the M package and M seat).

#### The key innovations of the new BMW S 1000 XR:

- Engine power has been increased by 4 kW (5 hp) to now 125 kW (170 hp) at 11,000 rpm (previously 121 kW (165 hp)).
- The intake channels have been modified.
- The optimised Shift Assistant Pro ensures even higher precision when shifting.
- Improved ergonomics and freedom of movement with a redesigned seat (850 mm seat height instead of the previous 840 mm).
- The spring strut has been optimised to provide a more sensitive and comfortable ride.
- The rear section has a new, sportier design with new side panels and air intakes inspired by motorsports.
- The handlebar clamp has been redesigned.
- The front "beak" is now painted in the body colour.
- The radiator cover has a new, textured surface.
- New battery with 12 Ah capacity instead of the previous 9 Ah.
- M Carbon wheels available as optional equipment or Original BMW Motorrad Accessories.



Media information

Date 26 October 2023

Topic BMW Motorrad presents the new S 1000 XR.

 $_{\text{Page}}$  4

- Keyless Ride is standard.
- USB charging port is standard.
- Headlight Pro is standard.
- E-Call now also available for the USA.
- Use of the M GPS Laptrigger is possible.
- New colour options: Blackstorm metallic, Gravityblue metallic and Lightwhite solid paint/Motorsport.




Media information

Date 26 October 2023

Topic BMW Motorrad presents the new S 1000 XR.

Page 5

#### Engine Output and Torque.





Media information

Date 26 October 2023

Topic BMW Motorrad presents the new S 1000 XR.

Page 6

### Technical specifications.

		BMW S 1000 XR
Engine		
Capacity	сс	999
Bore/stroke	mm	80/49.7
Output	kW/hp	125/170
at engine speed	rpm	11,000
Torque	Nm	114
at engine speed	rpm	9250
Туре		Water-cooled in-line 4-cylinder engine
Compression/fuel		12.5:1 / Premium unleaded petrol, octane rating 95-98 (RON) (knock control; rated power at 98 RON)
Valve/accelerator actuation		DOHC (double overhead camshaft) Valve actuation via single cam followers
Valves per cylinder		4
Ø intake/outlet	mm	33.5/27.2
Throttle valve diameter	mm	48
Engine control		BMS-C
Emission control		Closed-loop three-way catalytic converter, EU 5+
Electrical system		
Electrical system Alternator	W	493
<b>/</b>	W V/Ah	
Alternator		12/12, maintenance-free
Alternator Battery	V/Ah	12/12, maintenance-free LED low beam twin headlamp with projection module
Alternator Battery	V/Ah	LED low beam twin headlamp with projection module LED high beam with projection module
Alternator Battery Headlight	V/Ah W kW	493 12/12, maintenance-free LED low beam twin headlamp with projection module LED high beam with projection module 0.8
Alternator Battery Headlight Starter	V/Ah W kW	12/12, maintenance-free LED low beam twin headlamp with projection module LED high beam with projection module 0.8 Self-reinforcing multi-plate anti-hopping oil bath clutch,
Alternator Battery Headlight Starter Power transmission – transmissio	V/Ah W kW	12/12, maintenance-free LED low beam twin headlamp with projection module LED high beam with projection module 0.8 Self-reinforcing multi-plate anti-hopping oil bath clutch, mechanically operated
Alternator Battery Headlight Starter Power transmission – transmissio Clutch	V/Ah W kW	12/12, maintenance-free LED low beam twin headlamp with projection module LED high beam with projection module 0.8 Self-reinforcing multi-plate anti-hopping oil bath clutch mechanically operated Constant-mesh 6-speed gearbox
Alternator Battery Headlight Starter Power transmission – transmissio Clutch Transmission Primary ratio	V/Ah W kW	12/12, maintenance-free LED low beam twin headlamp with projection module LED high beam with projection module 0.8 Self-reinforcing multi-plate anti-hopping oil bath clutch mechanically operated Constant-mesh 6-speed gearbox 1.652
Alternator Battery Headlight Starter Power transmission – transmissio Clutch Transmission	V/Ah W kW	12/12, maintenance-free LED low beam twin headlamp with projection module LED high beam with projection module 0.8 Self-reinforcing multi-plate anti-hopping oil bath clutch
Alternator Battery Headlight Starter Power transmission – transmissio Clutch Transmission Primary ratio Transmission ratios I	V/Ah W kW	12/12, maintenance-free LED low beam twin headlamp with projection module LED high beam with projection module 0.8 Self-reinforcing multi-plate anti-hopping oil bath clutch mechanically operated Constant-mesh 6-speed gearbox 1.652 2.647 2.091
Alternator Battery Headlight Starter Power transmission – transmissio Clutch Transmission Primary ratio Transmission ratios I II	V/Ah W kW	12/12, maintenance-free LED low beam twin headlamp with projection module LED high beam with projection module 0.8 Self-reinforcing multi-plate anti-hopping oil bath clutch mechanically operated Constant-mesh 6-speed gearbox 1.652 2.647 2.091
Alternator Battery Headlight Starter Power transmission – transmissio Clutch Transmission Primary ratio Transmission ratios I II	V/Ah W kW	12/12, maintenance-free LED low beam twin headlamp with projection module LED high beam with projection module 0.8 Self-reinforcing multi-plate anti-hopping oil bath clutch mechanically operated Constant-mesh 6-speed gearbox 1.652 2.647 2.091 1.727 1.476
Alternator Battery Headlight Starter Power transmission – transmissio Clutch Transmission Primary ratio Transmission ratios I II III III IV	V/Ah W kW	12/12, maintenance-free LED low beam twin headlamp with projection module LED high beam with projection module 0.8 Self-reinforcing multi-plate anti-hopping oil bath clutch mechanically operated Constant-mesh 6-speed gearbox 1.652 2.647 2.091 1.727 1.476
Alternator Battery Headlight Starter Power transmission – transmissio Clutch Transmission Primary ratio Transmission ratios I II III IV V	V/Ah W kW	12/12, maintenance-free LED low beam twin headlamp with projection module LED high beam with projection module 0.8 Self-reinforcing multi-plate anti-hopping oil bath clutch mechanically operated Constant-mesh 6-speed gearbox 1.652 2.647 2.091



Media information

Date 26 October 2023

Topic BMW Motorrad presents the new S 1000 XR.

Page 7

Chassis		
Frame construction type		Aluminium composite bridge frame, engine self-supporting
Front wheel suspension		Upside-down telescopic forks, slide tube diameter 45 mm,
		dynamic ESA, electronically adjustable damping
Rear wheel suspension		Aluminium underslung double-sided swing arm with central
		spring strut,
		Dynamic ESA, electronically adjustable damping
Spring travel, front/rear	mm	150/150
Wheel castor	mm	116
Wheelbase	mm	1,552
Steering head angle	٥	65.1
Brakes	Front	Twin disc brake, floating
		Ø 320 mm, radial 4-piston fixed calipers
	Rear	Single-disc brake, Ø 220 mm, single-piston floating caliper
ABS		BMW Motorrad ABS Pro
		(part-integral)
Traction control		BMW Motorrad DTC
Wheels		Standard: Die-cast aluminium wheels
		Aluminium forged wheels as optional equipment
	Front	3.50 x 17"
	Rear	6.00 x 17"
Tyres	Front	120/70 ZR17
	Rear	190/55 ZR17
Dimensions and weights		
Total length	mm	2,156
Total width without attachments	mm	850
Seat height	mm	850
DIN unladen weight, fully fuelled	kg	227
Permitted total weight	kg	450
Fuel tank capacity	I	20
Performance figures		
Fuel consumption (WMTC)	l/100 km	6.2
CO2	g/km	144
Acceleration 0-100 km/h	S	3.3
Top speed	km/h	>200



Media information

Date 26 October 2023

Topic BMW Motorrad presents the new S 1000 XR.

Page 8

You will find press material on BMW motorcycles and BMW Motorrad rider equipment in the BMW Group PressClub at www.press.bmwgroup.com.

In case of queries, please contact:

Damien Cagnart, Corporate, Spokesperson BMW Motorrad Tel.: +49-151-601-95806, <u>Damien.Cagnart@bmw.de</u>

Jens Lemon, Head of Communication MINI and BMW Motorrad Tel.: +49-151-601-23635, <u>Jens.Lemon@bmw.de</u>

Internet: www.press.bmw.de E-mail: <u>presse@bmw.de</u>

#### The BMW Group

With its four brands BMW, MINI, Rolls-Royce and BMW Motorrad, the BMW Group is the world's leading premium manufacturer of automobiles and motorcycles and also provides premium financial and mobility services. The BMW Group production network comprises over 30 production sites worldwide; the company has a global sales network in more than 140 countries.

In 2022, the BMW Group sold nearly 2.4 million passenger vehicles and more than 202,000 motorcycles worldwide. The profit before tax in the financial year 2022 was € 23.5 billion on revenues amounting to € 142.6 billion. As of 31 December 2022, the BMW Group had a workforce of 149,475 employees.

The success of the BMW Group has always been based on long-term thinking and responsible action. The company set the course for the future at an early stage and consistently makes sustainability and efficient resource management central to its strategic direction, from the supply chain through production to the end of the use phase of all products.

www.bmwgroup.com Facebook: http://www.facebook.com/BMWGroup Twitter: http://twitter.com/BMWGroup YouTube: http://www.youtube.com/BMWGroupView Instagram: https://www.instagram.com/bmwgroup LinkedIn: https://www.linkedin.com/company/bmw-group/