

Standard equipment

4 Series LCI - [F32] Coupé / [F33] Convertible / [F36] Gran Coupé

BMW UK

Prod week 09 - March 2017

[Return to Contents](#)

420i / 420i xDrive / 420d / 420d xDrive models

BMW EfficientDynamics

Auto Start-Stop
Brake Energy Regeneration
Drive Performance Control - ECO PRO, Comfort and Sport modes (SE, F36 Gran Coupé only)
Drive Performance Control - ECO PRO, Comfort and Sport modes (Sport models)
Electric Power Steering (EPS)
Lightweight Engineering
Reduced Rolling Resistance Tyres
Optimum Shift Indicator

Engine

420d / 420d xDrive models

BMW TwinPower Turbo four-cylinder in-line diesel engine
common-rail technology
turbo with variable turbine geometry
Diesel Particulate Filter (DPF) (diesel models only)

420i / 420i xDrive models

BMW TwinPower Turbo four-cylinder in-line petrol engine
high-precision direct injection
Double-VANOS twin-scroll turbocharging system
VALVETRONIC engine management
EU6 emissions management
Incorrect fuelling protection system (diesel models only)
Oil sensor for level and grade, warning by Check Control system

Transmission

Six-speed manual transmission
xDrive (xDrive models only)
permanent all-wheel-drive
variable torque distribution

Chassis

Front suspension, Aluminium
Run-flat tyres
Rear suspension, five-link

Safety and technology

Airbags comprising:
Front airbags for Driver and front passenger, front and side¹
Driver and front passenger side impact airbags
Head airbags, curtain head protection system, protective 'sail' as splinter protection
¹manual deactivation of front passenger airbag possible
Alarm system (Thatcham 1) with remote control and electronic engine immobiliser
Battery safety cut-off
Brake discs, front and rear - ventilated
Brake pad wear indicator, front and rear
Bumper system - front and rear
replaceable deformation elements for impacts up to 9mph
Central locking switch for all doors, fuel filler cap and luggage compartment
Check Control warning system for monitoring of lights and door/luggage compartment open warning
Condition Based Service
BMW Service history
Electronic Service Booklet
Integrated Owner's Handbook
Crash sensor
activating central locking release, hazard warning lights, battery safety cut-off and interior lighting

¹compatible devices only

N.B - Items included in the standard equipment listed here may be replaced in part or in full by selecting other optional equipment. For full details of available optional equipment please see the relevant section of this Product Library.

Safety and technology

Cruise control with brake function
Direction indicator lenses, LED
Direction indicator, side repeaters, integrated in exterior mirrors
Dynamic brake lights
Dynamic Stability Control + (DSC+) comprising:
Anti-lock Braking System (ABS) including Brake Assist
Automatic Stability Control (ASC)
Brake drying
Braking pre-tensioning
Cornering Brake Control (CBC)
Dynamic Brake Control (DBC)
Dynamic Traction Control (DTC)
Electronic differential lock
Hill-start Assistant
First Aid kit and Warning Triangle
High level third brake light
LED headlights, low and high beam
follow me home function
LED eyebrow
LED daytime running lights
LED taillights, with new 3D L-shaped LED light design
Lights-on warning, by audio warning signal when ignition is switched off
Park Distance Control (PDC), front and rear
Personal Profile
automatic lock when driving away, selectable
Rain sensor with automatic headlight activation
Remote control, including integrated key - two
one button for opening and one button for closing all lockable contents, plus opening and closing all the windows
separate button for opening the luggage compartment
Servotronic
Seat belt security check for driver
Side impact protection
Three-point seat belts, at all seats
pyrotechnic belt tensioners - front
belt force limiters - front
coded belt buckles - rear
Twin horns
Tyre Pressure Monitor, with a three-level warning strategy
Visible VIN
Windscreen washer jets, heated
Windscreen wipers, two-speed with adjustable intervals

Seats

Child seat ISOFIX attachment - rear, with passenger airbag deactivation
Dakota leather upholstery
Seat heating for driver and front passenger
F32 Coupé models
Four seats
Integrated rear seat headrests - two
Split-folding rear seats (60:40)
Sport seat for driver and passenger with manual adjustment
F33 Convertible models
Four seats
Rear seat headrests - two
Sport seat with adjustment - front, electric with driver memory
F36 Gran Coupé models
Four plus one seats (4+1)
Rear seat headrests - two
Split-folding rear seats (60:40)
Standard seat for driver and passenger with manual adjustment

Audio and communication

~~3.5mm auxiliary input point in centre console for auxiliary playing devices~~
Bluetooth hands-free facility with USB audio interface (Incl. audio streaming*)
BMW Emergency Call
BMW Online Services (Includes BMW Apps)
BMW Professional radio with single CD player (with MP3 playback capability)
two-way, six speaker, 4x25W loudspeaker system
BMW TeleServices
DAB Tuner
Control Display - 6.5" colour display screen
iDrive controller with 8 favourite buttons
On-Board Computer (OBC) comprising:
average speed
average and current fuel consumption, and range
outside temperature display with acoustic warning (at +3°C)
clock and date
service interval messages
odometer and trip meter
Media package - BMW Business
Navigation system - BMW Business
Real Time Traffic Information (RTTI) - subscription for 3 years, includes TMC

Exterior Equipment

Boot lid lock with soft close function (F33 Convertible only)
Exterior mirrors - heated, electrically adjustable
mirror glass aspheric on driver's side, convex on passenger side
Loading aid, luggage compartment - for when hard-top is retracted (F33 Convertible only)
Model designation
Non-metallic paintwork
Retractable hard-top (F33 Convertible only)
Shark fin
Tailgate - automatic operation (F36 Gran Coupé models only)
Welcome light

Standard Exterior Design

SE models (F36 Gran Coupé only)

Air Breather
Exhaust tailpipe
dual, round, left, with chrome finisher
Exterior trim, Matt Black
Exterior parts in body colour
bumpers, front and rear
door handles
mirror caps
roof mouldings
Kidney grille, Chrome with Black vertical slats
17" light alloy Star-spoke style 393 with 225/50 run-flat tyres

Sport models - in addition / replacement to SE

Air Breather
Black, High-gloss (F32 Coupé and F36 Gran Coupé)
Aluminium, Matt (F33 Convertible only)
Exhaust tailpipe
dual, round, left, with Dark Chrome finisher
Exterior trim
Black, High-gloss (F32 Coupé and F36 Gran Coupé)
Aluminium, Matt (F33 Convertible only)
Front air inlet with Black, High-gloss finisher
Kidney grille, Chrome with extra-wide Black, High-gloss vertical slats
Rear bumper with Black, High-gloss finisher
18" light alloy Double-spoke style 397 with 225/45 run-flat tyres

Wheels and Tyres

17" light alloy Star-spoke style 393 with 225/50 run-flat tyres (SE - F36 Gran Coupé only)
18" light alloy Double-spoke style 397 with 225/45 run-flat tyres (Sport models)

Interior equipment
12V power socket in front centre console and passenger footwell
Air conditioning, automatic with two-zone control
Armrest – front, folding with storage compartment
Bottle holders integrated into door trim storage compartments, front (up to 1 litre)
Centre armrest for rear seats, includes two cup holders (F32 Coupé and F36 Gran Coupé only)
Cup holders, front - two, with sliding lid
Electric windows - front, with open/close fingertip control, anti-trap facility and comfort closing
Extended lighting
Floor mats in velour
Glove compartment
Heat protection glazing with green-tint
Interior lighting, front centre over interior mirror, with soft-light and rear centre automatic interior light activation when door is opened, when ignition switched off, or via remote key
Instrument cluster
speedometer with mph readout
tachometer
fuel gauge
oil temperature
Lashing eyes in luggage compartment
Luggage compartment light
Non-smoker package
Remote control, including integrated key, Black (SE, F36 Gran Coupé only)
Seat belt handover for driver and front passenger, automatic (F32 Coupé only)
Side armrests - front and rear, integrated into door trim
Start-Stop button with Comfort Go keyless engine start and Auto Start-Stop deactivation button
Steering column with manual reach and rake adjustment
Storage compartment in rear centre console (F32 Coupé and F36 Gran Coupé)
Storage compartment in rear seat base, centre (F33 Convertible only)
Storage compartment behind rear seat backrest - for optional Wind Deflector (F33 Convertible only)
Sun visors with vanity mirrors and ticket pocket
Toolkit located in luggage compartment
Windscreen with grey shade band

Standard Interior Design
SE (F36 Gran Coupé only)
Door sill finishers front - Black, High-gloss, with BMW designation
Glove compartment opener with Chrome trim
Handbrake lever and gear knob in leather
Interior trim, Satin Silver
Sport multi-function leather steering wheel, three-spoke
Sport - in addition / replacement to SE
Air-conditioning and radio control panel in high-gloss Black
Ambient lighting - switchable BMW Classic Orange / Cold White LED
Centre console panel highlight in Chrome
Door sill finishers front - metal, with neutral BMW Designation
Interior trim, Black, High-gloss with Coral Red finisher (extends to front and rear)
Remote control, including integrated key, with inset in Red
Sport instrument cluster with Red highlight and chrono scale
Sport multi-function leather steering wheel, three-spoke with Red stitching
Sport seats, front









430d / 430d xDrive / 435d xDrive M Sport
Equipment in addition/replacement to 420d / 420d xDrive models
Eight-speed Sport automatic transmission
BMW TwinPower Turbo six-cylinder in-line diesel engine common-rail technology turbo with variable vane geometry
Metallic paint
Seat adjustment - front, electric with driver memory (already standard for F33 Convertible)







430i M Sport
Equipment in addition/replacement to 420i / 420i xDrive models
Seat adjustment - front, electric with driver memory (already standard for F33 Convertible)

All M Sport models
Equipment in addition or replacement to Sport models
18" light alloy M Double-spoke style 400M with mixed tyres
Air Breather, Black, High-gloss
Door sill finishers with M designation
Exhaust tailpipe – dual, left, with Chrome finisher
Exterior trim, High-gloss Shadowline
Headlining, Anthracite
Interior trim, Aluminium Hexagon with Estoril Blue finisher (extends to front and rear)
Kidney grille, Chrome with extra-wide Black, High-gloss vertical slats
Media package - BMW Professional
M aerodynamic bodystyling
M gear selector lever in Nappa Leather (manual transmission)
M Sport instrument cluster
M Sport multi-function leather steering wheel, three-spoke
M Sport suspension (excluding xDrive models)
Remote control, including integrated key, with inset in Blue
Side exterior 'M' designation badges

N.B - Items included in the standard equipment listed here may be replaced in part or in full by selecting other optional equipment.

For full details of available optional equipment please see the relevant section of this Product Library.

		420i Sport	420i M Sport	420i xDrive Sport^	420i xDrive M Sport^	430i M Sport	440i M Sport	420d SE *	420d Sport	420d M Sport	420d xDrive SE *	420d xDrive Sport^	420d xDrive M Sport^	430d M Sport	430d xDrive M Sport^	435d xDrive M Sport	Retail price including VAT @ 20%
<ul style="list-style-type: none"> ○ = optionally available ● = standard equipment - = not available * = 420d & 420d xDrive SE only available for Gran Coupé. Not available for Coupé or Convertible. ^ = 420i xDrive, 420d xDrive and 430d xDrive engine variants only available for Coupé and Gran Coupé models. -- = New equipment available from March 2017 highlighted in BLUE 																	
EXTERIOR																	
Paintwork																	
ALL	met	Metallic paintwork SE and Sport models 475 - Black Sapphire A75 - Melbourne Red A83 - Glacier Silver A89 - Imperial Blue xirallc A96 - Mineral White B39 - Mineral Grey B65 - Jatoba -- (F36 Gran Coupé only) C1X - Sunset Orange (new) -- (not available for SE)	○	-	○	-	-	○	○	-	○	○	-	-	-	-	£ 645.00
ALL	met	M Sport models 416 - Carbon Black -- (F36 Gran Coupé only) 475 - Black Sapphire A75 - Melbourne Red -- (F32 Coupé & F33 Convertible only) A83 - Glacier Silver B39 - Mineral Grey B45 - Estoril Blue C1G - Snapper Rocks Blue (new)	-	○	-	○	○	-	-	○	-	-	○	-	-	-	£ 645.00
			-	-	-	-	●	-	-	-	-	-	-	●	●	●	Standard
ALL	uni	Non-metallic paintwork 300 - Alpine White 668 - Jet Black^ ^Not available on M Sport models.	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Standard
BMW Individual Paintwork																	
ALL	met	BMW Individual metallic paintwork Available in: X02 - Citrine Black X08 - Champagne Quartz X10 - Tanzanite Blue X12 - Smoked Topaz (not available for F36 Gran Coupé) N.B - Other paint colours are available on request via paint code 490. Please reference BMW LaunchPad > BMW Individual Visualiser for more information and pricing information.	○	○	○	○	-	-	○	○	-	○	○	-	-	-	£ 1,395.00
			-	-	-	-	○	-	-	-	-	-	-	○	○	○	£ 845.00
F36 ONLY	met	BMW Individual Frozen paintwork Available in: X11 - Frozen Bronze metallic X18 - Frozen Silver Metallic (new) Only available for F36 Gran Coupé models (excluding SE)	○	○	○	○	-	-	○	○	-	○	○	-	-	-	£ 2,525.00
			-	-	-	-	○	-	-	-	-	-	-	○	○	○	£ 1,880.00
ALLOY WHEELS																	
Standard Equipment - 17" Light Alloy Wheels																	
F36 ONLY	2DW	17" Star-spoke style 393 Standard for SE models. Emissions Cluster 1 Front and rear: 7.5J x 17 with 225 / 50 R17 tyres Puncture provision: Run-flat tyres Speed rating: 94W Snow chains can be fitted		-	-	-	-	-	●	-	-	●	-	-	-	-	Standard
Standard Equipment - 18" Light Alloy Wheels																	
ALL	2A5	18" Double-spoke style 397 Standard for Sport models. Emissions Cluster 2 Front and rear: 8J x 18 with 225 / 45 R18 tyres Puncture provision: Run-flat tyres Speed rating: 91Y Snow chains can be fitted		●	-	●	-	-	-	●	-	-	●	-	-	-	Standard
ALL	2PE	18" M Double-spoke style 400M, with mixed tyres Standard for M Sport models. Emissions Cluster 2 Front: 8J x 18 with 225 / 45 R18 tyres Rear: 8.5J x 18 with 255 / 40 R18 tyres Puncture provision: Run-flat tyres Speed rating: 91Y front / 95Y rear Snow chains cannot be fitted		-	●	-	●	●	●	-	-	●	-	-	●	●	Standard
Optional Equipment - 18" Light Alloy Wheels																	
ALL	25G	18" Star-spoke style 707 (new) Optional for SE and Sport models. Emissions Cluster 2 Front and rear: 8J x 18 with 225 / 45 R18 tyres Puncture provision: Run-flat tyres Speed rating: 91Y Snow chains cannot be fitted		-	-	○	-	-	-	○	-	○	-	-	-	-	£ 640.00
			○	-	○	-	-	-	-	-	-	-	-	-	-	-	£ 0.00
ALL	2FM	18" V-spoke style 398, with mixed tyres Optional for SE and Sport models. Emissions Cluster 2 Front: 8J x 18 with 225 / 45 R18 tyres Rear: 8.5J x 18 with 225 / 40 R18 tyres Puncture provision: Run-flat tyres Speed rating: 91Y front / 95Y rear Snow chains cannot be fitted		-	-	○	-	-	-	○	-	○	-	-	-	-	£ 700.00
			○	-	○	-	-	-	-	-	-	-	-	-	-	-	£ 50.00
F36 ONLY	2P5	18" Turbine-style 415 Optional for SE models only. Emissions Cluster 2 Front and rear: 8J x 18 with 225 / 45 R18 tyres Puncture provision: Run-flat tyres Speed rating: 91Y Snow chains can be fitted		-	-	-	-	-	-	○	-	-	-	-	-	-	£ 425.00
ALL	21B	18" M Double-spoke style 441M, Ferric Grey with mixed tyres Optional for M Sport models only. Emissions Cluster 2 Front: 8J x 18 with 225 / 45 R18 tyres Rear: 8.5J x 18 with 255 / 40 R18 tyres Puncture provision: Run-flat tyres Speed rating: 91Y front / 95Y rear Snow chains cannot be fitted		-	○	-	○	○	○	-	-	○	-	-	○	○	£ 175.00
ALL	23N	18" V-spoke style 398, Orbit Grey with mixed Performance tyres Optional for M Sport models only. Emissions Cluster 2 Front: 8J x 18 with 225 / 45 R18 tyres Rear: 8.5J x 18 with 255 / 40 R18 tyres Puncture provision: BMW Mobility Kit (option 2VC) Speed rating: 95Y front / 99Y rear Snow chains cannot be fitted		-	○	-	○	○	○	-	-	○	-	-	○	○	£ 165.00
			-	○	-	○	○	○	○	-	-	○	-	-	○	○	

			420i Sport	420i M Sport	420i xDrive Sport^	420i xDrive M Sport^	430i M Sport	440i M Sport	420d SE *	420d Sport	420d M Sport	420d xDrive SE *	420d xDrive Sport^	420d xDrive M Sport^	430d M Sport	430d xDrive M Sport^	435d xDrive M Sport	Retail price including VAT @ 20%	
<ul style="list-style-type: none"> ○ = optionally available ● = standard equipment - = not available * = 420d & 420d xDrive SE only available for Gran Coupé. Not available for Coupé or Convertible. ^ = 420i xDrive, 420d xDrive and 430d xDrive engine variants only available for Coupé and Gran Coupé models. -- = New equipment available from March 2017 highlighted in BLUE 																			
Optional Equipment - 19" Light Alloy Wheels																			
ALL	2A4	19" Double-spoke style 401, with mixed tyres Optional for SE and Sport models. Emissions Cluster 2 Front: 8J x 19 with 225 / 40 R19 tyres Rear: 8.5J x 19 with 255 / 35 R19 tyres Puncture provision: Run-flat tyres Speed rating: 89Y front / 92Y rear Snow chains cannot be fitted		○	-	○	-	-	-	○	-	○	-	-	-	-	-	£	1,160.00 775.00
ALL	25H	19" Double-spoke style 407, Bi-colour Orbit Grey with mixed tyres (new) Optional for Sport models only. Emissions Cluster 2 Front: 8J x 19 with 225 / 40 R19 tyres Rear: 8.5J x 19 with 255 / 35 R19 tyres Puncture provision: Run-flat tyres Speed rating: 89Y front / 92Y rear Snow chains cannot be fitted		○	-	○	-	-	-	○	-	-	○	-	-	-	-	£	800.00
ALL	2PF	19" M Star-spoke style 403M, with mixed tyres Optional for M Sport models only. Emissions Cluster 2 Front: 8J x 19 with 225 / 40 R19 tyres Rear: 8.5J x 19 with 255 / 35 R19 tyres Puncture provision: Run-flat tyres Speed rating: 89Y front / 92Y rear Snow chains cannot be fitted		-	○	-	○	○	-	-	○	-	-	○	○	○	○	£	600.00
ALL	21W	19" M Double-spoke style 704M, Bi-colour Orbit Grey with mixed tyres (new) Optional for M Sport models only. Emissions Cluster 2 Front: 8J x 19 with 225 / 40 R19 tyres Rear: 8.5J x 19 with 255 / 35 R19 tyres Puncture provision: Run-flat tyres Speed rating: 89Y front / 92Y rear Snow chains cannot be fitted		-	○	-	○	○	-	-	○	-	-	○	○	○	○		Only available with ZMS
ALL	21Z	19" M Double-spoke style 704M, with mixed tyres (new) Optional for M Sport models only. Emissions Cluster 2 Front: 8J x 19 with 225 / 40 R19 tyres Rear: 8.5J x 19 with 255 / 35 R19 tyres Puncture provision: Run-flat tyres Speed rating: 89Y front / 92Y rear Snow chains cannot be fitted		-	○	-	○	○	-	-	○	-	-	○	○	○	○	£	800.00 Available with ZMS - £130
Optional Equipment - BMW Individual 19" Light Alloy Wheels																			
ALL	2T0	BMW Individual 19" Individual style 626i, Ferric Grey with mixed tyres Optional for SE and Sport models. Emissions Cluster 2 Front: 8J x 19 with 225 / 40 R19 tyres Rear: 8.5J x 19 with 255 / 35 R19 tyres Puncture provision: Run-flat tyres Speed rating: 89Y front / 92Y rear Snow chains cannot be fitted		○	-	○	-	-	-	○	-	○	-	-	-	-	-	£	1,450.00 900.00
Upholstery																			
ALL	LC	Dakota leather upholstery Available for SE models; - LCSW - Black - LCFH - Ivory White (new) - LCV1 - Venetian Beige with Black interior		-	-	-	-	-	●	-	-	●	-	-	-	-	-		Standard
		Available for Sport models; - LCSW - Black - LCL3 - Black with Red highlight - LCL5 - Coral Red with Black highlight ^ Not with interior trim 4LV. Lower dashboard also comes in Coral Red. - LCL8 - Black with Oyster highlights (new) - LCFH - Ivory White (new) ^ Not with interior trim 4LV - LCTX - Night Blue with Oyster highlights (new) ^Not with interior trim 4LV and only with 2XE or 2XM. - LCRY - Cognac with Brown highlights (new) ^Not with interior trim 4LV and only with 2XE or 2XM.		●	-	●	-	-	-	●	-	-	●	-	-	-	-		Standard
		Available for M Sport models; - LCSW - Black - LCL5 - Coral Red with Black highlight ^ Not with interior trim 4WF. Lower dashboard also comes in Coral Red. - LCL8 - Black with Oyster highlights - LCNL - Black with Blue highlights - LCFH - Ivory White - LCTX - Night Blue with Oyster highlights (new) - LCRY - Cognac with Brown highlights (new)		-	●	-	●	●	●	-	-	●	-	●	●	●	●		Standard
BMW Individual Upholstery																			
ALL	ZA	BMW Individual Extended Merino leather ZAKS - Cashmere Beige ZAOW - Opal White ZASW - Black ZAGB - Golden Brown ZAML - Nutmeg Only with XL3 (Sport models only) Only with 775 Only with 778 (Sport models only)		○	○	○	○	○	-	○	○	-	○	○	○	○	○	£	1,215.00

		420i Sport	420i M Sport	420i xDrive Sport^	420i xDrive M Sport^	430i M Sport	440i M Sport	420d SE *	420d Sport	420d M Sport	420d xDrive SE *	420d xDrive Sport^	420d xDrive M Sport^	430d M Sport	430d xDrive M Sport^	435d xDrive M Sport	Retail price including VAT @ 20%
<ul style="list-style-type: none"> ○ = optionally available ● = standard equipment - = not available * = 420d & 420d xDrive SE only available for Gran Coupé. Not available for Coupé or Convertible. ^ = 420i xDrive, 420d xDrive and 430d xDrive engine variants only available for Coupé and Gran Coupé models. -- = New equipment available from March 2017 highlighted in BLUE 																	
PACKAGES																	
Media and Technology Packages																	
ALL	ZNP	Media package - BMW Professional Comprises: 609 - Navigation system - BMW Professional Multimedia 6AN - Concierge Service 6FV - Online Entertainment 6AP - Remote Services 6WA - Full black panel display Also includes TMC for lifetime if RTTI not renewed Not with ZNO / Not available for M Sport models	○	●	○	●	●	○	○	●	○	○	●	●	●	●	£ 900.00
ALL	ZNO	Media package - BMW Professional Plus Comprises: 609 - Navigation system - BMW Professional Multimedia 610 - Head-up display 6AN - Concierge Service 6FV - Online Entertainment 6AP - Remote Services (not included for 330e) 6WA - Full black panel display (already standard for 330e) Also includes TMC for lifetime if RTTI not renewed Not with ZNP / Not available for M Sport models Not with 6WB Digital Cockpit (restriction from March 2017 production until end of June 2017)	○	-	○	-	-	○	○	-	○	○	-	-	-	-	£ 1,495.00
ALL	ZIN	Innovation Package For SE & Sport models Comprises: 5AS - Driving Assistant 609 - Navigation system - BMW Professional Multimedia 610 - Head-up display 6AN - Concierge Service 6AP - Remote Services 6FV - Online Entertainment 6NW - Enhanced bluetooth with wireless charging 6WA - Full black panel display 6WD - Wi-fi hotspot preparation 8TH - Speed-limit display For M Sport models Comprises: 5AS - Driving Assistant 610 - Head-up display 6FV - Online Entertainment 6NW - Enhanced bluetooth with wireless charging 6WD - Wi-fi hotspot preparation 8TH - Speed-limit display Also includes TMC for lifetime if RTTI not renewed Not with ZNP or ZNO Not with 6WB Digital Cockpit (restriction from March 2017 production until end of June 2017)	○	-	○	-	-	○	○	-	○	-	-	-	-	-	£ 2,450.00
			-	○	-	○	○	-	○	-	-	○	○	○	○	£ 1,450.00	
ALL	ZAP	Advanced Parking package Comprises: - 3AG Reversing Assist camera - 5DP Park Assist	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 545.00
ALL	ZAS	Active Security package Comprises: - 5AG Lane Change Warning system - 5AL Dynamic Safety - 5AS Driving Assistant - 6WA Full black panel display (already standard for M Sport)															
		SE and Sport models	○	-	○	-	-	○	○	-	○	○	-	-	-	-	£ 955.00
		M Sport models	-	○	-	○	○	-	-	○	-	-	○	○	○	○	£ 855.00
		ZAS Combination Pricing Reductions															
		SE and Sport models in combination with ZNP or ZNO	○	-	○	-	-	○	○	-	○	○	-	-	-	-	£ 855.00
		All models: In combination with ZIN	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 560.00
Equipment packages																	
F32 & F36 ONLY	ZMS	M Sport Plus package Coupé and Gran Coupé models, Comprise: - 21W 19" M Double-spoke style 704M, Bi-colour Orbit Grey with mixed tyres - 2NH M Sport braking system - 420 Sun protection glass - 5AC High-beam assistant - 688 Loudspeaker system - harman/kardon ZMS Alternatives - Coupé and Gran Coupé - 21Z 19" M Double-spoke style 704M, Ferric Grey with mixed tyres (instead of 21W) - 552 BMW Icon Adaptive LED headlights (additional feature) - Both 21Z and 552 Alternatives	-	○	-	○	○	○	-	-	○	-	-	○	○	○	£ 2,000.00
			-	○	-	○	○	○	-	-	○	-	-	○	○	○	£ 2,130.00
			-	○	-	○	○	○	-	-	○	-	-	○	○	○	£ 3,050.00
			-	○	-	○	○	○	-	-	○	-	-	○	○	○	£ 3,180.00
F33 ONLY	ZMS	M Sport Plus package Convertible models, Comprise: - 21W 19" M Double-spoke style 704M, Bi-colour Orbit Grey with mixed tyres - 2NH M Sport braking system - 5AC High-beam assistant - 688 Loudspeaker system - harman/kardon ZMS Alternatives - Convertible - 21Z 19" M Double-spoke style 704M, Ferric Grey with mixed tyres (instead of 21W) - 552 BMW Icon Adaptive LED headlights (additional feature) - Both 21Z and 552 Alternatives	-	○	-	○	○	○	-	-	○	-	-	○	○	○	£ 1,770.00
			-	○	-	○	○	○	-	-	○	-	-	○	○	○	£ 1,900.00
			-	○	-	○	○	○	-	-	○	-	-	○	○	○	£ 2,820.00
			-	○	-	○	○	○	-	-	○	-	-	○	○	○	£ 2,950.00
F33 ONLY	ZCV	Convertible Comfort package Comprises: - 248 Heated steering wheel - 387 - Wind deflector - 4NH - Air collar	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 695.00
ALL	ZDC	Driver Comfort Package Comprises: - 322 Comfort access - 430 Electric folding exterior mirrors, with anti-dazzle - 459 Seat adjustment - front, electric with driver memory - 493 Extended storage ZDC Combination Pricing Reductions Coupé / Gran Coupé - Models without 459 Electric Seats as Standard Equipment Coupé / Gran Coupé - Models with 459 Electric Seats as Standard Equipment Convertible: All models	○	○	○	○	-	-	○	○	○	○	○	-	-	-	£ 1,440.00
			-	-	-	-	○	○	-	-	-	-	-	○	○	○	£ 720.00
			○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 720.00
ALL	ZDN	Dynamic Package Comprises: - 2NH M Sport braking system - 2VL Variable Sport steering - 2VF - Adaptive M Sport suspension In combination with ZMS	-	○	-	○	○	○	-	-	○	-	-	○	○	○	£ 1,000.00
			-	○	-	○	○	○	-	-	○	-	-	○	○	○	£ 600.00

		420i Sport	420i M Sport	420i xDrive Sport^	420i xDrive M Sport^	430i M Sport	440i M Sport	420d SE *	420d Sport	420d M Sport	420d xDrive SE *	420d xDrive Sport^	420d xDrive M Sport^	430d M Sport	430d xDrive M Sport^	435d xDrive M Sport	Retail price including VAT @ 20%
	<ul style="list-style-type: none"> ○ = optionally available ● = standard equipment - = not available * = 420d & 420d xDrive SE only available for Gran Coupé. Not available for Coupé or Convertible. ^ = 420i xDrive, 420d xDrive and 430d xDrive engine variants only available for Coupé and Gran Coupé models. -- = New equipment available from March 2017 highlighted in BLUE 																
ALL	5A1 LED Front Fog Lights LED front fog lights integrated into the front bumper. Each fog light has three LEDs in a horizontal arrangement.	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Standard
ALL	5A2 LED Headlights Features low and high-beam headlights in Bi-LED technology, with four LED 'Corona Ring' daytime driving lights and LED indicators.	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Standard
ALL	5AC High-beam Assistant Automatically switches between low and high beam when there is oncoming traffic/changing light conditions. Controlled via an automatic sensor on the front side of the interior mirror. Included in ZMS / 552	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 150.00
ALL	5AG Lane Change Warning system Activated via a button to the right of the steering wheel. Once travelling at speeds in excess of 12mph, a radar-based system monitors blind spots to the rear and side of the vehicle. If the indicators are used to signal, the system recognises this as an intentional lane change, in the event of any potential hazards being detected warnings are displayed on the side view mirrors and the steering wheel vibrates to alert the driver. Only with 430 Included in ZAS	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 440.00
ALL	5AL Dynamic Safety Safety package for initiating protective measures for the occupants if an accident situation is imminent, includes: seat belt tensioning, closure of any open windows, closure of sliding sunroof (if fitted and open) and attentiveness assistant. Only with and included in ZAS	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Only available with ZAS
ALL	5AS Driving Assistant A range of camera-based driver assistance systems that enhance safety and reduce the risk of potential collisions, at both high and low speeds. Systems included in this option are: <u>Lane Departure Warning</u> for detecting lane markings at speeds above approximately 45mph. If the car deviates from the lane of travel without the use of indicators, the steering wheel vibrates as an alert. If the indicators are used to signal, the system recognises this as an intentional lane change and the steering wheel will not vibrate. <u>Forward Collision Warning</u> operates at speeds above 10 mph and monitors vehicles ahead and warns the driver by an optical and acoustic alert if their approach could escalate into a rear-end collision. At higher speeds over 30mph an urgent warning also activates brake preconditioning for maximum force. <u>City Collision Mitigation</u> proactively engages braking automatically for rapid reaction to potential vehicle collisions in driving situations up to 35mph. <u>Preventive Pedestrian Protection</u> proactively engages braking automatically for rapid reaction to potential collisions with humans and cyclists in urban driving situations up to 35mph. The identification of pedestrians and cyclists is only active in daylight. Only with 6WA / 6WB Included in ZAS / ZIN	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 370.00
ALL	5DF Active Cruise Control with Stop&Go function Automatic adjustment of the distance between the car and the vehicle ahead using radar sensors in the front bumper. In stop/start motorway traffic, the system will maintain the distance to the car ahead even if it comes to a complete stop. Once the traffic ahead clears, the car will return to the pre-set speed, providing that the period the vehicle was stationary was not longer than 3 seconds. Settings selectable by steering-column stalk. Includes additional 'adaptive brake assist' to provide maximum braking power in situations where collisions are likely. Includes 6WA Only with 205 / 2TB	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 620.00
ALL	5DL Surround-view Includes Top-view and Side-view cameras. Top-view consists of two video cameras, one located in each exterior mirror casing and provides 'bird's-eye view' image of the areas to the side of the car. Side-view consists of two side-viewing video cameras, one at each side of the front bumper and permits an early view of approaching traffic for pulling away from exits or crossing intersections with poor visibility to one or both sides. The images are shown in the Control Display and activated when the gear lever is moved to the 'R' position (Top-view) and/or manually by Surround-view button. Only with 3AG + 430	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 500.00
ALL	5DP Park Assist Parking gap size measurement by ultra-sonic sensors assists the driver in parallel and bay parking manoeuvres. The system calculates the optimum line to be followed and controls the steering for the duration of the parking manoeuvre. Activated when reverse gear is selected or via the manual Park Assist button. Results of parking gap search are shown in the Control Display. From week 27 production in combination with 609 Professional Navigation Side parking aid is also added showing obstacles at the side of the vehicle via the Control display screen when activated. Only with and included in ZAP	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Only available with ZAP
ALL	601 TV function Allows for reception of digital TV function to Control Display. Only functional when vehicle is stationary. Only with ZNP / ZNO	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 825.00
ALL	606 BMW Navigation System The new generation of BMW Business Navigation delivers enhanced graphics, processing speeds and HMI controls. Fixed 6.5" display with enhanced graphics and includes the functionality of BMW Professional Radio with single CD player (with MP3 playback capability) and double tuner supporting RDS/TMC data. Operation by choice of direct-selection short cut keys, 8 programmable Favourite buttons, Voice Control or iDrive. Route planning by individually defined criteria including ECO PRO route. Multiple map views include arrow pointers, north orientation, direction of travel and perspective view with a choice of three coloured map modes and 3D city models. Integrated toolbars and pie menus allow access to various functions without having to deviate from the map screen. On-board computer adds extended functionality including distance from destination and estimated time of arrival. In combination with option code 2TB includes sport displays (torque, power) in the central information display In combination with option code 205 / 2TB predictive gearshift strategy using navigation data	●	-	●	-	-	-	●	●	-	●	●	-	-	-	-	Standard

		420i Sport	420i M Sport	420i xDrive Sport^	420i xDrive M Sport^	430i M Sport	440i M Sport	420d SE *	420d Sport	420d M Sport	420d xDrive SE *	420d xDrive Sport^	420d xDrive M Sport^	430d M Sport	430d xDrive M Sport^	435d xDrive M Sport	Retail price including VAT @ 20%
	<ul style="list-style-type: none"> ○ = optionally available ● = standard equipment - = not available * = 420d & 420d xDrive SE only available for Gran Coupé. Not available for Coupé or Convertible. ^ = 420i xDrive, 420d xDrive and 430d xDrive engine variants only available for Coupé and Gran Coupé models. -- = New equipment available from March 2017 highlighted in BLUE 																
ALL	6AM Real Time Traffic Information (RTTI) Real Time Traffic Information provides enhanced traffic data over regular TMC by combining information from a significant number of sources and broadcasting over the GSM network via the embedded telematic system (PSIM), to accurately present the current traffic situation in real time. Traffic flows are displayed on the Navigation map using a colour coding scheme and the data is automatically updated every three minutes. As standard - Intelligent route guidance actively monitors time efficient alternatives and recommends for or against potential detours. Includes Online Alternative Routes. Real Time Traffic Information is initially available for three years and can then be extended or renewed. Standard for all models.	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Standard
ALL	6AN Concierge Services A telematic call service that provides access to the BMW Customer Information Centre 24 hours a day, 7 days a week. A trained team of agents can discuss a variety of enquiries and provide location-based information. POI information, addresses and telephone numbers can be sent to the vehicle which can be transferred into the Navigation system. All calls and data transfer is via the embedded SIM card (PSIM) and do not require a Bluetooth paired device. Information Plus is initially available for three years and can then be extended or renewed. Included in ZNO / ZIN From 03/17 - 6AN no longer included in package ZNP. 6AN can be fitted in conjunction with the standard 606 BMW Navigation system for Sport models, and the standard 609 Professional Navigation system for M Sport models / optional 609 for Sport models. Available retrospectively in ConnectedDrive Store.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 240.00
ALL	6AP Remote Services Remote control of specific vehicle functions. Services can be performed upon request to the BMW Customer Information Centre or actioned via a smartphone with the My BMW Remote app (available on Apple iOS and Android platforms). Remote functions include: - Remote lock/unlock. - Vehicle Finder (within a 1500m radius of the vehicle). - Remote headlight flash. - Google Local Search and send to car. Available and active for the lifetime of the vehicle but requires configuration in the user's ConnectedDrive portal. Only with and included in ZNP / ZNO / ZIN.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	See ZNP/ZNO
ALL	6CP Apple CarPlay preparation Enables wireless and comfortable usage of your iPhone® in your vehicle via Apple CarPlay®. Smartphone content like music, messages / SMS, telephony, selected third-party apps and navigation can be therefore be displayed and operated seamlessly via the user interface of the vehicle. The compatibility and functional scope of your iPhone® with Apple CarPlay® depends on the model year of the iPhone® and the version of software installed on it and must be inquired about with the mobile phone manufacturer. If you use Apple CarPlay® preparation, selected vehicle data is transferred to your iPhone. Further data processing is the responsibility of the mobile phone manufacturer or 3rd party app provider. The mobile phone manufacturer is responsible for all contents and functions displayed in the vehicle via Apple CarPlay® preparation. For details on the available apps that can be used via Apple CarPlay® preparation please visit http://www.apple.com/ios/carplay/ To connect your compatible device to use Apple CarPlay® go to the 'Manage mobile devices' menu on the iDrive and then connect to 'Apple CarPlay'. On your iPhone® go to the 'Settings' menu, 'General' and then into 'CarPlay'. Only with ZNP / ZNO / ZIN	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 235.00
ALL	6FV Online Entertainment Music on Demand functionality that utilises the built-in vehicle SIM to access the music database of either Deezer or Napster (provider is subject to change without notice). Provides direct and unlimited access to millions of music tracks without the need for a mobile or MP3 device in the vehicle. Includes subscription to a chosen music partner for one year. An unlimited flat rate data allowance in the vehicle supports the streaming of music as well the ability to download to the vehicle hard drive for use offline. The cloud-based services of the music partners also allow for convenient access to the music library via external internet-enabled devices so music playback is not restricted to the vehicle. The subscription redeemed with this option can be used on a limited number of devices (including the vehicle), allowing the customer to create a playlist at home and have this same playlist available to stream in the vehicle. Now includes 'Connected Music', assisting with song identification whilst listening to the radio (from July 2016 production). For more information on each of the current music providers please see www.deezer.com/features or www.napster.co.uk . Included in and only with ZNP / ZNO / ZIN.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 0.00
ALL	6NS Enhanced Bluetooth telephone preparation with USB audio interface and Voice Control Wireless connection for compatible Bluetooth mobile phones with the vehicle, including hands-free facility. With additional snap-in adaptor, which must be purchased separately, includes charging function and connection to external aerial. Enables convenient connection of an MP3 player, Apple device or USB memory stick in the vehicle through USB interface with operation by equipment-dependent controls (iDrive, favourite buttons, multi-function controls for steering wheel or Voice Control) of the vehicle. 6NS is required to operate 606 with Voice Control. Please see www.bmw.com/bluetooth for a list of compatible mobile phones. Extended functionality depending on the features of the Bluetooth/USB device include: - View organiser data, SMS and email content from the customer's mobile phone on the Control Display within 'Office' section of the main menu. - Speech-to-text dictation using Dragon Drive! to reply to SMS messages and emails. - View contact photos from the address book of the mobile phone on the Control Display. - Bluetooth audio streaming. - Album cover art displayed when connected via USB or snap-in adaptor.. - Software update for multimedia and telephony via USB. Not with ZNP / ZNO / ZIN Not available for M Sport models.	○	-	○	-	-	-	○	○	-	○	○	-	-	-	-	£ 430.00

Technical data		BMW UK							
4 Series Coupé [F32 LCI]		Prod week 09 - March 2017							
		420i		420i xDrive		430i		440i	
Engine		B48B20M0	B48B20M0	B48B20M0	B48B20M0	B48B20O0	B48B20O0	B58B30M0	B58B30M0
Transmission		Manual	Automatic	Manual	Automatic	Manual	Automatic	Manual	Automatic
Start of production		01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017
Seats	--	4	4	4	4	4	4	4	4
Number of Doors	--	2	2	2	2	2	2	2	2
drive type	--	RWD	RWD	AWD	AWD	RWD	RWD	RWD	RWD
Length	mm	4640	4640	4640	4640	4640	4640	4640	4640
Width	mm	1825	1825	1825	1825	1825	1825	1825	1825
Height	mm	1377	1377	1392	1392	1377	1377	1377	1377
Width inc. mirrors	mm	2017	2017	2017	2017	2017	2017	2017	2017
Width incl.mirror driver	mm	1020	1020	1020	1020	1020	1020	1020	1020
Width incl.mirror passengers side	mm	997	997	997	997	997	997	997	997
Wheelbase	mm	2810	2810	2810	2810	2810	2810	2810	2810
Overhang front	mm	787	787	787	787	787	787	787	787
Rear overhang	mm	1043	1043	1043	1043	1043	1043	1043	1043
Turning circle	m	11.3	11.3	11.8	11.8	11.3	11.3	11.3	11.3
Ground clearance	mm	130	130	145	145	130	130	130	130
Shoulder width front	mm	1405	1405	1405	1405	1405	1405	1405	1405
Shoulder room rear	mm	1313	1313	1313	1313	1313	1313	1313	1313
Elbow width front	mm	1465	1465	1465	1465	1465	1465	1465	1465
Elbowroom rear	mm	1400	1400	1400	1400	1400	1400	1400	1400
effective legroom front [L34]	mm	1073	1073	1073	1073	1073	1073	1073	1073
effective legroom rear second seating row [L51-2]	mm	857	857	857	857	857	857	857	857
Max. headroom front	mm	1011	1011	1011	1011	1011	1011	1011	1011
Maximum headroom rear	mm	917	917	917	917	917	917	917	917
Headroom front with Sunroof	mm	971	971	971	971	971	971	971	971
Maximum headroom second	mm	910	910	910	910	910	910	910	910
Knee clearance	mm	46	46	46	46	46	46	46	46
Luggage volumes [V210-2]	m³	0.445	0.445	0.445	0.445	0.445	0.445	0.445	0.445
Luggage volume [V210-2.1]	m³								
Fuel tank capacity (approx.) series	Litre	60	60	60	60	60	60	60	60
Curb weight (without driver)	kg	1475	1495	1560	1570	1490	1510	1540	1555
Curb weight (EC)	kg	1550	1570	1635	1645	1565	1585	1615	1630
Rear weight distribution (empty car)	%	49.6	49	48.2	47.9	49.8	49.5	48.5	48
Gross vehicle weight	kg	1995	2015	2080	2090	2010	2030	2060	2075
Payload	kg	520	520	520	520	520	520	520	520
Axle load limit front	kg	940	940	995	995	940	940	985	985
Rear axle load limit	kg	1115	1115	1135	1135	1130	1130	1130	1130
Gross vehicle weight with trailer	kg	2070	2090	2155	2165	2085	2105	2135	2150
Rear axle load with trailer	kg	1225	1225	1245	1245	1240	1240	1240	1240
Payload with trailer	kg	558	560	583	575	549	554	542	542
Trailer load braked 12%	kg	1400	1500	1700	1700	1600	1600	1700	1700
Trailer load braked 8%	kg	1600	1600	1800	1800	1700	1700	1800	1800
Trailer load unbraked	kg	695	695	750	750	745	745	750	750
Trailer nose weight	kg	75	75	75	75	75	75	75	75
Roof load	kg	75	75	75	75	75	75	75	75
Engine type	--	B48B20M0	B48B20M0	B48B20M0	B48B20M0	B48B20O0	B48B20O0	B58B30M0	B58B30M0
Cylinders	--	4	4	4	4	4	4	6	6
Valves p.cyl.	--	4	4	4	4	4	4	4	4
Stroke	mm	94.6	94.6	94.6	94.6	94.6	94.6	94.6	94.6
Bore	mm	82	82	82	82	82	82	82	82
Displacement	cm³	1998	1998	1998	1998	1998	1998	2998	2998
Compression rate	:1	11	11	11	11	10.2	10.2	11	11
Rated engine power [kW]	kW	135	135	135	135	185	185	240	240
Engine power [HP]	PS	184	184	184	184	252	252	326	326
Engine power [bHP]	bHP	181	181	181	181	248	248	322	322
at rpm	1/min	5000	5000	5000	5000	5200	5200	5500	5500
minimum Engine speed at maximum power	1/min	5000	5000	5000	5000	5200	5200	5500	5500
Engine torque	Nm	290	270	270	270	350	350	450	450
Engine torque	ft lbs	214	199	199	199	258	258	332	332
at rpm	1/min	1350-4600	1350-4600	1350-4600	1350-4600	1450-4800	1450-4800	1380-5000	1380-5000
minimum Engine speed at maximum torque	1/min	1350	1350	1350	1350	1450	1450	1380	1380
maximum Engine speed at maximum torque	1/min	4600	4600	4600	4600	4800	4800	5000	5000
Fuel type	--	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline
Useable Fuel quality	--	ROZ90-98	ROZ90-98	ROZ90-98	ROZ90-98	ROZ90-98	ROZ90-98	ROZ90-98	ROZ90-98
recomm.	--	ROZ95	ROZ95	ROZ95	ROZ95	ROZ95	ROZ95	ROZ95	ROZ95
Engine oil (filling quantity)	Litre	5.25	5.25	5.25	5.25	5.25	5.25	6.5	6.5
Output per litre	kW/dm³	67.6	67.6	67.6	67.6	92.6	92.6	80.1	80.1
Power to weight ratio	kg/kW	10.9	11.1	11.6	11.6	8.1	8.2	6.4	6.5

Technical data		BMW UK							
4 Series Coupé [F32 LCI]		Prod week 09 - March 2017							
		420i		420i xDrive		430i		440i	
Engine		B48B20M0	B48B20M0	B48B20M0	B48B20M0	B48B20O0	B48B20O0	B58B30M0	B58B30M0
Transmission		Manual	Automatic	Manual	Automatic	Manual	Automatic	Manual	Automatic
Start of production		01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017
Seats	--	4	4	4	4	4	4	4	4
Transmission type	--	I-weit	8HP50	K-Benzin-BK AWD	8HP50	I-350 BK	8HP50	K-Benzin-BK	8HP50
Transmission type	--	Manual	Automatic	Manual	Automatic	Manual	Automatic	Manual	Automatic
Gear ratios 1st gear	--	4.002	5	4.11	5	3.683	5	4.11	5
2nd	--	2.13	3.2	2.315	3.2	2.062	3.2	2.315	3.2
3rd	--	1.396	2.143	1.542	2.143	1.313	2.143	1.542	2.143
4th	--	1	1.72	1.179	1.72	1	1.72	1.179	1.72
5th	--	0.781	1.314	1	1.314	0.809	1.314	1	1.314
6th	--	0.668	1	0.846	1	0.677	1	0.846	1
7th	--	-	0.822	-	0.822	-	0.822	-	0.822
8th	--	-	0.64	-	0.64	-	0.64	-	0.64
Reverse gear	--	3.647	3.456	3.727	3.456	3.348	3.456	3.727	3.456
Final drive ratio	--	3.385	2.813	3.385	2.813	3.909	2.813	3.231	2.813
Power-steering	--	EPS	EPS	EPS	EPS	EPS	EPS	EPS	EPS
Steering transmission, overall	:1	15	15	15.1	15.1	15	15	15	15
Track front	mm	1547	1547	1543	1543	1547	1547	1547	1547
Width of the rear track	mm	1593	1593	1589	1589	1593	1593	1593	1593
Wheel offset front	mm	37	37	37	37	37	37	37	37
Wheel offset rear	mm	37	37	37	37	37	37	37	37
A	m ²	2.16	2.16	2.16	2.16	2.16	2.16	2.16	2.16
Cx	--	0.29	0.29	0.3	0.3	0.29	0.29	0.3	0.29
Air resistance	m ²	0.63	0.63	0.65	0.65	0.63	0.63	0.65	0.63
top speed [mph]	mph	147	147	145	144	155	155	155	155
Top speed	km/h	236	236	233	231	250	250	250	250
0 - 62 mph	s	7.3	7.5	7.6	7.8	5.9	5.8	5.2	5
50 - 75 mph (5th gear)	s	9.5	-	9.1	-	7.1	-	5.2	-
Fuel Consumption and Emissions									
Emissions Cluster 2									
Alloy wheels - 18" and 19"									
Fuel consumption - urban	mpg	34.9	37.2	31.4	34.9	33.6	38.2	27.2	31.0
Fuel consumption - extra-urban	mpg	57.6	60.1	49.6	55.4	52.3	57.6	46.3	51.4
Fuel consumption - combined	mpg	46.3	48.7	40.9	45.6	43.5	48.7	36.7	41.5
Fuel consumption - urban	l/100km	8.1	7.6	9	8.1	8.4	7.4	10.4	9.1
Fuel consumption - extra-urban	l/100km	4.9	4.7	5.7	5.1	5.4	4.9	6.1	5.5
Fuel consumption - combined	l/100km	6.1	5.8	6.9	6.2	6.5	5.8	7.7	6.8
CO2 - combined	g/km	141	134	161	144	151	136	179	159
Emission classification (type-certified)	--	EU6	EU6	EU6	EU6	EU6	EU6	EU6	EU6
Battery Capacity (low voltage)	Ah	80	80	80	80	80	80	90	90
System voltage (low voltage)	V	12	12	12	12	12	12	12	12
Front Seat Volume [ft ³]	ft ³	53.8	53.8	53.8	53.8	53.8	53.8	53.8	53.8
Rear Seat Volume [ft ³]	ft ³	36.4	36.4	36.4	36.4	36.4	36.4	36.4	36.4
Facing surface [ft ²]	ft	23.25	23.25	23.25	23.25	23.25	23.25	23.25	23.25
CxA[ft ²]	ft	6.74	6.74	6.98	6.98	6.74	6.74	6.98	6.74

Technical data		Prod week 09 - March 2017						
4 Series Coupé [F32 LC]		420d		420d xDrive		430d	430d xDrive	435d xDrive
Engine		B47D2000	B47D2000	B47D2000	B47D2000	N57D3001	N57D3001	N57D30T1
Transmission		Manual	Automatic	Manual	Automatic	Automatic	Automatic	Automatic
Start of production		01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017
Seats	--	4	4	4	4	4	4	4
Number of Doors	--	2	2	2	2	2	2	2
drive type	--	RWD	RWD	AWD	AWD	RWD	AWD	AWD
Length	mm	4640	4640	4640	4640	4640	4640	4640
Width	mm	1825	1825	1825	1825	1825	1825	1825
Height	mm	1377	1377	1392	1392	1377	1392	1392
Width incl. mirrors	mm	2017	2017	2017	2017	2017	2017	2017
Width incl. mirror driver	mm	1020	1020	1020	1020	1020	1020	1020
Width incl. mirror passengers side	mm	997	997	997	997	997	997	997
Wheelbase	mm	2810	2810	2810	2810	2810	2810	2810
Overhang front	mm	787	787	787	787	787	787	787
Rear overhang	mm	1043	1043	1043	1043	1043	1043	1043
Turning circle	m	11.3	11.3	11.8	11.8	11.3	11.8	11.8
Ground clearance	mm	130	130	145	145	130	145	145
Shoulder width front	mm	1405	1405	1405	1405	1405	1405	1405
Shoulder room rear	mm	1313	1313	1313	1313	1313	1313	1313
Elbow width front	mm	1465	1465	1465	1465	1465	1465	1465
Elbowroom rear	mm	1400	1400	1400	1400	1400	1400	1400
effective legroom front [L34]	mm	1073	1073	1073	1073	1073	1073	1073
effective legroom rear second seating row [L51-2]	mm	857	857	857	857	857	857	857
Max. headroom front	mm	1011	1011	1011	1011	1011	1011	1011
Maximum headroom rear	mm	917	917	917	917	917	917	917
Headroom front with Sunroof	mm	971	971	971	971	971	971	971
Maximum headroom second	mm	910	910	910	910	910	910	910
Knee clearance	mm	46	46	46	46	46	46	46
Luggage volumes [V210-2]	m³	0.445	0.445	0.445	0.445	0.445	0.445	0.445
Luggage volume [V210-2.1]	m³							
Fuel tank capacity (approx.) series	Litre	57	57	57	57	57	57	57
Curb weight (without driver)	kg	1475	1500	1540	1560	1540	1615	1625
Curb weight (EC)	kg	1550	1575	1615	1635	1615	1690	1700
Rear weight distribution (empty car)	%	49.6	49.1	48.2	47.6	47.5	46.6	46.3
Gross vehicle weight	kg	1995	2020	2060	2080	2060	2135	2145
Payload	kg	520	520	520	520	520	520	520
Axle load limit front	kg	940	940	995	995	985	1040	1050
Rear axle load limit	kg	1120	1120	1125	1125	1120	1135	1135
Gross vehicle weight with trailer	kg	2070	2095	2135	2155	2135	2210	2220
Rear axle load with trailer	kg	1230	1230	1235	1235	1230	1245	1245
Payload with trailer	kg	550	560	750	560	527	539	533
Trailer load braked 12%	kg	1600	1600	1600	1600	1800	1800	1800
Trailer load braked 8%	kg	1800	1800	1800	1800	1800	1800	1800
Trailer load unbraked	kg	745	745	750	750	750	750	750
Trailer nose weight	kg	75	75	75	75	75	75	75
Roof load	kg	75	75	75	75	75	75	75
Engine type	--	B47D2000	B47D2000	B47D2000	B47D2000	N57D3001	N57D3001	N57D30T1
Cylinders	--	4	4	4	4	6	6	6
Valves p.cyl.	--	4	4	4	4	4	4	4
Stroke	mm	90	90	90	90	90	90	90
Bore	mm	84	84	84	84	84	84	84
Displacement	cm³	1995	1995	1995	1995	2993	2993	2993
Compression rate	:1	16.5	16.5	16.5	16.5	16.5	16.5	16.5
Rated engine power [kW]	kW	140	140	140	140	190	190	230
Engine power [HP]	PS	190	190	190	190	258	258	313
Engine power [bHP]	bHP	188	188	188	188	255	255	308
at rpm	1/min	4000	4000	4000	4000	4000	4000	4400
minimum Engine speed at maximum power	1/min	4000	4000	4000	4000	4000	4000	4400
Engine torque	Nm	400	400	400	400	560	560	630
at rpm	1/min	1750-2500	1750-2500	1750-2500	1750-2500	1500-3000	1500-3000	1500-2500
minimum Engine speed at maximum torque	1/min	1750	1750	1750	1750	1500	1500	1500
maximum Engine speed at maximum torque	1/min	2500	2500	2500	2500	3000	3000	2500
Fuel type	--	diesel	diesel	diesel	diesel	diesel	diesel	diesel
Useable Fuel quality	--	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
recomm.	--	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Engine oil (filling quantity)	Litre	5	5	5	5	6.5	6.5	6.5
Output per litre	kW/dm³	70.2	70.2	70.2	70.2	63.5	63.5	76.8
Power to weight ratio	kg/kW	10.5	10.7	11	11.1	8.1	8.5	7.1

Technical data		Prod week 09 - March 2017						
4 Series Coupé [F32 LC]		420d		420d xDrive		430d	430d xDrive	435d xDrive
Engine		B47D2000	B47D2000	B47D2000	B47D2000	N57D3001	N57D3001	N57D30T1
Transmission		Manual	Automatic	Manual	Automatic	Automatic	Automatic	Automatic
Start of production		01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017
Seats	--	4	4	4	4	4	4	4
Number of Doors	--	2	2	2	2	2	2	2
drive type	--	RWD	RWD	AWD	AWD	RWD	AWD	AWD
Transmission type	--	K450-BK	8HP50	K-Benzin-BK AWD	8HP50	8HP70	8HP70	8HP70
Transmission type	--	Manual	Automatic	Manual	Automatic	Automatic	Automatic	Automatic
Gear ratios 1st gear	--	4.11	5	4.11	5	4.714	4.714	4.714
2nd	--	2.247	3.2	2.315	3.2	3.143	3.143	3.143
3rd	--	1.403	2.143	1.542	2.143	2.106	2.106	2.106
4th	--	1	1.72	1.179	1.72	1.667	1.667	1.667
5th	--	0.802	1.314	1	1.314	1.285	1.285	1.285
6th	--	0.659	1	0.846	1	1	1	1
7th	--	-	0.822	-	0.822	0.839	0.839	0.839
8th	--	-	0.64	-	0.64	0.667	0.667	0.667
Reverse gear	--	3.727	3.456	3.727	3.456	3.317	3.317	3.317
Final drive ratio	--	3.154	2.813	3.154	2.813	2.563	2.563	2.563
Power-steering	--	EPS	EPS	EPS	EPS	EPS	EPS	EPS
Steering transmission, overall	--	15	15	15.1	15.1	15	15.1	15.1
Track front	mm	1547	1547	1543	1543	1547	1543	1543
Width of the rear track	mm	1593	1593	1589	1589	1593	1589	1589
Wheel offset front	mm	37	37	37	37	37	37	37
Wheel offset rear	mm	37	37	37	37	37	37	37
A	m ²	2.16	2.16	2.16	2.16	2.16	2.16	2.16
Cx	--	0.28	0.28	0.29	0.29	0.29	0.29	0.3
Air resistance	m ²	0.6	0.6	0.63	0.63	0.63	0.63	0.65
top speed [mph]	mph	149	144	147	143	155	155	155
Top speed	km/h	240	232	236	230	250	250	250
0 - 62 mph	s	7.3	7.1	7.4	7.2	5.5	5.2	4.7
50 - 75 mph (5th gear)	s	7.7	-	8.1	-	-	-	-
Fuel Consumption and Emissions								
Emissions Cluster 2								
Alloy wheels - 18" and 19"								
Fuel consumption - urban	mpg	51.4	55.4	48.7	50.4	47.9	45.6	42.8
Fuel consumption - extra-urban	mpg	72.4	72.4	68.9	67.3	61.4	57.6	56.5
Fuel consumption - combined	mpg	62.8	65.7	60.1	60.1	55.4	52.3	50.4
Fuel consumption - urban	l/100km	5.5	5.1	5.8	5.6	5.9	6.2	6.6
Fuel consumption - extra-urban	l/100km	3.9	3.9	4.1	4.2	4.6	4.9	5
Fuel consumption - combined	l/100km	4.5	4.3	4.7	4.7	5.1	5.4	5.6
CO2 - combined	g/km	119	114	125	125	134	142	147
Emission classification (type-certified)	--	EU6	EU6	EU6	EU6	EU6	EU6	EU6
Battery Capacity (low voltage)	Ah	80	90	80	90	90	90	90
System voltage (low voltage)	V	12	12	12	12	12	12	12
Front Seat Volume [ft ³]	ft ³	53.8	53.8	53.8	53.8	53.8	53.8	53.8
Rear Seat Volume [ft ³]	ft ³	36.4	36.4	36.4	36.4	36.4	36.4	36.4
Facing surface [ft ²]	ft	23.25	23.25	23.25	23.25	23.25	23.25	23.25
CxA[ft ²]	ft	6.51	6.51	6.74	6.74	6.74	6.74	6.98

Technical data		Prod week 09 - March 2017				
4 Series Convertible [F33 LC1]		420i		430i		440i
Engine		B48B20M0	B48B20M0	B48B20O0	B48B20O0	B58B30M0
Transmission		Manual	Automatic	Manual	Automatic	Automatic
Start of production		01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017
Seats	--	4	4	4	4	4
Number of Doors	--	2	2	2	2	2
drive type	--	RWD	RWD	RWD	RWD	RWD
Length	mm	4640	4640	4640	4640	4640
Width	mm	1825	1825	1825	1825	1825
Height	mm	1384	1384	1384	1384	1384
Width incl. mirrors	mm	2017	2017	2017	2017	2017
Width incl. mirror driver	mm	1020	1020	1020	1020	1020
Width incl. mirror passengers side	mm	997	997	997	997	997
Wheelbase	mm	2810	2810	2810	2810	2810
Overhang front	mm	787	787	787	787	787
Rear overhang	mm	1043	1043	1043	1043	1043
Turning circle	m	11.3	11.3	11.3	11.3	11.3
Ground clearance	mm	130	130	130	130	130
Shoulder width front	mm	1405	1405	1405	1405	1405
Shoulder room rear	mm	1265	1265	1265	1265	1265
Elbow width front	mm	1466	1466	1466	1466	1466
Elbow room rear	mm	1321	1321	1321	1321	1321
effective legroom front [L34]	mm	1071	1071	1071	1071	1071
effective legroom rear second seating row [L51-2]	mm	842	842	842	842	842
Max. headroom front	mm	1025	1025	1025	1025	1025
Maximum headroom rear	mm	942	942	942	942	942
Luggage volumes [V210-2]	m³	0.37	0.37	0.37	0.37	0.37
Luggage volume [V210-2.1]	m³	0.22	0.22	0.22	0.22	0.22
Fuel tank capacity (approx.) series	Litre	60	60	60	60	60
Curb weight (without driver)	kg	1700	1715	1710	1735	1770
Curb weight (EC)	kg	1775	1790	1785	1810	1845
Rear weight distribution (empty car)	%	53.4	52.9	53.6	53.1	51.8
Gross vehicle weight	kg	2170	2185	2170	2195	2230
Payload	kg	470	470	460	460	460
Axle load limit front	kg	960	960	965	965	995
Rear axle load limit	kg	1250	1250	1255	1255	1255
Gross vehicle weight with trailer	kg	2245	2260	2245	2270	2305
Rear axle load with trailer	kg	1360	1360	1370	1370	1365
Payload with trailer	kg	509	509	490	500	448
Trailer load braked 12%	kg	1400	1500	1600	1600	1700
Trailer load braked 8%	kg	1600	1600	1700	1700	1800
Trailer load unbraked	kg	695	695	745	745	750
Trailer nose weight	kg	75	75	75	75	75
Engine type	--	B48B20M0	B48B20M0	B48B20O0	B48B20O0	B58B30M0
Cylinders	--	4	4	4	4	6
Valves p.cyl.	--	4	4	4	4	4
Stroke	mm	94.6	94.6	94.6	94.6	94.6
Bore	mm	82	82	82	82	82
Displacement	cm³	1998	1998	1998	1998	2998
Compression rate	:1	11	11	10.2	10.2	11
Rated engine power [kW]	kW	135	135	185	185	240
Engine power [HP]	PS	184	184	252	252	326
Engine power [bHP]	bHP	181	181	248	248	322
at rpm	1/min	5000	5000	5200	5200	5500
minimum Engine speed at maximum power	1/min	5000	5000	5200	5200	5500
Engine torque	Nm	290	270	350	350	450
Engine torque	ft lbs	214	199	258	258	332
at rpm	1/min	1350-4600	1350-4600	1450-4800	1450-4800	1380-5000
minimum Engine speed at maximum torque	1/min	1350	1350	1450	1450	1380
maximum Engine speed at maximum torque	1/min	4600	4600	4800	4800	5000
Fuel type	--	gasoline	gasoline	gasoline	gasoline	gasoline
Useable Fuel quality	--	ROZ90-98	ROZ90-98	ROZ90-98	ROZ90-98	ROZ90-98
recomm.	--	ROZ95	ROZ95	ROZ95	ROZ95	ROZ95
Engine oil (filling quantity)	Litre	5.25	5.25	5.25	5.25	6.5
Output per litre	kWh/dm³	67.6	67.6	92.6	92.6	80.1
Power to weight ratio	kg/kW	12.6	12.7	9.2	9.4	7.4

Technical data		Prod week 09 - March 2017				
4 Series Convertible [F33 LCI]		420i		430i		440i
Engine		B48B20M0	B48B20M0	B48B20O0	B48B20O0	B58B30M0
Transmission		Manual	Automatic	Manual	Automatic	Automatic
Start of production		01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017
Seats	--	4	4	4	4	4
Number of Doors	--	2	2	2	2	2
Transmission type	--	I-weit	8HP50	I-350 BK	8HP50	8HP50
Transmission type	--	Manual	Automatic	Manual	Automatic	Automatic
Gear ratios 1st gear	--	4.002	5	3.683	5	5
2nd	--	2.13	3.2	2.062	3.2	3.2
3rd	--	1.396	2.143	1.313	2.143	2.143
4th	--	--	1.72	1	1.72	1.72
5th	--	0.781	1.314	0.809	1.314	1.314
6th	--	0.668	1	0.677	1	1
7th	--	-	0.822	-	0.822	0.822
8th	--	-	0.64	-	0.64	0.64
Reverse gear	--	3.647	3.456	3.348	3.456	3.456
Final drive ratio	--	3.462	2.813	3.909	2.813	2.813
Power-steering	--	EPS	EPS	EPS	EPS	EPS
Steering transmission, overall	--	:1	15	15	15	15
Track front	mm	1544	1544	1544	1544	1544
Width of the rear track	mm	1593	1593	1593	1593	1593
Wheel offset front	mm	37	37	37	37	37
Wheel offset rear	mm	37	37	37	37	37
A	m²	2.16	2.16	2.16	2.16	2.16
Cx	--	0.3	0.3	0.3	0.3	0.3
Air resistance	m²	0.65	0.65	0.65	0.65	0.65
top speed [mph]	mph	143	143	155	155	155
Top speed	km/h	230	230	250	250	250
0 - 62 mph	s	8.2	8.4	6.4	6.3	5.4
50 - 75 mph (5th gear)	s	10.7	-	8	-	-
Fuel Consumption and Emissions						
Emissions Cluster 2	--					
Alloy wheels - 18" and 19"	--					
Fuel consumption - urban	mpg	32.8	34.9	31.4	35.8	29.7
Fuel consumption - extra-urban	mpg	51.4	55.4	48.7	53.3	48.7
Fuel consumption - combined	mpg	42.8	45.6	40.4	44.8	39.2
Fuel consumption - urban	l/100km	8.6	8.1	9	7.9	9.5
Fuel consumption - extra-urban	l/100km	5.5	5.1	5.8	5.3	5.8
Fuel consumption - combined	l/100km	6.6	6.2	7	6.3	7.2
CO2 - combined	g/km	153	144	162	146	167
Emission classification (type-certified)	--	EU6	EU6	EU6	EU6	EU6
Battery Capacity (low voltage)	Ah	90	90	90	90	90
System voltage (low voltage)	V	12	12	12	12	12
Facing surface [ft²]	ft	23.25	23.25	23.25	23.25	23.25
CxA[ft²]	ft	6.98	6.98	6.98	6.98	6.98

Technical data		BMW UK			
4 Series Convertible [F33 LCI]		Prod week 09 - March 2017			
		420d		430d	435d xDrive
		B47D2000	B47D2000	N57D3001	N57D30T1
		Manual	Automatic	Automatic	Automatic
		01 March 2017	01 March 2017	01 March 2017	01 March 2017
Engine					
Transmission					
Start of production					
Seats	--	4	4	4	4
Number of Doors	--	2	2	2	2
drive type	--	RWD	RWD	RWD	AWD
Length	mm	4640	4640	4640	4640
Width	mm	1825	1825	1825	1825
Height	mm	1384	1384	1384	1399
Width inc. mirrors	mm	2017	2017	2017	2017
Width incl.mirror driver	mm	1020	1020	1020	1020
Width incl.mirror passengers side	mm	997	997	997	997
Wheelbase	mm	2810	2810	2810	2810
Overhang front	mm	787	787	787	787
Rear overhang	mm	1043	1043	1043	1043
Turning circle	m	11.3	11.3	11.3	11.8
Ground clearance	mm	130	130	130	145
Shoulder width front	mm	1405	1405	1405	1405
Shoulder room rear	mm	1265	1265	1265	1265
Elbow width front	mm	1466	1466	1466	1466
Elbowroom rear	mm	1321	1321	1321	1321
effective legroom front [L34]	mm	1071	1071	1071	1071
effective legroom rear second seating row [L51-2]	mm	842	842	842	842
Max. headroom front	mm	1025	1025	1025	1025
Maximum headroom rear	mm	942	942	942	942
Luggage volumes [V210-2]	m³	0.37	0.37	0.37	0.37
Luggage volume [V210-2.1]	m³	0.22	0.22	0.22	0.22
Fuel tank capacity (approx.) series	Litre	57	57	57	57
Curb weight (without driver)	kg	1700	1715	1770	1850
Curb weight (EC)	kg	1775	1790	1845	1925
Rear weight distribution (empty car)	%	53.4	52.9	51.5	49.6
Gross vehicle weight	kg	2170	2185	2220	2290
Payload	kg	470	470	450	440
Axle load limit front	kg	965	965	1025	1095
Rear axle load limit	kg	1255	1255	1230	1230
Gross vehicle weight with trailer	kg	2245	2260	2295	2365
Rear axle load with trailer	kg	1370	1370	1345	1345
Payload with trailer	kg	507	507	474	462
Trailer load braked 12%	kg	1600	1600	1800	1800
Trailer load braked 8%	kg	1800	1800	1800	1800
Trailer load unbraked	kg	745	745	750	750
Trailer nose weight	kg	75	75	75	75
Engine type	--	B47D2000	B47D2000	N57D3001	N57D30T1
Cylinders	--	4	4	6	6
Valves p.cyl.	--	4	4	4	4
Stroke	mm	90	90	90	90
Bore	mm	84	84	84	84
Displacement	cm³	1995	1995	2993	2993
Compression rate	:1	16.5	16.5	16.5	16.5
Rated engine power [kW]	kW	140	140	190	230
Engine power [HP]	PS	190	190	258	313
Engine power [bHP]	bHP	188	188	255	308
at rpm	1/min	4000	4000	4000	4400
minimum Engine speed at maximum power	1/min	4000	4000	4000	4400
Engine torque	Nm	400	400	560	630
Engine torque	ft lbs	295	295	413	465
at rpm	1/min	1750-2500	1750-2500	1500-3000	1500-2500
minimum Engine speed at maximum torque	1/min	1750	1750	1500	1500
maximum Engine speed at maximum torque	1/min	2500	2500	3000	2500
Fuel type	--	diesel	diesel	diesel	diesel
Useable Fuel quality	--	Diesel	Diesel	Diesel	Diesel
recomm.	--	Diesel	Diesel	Diesel	Diesel
Engine oil (filling quantity)	Litre	5	5	6.5	6.5
Output per litre	kW/dm³	70.2	70.2	63.5	76.8
Power to weight ratio	kg/kW	12.1	12.3	9.3	8

Transmission type	--	K450-BK	8HP50	8HP70	8HP70
Transmission type	--	Manual	Automatic	Automatic	Automatic
Gear ratios 1st gear	--	4.11	5	4.714	4.714
2nd	--	2.248	3.2	3.143	3.143
3rd	--	1.403	2.143	2.106	2.106
4th	--	1	1.72	1.667	1.667
5th	--	0.802	1.314	1.285	1.285
6th	--	0.659	1	1	1
7th	--	-	0.822	0.839	0.839
8th	--	-	0.64	0.667	0.667
Reverse gear	--	3.727	3.456	3.317	3.317
Final drive ratio	--	3.385	2.813	2.563	2.563
Power-steering	--	EPS	EPS	EPS	EPS
Steering transmission, overall	:1	15	15	15	15.1
Track front	mm	1544	1544	1544	1543
Width of the rear track	mm	1593	1593	1593	1593
Wheel offset front	mm	37	37	37	37
Wheel offset rear	mm	37	37	37	37
A	m²	2.16	2.16	2.16	2.16
Cx	--	0.28	0.28	0.29	0.3
Air resistance	m²	0.6	0.6	0.63	0.65
top speed [mph]	mph	146	142	155	155
Top speed	km/h	235	228	250	250
0 - 62 mph	s	8.1	8	5.9	5.2
50 - 75 mph (5th gear)	s	8.3	-	-	-
Fuel Consumption and Emissions					
Emissions Cluster 2					
Alloy wheels - 18" and 19"					
Fuel consumption - urban	mpg	46.3	50.4	44.8	40.4
Fuel consumption - extra-urban	mpg	62.8	67.3	56.5	53.3
Fuel consumption - combined	mpg	55.4	60.1	51.4	47.9
Fuel consumption - urban	l/100km	6.1	5.6	6.3	7
Fuel consumption - extra-urban	l/100km	4.5	4.2	5	5.3
Fuel consumption - combined	l/100km	5.1	4.7	5.5	5.9
CO2 - combined	g/km	134	124	144	155
Emission classification (type-certified)	--	EU6	EU6	EU6	-
Battery Capacity (low voltage)	Ah	90	90	90	90
System voltage (low voltage)	V	12	12	12	12
Facing surface [ft²]	ft	23.25	23.25	23.25	23.25
Cx[A[ft²]	ft	6.51	6.51	6.74	6.98

		420i		420i xDrive		430i		440i
		B48B20M0 Manual	B48B20M0 Automatic	B48B20M0 Manual	B48B20M0 Automatic	B48B20O0 Manual	B48B20O0 Automatic	B58B30M0 Automatic
Engine								
Transmission								
Start of production		01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017
Seats	--	5	5	5	5	5	5	5
Number of Doors	--	5	5	5	5	5	5	5
drive type	--	RWD	RWD	AWD	AWD	RWD	RWD	RWD
Length	mm	4640	4640	4640	4640	4640	4640	4640
Width	mm	1825	1825	1825	1825	1825	1825	1825
Height	mm	1389	1389	1404	1404	1389	1389	1389
Width inc. mirrors	mm	2017	2017	2017	2017	2017	2017	2017
Width incl.mirror driver	mm	1020	1020	1020	1020	1020	1020	1020
Width incl.mirror passengers side	mm	997	997	997	997	997	997	997
Wheelbase	mm	2810	2810	2810	2810	2810	2810	2810
Overhang front	mm	787	787	787	787	787	787	787
Rear overhang	mm	1043	1043	1043	1043	1043	1043	1043
Turning circle	m	11.3	11.3	11.8	11.8	11.3	11.3	11.3
Ground clearance	mm	130	130	145	145	130	130	130
Shoulder width front	mm	1392	1392	1392	1392	1392	1392	1392
Shoulder room rear	mm	1380	1380	1380	1380	1380	1380	1380
Elbow width front	mm	1447	1447	1447	1447	1447	1447	1447
Elbowroom rear	mm	1444	1444	1444	1444	1444	1444	1444
effective legroom front [L34]	mm	1073	1073	1073	1073	1073	1073	1073
effective legroom rear second seating row [L51-2]	mm	857	857	857	857	857	857	857
Max. headroom front	mm	1011	1011	1011	1011	1011	1011	1011
Maximum headroom rear	mm	944	944	944	944	944	944	944
Headroom front with Sunroof	mm	982	982	982	982	982	982	982
Maximum headroom second	mm	937	937	937	937	937	937	937
Knee clearance	mm	42	42	42	42	42	42	42
Luggage volumes [V210-2]	m³	0.48	0.48	0.48	0.48	0.48	0.48	0.48
Luggage volume [V210-2.1]	m³	1.3	1.3	1.3	1.3	1.3	1.3	1.3
Fuel tank capacity (approx.) series	Litre	60	60	60	60	60	60	60
Curb weight (without driver)	kg	1520	1540	1600	1615	1520	1540	1615
Curb weight (EC)	kg	1595	1615	1675	1690	1595	1615	1690
Rear weight distribution (empty car)	%	51.4	50.8	50.4	50	51.8	51.1	49.7
Gross vehicle weight	kg	2080	2100	2160	2175	2080	2100	2175
Payload	kg	560	560	560	560	560	560	560
Axle load limit front	kg	945	945	995	995	955	955	1000
Rear axle load limit	kg	1210	1210	1230	1230	1215	1215	1230
Gross vehicle weight with trailer	kg	2155	2175	2235	2250	2155	2175	2250
Rear axle load with trailer	kg	1320	1320	1340	1340	1325	1325	1340
Payload with trailer	kg	593	594	613	609	575	580	596
Trailer load braked 12%	kg	1400	1500	1700	1700	1600	1600	1700
Trailer load braked 8%	kg	1600	1600	1800	1800	1700	1700	1800
Trailer load unbraked	kg	695	695	750	750	745	745	750
Trailer nose weight	kg	75	75	75	75	75	75	75
Roof load	kg	75	75	75	75	75	75	75
Engine type	--	B48B20M0	B48B20M0	B48B20M0	B48B20M0	B48B20O0	B48B20O0	B58B30M0
Cylinders	--	4	4	4	4	4	4	6
Valves p.cyl.	--	4	4	4	4	4	4	4
Stroke	mm	94.6	94.6	94.6	94.6	94.6	94.6	94.6
Bore	mm	82	82	82	82	82	82	82
Displacement	cm³	1998	1998	1998	1998	1998	1998	2998
Compression rate	:1	11	11	11	11	10.2	10.2	11
Rated engine power [kW]	kW	135	135	135	135	185	185	240
Engine power [HP]	PS	184	184	184	184	252	252	326
Engine power [bHP]	bHP	181	181	181	181	248	248	322
at rpm	1/min	5000	5000	5000	5000	5200	5200	5500
minimum Engine speed at maximum power	1/min	5000	5000	5000	5000	5200	5200	5500
Engine torque	Nm	290	270	270	270	350	350	450
Engine torque	ft lbs	214	199	199	199	258	258	332
at rpm	1/min	1350-4600	1350-4600	1350-4600	1350-4600	1450-4800	1450-4800	1380-5000
minimum Engine speed at maximum torque	1/min	1350	1350	1350	1350	1450	1450	1380
maximum Engine speed at maximum torque	1/min	4600	4600	4600	4600	4800	4800	5000
Fuel type	--	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline
Useable Fuel quality	--	ROZ90-98	ROZ90-98	ROZ90-98	ROZ90-98	ROZ90-98	ROZ90-98	ROZ90-98
recomm.	--	ROZ95	ROZ95	ROZ95	ROZ95	ROZ95	ROZ95	ROZ95
Engine oil (filling quantity)	Litre	5.25	5.25	5.25	5.25	5.25	5.25	6.5
Output per litre	kW/dm³	67.6	67.6	67.6	67.6	92.6	92.6	80.1
Power to weight ratio	kg/kW	11.3	11.4	11.9	12	8.2	8.3	6.7

	420i		420i xDrive		430i		440i	
	B48B20M0 Manual	B48B20M0 Automatic	B48B20M0 Manual	B48B20M0 Automatic	B48B20O0 Manual	B48B20O0 Automatic	B58B30M0 Automatic	
Engine								
Transmission								
Start of production	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	
Seats	5	5	5	5	5	5	5	
Number of Doors	5	5	5	5	5	5	5	
Transmission type	I-weit	8HP50	K-Benzin-BK AWD	8HP50	I-350 BK	8HP50	8HP50	
Transmission type	Manual	Automatic	Manual	Automatic	Manual	Automatic	Automatic	
Gear ratios 1st gear	4.002	5	4.11	5	3.683	5	5	
2nd	2.13	3.2	2.315	3.2	2.062	3.2	3.2	
3rd	1.396	2.143	1.542	2.143	1.313	2.143	2.143	
4th	1	1.72	1.179	1.72	1	1.72	1.72	
5th	0.781	1.314	1	1.314	0.809	1.314	1.314	
6th	0.668	1	0.846	1	0.677	1	1	
7th	-	0.822	-	0.822	-	0.822	0.822	
8th	-	0.64	-	0.64	-	0.64	0.64	
Reverse gear	3.647	3.456	3.727	3.456	3.348	3.456	3.456	
Final drive ratio	3.385	2.813	3.385	2.813	3.909	2.813	2.813	
Power-steering	EPS	EPS	EPS	EPS	EPS	EPS	EPS	
Steering transmission, overall	:1	15	15.1	15.1	15	15	15	
Track front	mm	1545	1545	1543	1545	1545	1545	
Width of the rear track	mm	1592	1592	1592	1592	1592	1592	
Wheel offset front	mm	37	37	37	37	37	37	
Wheel offset rear	mm	37	37	37	37	37	37	
A	m ²	2.16	2.16	2.16	2.16	2.16	2.16	
Cx	--	0.29	0.29	0.3	0.3	0.29	0.29	
Air resistance	m ²	0.63	0.63	0.65	0.65	0.63	0.63	
top speed [mph]	mph	147	147	145	144	155	155	
Top speed	km/h	236	236	233	231	250	250	
0 - 62 mph	s	7.5	7.7	7.8	8.1	5.9	5.1	
50 - 75 mph (5th gear)	s	9.8	-	9.6	-	7.2	-	
Fuel Consumption and Emissions								
Emissions Cluster 2								
Alloy wheels - 18" and 19"								
Fuel consumption - urban	mpg	34.9	37.2	31.4	34.9	33.6	38.2	31.0
Fuel consumption - extra-urban	mpg	57.6	60.1	49.6	55.4	52.3	57.6	51.4
Fuel consumption - combined	mpg	46.3	48.7	40.9	45.6	43.5	48.7	41.5
Fuel consumption - urban	l/100km	8.1	7.6	9	8.1	8.4	7.4	9.1
Fuel consumption - extra-urban	l/100km	4.9	4.7	5.7	5.1	5.4	4.9	5.5
Fuel consumption - combined	l/100km	6.1	5.8	6.9	6.2	6.5	5.8	6.8
CO2 - combined	g/km	141	134	161	144	151	136	159
Emission classification (type-certified)	--	EU6	EU6	EU6	EU6	EU6	EU6	EU6
Battery Capacity (low voltage)	Ah	90	90	90	90	90	90	90
System voltage (low voltage)	V	12	12	12	12	12	12	12
Front Seat Volume [ft ³]	ft ³	53.3	53.3	53.3	53.3	53.3	53.3	53.3
Rear Seat Volume [ft ³]	ft ³	39.4	39.4	39.4	39.4	39.4	39.4	39.4
Facing surface [ft ²]	ft	23.25	23.25	23.25	23.25	23.25	23.25	23.25
CxA[ft ²]	ft	6.74	6.74	6.98	6.98	6.74	6.74	6.74

	420d			420d xDrive		430d	430d xDrive	435d xDrive
	B47D2000	B47D2000	B47D2000	B47D2000	N57D3001	N57D3001	N57D30T1	
	Manual	Automatic	Manual	Automatic	Automatic	Automatic	Automatic	
Start of production	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	01 March 2017	
Engine	--	5	5	5	5	5	5	5
Transmission	--	5	5	5	5	5	5	5
Seats	--	5	5	5	5	5	5	5
Number of Doors	--	5	5	5	5	5	5	5
drive type	--	RWD	RWD	AWD	AWD	RWD	AWD	AWD
Length	mm	4640	4640	4640	4640	4640	4640	4640
Width	mm	1825	1825	1825	1825	1825	1825	1825
Height	mm	1389	1389	1404	1404	1389	1404	1404
Width incl. mirrors	mm	2017	2017	2017	2017	2017	2017	2017
Width incl. mirror driver	mm	1020	1020	1020	1020	1020	1020	1020
Width incl. mirror passengers side	mm	997	997	997	997	997	997	997
Wheelbase	mm	2810	2810	2810	2810	2810	2810	2810
Overhang front	mm	787	787	787	787	787	787	787
Rear overhang	mm	1043	1043	1043	1043	1043	1043	1043
Turning circle	m	11.3	11.3	11.8	11.8	11.3	11.8	11.8
Ground clearance	mm	130	130	145	145	130	145	145
Shoulder width front	mm	1392	1392	1392	1392	1392	1392	1392
Shoulder room rear	mm	1380	1380	1380	1380	1380	1380	1380
Elbow width front	mm	1447	1447	1447	1447	1447	1447	1447
Elbowroom rear	mm	1444	1444	1444	1444	1444	1444	1444
effective legroom front [L34]	mm	1073	1073	1073	1073	1073	1073	1073
effective legroom rear second seating row [L51-2]	mm	857	857	857	857	857	857	857
Max. headroom front	mm	1011	1011	1011	1011	1011	1011	1011
Maximum headroom rear	mm	944	944	944	944	944	944	944
Headroom front with Sunroof	mm	982	982	982	982	982	982	982
Maximum headroom second	mm	937	937	937	937	937	937	937
Knee clearance	mm	42	42	42	42	42	42	42
Luggage volumes [V210-2]	m³	0.48	0.48	0.48	0.48	0.48	0.48	0.48
Luggage volume [V210-2.1]	m³	1.3	1.3	1.3	1.3	1.3	1.3	1.3
Fuel tank capacity (approx.) series	litre	57	57	57	57	57	57	57
Curb weight (without driver)	kg	1520	1540	1595	1615	1615	1680	1700
Curb weight (EC)	kg	1595	1615	1670	1690	1690	1755	1775
Rear weight distribution (empty car)	%	51.1	50.8	49.7	49.3	50	48.3	48.1
Gross vehicle weight	kg	2090	2100	2155	2175	2175	2240	2260
Payload	kg	560	560	560	560	560	560	560
Axle load limit front	kg	945	945	1005	1005	990	1050	1060
Rear axle load limit	kg	1215	1215	1230	1230	1225	1230	1230
Gross vehicle weight with trailer	kg	2155	2175	2230	2250	2250	2315	2335
Rear axle load with trailer	kg	1325	1325	1340	1340	1340	1345	1345
Payload with trailer	kg	590	599	605	614	594	599	600
Trailer load braked 12%	kg	1600	1600	1600	1600	1800	1800	1800
Trailer load braked 8%	kg	1800	1800	1800	1800	1800	1800	1800
Trailer load unbraked	kg	745	745	750	750	750	750	750
Trailer nose weight	kg	75	75	75	75	75	75	75
Roof load	kg	75	75	75	75	75	75	75
Engine type	--	B47D2000	B47D2000	B47D2000	B47D2000	N57D3001	N57D3001	N57D30T1
Cylinders	--	4	4	4	4	6	6	6
Valves p.cyl.	--	4	4	4	4	4	4	4
Stroke	mm	90	90	90	90	90	90	90
Bore	mm	84	84	84	84	84	84	84
Displacement	cm³	1995	1995	1995	1995	2993	2993	2993
Compression rate	:1	16.5	16.5	16.5	16.5	16.5	16.5	16.5
Rated engine power [kW]	kW	140	140	140	140	190	190	230
Engine power [HP]	PS	190	190	190	190	258	258	313
Engine power [bHP]	bHP	188	188	188	188	255	255	308
at rpm	1/min	4000	4000	4000	4000	4000	4000	4400
minimum Engine speed at maximum power	1/min	4000	4000	4000	4000	4000	4000	4400
Engine torque	Nm	400	400	400	400	560	560	630
Engine torque	ft.lbs	295	295	295	295	413	413	465
at rpm	1/min	1750-2500	1750-2500	1750-2500	1750-2500	1500-3000	1500-3000	1500-2500
minimum Engine speed at maximum torque	1/min	1750	1750	1750	1750	1500	1500	1500
maximum Engine speed at maximum torque	1/min	2500	2500	2500	2500	3000	3000	2500
Fuel type	--	diesel	diesel	diesel	diesel	diesel	diesel	diesel
Useable Fuel quality	--	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
recomm.	--	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Engine oil (filling quantity)	litre	5	5	5	5	6.5	6.5	6.5
Output per litre	kW/dm³	70.2	70.2	70.2	70.2	63.5	63.5	76.8
Power to weight ratio	kg/kW	10.9	11	11.4	11.5	8.5	8.8	7.4

Transmission type	--	K450-BK	8HP50	K450-BK AWD	8HP50	8HP70	8HP70	8HP70
Transmission type	--	Manual	Automatic	Manual	Automatic	Automatic	Automatic	Automatic
Gear ratios 1st gear	--	4.11	5	4.11	5	4.714	4.714	4.714
2nd	--	2.248	3.2	2.248	3.2	3.143	3.143	3.143
3rd	--	1.403	2.143	1.403	2.143	2.106	2.106	2.106
4th	--	1	1.72	1	1.72	1.667	1.667	1.667
5th	--	0.802	1.314	0.802	1.314	1.285	1.285	1.285
6th	--	0.659	1	0.659	1	1	1	1
7th	--	-	0.822	-	0.822	0.839	0.839	0.839
8th	--	-	0.64	-	0.64	0.667	0.667	0.667
Reverse gear	--	3.727	3.456	3.727	3.456	3.317	3.317	3.317
Final drive ratio	--	3.154	2.813	3.154	2.813	2.563	2.563	2.563
Power-steering	--	EPS	EPS	EPS	EPS	EPS	EPS	EPS
Steering transmission, overall	:1	15	15	15.1	15.1	15	15.1	15.1
Track front	mm	1545	1545	1543	1543	1545	1543	1543
Width of the rear track	mm	1592	1592	1592	1592	1592	1592	1592
Wheel offset front	mm	37	37	37	37	37	37	37
Wheel offset rear	mm	37	37	37	37	37	37	37
A	m ²	2.16	2.16	2.16	2.16	2.16	2.16	2.16
Cx	--	0.28	0.28	0.29	0.29	0.29	0.29	0.3
Air resistance	m ²	0.6	0.6	0.63	0.63	0.63	0.63	0.65
top speed [mph]	mph	149	144	146	143	155	155	155
Top speed	km/h	240	231	235	230	250	250	250
0 - 62 mph	s	7.5	7.3	7.6	7.4	5.6	5.3	4.8
50 - 75 mph (5th gear)	s	7.9	-	8.5	-	-	-	-
Fuel Consumption and Emissions								
Emissions Cluster 1								
Alloy wheels - 17" (wheel 2DW only)	--							
Fuel consumption - urban	mpg	55.4	60.1	50.4	54.3	--	--	--
Fuel consumption - extra-urban	mpg	76.3	78.5	70.6	68.9	--	--	--
Fuel consumption - combined	mpg	67.3	70.6	61.4	62.8	--	--	--
Fuel consumption - urban	l/100km	5.1	4.7	5.6	5.2	--	--	--
Fuel consumption - extra-urban	l/100km	3.7	3.6	4	4.1	--	--	--
Fuel consumption - combined	l/100km	4.2	4	4.6	4.5	--	--	--
CO2 - combined	g/km	111	106	121	118	--	--	--
Emissions Cluster 2								
Alloy wheels - 18" and 19"	--							
Fuel consumption - urban	mpg	51.4	55.4	47.9	50.4	46.3	44.1	42.2
Fuel consumption - extra-urban	mpg	72.4	72.4	65.7	65.7	58.9	56.5	55.4
Fuel consumption - combined	mpg	62.8	65.7	57.6	58.9	53.3	51.4	49.6
Fuel consumption - urban	l/100km	5.5	5.1	5.9	5.6	6.1	6.4	6.7
Fuel consumption - extra-urban	l/100km	3.9	3.9	4.3	4.3	4.8	5	5.1
Fuel consumption - combined	l/100km	4.5	4.3	4.9	4.8	5.3	5.5	5.7
CO2 - combined	g/km	119	114	129	126	139	145	150
Emission classification (type-certified)	--	EU6	EU6	EU6	EU6	EU6	EU6	EU6
Battery Capacity (low voltage)	Ah	90	90	90	90	90	90	90
System voltage (low voltage)	V	12	12	12	12	12	12	12
Front Seat Volume [ft ³]	ft ³	53.3	53.3	53.3	53.3	53.3	53.3	53.3
Rear Seat Volume [ft ³]	ft ³	39.4	39.4	39.4	39.4	39.4	39.4	39.4
Facing surface [ft ²]	ft ²	23.25	23.25	23.25	23.25	23.25	23.25	23.25
CxA [ft ²]	ft ²	6.51	6.51	6.74	6.74	6.74	6.74	6.98