

Updated 12/09/2017

CONTENTS

Click link below to view relevant section

[Standard equipment](#)

[Optional equipment](#)

[Technical data](#)

[Colour linked parts](#)

[Paintwork, upholstery and trims](#)

For Internal Use Only.

BMW (UK) Limited has made every effort to ensure the accuracy of information but does not accept liability for any errors or omissions.

218i SE

BMW EfficientDynamics

Auto Start-Stop
Brake Energy Regeneration
ECO PRO mode
Electric Power Steering (EPS)
Lightweight engineering
Reduced rolling resistance tyres
Optimum Shift Indicator

Engine

BMW TwinPower Turbo three-cylinder petrol engine
High-precision direct injection
Double-VANOS twin-scroll turbocharging system
VALVETRONIC engine management
Engine cover with BMW roundel and "TwinPower Turbo" designation (designation for petrol models only)
Exhaust tailpipe, Chrome finisher - single, round
Oil dipstick

Transmission

Six-speed manual transmission

Wheels and chassis

17" light alloy wheels Y-spoke style 380 with 205/50 R 17 tyres
Active Differential Brake (ADB-Sport) electronic differential lock in DSC-OFF mode
Run-flat tyres
Servotronic
Wheel bolts, locking

Safety and technology

Alarm system (Thatcham Category 1) with remote control and engine immobiliser (EWS IV)
Airbags
front, driver and passenger¹
side, front (seat-integrated)
¹ manual deactivation of front passenger airbag possible
Battery Age Recognition function
Battery safety cut-off
Brake discs, front - ventilated
Brake discs, rear
Brake pad wear indicator, front and rear
Bumper system - front and rear
replaceable deformation elements for impacts up to 9mph
Central locking switch for all doors, fuel filler flap and luggage compartment
Check Control system for monitoring of lights and door/luggage compartment open warning
Conditioned Based Servicing
Crash sensor
activating central locking release, hazard warning lights, battery safety cut-off, and interior lighting
Daytime driving lights
Direction indicator lights, clear lenses
Direction indicator side lights, integrated in exterior mirrors
Drive Performance Control with ECO PRO, Comfort and Sport modes
Dynamic brake lights
Dynamic Stability Control+ (DSC+)
Anti-lock Braking System (ABS) including Brake Assist
Automatic Stability Control (ASC)
Brake drying
Braking readiness
Cornering Brake Control (CBC)
Dynamic Brake Control (DBC)
Dynamic Traction Control (DTC)
Hillstart Assist
First Aid Kit and Warning Triangle
Fog lights, front
Heated exterior mirrors and heated windscreen washer jets
High-level third brake light
LED Fog lights, front
LED headlights (Option code doesn't show in IVS/SA3)
automatic beam-throw control
follow-me-home function
LED rear light bars
Lights-on warning, by audio warning signal when ignition is switched off
Park distance control (PDC), rear
Personal Profile, extended
automatic lock when driving away selectable
Rain sensor, with automatic headlight activation
Rear fog lights
Remote control, including integrated key - two
one button for opening and one for closing all doors and luggage compartment
separate button for opening of the luggage compartment
Reversing lights in rear light clusters
Seat belt security check for driver and front passenger
Side impact protection
Start/Stop button with Comfort Go keyless engine start and Auto Start-Stop deactivation button
Three-point seat belts, at all seats
pyrotechnic belt tensioners - front
belt force limiters - front
coded belt buckles - rear
Twin horns
Tyre pressure monitoring (3-level warning strategy) comprising:
1st Level - Tyre pressure approximately 5% above minimum recommended value
2nd Level - Request to refill as tyre pressure is down to minimum recommend value
3rd Level - Breakdown warning due to sudden tyre pressure loss (below 1.5 bar)
Visible VIN

Seats

Child seat ISOFIX attachment, for the two outer rear seats
Four seats
Move cloth upholstery
Standard seat for driver and passenger with manual adjustment

Exterior equipment

Acoustic soft-top in Anthracite
Exterior mirrors, electrically adjustable
mirror glass aspheric on driver's side, convex on passenger side
heated exterior mirrors and washer jets
Exterior parts in body colour
bumpers, front and rear
door handles
mirror caps
roof mouldings
Kidney grille, Chrome with Black vertical bars
Luggage compartment access via BMW roundel
Model designation
Non-metallic paintwork
Rear mounted aerial on rear shoulder (no longer fitted with Shark Fin on boot lid from March 2017 production)

Audio and communication

Bluetooth hands-free facility with USB audio interface and audio streaming
Access to BMW Connected+ for 12 months from vehicle production (subscription required)
BMW Emergency Call
BMW Navigation system (latest ID6 generation) comprising:
Latest generation of Navigation system with 6.5" monitor
Operation by iDrive with direct-selection buttons and 8 programmable favourites buttons.
Arrow pointers, north-up, direction of travel and perspective map displays
Navigation data on integrated harddrive with map-data updates available via USB interface
TMC for lifetime of vehicle
BMW Online Services
BMW Professional radio with single CD player (with MP3 playback capability)
With 6.5" monitor with 800x480-pixel resolution and two-way, six-speaker, 4x25W loudspeaker system
BMW Real Time Traffic Information (RTTI)
DAB digital radio
Rear mounted aerial on rear shoulder (no longer fitted with Shark Fin on boot lid from March 2017 production)
On-Board Computer (OBC) comprising:
average speed
average and current fuel consumption, and range
service interval messages
clock and date
odometer and trip meter
outside temperature display with acoustic ice warning (at +3°C)

Interior equipment

12V power socket in centre console
12V power socket in passenger footwell (located below glove box on right-hand side)
Air conditioning, single-zone automatic
Armrest front, sliding
Cupholders, two with inlay mat
Door sill finishers with BMW designation, front - Black
Electric windows - front and rear, with open/close fingertip control, anti-trap facility and comfort closing
Floor mats in velour
Glove box
Glove box handle with chrome surround and key lock
Handbrake lever and gear lever knob in leather
Heat protection glazing with green-tint
Instrument cluster
speedometer with miles per hour readout
tachometer
fuel gauge
Interior lighting, front centre over interior mirror and rear centre
automatic interior light activation when door is opened, when ignition switched off, or via remote key
Interior trim, Satin Silver
Lashing eyes in luggage compartment at sill - two
Luggage compartment light
Oil temperature display via on-board computer shown in central screen in instrument cluster
Side armrests - front and rear, integrated into door trim
Sport multi-function leather steering wheel, black
Speed limiting function
Steering-wheel column adjustment, manual
Storage compartment in rear centre console and in door trim, front
Sun visors with vanity mirrors and ticket pocket
Welcome light

218d SE (in replacement to 218i SE)

BMW TwinPower Turbo four-cylinder diesel engine
Common-rail technology
Variable vane geometry
Single twin scroll turbo charger
Diesel Particulate Filter
Exhaust tailpipe, Chrome - single, round, left
Incorrect fuelling protection system

Sport models (in addition/replacement to SE models)

17" light alloy wheels Double-spoke style 725
Ambient lighting - switchable BMW Classic Orange / Cold White LED
Drive performance control with additional Sport+ mode, in addition to ECO PRO, Comfort and Sport modes
Exclusive door sill finishers with BMW designation, front
Exhaust tailpipe, Dark Chrome - single, round, left
Exhaust tailpipe, Dark Chrome - dual, round, left (only 220d and 220i Sport models)
Front air inlet with high-gloss Black finisher
Instrument panel with decorative stitching line
Interior trim, high-gloss Black with Coral Red trim finisher
Kidney grille with extra-wide high-gloss Black vertical slats
Rear bumper with high-gloss Black finisher
Remote control with integrated key, with inset in Red
Sport instrument cluster
Sport multi-function leather steering wheel, black with Red stitching
 Speed limiting function
Sport seats, driver and front passenger
Corner cloth upholstery
Welcome light using LED technology

220i Sport (in replacement to 218d SE)

BMW TwinPower Turbo four-cylinder in-line petrol engine
 High-precision direct injection
 Double-VANOS twin-scroll turbocharging system
 VALVETRONIC engine management
Exhaust tailpipe, Chrome - dual, round, left

220d Sport (in replacement to 218d SE)

BMW TwinPower Turbo four-cylinder diesel engine
 Common-rail technology
 Variable vane geometry
 Single turbo charger
Brake discs, front and rear - ventilated
Diesel Particulate Filter
Exhaust tailpipe, Dark Chrome - dual, round, left
Incorrect fuelling protection system
Oil sensor for level and grade, warning by Check Control system

M Sport models (in addition/replacement to SE models)

18" M Double-spoke light alloy wheels style 461 M in Ferric Grey
Ambient lighting - switchable
Door sill finishers with M designation
Drive performance control with additional Sport+ mode, in addition to ECO PRO, Comfort and Sport modes
Exhaust tailpipe, Chrome - single, round, left
Exhaust tailpipe, Chrome - dual, round, left (only 220d, 225d, 220i, 230i models)
Exterior trim, High-gloss Shadowline
Full black panel display
Gearshift lever with M designation, short-shift
Headlight wash
Hexagon cloth/Alcantara upholstery, Anthracite
Instrument panel with decorative stitching line
Interior trim, Aluminium Hexagon with Estoril Blue trim finisher
Kidney grille, Chrome with eight extra-wide high-gloss Black vertical slats
M aerodynamic bodystyling
"M" logo designation in chrome on left and right front wings
M Sport multi-function leather steering wheel, finished in Nappa leather
 Speed limiting function
M Sport suspension
Remote control with integrated key, with inset in Blue
Sport Instrument luster with differentiated dial design featuring finer chrono-scaling
Sport seats, driver and front passenger
Please note on 218i M Sport models with optional 205 Automatic transmission, option 5A1 LED Front foglights are removed from the specification.

225d M Sport (in addition/replacement to 220d Sport models)



BMW TwinPower Turbo four-cylinder diesel engine with two-stage turbocharging

230i M Sport (in addition/replacement to 220i Sport models)

BMW TwinPower Turbo four-cylinder in-line petrol engine
 High-precision direct injection
 Double-VANOS twin-scroll turbocharging system
 VALVETRONIC engine management
Brake discs, front and rear - ventilated
Exhaust tailpipe, Chrome - dual, round, left

M240i (in addition/replacement to 230i M Sport)

18" M light alloy wheels Double-spoke 436 M with High-Grip tyres (non run-flat)
Airblades, ferric grey
Air conditioning, automatic with two-zone control
BMW Mobility System
Dakota leather upholstery
Door sill finishers with M240i designation
Exhaust tailpipes, Dark Chrome - twin, round, split
Extended lighting
Extended storage
Full black panel display
High-grip tyres, non run-flat
Kidney grille, Chrome with eight extra-wide high-gloss Black vertical slats
M aerodynamic bodystyling, with Airblades in ferric grey (no front foglights)
Mirror caps, ferric grey
"M" logo designation in unique dark chrome on left and right front wings
M Performance TwinPower Turbo in-line six-cylinder petrol engine
 High-precision direct injection
 Double-VANOS twin-scroll turbocharging system
 VALVETRONIC engine management
M Sport braking system
M Sport suspension, with individual, M240i setup
Rear-view mirror, automatically dimming
Variable Sport steering, with M240i specific characteristics

| | | | | | | | | | | | | | | | |
|---|--|---------|------------|--------------|------------|--------------|--------------|-------|---------|------------|--------------|------------|--------------|--------------|----------------------------------|
| <div><div>○</div> = optionally available</div> <div><div>●</div> = standard equipment</div> <div><div>-</div> = not available</div> | | 218i SE | 218i Sport | 218i M Sport | 220i Sport | 220i M Sport | 230i M Sport | M240i | 218d SE | 218d Sport | 218d M Sport | 220d Sport | 220d M Sport | 225d M Sport | Retail price including VAT @ 20% |
| Paintwork | | | | | | | | | | | | | | | Standard |
| uni | Non-metallic paintwork Available in: 300; Alpine White 668 Jet Black (All models excluding M Sport and M240i) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | |
| met | Metallic paintwork Available in: 475; Black Sapphire B39; Mineral Grey A83; Glacier Silver (excluding M Sport and M240i) A75; Melbourne Red (All models excluding M2) A96; Mineral White (All models excluding M2) B53; Sparkling Brown (excluding M Sport and M240i) B45; Estoril Blue (Exclusive to M Sport and M240i) C10; Mediterranean Blue (All models excluding M Sport and M240i) C1R; Seaside Blue (excluding M Sport and M240i) C1X; Sunset Orange | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ | £ 550.00 |
| Alloy Wheels | | | | | | | | | | | | | | | Standard |
| 2LP | 17" light alloy wheels Y-spoke style 380 Front and rear: 7 J x 17 / tyres 205/50 R 17 Finished in Reflex Silver. | ● | - | - | - | - | - | - | ● | - | - | - | - | - | |
| 24A | 17" light alloy wheels Double-spoke style 655 Front and rear: 7.5 J x 17 / tyres 225/45 R 17 Burnished and finished in Ferric Grey. | ○ | - | - | - | - | - | - | ○ | - | - | - | - | - | £ 350.00 |
| | | - | ○ | - | ○ | - | - | - | - | ○ | - | ○ | - | - | £ 0.00 |
| 2DT | 17" light alloy wheels Star-spoke style 379 Front and rear: 7.5 J x 17 / tyres 225/45 R 17 Burnished and finished in Orbit Grey. | - | ○ | - | ○ | - | - | - | - | ○ | - | ○ | - | - | £ 0.00 |
| 26T | 17" light alloy wheels Double-spoke style 725 Front and rear: 7.5 J x 17 / tyres 225/45 R 17 Burnished and finished in Orbit Grey. | - | ● | - | ● | - | - | - | - | ● | - | ● | - | - | Standard |
| 2A7 | 18" light alloy wheels Double-spoke style 385 front: 7.5 J x 18 / tyres 225/40 R 18 rear: 8 J x 18 / tyres 245/35 R 18 Finished in Reflex Silver. | ○ | - | - | - | - | - | - | ○ | - | - | - | - | - | £ 755.00 |
| | | - | ○ | - | ○ | - | - | - | - | ○ | - | ○ | - | - | £ 695.00 |
| 2L9 | 18" light alloy wheels Double-spoke style 384 front: 7.5 J x 18 / tyres 225/40 R 18 rear: 8 J x 18 / tyres 245/35 R 18 Burnished and finished in Orbit Grey. | - | ○ | - | ○ | - | - | - | - | ○ | - | ○ | - | - | £ 695.00 |
| 20W | 18" M light alloy wheels Double-spoke style 719 M Bicolour Jet Black Front: 7.5J x 18 225/40 R18 with Run-flat tyres Rear: 8J x 18 245/35 R18 with Run-flat tyres | - | - | ○ | - | ○ | ○ | - | - | - | ○ | - | ○ | ○ | £ 175.00 |
| | | - | - | ○ | - | ○ | ○ | - | - | - | ○ | - | ○ | ○ | Part of ZMS |
| 20Y | 18" M light alloy wheels Double-spoke style 719 M Jet Black Front: 7.5J x 18 225/40 R18 with Run-flat tyres Rear: 8J x 18 245/35 R18 with Run-flat tyres | - | - | ○ | - | ○ | ○ | - | - | - | ○ | - | ○ | ○ | Part of ZMS |
| | | - | - | - | - | - | - | ○ | - | - | - | - | - | - | £ 175.00 |
| 21A | 18" M Double-spoke light alloy wheels style 461 M in Ferric Grey front: 7.5 J x 18 / tyres 225/40 R 18 rear: 8 J x 18 / tyres 245/35 R 18 Finished in Ferric Grey. | - | - | ● | - | ● | ● | - | - | - | ● | - | ● | ● | Standard |
| 21U | 18" M light alloy wheels Double-spoke 436M in Orbit Grey front: 7.5 J x 18 / tyres 225/40 R 18 / rear: 8 J x 18 / tyres 245/35 R 18  Includes specially developed non run-flat high-grip tyres for improved transverse dynamism and shorter stopping distances. In Orbit Grey metallic | | | | | | | ○ | | | | | | | £ 175.00 |
| | | | | | | | | | | | | | | | |
| 2PG | 18" M light alloy wheels Double-spoke 436M in Ferric Grey front: 7.5 J x 18 / tyres 225/40 R 18 / rear: 8 J x 18 / tyres 245/35 R 18  Includes specially developed non run-flat high-grip tyres for improved transverse dynamism and shorter stopping distances. In Ferric Grey metallic | - | - | - | - | - | - | ● | - | - | - | - | - | - | Standard |

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

| Move Cloth - SE models only | | | Corner cloth - Sport models only | | |
|---|------------------------------------|-------------|------------------------------------|---------------------------|--------------------------|
| | | Anthracite | | Anthracite/Grey highlight | Anthracite/Red highlight |
| | | BDAT | | CCL1 | CCL2 |
| Headliner | Decorative knitted fabric Starlite | Anthracite | Decorative knitted fabric Starlite | Anthracite | Anthracite |
| Sun Visors | Plastic, grained | Black | Plastic, grained | Black | Black |
| Door upper trim panels | Expanded vinyl, grained | Black | Expanded vinyl, grained | Black | Black |
| Door panels | Cloth 'Move' | Anthracite | Cloth 'Cosmos' | Anthracite | Anthracite |
| Instrument panel (upper section) | Expanded vinyl, grained | Black | Expanded vinyl, grained | Black | Black |
| Instrument panel (lower section), glove compartment lid | Plastic, grained | Black | Plastic, grained | Black | Black |
| Armrest front, centre console | Expanded vinyl, grained | Black | Expanded vinyl, grained | Black | Black |
| Seat centre panel | Cloth 'Move' | Anthracite | Cloth 'Cosmos' | Anthracite | Anthracite |
| Seat side panel | Cloth 'Corso' | Anthracite | Cloth 'Cosmos' | Anthracite | Anthracite |
| Headrests | Cloth 'Corso' | Anthracite | Cloth 'Cosmos' | Anthracite | Anthracite |
| Seat trims | Plastic, grained | Black | Plastic, grained | Black | Black |
| Floor carpet | Scherdlour | Anthracite | Scherdlour | Anthracite | Anthracite |
| Luggage compartment lining | Needlepunch | Anthracite | Needlepunch | Anthracite | Anthracite |
| Soft top compartment lid | Shaped foamed component, grained | Black | Shaped foamed component, grained | Black | Black |

| | Dakota leather | | | | | |
|---|------------------------------------|------------------------|---------------------|---------------------------|-------------------------|------------|
| | | Cognac/Brown highlight | Black/Red highlight | Coral Red/Black highlight | Oyster/Oyster highlight | Black |
| | | LCRY | LCL3 | LCL5 | LCOM | LCSW |
| Headliner | Decorative knitted fabric Starlite | Anthracite | Anthracite | Anthracite | Anthracite | Anthracite |
| Sun Visors | Plastic, grained | Anthracite | Anthracite | Anthracite | Anthracite | Anthracite |
| Door upper trim panels | Expanded vinyl, grained | Black | Black | Black | Black | Black |
| Door panels | Sensatec | Cognac | Black | Coral Red | Oyster | Black |
| Instrument panel (upper section) | Expanded vinyl, grained | Black | Black | Black | Black | Black |
| Instrument panel (lower section), glove compartment lid | Plastic, grained | Black | Black | Black | Black | Black |
| Armrest front, centre console | Leather 'Dakota' SRT* | Cognac | Black | Coral Red | Oyster | Black |
| Seat centre panel | Leather 'Dakota' SRT* | Cognac | Black | Coral Red | Oyster | Black |
| Seat side panel | Leather 'Dakota' SRT* | Cognac | Black | Coral Red | Oyster | Black |
| Headrests | Leather 'Dakota' | Cognac | Black | Coral Red | Oyster | Black |
| Seat trims | Plastic, grained | Black | Black | Black | Oyster | Black |
| Floor carpet | Scherdlour | Anthracite | Anthracite | Anthracite | Anthracite | Anthracite |
| Luggage compartment lining | Needlepunch | Anthracite | Anthracite | Anthracite | Anthracite | Anthracite |
| Soft top compartment lid | Shaped foamed component, grained | Black | Black | Black | Black | Black |

*Legend: SRT = Sun Reflective Technology

| Hexagon cloth/Alcantara - M Sport models only | | |
|---|------------------------------------|-------------|
| | | Anthracite |
| | | HAAT |
| Headliner | Decorative knitted fabric Starlite | Anthracite |
| Sun Visors | Plastic, grained | Black |
| Door upper trim panels | Expanded vinyl, grained | Black |
| Door panels | Cloth 'Hexagon' | Anthracite |
| Instrument panel (upper section) | Expanded vinyl, grained | Black |
| Instrument panel (lower section), glove compartment lid | Plastic, grained | Black |
| Armrest front, centre console | Sensatec | Black |
| Seat centre panel | Cloth 'Hexagon' | Anthracite |
| Seat side panel | Alcantara | Anthracite |
| Headrests | Alcantara | Anthracite |
| Seat trims | Plastic, grained | Black |
| Floor carpet | Scherdlour | Anthracite |
| Luggage compartment lining | Needlepunch | Anthracite |
| Soft top compartment lid | Shaped foamed component, grained | Black |

- = optionally available
- = standard equipment
- = not available

Changes from Production week 44, 2017.

| | | SE models | | |
|--|-------------|--------------|-----------------------------------|-------|
| Upholstery | Code number | Cloth 'Move' | Leather 'Dakota' | |
| Upholstery code | | BD | LC | |
| Code number | | BDAT | LCOM | LCSW |
| Upholstery colour | | Anthracite | Oyster with dark Oyster highlight | Black |
| Interior colour | | Black | Black | Black |
| Standard seat | | ● | ● | ● |
| Sport seats for driver and front passenger | 481 | - | ○ | ○ |
| Non-metallic Paintwork | | | | |
| Alpine White | 300 | ● | ● | ● |
| Jet Black | 668 | ● | ● | ● |
| Metallic Paintwork | | | | |
| Black Sapphire | 475 | ○ | ○ | ○ |
| Melbourne Red | A75 | ○ | ○ | ○ |
| Glacier Silver | A83 | ○ | ○ | ○ |
| Mineral White | A96 | ○ | ○ | ○ |
| Mineral Grey | B39 | ○ | ○ | ○ |
| Sparkling Brown | B53 | ○ | ○ | ○ |
| Mediterranean Blue | C10 | ○ | ○ | ○ |
| Seaside Blue | C1R | ○ | ○ | ○ |
| Sunset Orange | C1X | ○ | ○ | ○ |
| Interior trim finishers | | | | |
| Interior trim finishers Satin Silver matt | 4CG | ● | ● | ● |
| Interior trim finishers Aluminium, finely brushed lengthwise with highlight trim finisher Black high-gloss - | 4FT | - | - | - |
| Interior trim finishers 'Pearl' dark with highlight trim finisher Pearl Chrome | 4GG | ○ | ○ | ○ |
| Fine-wood trim 'Fineline' Stream with highlight trim finishers Pearl Chrome | 4LR | ○ | ○ | ○ |
| Interior trim finishers black high-gloss with highlight trim finishers Pearl Chrome | 4LU | ○ | ○ | ○ |
| Interior trim finishers Aluminium, finely brushed lengthwise with highlight trim finishers Pearl Chrome - | 4LS | - | - | - |

- = optionally available
- = standard equipment
- = not available

| | | Sport models | | | | | | |
|--|-------------|--------------------------------|-------------------------------|--------------------------|--------------------------------|-----------------------------------|-----------------------------|-------|
| Upholstery | Code number | Cloth 'Corner' | | Leather 'Dakota' | | | | |
| Upholstery code | | CC | | LC | | | | |
| Code number | | CCL1 | CCL2 | LCL3 | LCL5 | LCOM | LCRY | LCSW |
| Upholstery colour | | Anthracite with Grey highlight | Anthracite with Red highlight | Black with Red highlight | Coral Red with Black highlight | Oyster with dark Oyster highlight | Cognac with Brown highlight | Black |
| Interior colour | | Black | Black | Black | Black | Black | Black | Black |
| Sport seats for driver and front passenger | 481 | ● | ● | ● | ● | ● | ● | ● |
| Non-metallic Paintwork | | | | | | | | |
| Alpine White | 300 | ● | ● | ● | ● | ● | ● | ● |
| Black | 668 | ● | ● | ● | ● | ● | ● | ● |
| Metallic Paintwork | | | | | | | | |
| Black Sapphire | 475 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Melbourne Red | A75 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Glacier Silver | A83 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Mineral White | A96 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Mineral Grey | B39 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Sparkling Brown | B53 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Mediterranean Blue | C10 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Seaside Blue | C1R | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Sunset Orange | C1X | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Interior trim finishers | | | | | | | | |
| Interior trim finishers Aluminium, finely brushed lengthwise with highlight trim finisher Black high-gloss – | 4F7 | – | – | – | – | – | – | – |
| Fine-wood trim 'Fineline Pure' with highlight trim finisher Pearl Chrome | 4F9 | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Interior trim finishers 'Pearl' dark with highlight trim finisher Pearl Chrome | 4GG | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Fine-wood trim 'Fineline' Stream with highlight trim finishers Pearl Chrome | 4LR | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| Interior trim finishers Aluminium, finely brushed lengthwise with highlight trim finishers Pearl Chrome – | 4LS | – | – | – | – | – | – | – |
| Interior trim finishers black high-gloss with highlight trim finishers Pearl Chrome | 4LU | ○ | ○ | ○ | ○ | ○ | ● | ○ |
| Interior trim finishers Black high-gloss with highlight trim finishers Coral Red matt | 4LV | ● | ● | ● | ● | ● | – | ● |

- = optionally available
- = standard equipment
- = not available

| | | M Sport models | | | | |
|--|-------------|---------------------------|--------------------------------|-----------------------------------|-----------------------------|-------|
| Upholstery | Code number | Cloth 'Hexagon'/Alcantara | Leather 'Dakota' | | | |
| Upholstery code | | HA | LC | | | |
| Code number | | HAAT | LCL5 | LCOM | LCRY | LCSW |
| Upholstery colour | | Anthracite | Coral Red with Black highlight | Oyster with dark Oyster highlight | Cognac with Brown highlight | Black |
| Interior colour | | Black | Black | Black | Black | Black |
| Sport seats for driver and front passenger | 481 | ✓ | ✓ | ✓ | ✓ | ✓ |
| Non-metallic Paintwork | | | | | | |
| Alpine White | 300 | ● | ● | ● | ● | ● |
| Metallic Paintwork | | | | | | |
| Black Sapphire | 475 | ○ | ○ | ○ | ○ | ○ |
| Melbourne Red | A75 | ○ | ○ | ○ | ○ | ○ |
| Mineral White | A96 | ○ | ○ | ○ | ○ | ○ |
| Mineral Grey | B39 | ○ | ○ | ○ | ○ | ○ |
| Estoril Blue | B45 | ○ | ○ | ○ | ○ | ○ |
| Sunset Orange | C1X | ○ | ○ | ○ | ○ | ○ |
| Interior trim finishers | | | | | | |
| Interior trim finishers Aluminium, finely brushed lengthwise with highlight trim finisher Black high-gloss | 4FT | ○ | ○ | ○ | ○ | ○ |
| Fine-wood trim 'Fineline Pure' with highlight trim finisher Pearl Chrome | 4F9 | ○ | ○ | ○ | ○ | ○ |
| Fine-wood trim 'Fineline' Stream with highlight trim finishers Pearl Chrome | 4LR | ○ | ○ | ○ | ○ | ○ |
| Interior trim finishers Aluminium, finely brushed lengthwise with highlight trim finishers Pearl Chrome | 4LS | ○ | ○ | ○ | ○ | ○ |
| Interior trim finishers black high-gloss with highlight trim finishers Pearl Chrome | 4LU | ○ | ○ | ○ | ○ | ○ |
| Interior trim finishers Aluminium Hexagon with highlight trim finisher Blue matt | 4WF | ● | - | ● | ● | ● |
| Interior trim finishers Aluminium Hexagon with highlight trim finisher Black high-gloss | 4WG | ○ | ● | ○ | ○ | ○ |

- = optionally available
- = standard equipment
- = not available

| | | M240i models | | | |
|--|-------------|--------------------------------|-----------------------------------|-----------------------------|-------|
| Upholstery | Code number | Leather 'Dakota' | | | |
| Upholstery code | | LC | | | |
| Code number | | LCL5 | LCOM | LCRY | LCSW |
| Upholstery colour | | Coral Red with Black highlight | Oyster with dark Oyster highlight | Cognac with Brown highlight | Black |
| Interior colour | | Black | Black | Black | Black |
| Sport seats for driver and front passenger | | 481 | ✓ | ✓ | ✓ |
| Non-metallic Paintwork | | | | | |
| Alpine White | 300 | ● | ● | ● | ● |
| Metallic Paintwork | | | | | |
| Black Sapphire | 475 | ○ | ○ | ○ | ○ |
| Melbourne Red | A75 | ○ | ○ | ○ | ○ |
| Mineral White | A96 | ○ | ○ | ○ | ○ |
| Mineral Grey | B39 | ○ | ○ | ○ | ○ |
| Estoril Blue | B45 | ○ | ○ | ○ | ○ |
| Sunset Orange | C1X | ○ | ○ | ○ | ○ |
| Interior trim finishers | | | | | |
| Interior trim finishers Aluminium, finely brushed lengthwise with highlight trim finisher Black high-gloss | 4FT | ○ | ○ | ○ | ○ |
| Fine-wood trim 'Fineline Pure' with highlight trim finisher Pearl Chrome | 4F9 | ○ | ○ | ○ | ○ |
| Fine-wood trim 'Fineline' Stream with highlight trim finishers Pearl Chrome | 4LR | ○ | ○ | ○ | ○ |
| Interior trim finishers Aluminium, finely brushed lengthwise with highlight trim finishers Pearl Chrome | 4LS | ○ | ○ | ○ | ○ |
| Interior trim finishers black high-gloss with highlight trim finishers Pearl Chrome | 4LU | ○ | ○ | ○ | ○ |
| Interior trim finishers Aluminium Hexagon with highlight trim finisher Blue matt | 4WF | – | ● | ● | ● |
| Interior trim finishers Aluminium Hexagon with highlight trim finisher Black high-gloss | 4WG | ● | ○ | ○ | ○ |

| Technical data | | | | | | BMW UK |
|--|---------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|-----------------------------------|
| 2 Series Convertible LCI (F23LCI) | | | | | | Effective Production Week 44 2017 |
| Changes from Production week 44, 2017. | | 218i Convertible | 218i Convertible | 220i Convertible | 230i Convertible | |
| Engine type | | B38B15M0 | B38B15M0 | B48B20M0 | B48B20O0 | |
| Transmission type | | manual transmission 6 | automatic transmission 8 | automatic transmission 8 | automatic transmission 8 | |
| Seats | -- | 4 | 4 | 4 | 4 | |
| Number of Doors | -- | 2 | 2 | 2 | 2 | |
| Veh. Length (without number plate) | mm | 4432 | 4432 | 4432 | 4432 | |
| Veh. length (SA) | mm | 4434 | 4434 | 4434 | 4434 | |
| Width | mm | 1774 | 1774 | 1774 | 1774 | |
| Height | mm | 1413 | 1413 | 1413 | 1413 | |
| Veh. Height max. | mm | 1413 | 1413 | 1413 | 1413 | |
| Width inc. mirrors | mm | 1984 | 1984 | 1984 | 1984 | |
| Width incl.mirror driver | mm | 1001 | 1001 | 1001 | 1001 | |
| Width incl.mirror passengers side | mm | 983 | 983 | 983 | 983 | |
| Wheelbase | mm | 2690 | 2690 | 2690 | 2690 | |
| Overhang front | mm | 780 | 780 | 780 | 780 | |
| Rear overhang | mm | 962 | 962 | 962 | 962 | |
| Turning circle | m | 10.9 | 10.9 | 10.9 | 10.9 | |
| Ground clearance | mm | 140 | 140 | 140 | 140 | |
| Shoulder width front | mm | 1383 | 1383 | 1383 | 1383 | |
| Shoulder room rear | mm | 1072 | 1072 | 1072 | 1072 | |
| Elbow width front | mm | 1436 | 1436 | 1436 | 1436 | |
| Elbowroom rear | mm | 1104 | 1104 | 1104 | 1104 | |
| effective legroom front | mm | 1055 | 1055 | 1055 | 1055 | |
| effective legroom rear second seating row | mm | 807 | 807 | 807 | 807 | |
| Max. headroom front | mm | 1028 | 1028 | 1028 | 1028 | |
| Maximum headroom rear | mm | 940 | 940 | 940 | 940 | |
| Knee clearance | mm | -32 | -32 | -32 | -32 | |
| Luggage volumes (maximum with roof up) | litres | 335 | 335 | 335 | 335 | |
| Luggage volume (roof storage box open) | litres | 280 | 280 | 280 | 280 | |
| Fuel tank capacity (approx.) | litres | 52 | 52 | 52 | 52 | |
| Curb weight (DIN) | kg | 1495 | 1515 | 1540 | 1570 | |
| curb weight (EC) | kg | 1570 | 1590 | 1615 | 1645 | |
| rear Weight distribution (empty car) | % | 53.6 | 53.2 | 52.3 | 51.3 | |
| Gross veh. weight | kg | 1965 | 1985 | 2010 | 2010 | |
| Payload | kg | 470 | 470 | 470 | 440 | |
| Axle load limit front | kg | 865 | 865 | 900 | 920 | |
| rear axle load limit | kg | 1160 | 1160 | 1145 | 1130 | |
| Gross veh. weight /w.trailer | kg | 2040 | 2060 | 2085 | 2085 | |
| Rear axle load w. trailer | kg | 1275 | 1275 | 1265 | 1245 | |
| Payload w. trailer | kg | 545 | 545 | 545 | 515 | |
| Trailer load braked 12% | kg | 1300 | 1300 | 1500 | 1500 | |
| Trailer load braked 8% | kg | 1500 | 1500 | 1500 | 1500 | |
| Trailer load unbraked | kg | 750 | 750 | 750 | 750 | |
| Trailer nose weight | kg | 75 | 75 | 75 | 75 | |
| Engine type | -- | B38B15M0 | B38B15M0 | B48B20M0 | B48B20O0 | |
| Cylinders | -- | 3 | 3 | 4 | 4 | |
| Valves p.cyl. | -- | 4 | 4 | 4 | 4 | |
| Stroke | mm | 94.6 | 94.6 | 94.6 | 94.6 | |
| Bore | mm | 82 | 82 | 82 | 82 | |
| Displacement | cm³ | 1499 | 1499 | 1998 | 1998 | |
| Compression rate | :1 | 11 | 11 | 11 | 10.2 | |
| Rated engine power [kW] | kW | 100 | 100 | 135 | 185 | |
| Engine power (HP) | PS | 136 | 136 | 184 | 252 | |
| Engine power [bHP] | bHP | 134 | 134 | 181 | 248 | |
| at rpm | 1/min | 4400 | 4400 | 5000 | 5200 | |
| Engine torque | Nm | 220 | 220 | 270 | 350 | |
| Engine torque | ft lbs | 162 | 162 | 199 | 258 | |
| at rpm | 1/min | 1250-4300 | 1250-4300 | 1350-4600 | 1450-4800 | |
| Fuel type | -- | gasoline | gasoline | gasoline | gasoline | |
| Useable Fuel quality | -- | ROZ90-98 | ROZ90-98 | ROZ90-98 | ROZ90-98 | |
| recomm. | -- | ROZ95 | ROZ95 | ROZ95 | ROZ95 | |
| Engine oil (filling quantity) | litres | 4.25 | 4.25 | 5.25 | 5.25 | |
| Output per litre | kW/dm³ | 66.7 | 66.7 | 67.6 | 92.6 | |
| Power to weight ratio | kg/kW | 15 | 15.2 | 11.4 | 8.5 | |
| Transmission type | -- | I-250-Turbo | 8HP50-1 | 8HP50 | 8HP50 | |
| Transmission type | -- | manual transmission | automatic transmission | automatic transmission | automatic transmission | |
| Gear ratios 1st gear | -- | 4.552 | 4.714 | 5 | 5 | |
| 2nd | -- | 2.548 | 3.143 | 3.2 | 3.2 | |
| 3rd | -- | 1.659 | 2.106 | 2.143 | 2.143 | |
| 4th | -- | 1.23 | 1.667 | 1.72 | 1.72 | |
| 5th | -- | 1 | 1.285 | 1.314 | 1.314 | |
| 6th | -- | 0.83 | 1 | 1 | 1 | |
| 7th | -- | - | 0.839 | 0.822 | 0.822 | |
| 8th | -- | - | 0.667 | 0.64 | 0.64 | |
| Reverse gear | -- | 4.138 | 3.295 | 3.456 | 3.456 | |
| Final drive ratio | -- | 3.077 | 3.077 | 2.813 | 2.813 | |
| Steering type | -- | rack-and-pinion | rack-and-pinion | rack-and-pinion | rack-and-pinion | |
| Power-steering | -- | EPS | EPS | EPS | EPS | |
| Steering transmission, overall | :1 | 15 | 15 | 15 | 15 | |
| Track front | mm | 1521 | 1521 | 1521 | 1521 | |
| Width of the rear track | mm | 1556 | 1556 | 1556 | 1556 | |
| Wheel offset front | mm | 40 | 40 | 40 | 40 | |
| Wheel offset rear | mm | 40 | 40 | 40 | 40 | |
| A | m² | 2.13 | 2.13 | 2.13 | 2.13 | |
| Cx | -- | 0.32 | 0.32 | 0.32 | 0.33 | |
| Air resistance | m² | 0.68 | 0.68 | 0.68 | 0.7 | |
| Top speed | km/h | 207 | 205 | 226 | 250 | |
| top speed [mph] | mph | 129 | 127 | 140 | 155 | |
| 0-60mph | s | 9.4 | 9.6 | 7.7 | 5.9 | |
| 50-75mph (5th gear) | s | 11.4 | - | - | - | |
| Fuel Consumption and emissions | | | | | | |
| 17" wheels (24A, 26T, 2DT, 2LP) | | -- | | | | |
| KV01 city | mpg (l/100km) | 38.7 / 7.3 | 40.9 / 6.9 | 37.2 (7.6) | - | |
| KV01 Highway | mpg (l/100km) | 56.5 / 5.0 | 57.6 / 4.9 | 54.3 (5.2) | - | |
| KV01 Combined | mpg (l/100km) | 48.7 / 5.8 | 50.4 / 5.6 | 46.3 (6.1) | - | |
| CO2 | g/km | 136 | 131 | 138 | - | |
| 18" wheels (2A7, 2L9, 20W, 20Y, 21A, 21U, 2PG) | | -- | | | | |
| KV01 city | mpg (l/100km) | 37.7 / 7.5 | 39.8 / 7.1 | 36.7 (7.7) | 36.2 (7.8) | |
| KV01 Highway | mpg (l/100km) | 55.4 / 5.1 | 56.5 / 5.0 | 54.3 / 5.2 | 53.3 / 5.3 | |
| KV01 Combined | mpg (l/100km) | 47.1 / 6.0 | 48.7 / 5.8 | 46.3 (6.1) | 45.6 / 6.2 | |
| CO2 combined | g/km | 139 | 134 | 140 | 142 | |
| Emission classification (type-certified) | -- | EU6 | EU6 | EU6 | EU6 | |
| CO | g/km | 0.1454 | 0.2156 | 0.2563 | 0.263 | |
| NOx | g/km | 0.0123 | 0.0106 | 0.047 | 0.0338 | |
| HC | g/km | 0.0204 | 0.0377 | 0.0665 | 0.0549 | |
| NMHC | g/km | 0.0144 | 0.0278 | 0.0566 | 0.0477 | |
| HC+NOx | g/km | - | - | - | - | |
| Particles | g/km | 0.00026 | 0.00052 | 0.00018 | 0.00038 | |
| N-Particles | -- | - | - | 0.23 | 0.24 | |
| Driving noise | dB(A) | 71 | 66 | 69 | 71 | |
| Standing noise | dB(A) | 77 | 77 | 82 | 85 | |
| Standing noise / rpm | 1/min | 3300 | 3300 | 3750 | 3750 | |
| SCR Tank | -- | No | No | No | No | |
| AdBlue tank capacity | litres | - | - | - | - | |
| Battery Capacity (low voltage) | Ah | 90 | 80 | 80 | 80 | |
| System voltage (low voltage) | V | 12 | 12 | 12 | 12 | |
| Engine type | -- | in line | in line | in line | in line | |
| Fuel management | -- | DME MEVD 17.2.3 | DME MEVD 17.2.3 | TBC | TBC | |
| Charging Type | -- | TwinPower Turbo | TwinPower Turbo | TwinPower Turbo | TwinPower Turbo | |
| Charging Technique | -- | TwinScroll Turbo Technology | TwinScroll Turbo Technology | TwinScroll Turbo Technology | TwinScroll Turbo Technology | |
| Injection type | -- | High precision direct injection | High precision direct injection | High precision direct injection | High precision direct injection | |
| Injection technique | -- | DI | DI | DI2,VVT | DI2,VVT | |
| Suspension type front | -- | 2-link drive suspension strut axle | 2-link drive suspension strut axle | 2-link drive suspension strut axle | 2-link drive suspension strut axle | |
| Rear suspension | -- | five-link suspension | five-link suspension | five-link suspension | five-link suspension | |
| Front brake | -- | disc ventilated | disc ventilated | disc ventilated | disc ventilated | |
| Rear brake | -- | disc | disc | disc | disc ventilated | |
| Generator amperage | A | 180 | 180 | TBC | TBC | |
| Alternator output | W | 2520 | 2520 | TBC | TBC | |
| BMW EfficientDynamics | | | | | | |
| Auto Start-Stop | | ● | ● | ● | ● | |
| Brake Energy Regeneration | | ● | ● | ● | ● | |
| ECO PRO mode | | ● | ● | ● | ● | |
| Electric Power Steering (EPS) | | ● | ● | ● | ● | |
| Lightweight engineering | | ● | ● | ● | ● | |
| Optimum Shift Indicator (with 205/2TB on in manual mode) | | ● | ● | ● | ● | |
| Reduced rolling resistance tyres | | ● | ● | ● | ● | |

| Technical data | | | | | | BMW UK |
|--|---------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|-----------------------------------|
| 2 Series Convertible LCI (F23LCI) | | | | | | Effective Production Week 44 2017 |
| Changes from Production week 44, 2017. | | M240i Convertible | M240i Convertible | 218d Convertible | 218d Convertible | |
| Engine type | | B58B30M0 | B58B30M0 | B47D20U0 | B47D20U0 | |
| Transmission type | | manual transmission 6 | automatic transmission 8 | manual transmission 6 | automatic transmission 8 | |
| Seats | -- | 4 | 4 | 4 | 4 | |
| Number of Doors | -- | 2 | 2 | 2 | 2 | |
| Veh. Length (without number plate) | mm | 4454 | 4454 | 4432 | 4432 | |
| Veh. length (SA) | mm | 4462 | 4462 | 4434 | 4434 | |
| Width | mm | 1774 | 1774 | 1774 | 1774 | |
| Height | mm | 1403 | 1403 | 1413 | 1413 | |
| Veh. Height max. | mm | 1403 | 1403 | 1413 | 1413 | |
| Width inc. mirrors | mm | 1984 | 1984 | 1984 | 1984 | |
| Width incl.mirror driver | mm | 1001 | 1001 | 1001 | 1001 | |
| Width incl.mirror passengers side | mm | 983 | 983 | 983 | 983 | |
| Wheelbase | mm | 2690 | 2690 | 2690 | 2690 | |
| Overhang front | mm | 802 | 802 | 780 | 780 | |
| Rear overhang | mm | 962 | 962 | 962 | 962 | |
| Turning circle | m | 10.9 | 10.9 | 10.9 | 10.9 | |
| Ground clearance | mm | 130 | 130 | 140 | 140 | |
| Shoulder width front | mm | 1383 | 1383 | 1383 | 1383 | |
| Shoulder room rear | mm | 1072 | 1072 | 1072 | 1072 | |
| Elbow width front | mm | 1436 | 1436 | 1436 | 1436 | |
| Elbowroom rear | mm | 1104 | 1104 | 1104 | 1104 | |
| effective legroom front | mm | 1055 | 1055 | 1055 | 1055 | |
| effective legroom rear second seating row | mm | 807 | 807 | 807 | 807 | |
| Max. headroom front | mm | 1028 | 1028 | 1028 | 1028 | |
| Maximum headroom rear | mm | 940 | 940 | 940 | 940 | |
| Knee clearance | mm | -32 | -32 | -32 | -32 | |
| Luggage volumes (maximum with roof up) | litres | 335 | 335 | 335 | 335 | |
| Luggage volume (roof storage box open) | litres | 280 | 280 | 280 | 280 | |
| Fuel tank capacity (approx.) | litres | 52 | 52 | 52 | 52 | |
| Curb weight (DIN) | kg | 1615 | 1630 | 1520 | 1540 | |
| curb weight (EC) | kg | 1690 | 1705 | 1595 | 1615 | |
| rear Weight distribution (empty car) | % | 50.5 | 50.1 | 52.4 | 51.7 | |
| Gross veh. weight | kg | 2045 | 2060 | 1990 | 2010 | |
| Payload | kg | 430 | 430 | 470 | 470 | |
| Axle load limit front | kg | 975 | 975 | 900 | 900 | |
| rear axle load limit | kg | 1145 | 1145 | 1160 | 1160 | |
| Gross veh. weight /w.trailer | kg | - | - | 2065 | 2085 | |
| Rear axle load w. trailer | kg | - | - | 1270 | 1270 | |
| Payload w. trailer | kg | - | - | 545 | 545 | |
| Trailer load braked 12% | kg | - | - | 1500 | 1500 | |
| Trailer load braked 8% | kg | - | - | 1500 | 1500 | |
| Trailer load unbraked | kg | - | - | 750 | 750 | |
| Trailer nose weight | kg | - | - | 75 | 75 | |
| Engine type | -- | B58B30M0 | B58B30M0 | B47D20U0 | B47D20U0 | |
| Cylinders | -- | 6 | 6 | 4 | 4 | |
| Valves p.cyl. | -- | 4 | 4 | 4 | 4 | |
| Stroke | mm | 94.6 | 94.6 | 90 | 90 | |
| Bore | mm | 82 | 82 | 84 | 84 | |
| Displacement | cm³ | 2998 | 2998 | 1995 | 1995 | |
| Compression rate | :1 | 11 | 11 | 16.5 | 16.5 | |
| Rated engine power [kW] | kW | 250 | 250 | 110 | 110 | |
| Engine power (HP) | PS | 340 | 340 | 150 | 150 | |
| Engine power [bHP] | bHP | 335 | 335 | 148 | 148 | |
| at rpm | 1/min | 5500 | 5500 | 4000 | 4000 | |
| Engine torque | Nm | 500 | 500 | 320 | 320 | |
| Engine torque | ft lbs | 369 | 369 | 236 | 236 | |
| at rpm | 1/min | 1520-4500 | 1520-4500 | 1500-3000 | 1500-3000 | |
| Fuel type | -- | gasoline | gasoline | diesel | diesel | |
| Useable Fuel quality | -- | ROZ90-98 | ROZ90-98 | Diesel | Diesel | |
| recomm. | -- | ROZ95 | ROZ95 | Diesel | Diesel | |
| Engine oil (filling quantity) | litres | 6.5 | 6.5 | 5 | 5 | |
| Output per litre | kW/dm³ | 83.4 | 83.4 | 55.1 | 55.1 | |
| Power to weight ratio | kg/kW | 6.5 | 6.5 | 13.8 | 14 | |
| Transmission type | -- | K-Benzin-BK | 8HP50 | I-Diesel-BK | 8HP50 | |
| Transmission type | -- | manual transmission | automatic transmission | manual transmission | automatic transmission | |
| Gear ratios 1st gear | -- | 4.11 | 5 | 4.002 | 5 | |
| 2nd | -- | 2.315 | 3.2 | 2.109 | 3.2 | |
| 3rd | -- | 1.542 | 2.143 | 1.396 | 2.143 | |
| 4th | -- | 1.179 | 1.72 | 1 | 1.72 | |
| 5th | -- | 1 | 1.314 | 0.781 | 1.314 | |
| 6th | -- | 0.846 | 1 | 0.668 | 1 | |
| 7th | -- | - | 0.822 | - | 0.822 | |
| 8th | -- | - | 0.64 | - | 0.64 | |
| Reverse gear | -- | 3.727 | 3.456 | 3.647 | 3.456 | |
| Final drive ratio | -- | 3.077 | 2.813 | 3.231 | 2.647 | |
| Steering type | -- | rack-and-pinion | rack-and-pinion | rack-and-pinion | rack-and-pinion | |
| Power-steering | -- | EPS | EPS | EPS | EPS | |
| Steering transmission, overall | :1 | 14.5 | 14.5 | 15 | 15 | |
| Track front | mm | 1516 | 1516 | 1521 | 1521 | |
| Width of the rear track | mm | 1534 | 1534 | 1556 | 1556 | |
| Wheel offset front | mm | 45 | 45 | 40 | 40 | |
| Wheel offset rear | mm | 52 | 52 | 40 | 40 | |
| A | m² | 2.13 | 2.13 | 2.13 | 2.13 | |
| Cx | -- | 0.36 | 0.36 | 0.31 | 0.31 | |
| Air resistance | m² | 0.77 | 0.77 | 0.66 | 0.66 | |
| Top speed | km/h | 250 | 250 | 208 | 205 | |
| top speed [mph] | mph | 155 | 155 | 129 | 127 | |
| 0-60mph | s | 4.9 | 4.7 | 8.9 | 8.7 | |
| 50-75mph (5th gear) | s | - | - | - | - | |
| Fuel Consumption and emissions | | | | | | |
| 17" wheels (24A, 26T, 2DT, 2LP) | | -- | | | | |
| KV01 city | mpg (l/100km) | - | - | 51.4 / 5.5 | 53.3 / 5.3 | |
| KV01 Highway | mpg (l/100km) | - | - | 68.9 / 4.1 | 72.4 / 3.9 | |
| KV01 Combined | mpg (l/100km) | - | - | 61.4 / 4.6 | 64.2 / 4.4 | |
| CO2 | g/km | - | - | 122 | 116 | |
| 18" wheels (2A7, 2L9, 20W, 20Y, 21A, 21U, 2PG) | | -- | | | | |
| KV01 city | mpg (l/100km) | 25.2 (11.2) | 28.8 (9.8) | 50.4 / 5.6 | 52.3 / 5.4 | |
| KV01 Highway | mpg (l/100km) | 42.8 / 6.6 | 47.1 / 6.0 | 67.3 / 4.2 | 72.4 / 3.9 | |
| KV01 Combined | mpg (l/100km) | 34.0 (8.3) | 38.2 (7.4) | 60.1 / 4.7 | 62.8 / 4.5 | |
| CO2 combined | g/km | 189 | 169 | 124 | 118 | |
| Emission classification (type-certified) | -- | EU6 | EU6 | EU6 | EU6 | |
| CO | g/km | 0.2807 | 0.3065 | 0.2487 | 0.169 | |
| NOx | g/km | 0.0501 | 0.0174 | 0.0289 | 0.0295 | |
| HC | g/km | 0.0643 | 0.0469 | - | - | |
| NMHC | g/km | 0.0517 | 0.037 | - | - | |
| HC+NOx | g/km | - | - | 0.0461 | 0.0355 | |
| Particles | g/km | 0.00034 | 0.00037 | 0.00005 | 0.00009 | |
| N-Particles | -- | 0.3 | 1.32 | - | - | |
| Driving noise | dB(A) | 73 | 72 | 75 | 73 | |
| Standing noise | dB(A) | 83 | 83 | 79 | 80 | |
| Standing noise / rpm | 1/min | 3750 | 3750 | 3000 | 3000 | |
| SCR Tank | -- | No | No | No | No | |
| AdBlue tank capacity | litres | - | - | - | - | |
| Battery Capacity (low voltage) | Ah | 80 | 80 | 80 | 90 | |
| System voltage (low voltage) | V | 12 | 12 | 12 | 12 | |
| Engine type | -- | in line | in line | in line | in line | |
| Fuel management | -- | TBC | TBC | DDE 7.01 | DDE 7.01 | |
| Charging Type | -- | TwinPower Turbo | TwinPower Turbo | VNT (Variable geometry turbo) | VNT (Variable geometry turbo) | |
| Charging Technique | -- | TwinScroll Turbo Technology | TwinScroll Turbo Technology | Variable Geometry Turbo Technology | Variable Geometry Turbo Technology | |
| Injection type | -- | High precision direct injection | High precision direct injection | Common rail direct injection | Common rail direct injection | |
| Injection technique | -- | DI2,VVT | DI2,VVT | CRS 2-20 | CRS 2-20 | |
| Suspension type front | -- | 2-link drive suspension strut axle | 2-link drive suspension strut axle | 2-link drive suspension strut axle | 2-link drive suspension strut axle | |
| Rear suspension | -- | five-link suspension | five-link suspension | five-link suspension | five-link suspension | |
| Front brake | -- | disc ventilated | disc ventilated | disc ventilated | disc ventilated | |
| Rear brake | -- | disc ventilated | disc ventilated | disc ventilated | disc ventilated | |
| Generator amperage | A | TBC | TBC | 150 | 150 | |
| Alternator output | W | TBC | TBC | 2100 | 2100 | |
| BMW EfficientDynamics | | | | | | |
| Auto Start-Stop | | ● | ● | ● | ● | |
| Brake Energy Regeneration | | ● | ● | ● | ● | |
| ECO PRO mode | | ● | ● | ● | ● | |
| Electric Power Steering (EPS) | | ● | ● | ● | ● | |
| Lightweight engineering | | ● | ● | ● | ● | |
| Optimum Shift Indicator (with 205/2TB on in manual mode) | | ● | ● | ● | ● | |
| Reduced rolling resistance tyres | | - | - | ● | ● | |

| Technical data | | | | | BMW UK |
|--|---------------|------------------------------------|------------------------------------|------------------------------------|-----------------------------------|
| 2 Series Convertible LCI (F23LCI) | | | | | Effective Production Week 44 2017 |
| Changes from Production week 44, 2017. | | 220d Convertible | 220d Convertible | 225d Convertible | |
| Engine type | | B47D20O0 | B47D20O0 | B47D20T0 | |
| Transmission type | | manual transmission 6 | automatic transmission 8 | automatic transmission 8 | |
| Seats | -- | 4 | 4 | 4 | |
| Number of Doors | -- | 2 | 2 | 2 | |
| Veh. Length (without number plate) | mm | 4432 | 4432 | 4432 | |
| Veh. length (SA) | mm | 4434 | 4434 | 4434 | |
| Width | mm | 1774 | 1774 | 1774 | |
| Height | mm | 1413 | 1413 | 1413 | |
| Veh. Height max. | mm | 1413 | 1413 | 1413 | |
| Width inc. mirrors | mm | 1984 | 1984 | 1984 | |
| Width incl.mirror driver | mm | 1001 | 1001 | 1001 | |
| Width incl.mirror passengers side | mm | 983 | 983 | 983 | |
| Wheelbase | mm | 2690 | 2690 | 2690 | |
| Overhang front | mm | 780 | 780 | 780 | |
| Rear overhang | mm | 962 | 962 | 962 | |
| Turning circle | m | 10.9 | 10.9 | 10.9 | |
| Ground clearance | mm | 140 | 140 | 140 | |
| Shoulder width front | mm | 1383 | 1383 | 1383 | |
| Shoulder room rear | mm | 1072 | 1072 | 1072 | |
| Elbow width front | mm | 1436 | 1436 | 1436 | |
| Elbowroom rear | mm | 1104 | 1104 | 1104 | |
| effective legroom front | mm | 1055 | 1055 | 1055 | |
| effective legroom rear second seating row | mm | 807 | 807 | 807 | |
| Max. headroom front | mm | 1028 | 1028 | 1028 | |
| Maximum headroom rear | mm | 940 | 940 | 940 | |
| Knee clearance | mm | -32 | -32 | -32 | |
| Luggage volumes (maximum with roof up) | litres | 335 | 335 | 335 | |
| Luggage volume (roof storage box open) | litres | 280 | 280 | 280 | |
| Fuel tank capacity (approx.) | litres | 52 | 52 | 52 | |
| Curb weight (DIN) | kg | 1535 | 1555 | 1575 | |
| curb weight (EC) | kg | 1610 | 1630 | 1650 | |
| rear Weight distribution (empty car) | % | 52.5 | 51.8 | 51.5 | |
| Gross veh. weight | kg | 2005 | 2025 | 2015 | |
| Payload | kg | 470 | 470 | 440 | |
| Axle load limit front | kg | 905 | 905 | 920 | |
| rear axle load limit | kg | 1155 | 1155 | 1145 | |
| Gross veh. weight /w.trailer | kg | 2080 | 2100 | 2090 | |
| Rear axle load w. trailer | kg | 1270 | 1270 | 1260 | |
| Payload w. trailer | kg | 545 | 545 | 515 | |
| Trailer load braked 12% | kg | 1500 | 1500 | 1500 | |
| Trailer load braked 8% | kg | 1500 | 1500 | 1500 | |
| Trailer load unbraked | kg | 750 | 750 | 750 | |
| Trailer nose weight | kg | 75 | 75 | 75 | |
| Engine type | -- | B47D20O0 | B47D20O0 | B47D20T0 | |
| Cylinders | -- | 4 | 4 | 4 | |
| Valves p.cyl. | -- | 4 | 4 | 4 | |
| Stroke | mm | 90 | 90 | 90 | |
| Bore | mm | 84 | 84 | 84 | |
| Displacement | cm³ | 1995 | 1995 | 1995 | |
| Compression rate | :1 | 16.5 | 16.5 | 16.5 | |
| Rated engine power [kW] | kW | 140 | 140 | 165 | |
| Engine power (HP) | PS | 190 | 190 | 224 | |
| Engine power [bHP] | bHP | 188 | 188 | 221 | |
| at rpm | 1/min | 4000 | 4000 | 4400 | |
| Engine torque | Nm | 400 | 400 | 450 | |
| Engine torque | ft lbs | 295 | 295 | 332 | |
| at rpm | 1/min | 1750-2500 | 1750-2500 | 1500-3000 | |
| Fuel type | -- | diesel | diesel | diesel | |
| Useable Fuel quality | -- | Diesel | Diesel | Diesel | |
| recomm. | -- | Diesel | Diesel | Diesel | |
| Engine oil (filling quantity) | litres | 5 | 5 | 5 | |
| Output per litre | kW/dm³ | 70.2 | 70.2 | 82.7 | |
| Power to weight ratio | kg/kW | 11 | 11.1 | 9.5 | |
| Transmission type | -- | K weit | 8HP50 | 8HP50 | |
| Transmission type | -- | manual transmission | automatic transmission | automatic transmission | |
| Gear ratios 1st gear | -- | 4.11 | 5 | 5 | |
| 2nd | -- | 2.248 | 3.2 | 3.2 | |
| 3rd | -- | 1.403 | 2.143 | 2.143 | |
| 4th | -- | 1 | 1.72 | 1.72 | |
| 5th | -- | 0.802 | 1.314 | 1.314 | |
| 6th | -- | 0.659 | 1 | 1 | |
| 7th | -- | - | 0.822 | 0.822 | |
| 8th | -- | - | 0.64 | 0.64 | |
| Reverse gear | -- | 3.727 | 3.456 | 3.456 | |
| Final drive ratio | -- | 3.231 | 2.647 | 2.647 | |
| Steering type | -- | rack-and-pinion | rack-and-pinion | rack-and-pinion | |
| Power-steering | -- | EPS | EPS | EPS | |
| Steering transmission, overall | :1 | 15 | 15 | 15 | |
| Track front | mm | 1521 | 1521 | 1521 | |
| Width of the rear track | mm | 1556 | 1556 | 1556 | |
| Wheel offset front | mm | 40 | 40 | 40 | |
| Wheel offset rear | mm | 40 | 40 | 40 | |
| A | m² | 2.13 | 2.13 | 2.13 | |
| Cx | -- | 0.31 | 0.31 | 0.32 | |
| Air resistance | m² | 0.66 | 0.66 | 0.68 | |
| Top speed | km/h | 225 | 225 | 235 | |
| top speed [mph] | mph | 140 | 140 | 146 | |
| 0-60mph | s | 7.5 | 7.4 | 6.4 | |
| 50-75mph (5th gear) | s | 7.7 | - | - | |
| Fuel Consumption and emissions | | | | | |
| 17" wheels (24A, 26T, 2DT, 2LP) | | -- | | | |
| KV01 city | mpg (l/100km) | 49.6 / 5.7 | 56.5 / 5.0 | - | |
| KV01 Highway | mpg (l/100km) | 70.6 / 4 | 72.4 / 3.9 | - | |
| KV01 Combined | mpg (l/100km) | 61.4 / 4.6 | 65.7 / 4.3 | - | |
| CO2 | g/km | 121 | 113 | - | |
| 18" wheels (2A7, 2L9, 20W, 20Y, 21A, 21U, 2PG) | | -- | | | |
| KV01 city | mpg (l/100km) | 48.7 / 5.8 | 54.3 / 5.2 | 49.6 / 5.7 | |
| KV01 Highway | mpg (l/100km) | 68.9 / 4.1 | 70.6 / 4 | 64.2 / 4.4 | |
| KV01 Combined | mpg (l/100km) | 60.1 / 4.7 | 64.2 / 4.4 | 57.6 / 4.9 | |
| CO2 combined | g/km | 124 | 117 | 128 | |
| Emission classification (type-certified) | -- | EU6 | EU6 | EU6 | |
| CO | g/km | 0.1808 | 0.1019 | 0.1051 | |
| NOx | g/km | 0.0239 | 0.0199 | 0.0368 | |
| HC | g/km | - | - | - | |
| NMHC | g/km | - | - | - | |
| HC+NOx | g/km | 0.0414 | 0.0256 | 0.0453 | |
| Particles | g/km | 0.00002 | 0.00007 | 0.00001 | |
| N-Particles | -- | - | - | - | |
| Driving noise | dB(A) | 71 | 69 | 68 | |
| Standing noise | dB(A) | 75 | 75 | 78 | |
| Standing noise / rpm | 1/min | 3000 | 3000 | 3300 | |
| SCR Tank | -- | No | No | No | |
| AdBlue tank capacity | litres | - | - | - | |
| Battery Capacity (low voltage) | Ah | 80 | 90 | 90 | |
| System voltage (low voltage) | V | 12 | 12 | 12 | |
| Engine type | -- | in line | in line | in line | |
| Fuel management | -- | DDE 7.01 | DDE 7.01 | DDE 7.51 | |
| Charging Type | -- | VNT (Variable geometry turbo) | VNT (Variable geometry turbo) | Bi-VTG | |
| Charging Technique | -- | Variable Geometry Turbo Technology | Variable Geometry Turbo Technology | Variable Geometry Turbo Technology | |
| Injection type | -- | Common rail direct injection | Common rail direct injection | Common rail direct injection | |
| Injection technique | -- | CRS 2-20 | CRS 2-20 | CRS 3-25 | |
| Suspension type front | -- | 2-link drive suspension strut axle | 2-link drive suspension strut axle | 2-link drive suspension strut axle | |
| Rear suspension | -- | five-link suspension | five-link suspension | five-link suspension | |
| Front brake | -- | disc ventilated | disc ventilated | disc ventilated | |
| Rear brake | -- | disc ventilated | disc ventilated | disc ventilated | |
| Generator amperage | A | 150 | 150 | 150 | |
| Alternator output | W | 2100 | 2100 | 2100 | |
| BMW EfficientDynamics | | | | | |
| Auto Start-Stop | | ● | ● | ● | |
| Brake Energy Regeneration | | ● | ● | ● | |
| ECO PRO mode | | ● | ● | ● | |
| Electric Power Steering (EPS) | | ● | ● | ● | |
| Lightweight engineering | | ● | ● | ● | |
| Optimum Shift Indicator (with 205/2TB on in manual mode) | | ● | ● | ● | |
| Reduced rolling resistance tyres | | ● | ● | ● | |