



Standard Equipment

X2 xDrive20d SE

BMW EfficientDynamics

Aero curtain
Auto Start-Stop
Brake Energy Regeneration
ECO PRO mode
Electric Power Steering (EPS) with Servotronic
Lightweight engineering
Reduced rolling resistance tyres
Optimum Shift Indicator

Engine

BMW TwinPower Turbo four-cylinder diesel engine
Common-rail technology
Variable vane geometry
Single turbo charger
Balancer shaft
Diesel Particulate Filter
Exhaust tailpipe 90mm, Chrome - twin, round, left and right split
Incorrect fuelling protection system

Transmission

Eight-speed Sport automatic transmission with electronic selector-lever
xDrive intelligent four-wheel drive system
Electro-hydraulically controlled multi-plate clutch in rear-axle transmission
Energy-efficient operating strategy - Rear drive is switched off as default and reactivated when required
Front axle always driven
Hill Descent Control (HDC) when manually activated enables a controlled hill descent on steep slopes
Transmission of power to rear axle via front axle differential and two-part cardan shaft
Variable and stepless distribution of drive torque between front and rear axle

Safety and technology

Active Guard, comprising:
Forward vehicle collision warning with audible and visual warning given to the driver
Over 30mph an urgent warning also activates brake preconditioning to prepare brakes ahead of driver use
City collision mitigation proactively engages braking for rapid reaction to potential vehicle collisions
City collision mitigation works at speeds up to 30mph
Alarm system (Thatcham Category 1) with remote control and engine immobiliser (EWS IV)
Airbags
Front, driver and passenger¹
Head, front and rear - curtain head protection system
Side, front (seat-integrated)
¹ manual deactivation of front passenger airbag possible
Battery safety cut-off
BMW ConnectedDrive features including:
Access to BMW Connected+ for 12 months from vehicle production (subscription required)
BMW Emergency Call
BMW Navigation system (latest ID6 generation) comprising:
Latest generation of Navigation system with 6.5" monitor and 800x480 pixel resolution
Operation by iDrive with direct-selection buttons and 8 programmable favourites buttons.
Arrow pointers, north-up, direction of travel and perspective map displays
Navigation data on integrated harddrive with map-data updates available via USB interface
Speed Limit Information (shown in the instrument cluster)
TMC for lifetime of vehicle
BMW Online Services
BMW Real Time Traffic Information (RTTI)
BMW Remote Services
BMW TeleServices
Brake discs, front with internal ventilation
Brake discs, rear
Brake pad wear indicator, front and rear
Bumper system - front and rear
Replaceable deformation elements for impacts up to 9mph
Central locking switch for all doors, fuel filler flap and luggage compartment
Check Control system for monitoring of lights and door/luggage compartment open warning
Childproof locking system, rear doors
Conditioned Based Servicing
Crash sensor
Activating central locking release, hazard warning lights, battery safety cut-off, and interior lighting
Cruise control with braking function
Direction indicator lights, clear lenses
Direction indicator side lights, integrated in exterior mirrors using LED technology
Drive Performance Control with ECO PRO, Comfort and Sport modes
Dynamic brake lights
Dynamic Stability Control (DSC)¹
Automatic Traction in extreme ground conditions
Anti-lock Braking System (ABS) including Brake Assist and individual wheel pressure regulation
Brake drying
Braking readiness
Dynamic Traction Control (DTC)
Hill Decent Control (HDC) enables a controlled hill descent on steep slopes
Hillstart Assist
EDLC (Electronic Differential Lock Control) assumes the function of a differential lock via braking intervention
on the front axle when DSC deactivated
Electrically operated parking brake with automatic drive release
Fog lights, front
First Aid Kit and Warning Triangle
Halogen headlights
LED daytime driving lights with two directly-emitting light sources in each headlight
Manual headlight beam-throw control
Heated exterior mirrors
Heated windscreen washer jets
High-level third brake light
Lights-on warning, by audio warning signal when ignition is switched off
Multi collision braking system - maintains brake pressure until vehicle reaches a standstill to reduce risk of subsequent collisions (driver can over-ride this feature)
Park distance control (PDC), rear
Performance control
Personal Profile
Automatic lock when driving away selectable
Rain sensor, with automatic headlight activation
Rear fog light
Remote control, including integrated key - two keys
One button for opening and one for closing all lockable contents (doors, fuel filler flap and tailgate)
Separate button for opening of the luggage compartment with automatic tailgate
Rear tail lights with LED technology (for selected features) and 3D Icon design
Reversing light in rear light cluster
Seat belt security check for driver and front passenger
Side impact protection
Start/Stop button with Comfort Go keyless engine start and Auto Start-Stop deactivation button
Three-point seat belts, at all seats
Pyrotechnic belt tensioners - front
Belt force limiters - front
Coded belt buckles - rear
Twin horns
Tyre pressure monitoring
Visible VIN

Wheels and chassis

17" light alloy wheels V-spoke style 560
BMW Mobility tyre sealing system (not on vehicles with run-flat tyres)
12V compressor with integrated sealant injection bottle and hose
Suspension
Twin-tube gas-filled shock absorbers with degressive characteristic curve
Front axle single-joint with specific kinematics to minimise drive influences on steering and provide increased rigidity for agile driving behaviour
Front and rear anti-roll bars
Rigidly mounted rear subframe: Multi-link construction with separate spring / damper configuration for precise wheel guidance and excellent driving characteristics
Wheel bolts, locking

Seats

40:20:40 manually split folding rear seat with two tilt positions for backrest
Child seat ISOFIX attachment, for the two outer rear seats and front passenger seat with anchorage points
Five seats
Grid cloth upholstery
Manual height adjustment for driver and front passenger seat
Rear seat headrests, three
Standard seat for driver and passenger with manual adjustment

Exterior equipment

BMW badge on bonnet, tailgate (with integrated tailgate release) and C Pillars both sides
Engine designation on tailgate (right)
Exterior bodystyling including:
Front bumper (multi-part design) in Body colour and Matt Black
Front centre air intake with Body colour insert
Front side air intakes with High-gloss Black and Matt Black finish
Door cladding, side sill covers and wheel arch trims in Matt Black
Rear bumper (multi-part design) in Body colour and Matt Black
Roof trims in Matt Black
Window frame, recess covers and B-Pillar trim in Matt Black
Exterior mirrors, electrically adjustable and heated mirror glass aspheric on driver's side and convex on passenger side.
Indicators integrated into mirror housing
Exterior parts in Body colour
Door handles
Mirror caps
Kidney grille, Chrome with 16 High-gloss Black vertical bars
Model designation on tailgate (left)
Non-metallic paintwork
Rear window wiper with washwipe function
Shark fin (roof mounted and in Body colour)

Audio and communication

Bluetooth hands-free facility with USB audio interface
With Bluetooth audio streaming (for compatible devices)
BMW Professional radio with single CD player (with MP3 playback capability)
With two-way, six-speaker, 4x25W loudspeaker system (100W amplifier power)
Four midrange speakers in door trims (front and rear) and two central bass speakers (woofers) under front seats
Includes Attentioness assistant which analyses driving behaviour via the steering, time of day and travel time and suggests when to take a break in the Control Display. (Functions from speeds above 44mph (70km/h)
Integrated owners handbook
DAB digital radio
Rear window aerial
On-Board Computer (OBC) comprising:
Average speed
Average and current fuel consumption, and range
Service interval messages
Clock and date
Odometer and trip meter
Outside temperature display with acoustic ice warning (at +3°C)

Interior equipment

12V power socket in centre console, front, with blanking plug
12V power socket in passenger footwell (located below glove box on right-hand side)
Air conditioning, automatic with two-zone control
Armrest front - free standing and can be fixed in five positions
Automatic powered tailgate
Cupholders, two front centre console and two in rear
Dash top finished in Black with decorative stitching line on upper section
Door sill finishers with BMW designation, front - Black
Electric windows - front and rear, with open/close fingertip control, anti-trap facility and rear window child-lock
Extended storage
Folding storage compartment, below headlight switch, driver's side.
Driver / front passenger backrest luggage net, in seat back colour
Armrest in centre section of rear seat backrest, folding includes 2 cupholders.
12v power socket in centre console, rear, with blanking plug
Luggage compartment: 1 x 12v power socket right handside with cover, storage net, right handside behind wheel arch, Strap on left handside
Floor mats in velour
Glove box with light
Heat protection glazing with green-tint
Instrument cluster with Black optic display featuring superimposed dials and 5.7" colour display
Speedometer with miles per hour readout
Tachometer
Fuel gauge
Navigation details such as arrows shown in 5.7" display
Instant fuel economy readout - analogue
Interior lighting, front centre over interior mirror and rear centre
Ambient light in front centre console/cup holder area
Automatic interior light activation when door is opened, when ignition switched off, or via remote key
Interior trim, Oxide silver with High-gloss Black highlight
Luggage compartment light
Luggage compartment loading edge with stainless steel insert
Luggage compartment with underfloor storage and four lashing eyes
Side armrests - front and rear, integrated into door trim
Sport multi-function leather steering wheel, three-spoke
Cruise control
Speed limiting function
Stereo and telephone controls
Steering-wheel column adjustment, manual (reach adjustment 60mm range/height adjustment 40mm range)
Sun visors with vanity mirrors and ticket pocket
Welcome light

**Sport models (in addition/replacement to SE models)**

18" light alloy wheels Double-spoke style 567
Contrast stitching on centre console and mid-section of dashboard to match upholstery seam
Exterior trim, High-gloss Shadowline
Mirror frames and B-Pillar trim in High-gloss Shadowline
Roof trims in Body colour
Window frame, recess covers, mirror frames and B-Pillar/C-Pillar trim in High-gloss Shadowline
Floor mats with contrasting surround to match stitching on dashboard and centre console
High-gloss Black centre console trim
Interior trim, High-gloss black with Pearl chrome finisher
LED ambient lighting in upper door trim and dashboard trim
LED front foglights
LED headlights with extended contents (see Optional Equipment for further information)
Sport seats, driver and front passenger
Race cloth upholstery - Anthracite with Grey stitching

M Sport models (in addition/replacement to Sport models)


19" M light alloy wheels Double-spoke style 715 M with Run-flat tyres
Door sill finishers with M designation, front
Headlining, Anthracite
Interior trim, Aluminium Hexagon with Estoril Blue finisher
Micro Cloth/Alcantara Anthracite upholstery with Blue or Yellow highlight
M logo designation, side - Chrome
M rear spoiler
M Sport aerodynamic bodystyling including:
Front bumper (multi-part design) in Body colour with Dark Shadow insert
Front centre air intake with Dark Shadow insert
Door cladding and wheel arch trims in Body colour
Mirror frames and B-Pillar trim in High-gloss Shadowline
Rear bumper (multi-part design) in Body colour with Dark Shadow diffuser
Roof trims in Body colour
Side sill covers in Body colour with Dark Shadow insert
Window frame, recess covers, mirror frames and B-Pillar/C-Pillar trim in High-gloss Shadowline
M Sport multi-function leather steering wheel featuring:
M Sport suspension
Remote control with integrated key, with M specific highlight
Seat heating for driver and front passenger

M Sport X models (in addition/replacement to M Sport models)

19" M light alloy wheels Y-spoke style 722 M with Run-flat tyres
Dakota leather upholstery with perforation and contrast stitching
Exterior trim, Satin Aluminium
Interior trim, Aluminium Hexagon Anthracite interior trim
M Sport X aerodynamic bodystyling including:
Front bumper (multi-part design) in Body colour with Frozen Grey insert
Front centre air intake with Frozen Grey insert
Door cladding and wheel arch trims in Frozen Grey
Rear bumper (multi-part design) in Body colour with Frozen Grey insert
Roof trims in Body colour
Side sill covers in Frozen Grey with Body colour insert
Mirror frames and B-Pillar trim in High-gloss Shadowline
Window frame, recess covers, mirror frames and C-Pillar trim in Satin Aluminium
Roof rails, Satin Aluminium













○ = optionally available ● = standard equipment - = not available		xDrive20d SE	xDrive20d Sport	xDrive20d M Sport	xDrive20d M Sport X	Retail price including VAT @ 20%
Standard Equipment Details						
216	Servotronic Varies the level of assistance according to the vehicle speed. At low speeds, steering will be light due to a high level of power assistance. As speeds increase, there will be a lower level of assistance to help the driver maintain precise direction.	●	●	●	●	Standard
249	Multi-function controls for steering wheel Multi-function controls for audio and telephone settings. Includes speed limiting function.	●	●	●	●	Standard
2TB	Sport automatic transmission Eight-speed automatic transmission with Steptronic sequential manual mode, shift by wire gear selector switch (electronic selector-lever), sporty fast gear shifting and expert function for racetrack operation. Includes quick shift, steering-wheel mounted gearshift paddles, Drive Performance Control with ECO PRO, Comfort, Sport and Sport+ modes. Integration of launch control functionality.	●	●	●	●	Standard
2VG	Performance control BMW Performance Control intervenes via the engine management and targeted braking in corners by diverting more power to the outer wheels and less power to the inner wheels. This improves driving safety and agility.	●	●	●	●	Standard
316	Automatic tailgate Electrically-opening tailgate with button on driver's side door panel to open, button in tailgate for closing and open via keyfob. Tailgate lock, electric with closure monitor. Opening height can be set within iDrive. In combination with option code 322 Comfort Access this also benefits from Smart-opener contactless opening and closing via sensor under rear bumper.	●	●	●	●	Standard
481	Sport seats, front Sport seats for driver and front passenger. Includes manual adjustment for seat height, backrest, fore and aft position, tilt and thigh support and head restraint height. Electric adjustment for backrest side bolsters.	-	●	●	●	Standard
493	Extended storage Comprises: - 12v power socket in centre console, rear, with blanking plug - Storage nets on back of driver and front passenger seats - Rear centre armrest containing 2 cupholders. - Folding storage compartment, below headlight switch, driver's side. - Luggage compartment: 1 x 12v power socket with folding cover, right. Height-adjustable storage net, right. Tension strap on left.	●	●	●	●	Standard
507	Park Distance Control (PDC), rear Audio warning signal of proximity of objects to the rear of the car using 4 sensors on rear bumper. Includes a visual distance display of car on Control Display. Automatically activated by selecting reverse gear. When used in conjunction with 235, Detachable Towbar, system is deactivated automatically when towbar is installed. Not with 508 Park Distance Control, front and rear.	●	●	●	●	Standard
520	Foglights, front Integrated into front bumper. Includes heated exterior mirrors and heated windscreen washer jets.	●	-	-	-	Standard
521	Rain sensor with automatic headlight activation Automatic activation of intermittent windscreen wiper control and adjusts wipe frequency. Low-beam headlights activated automatically by light sensor.	●	●	●	●	Standard
534	Air conditioning, automatic with two-zone control Fully automatic air conditioning. Includes temperature controls for driver and passenger, air recirculation, temperature and fan controls with Max Cool button and windscreen de-mist. Includes active carbon microfilter, humidity sensor and solar sensor. Also includes rear air vents with fresh air outlet.	●	●	●	●	Standard
544	Cruise control with braking function Cruise control at speeds of approximately 19mph and higher. Additional brake application on descents. Operation by multi-function steering wheel, includes speed limiting function (LIM button). Activation of cruise control by speed selection on scroll wheel. Desired speed and operating mode displayed in the instrument cluster. Driver can override the function at any time.	●	●	●	●	Standard
5A1	LED front foglights Integrated into front bumper with highlight clasp in chrome. Includes heated exterior mirrors and heated windscreen washer jets.	-	●	●	●	Standard
5A4	LED headlights with extended contents LED headlights with cornering lights offer a bright and efficient bi-LED light for low-beam and high-beam headlight functions. The LED cornering light allows adaptive light distribution with enhanced lateral illumination in city traffic (where it is dimmed), as a cornering light up to approximately 25 mph (40 km/h) and as static turning light up to approximately 44mph (70 km/h). LED technology: Headlights: Low-beam and high-beam headlights (Bi-LED), side lights, daytime driving lights (3D icon design), turn indicators and cornering/turning lights. Note: - all other lighting functions remain based on incandescent bulbs - automatic, dynamic beam-throw control Urban lighting: The lighting area of the low-beam headlights is expanded at the sides. The city lights are switched on if a speed of 31 mph (50 km/h) is not exceeded when accelerating or the speed falls below 25 mph (40 km/h) when braking. Motorway beam pattern: The lighting range of the low-beam lights is extended. The motorway beam pattern is switched on if the vehicle travels at a speed above 68 mph (110 km/h) for 30 seconds. The motorway beam pattern is switched off as soon as the vehicle drops below a speed of 50 mph (80 km/h).	-	●	●	●	Standard
654	DAB digital radio Enables digital radio reception (DAB/DAB+), with sound quality on a par with that of a CD. Additional information such as names of tracks and artists can be displayed in the Control Display.	●	●	●	●	Standard
6AC	BMW Emergency Call Provides a direct link to an emergency controller. A manual or automatic call can be deployed from the vehicle to establish a voice call connection to the emergency controller to direct your call to the emergency services centre where required and send additional data including the vehicle's current location. All calls and data are sent via the built-in vehicle telematics system (PSIM) and do not require a Bluetooth paired device. Available and active for the lifetime of the vehicle.	●	●	●	●	Standard
















Optional Equipment


<div><div>○</div> = optionally available</div> <div><div>●</div> = standard equipment</div> <div><div>-</div> = not available</div>																		Retail price including VAT @ 20%	
Transmission																			
2TB	Sport automatic transmission Eight-speed automatic transmission with electronic selector-lever and Steptronic sequential manual mode. Includes quick shift, steering-wheel mounted gearshift paddles, Drive Performance Control with ECO PRO, Comfort, Sport and Sport+ modes. Integration of launch control functionality.	○	○	○	○	○	○	○	○	●	●	●	●	-	-	-	-	£	1,600.00
2TC	Sport Dual-clutch automatic transmission (DTC) Seven-speed automatic transmission with electronic selector-lever and Steptronic sequential manual mode. Includes gearshift indicator display in manual mode.	-	-	-	-	-	-	-	-	-	-	-	-	●	●	●	●		Standard
Exterior Features																			
475 A83 A96 B39 C07 C10 C1D C1P C1X	Metallic paintwork Available in: Black Sapphire Glacier Silver (excluding M Sport and M Sport X models) Mineral White (excluding M Sport and M Sport X models) Mineral Grey Sparkling Storm Brilliant Effect (excluding M Sport models) Mediterranean Blue (excluding M Sport models) Misano Blue (M Sport and M Sport X models only) Galvanic Gold (M Sport and M Sport X models only) Sunset Orange	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£	550.00
300 668	Non-metallic paintwork Available in: Alpine White Jet Black (excluding M Sport and M Sport X models)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		Standard
3AT	Roof rails, matt aluminium Twin longitudinal bars in matt aluminium, mounted on the roof to accept fitment of approved storage accessories available from BMW Parts & Accessories. 75kg maximum load. Not with 3MC Roof rails, Shadowline high-gloss. Deletable on M Sport X model.	-	○	○	-	-	○	○	-	-	○	○	-	-	○	○	-	£	245.00
		-	-	-	●	-	-	-	●	-	-	-	●	-	-	-	●		Standard
3MC	Roof rails, Shadowline high-gloss Twin longitudinal bars in Shadowline high-gloss black, mounted on the roof to accept fitment of approved storage accessories available from BMW Parts & Accessories. 75kg maximum load. Not with 3AT, Roof rails, matt aluminium.	○	○	○	-	○	○	○	-	○	○	○	-	○	○	○	-	£	170.00
		-	-	-	○	-	-	-	○	-	-	-	○	-	-	-	○	£	0.00
3MB	Exterior trim, Satin Aluminium Exterior trim finished in Satin Aluminium trim including window recess covers, window-frame surround and embellisher surround on C-pillar. High-gloss Black finish to B-pillar embellisher, mirror triangles, mirror cover panel and mirror frame (mirror caps remain in body colour).	-	○	○	-	-	○	○	-	-	○	○	-	-	○	○	-	£	0.00
		-	-	-	●	-	-	-	●	-	-	-	●	-	-	-	●		Standard
760	Exterior trim, High-gloss Shadowline Exterior trim finished in High-gloss Shadowline trim including window recess covers, window-frame surround, B-pillar embellisher, mirror triangles, mirror cover panel, mirror frame and embellisher surround on C-pillar.	-	-	-	○	-	-	-	○	-	-	-	○	-	-	-	○	£	0.00
		-	●	●	-	-	●	●	-	-	●	●	-	-	●	●	-		Standard
754	M rear spoiler Large rear spoiler fitted to the top of the tailgate. More pronounced design with additional geometric fairings in the outer areas.	-	-	-	○	-	-	-	○	-	-	-	○	-	-	-	○	£	150.00
				●				●				●				●			Standard
Alloy Wheels																			
23E	17" light alloy wheels V-spoke style 560 7.5 J × 17 / standard tyres 225/55 R17 Finished in Reflex Silver.	●	-	-	-	●	-	-	-	●	-	-	-	●	-	-	-		Standard
																			
1Y9	17" light alloy wheels V-spoke style 560 with Run-flat tyres 7.5 J × 17 / Run-flat tyres 225/55 R17 Finished in Reflex Silver. Including 258 Run-flat tyres.	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	-	£	180.00
																			
24C	17" light alloy wheels Double-spoke style 564 7.5 J × 17 / standard tyres 225/55 R17 Finished in Reflex Silver.	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	-	£	0.00
																			
1UK	17" light alloy wheels Double-spoke style 564 with Run-flat tyres 7.5 J × 17 / Run-flat tyres 225/55 R17 Finished in Reflex Silver. Including 258 Run-flat tyres.	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	-	£	180.00
																			
27B	17" light alloy wheels turbine styling 561, BMW EfficientDynamics 7.5 J × 17 / standard tyres 225/55 R17 Burnished and finished in Orbit Grey.	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	-	£	0.00
																			
1WC	17" light alloy wheels turbine styling 561, BMW EfficientDynamics with Run-flat tyres 7.5 J × 17 / Run-flat tyres 225/55 R17 Burnished and finished in Orbit Grey. Including 258 Run-flat tyres.	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	-	£	180.00
																			
24D	18" light alloy wheels Double-spoke style 567 7.5 J × 18 / standard tyres 225/50 R18 Wheel finished in Reflex Silver with no high-gloss elements	-	●	-	-	-	●	-	-	-	●	-	-	-	●	-	-		Standard
																			
1UL	18" light alloy wheels Double-spoke style 567 with Run-flat tyres 7.5 J × 18 / Run-flat tyres 225/50 R18 Wheel finished in Reflex Silver with no high-gloss elements. Including 258 Run-flat tyres.	-	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	£	180.00
																			
28A	18" light alloy wheels Y-spoke style 569 7.5 J × 18 / standard tyres 225/50 R18 Burnished and finished in Orbit Grey.	-	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	£	0.00
																			
1XV	18" light alloy wheels Y-spoke style 569 with Run-flat tyres 7.5 J × 18 / Run-flat tyres 225/50 R18 Finished in Orbit Grey and burnished. Including 258 Run-flat tyres.	-	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	£	180.00
																			



<div><div>○ = optionally available</div><div>● = standard equipment</div><div>- = not available</div></div>			sDrive18d SE	sDrive18d Sport	sDrive18d M Sport	sDrive18d M Sport X	xDrive18d SE	xDrive18d Sport	xDrive18d M Sport	xDrive18d M Sport X	xDrive20d SE	xDrive20d Sport	xDrive20d M Sport	xDrive20d M Sport X	sDrive20i SE	sDrive20i Sport	sDrive20i M Sport	sDrive20i M Sport X	Retail price including VAT @ 20%
28C	18" light alloy wheels Y-spoke style 566 7.5 J × 18 / standard tyres 225/50 R18 Burnished and finished in Ferric Grey.		-	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	£ 0.00
1XU	18" light alloy wheels Y-spoke style 566 with Run-flat tyres 7.5 J × 18 / Run-flat tyres 225/50 R18 Finished in Ferric Grey and burnished. Including 258 Run-flat tyres.		-	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	£ 180.00
1XT	19" light alloy wheels Y-spoke style 511 with Performance tyres 8 J × 19 / Performance tyres 225/45 R19 Burnished and finished in Orbit Grey.		-	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	£ 1,100.00 £550 with ZSX
1XW	19" light alloy wheels Y-spoke style 511 with Run-flat tyres 8 J × 19 / Run-flat tyres 225/45 R19 Finished in Orbit Grey and burnished. Including 258 Run-flat tyres.		-	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	£ 550.00 In combination with ZSX
22G	19" M light alloy wheels Double-spoke style 715 M with Run-flat tyres 8 J × 19 / Run-flat tyres 225/45 R19 Burnished and finished in Orbit Grey. Including 258 Run-flat tyres.		-	-	●	-	-	-	●	-	-	-	●	-	-	-	●	-	Standard
1PY	19" M light alloy wheels Double-spoke style 715 M with Performance tyres 9 J × 19 / Performance tyres 225/45 R19 Burnished and finished in Orbit Grey.		-	-	○	-	-	-	○	-	-	-	○	-	-	-	○	-	£ 550.00
22K	20" M light alloy wheels Double-spoke style 716 M with Run-flat tyres 8 J × 20 / Run-flat tyres 225/45 R20 Burnished and finished in Jet Black. Including 258 Run-flat tyres.		-	-	○	-	-	-	○	-	-	-	○	-	-	-	○	-	£ 595.00 In combination with ZMS
2QL	19" M light alloy wheels Y-spoke style 722 M with Run-flat tyres 8 J × 19 / Run-flat tyres 225/45 R19 Burnished and finished in Orbit Grey. Including 258 Run-flat tyres.		-	-	-	●	-	-	-	●	-	-	-	●	-	-	-	●	Standard
1XS	19" M light alloy wheels Y-spoke style 722 M with Performance tyres 9 J × 19 / Performance tyres 225/45 R19 Burnished and finished in Orbit Grey.		-	-	-	○	-	-	-	○	-	-	-	○	-	-	-	○	£ 550.00
25P	20" M light alloy wheels Double-spoke style 717 M with Run-flat tyres 8 J × 20 / Run-flat tyres 225/40 R20 Burnished and finished in Orbit Grey matt. Including 258 Run-flat tyres.		-	-	-	○	-	-	-	○	-	-	-	○	-	-	-	○	£ 595.00 In combination with ZMM


Interior Features																			
Upholstery																			
EG	Grid cloth upholstery - SE models Available in: EGAT, Anthracite.	●	-	-	-	●	-	-	-	●	-	-	-	●	-	-	-	-	Standard
ER	Race cloth upholstery - Sport models Available in: ERL1; Anthracite with Grey stitching	-	●	-	-	-	●	-	-	-	●	-	-	-	●	-	-	-	Standard
HM	Micro Cloth/Alcantara Anthracite upholstery - M Sport/M Sport X Available in: HMAT; Micro Cloth/Alcantara Anthracite upholstery with Blue highlight HML; Micro Cloth/Alcantara Anthracite upholstery with Yellow highlight	-	-	●	-	-	-	●	-	-	-	●	-	-	-	●	-	-	Standard £ 0.00
PD	Dakota leather upholstery Available in: SE models (with perforation and contrast stitching): PDOA, Oyster with Grey stitching (Oyster lower instrument panel with contrast stitching); PDSW, Black with Grey stitching (Black lower instrument panel with contrast stitching); PDMZ Mocha with Walnut stitching (Mocha lower instrument panel with contrast stitching)	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	-	-	£ 1,150.00
	Sport models (with perforation and contrast stitching): PDFM Magma Red with Grey stitching (Magma Red lower instrument panel with contrast stitching); PDOA, Oyster with Grey stitching (Oyster lower instrument panel with contrast stitching); PDSW, Black with Grey stitching (Black lower instrument panel with contrast stitching); PDMZ Mocha with Walnut stitching (Mocha lower instrument panel with contrast stitching)	-	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	-	£ 1,150.00
	M Sport models (with perforation and contrast stitching): PDFM Magma Red with Grey stitching (Magma Red lower instrument panel with contrast stitching); PDOA, Oyster with Grey stitching (Oyster lower instrument panel with contrast stitching); PDSW, Black with Grey stitching (Black lower instrument panel with contrast stitching); PDMZ Mocha with Walnut stitching (Mocha lower instrument panel with contrast stitching); PDN4 Black with Blue stitching (Black lower instrument panel with contrast stitching);	-	-	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	£ 800.00
	M Sport X models (with perforation and contrast stitching): PDFM Magma Red with Grey stitching (Magma Red lower instrument panel with contrast stitching); PDOA, Oyster with Grey stitching (Oyster lower instrument panel with contrast stitching); PDSW, Black with Grey stitching (Black lower instrument panel with contrast stitching); PDMZ Mocha with Walnut stitching (Mocha lower instrument panel with contrast stitching); PDN4 Black with Blue stitching (Black lower instrument panel with contrast stitching);	-	-	-	●	-	-	-	●	-	-	-	●	-	-	-	●	-	Standard








<div><div><div>○</div><div>●</div><div>-</div></div><div><div>= optionally available</div><div>= standard equipment</div><div>= not available</div></div></div>		sDrive18d SE	sDrive18d Sport	sDrive18d M Sport	sDrive18d M Sport X	xDrive18d SE	xDrive18d Sport	xDrive18d M Sport	xDrive18d M Sport X	xDrive20d SE	xDrive20d Sport	xDrive20d M Sport	xDrive20d M Sport X	sDrive20i SE	sDrive20i Sport	sDrive20i M Sport	sDrive20i M Sport X	Retail price including VAT @ 20%
ZSX	Sport Plus Pack - Sun protection glass - Extended lighting - Loudspeaker system - harman/kardon - 19" light alloy wheels Y-spoke style 511 with Run-flat tyres	-	○	-	-	-	○	-	-	-	○	-	-	-	○	-	-	£ 1,300.00
ZMS	M Sport Plus Pack - Sun protection glass - Extended lighting - Loudspeaker system - harman/kardon - 20" M light alloy wheels Double-spoke style 716 M with Run-flat tyres	-	-	○	-	-	-	○	-	-	-	○	-	-	-	○	-	£ 1,300.00
ZMM	M Sport X Plus Pack - Sun protection glass - Extended lighting - Loudspeaker system - harman/kardon - 25P 20" M light alloy wheels Double-spoke style 717 M with Run-flat tyres	-	-	-	○	-	-	-	○	-	-	-	○	-	-	-	○	£ 1,300.00
420	Sun protection glass Dark tinted glass for rear side windows and rear window.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	£ 270.00 Or as part of ZSX/ZMS/ZMM
563	Extended lighting Exterior and interior lighting using LED technology for extra convenience and interior ambience. For Sport, M Sport and M Sport X models additional switchable LED lighting is also fitted to the contour line of the interior trim strip fitted on all four passenger doors as part of the Interior trim. Comprises the following options: - LED front interior light and reading lights (front and rear) left / right. - Ambient lighting, front and rear including footwells front and rear. - Ambient lighting for centre console storage area. - LED lights for illuminated vanity mirrors for driver and passenger integrated into headliner, light colour: white. Mirror with protective cover and ON/OFF function. - Ambient lighting underneath dashboard interior trim finisher front passenger side. - Ambient lighting for door panels, indirectly from underneath the interior trim finisher. - Exterior door handle lighting when vehicle ignition is switched off or car is unlocked via Remote Key/Comfort Access (Time can be altered in the Vehicle Settings). - Glove compartment lighting. Please note the following features can be changed to one of six colours (white, bronze, orange, lilac, green, blue); Front and Rear Ambient Lighting and Dashboard and door interior trim finisher ambient lighting.	-	○	○	○	-	○	○	○	-	○	○	○	-	○	○	○	Only as part of ZSX/ZMS/ZMM
674	Loudspeaker system - harman/kardon harman/kardon speaker system with surround mode, digital amplifier with vehicle-specific equalising, 360W amplifier power, multi-channel capability and 12 speakers as follows: - 1 midrange speaker in the instrument panel - 1 tweeter in the instrument panel - 2 tweeters in mirror triangle - 2 midrange speakers in the front door trims - 2 midrange speakers in the rear door trims - 2 tweeters in the rear door trims - 2 woofers as central bass speakers underneath the front seats - speaker bezels metal - 'harman/kardon' designation as aluminium clasp on tweeters in the mirror triangle - external amplifier in the luggage compartment - amplifier power 360 W	-	○	○	○	-	○	○	○	-	○	○	○	-	○	○	○	Only as part of ZSX/ZMS/ZMM







Technical Data

		X2 sDrive20i
		SAC
Engine type		B48A20M1
Transmission type		DCT 7
Seats	--	5
Number of Doors	--	5
Veh. length	mm	4360
Width	mm	1824
Height	mm	1526
Width inc. mirrors	mm	2098
Width incl.mirror driver	mm	1054
Width incl.mirror passengers side	mm	1044
Wheelbase	mm	2670
Overhang front	mm	854
Rear overhang	mm	836
Turning circle	m	11.34
Ground clearance	mm	182
Shoulder width front	mm	1412
Shoulder room rear	mm	1369
Elbow width front	mm	1440
Elbowroom rear	mm	1443
Effective legroom front	mm	1024
Effective legroom rear second seating row	mm	933
Max. headroom front	mm	1011
Maximum headroom rear	mm	942
Headroom front/SR	mm	995
Maximum headroom second	mm	941
Knee clearance	mm	75
Luggage volume (Rear seats up)	litres	470
Luggage volume (Rear seats folded)	litres	1355
Fording depth	mm	250
Climbing ability	%	32
Fuel tank capacity (approx.)	litres	51
Curb weight (DIN)	kg	1460
curb weight (EC)	kg	1535
rear Weight distribution (empty car)	%	42.1
Gross veh. weight	kg	2055
Payload	kg	595
Axle load limit front	kg	1055
rear axle load limit	kg	1030
Gross veh. weight /w.trailer	kg	2135
Rear axle load w. trailer	kg	1145
Payload w. trailer	kg	675
Trailer load braked 12%	kg	1800
Trailer load braked 8%	kg	1800
Trailer load unbraked	kg	750
Trailer nose weight	kg	80
Roof load	kg	75
Engine type	--	B48A20M1
Cylinders	--	4
Valves p.cyl.	--	4
Stroke	mm	94.6
Bore	mm	82
Displacement	cm³	1998
Compression rate	:1	11
Rated engine power [kW]	kW	141
Engine power (HP)	PS	192
Engine power [bHP]	bHP	189
at rpm	1/min	5000-6000
Engine torque	Nm	280
Engine torque	ft lbs	207
at rpm	1/min	1350-4600
Fuel type	--	gasoline
Useable Fuel quality	--	ROZ 91 MIN
recomm.	--	ROZ95
Engine oil (filling quantity)	litres	5.25
Output per litre	kW/dm³	70.6
Power to weight ratio	kg/kW	10.4
Transmission type	--	Getrag 7DCT-300
Transmission type	--	DKG
Gear ratios 1st gear	--	15.741
2nd	--	9.284
3rd	--	5.899
4th	--	4.129
5th	--	3.196
6th	--	2.558
7th	--	2.073
8th	--	-
Reverse gear	--	14.22
Final drive ratio	--	3.789
Steering type	--	rack-and-pinion
Power-steering	--	EPS
Steering transmission, overall	:1	15.9
Track front	mm	1563
Width of the rear track	mm	1562
Wheel offset front	mm	52
Wheel offset rear	mm	52
A	m²	2.37
Cx	--	0.29
Air resistance	m²	0.69
Top speed	km/h	227
top speed [mph]	mph	141
0-62mph	s	7.7
50-75mph (5th gear)	s	-
Fuel Consumption and emissions		
Wheel Cluster 1 (23E, 24C, 24D, 27B, 28A, 28C)		
KV01 city	mpg	41.5
KV01 highway	mpg	58.9
KV01 combined	mpg	51.4
KV01 city	l/100km	6.8
KV01 highway	l/100km	4.8
KV01 combined	l/100km	5.5
CO2 combined	g/km	126
Wheel Cluster 2 (1Y9, 1WC, 1UK, 1XU, 1UL, 1XV, 1X1, 1XW, 1PY, 22G, 1XS, 2QL, 22K, 25P)		
KV01 city	mpg	39.2
KV01 highway	mpg	55.4
KV01 combined	mpg	47.9
KV01 city	l/100km	7.2
KV01 highway	l/100km	5.1
KV01 combined	l/100km	5.9
CO2 combined	g/km	134
Emission classification (type-certified)	--	EU6
CO	g/km	0.4745
NOx	g/km	0.0317
HC	g/km	0.0499
NMHC	g/km	0.0384
HC+NOx	g/km	-
Particles	g/km	0.00033
N-Particles	--	2.14
N-Particles Exponent	--	11
Driving noise	dB(A)	68
Standing noise	dB(A)	84.7
Standing noise / rpm	1/min	3750
SCR Tank	--	No
AdBlue tank capacity	litres	-
Battery Capacity (low voltage)	Ah	70
System voltage (low voltage)	V	12
Engine type	--	in line
Fuel management	--	TBC
Charging Type	--	TBC
Charging Technique	--	TBC
Injection type	--	Common rail direct injection
Injection technique	--	-
Suspension type front	--	TBC
Rear suspension	--	TBC
Front brake	--	TBC
Rear brake	--	TBC
Generator amperage	A	TBC
Alternator output	W	TBC
BMW EfficientDynamics		
Auto Start-Stop		●
Brake Energy Regeneration		●
ECO PRO mode		●
Electric Power Steering (EPS)		●
Lightweight engineering		●
Optimum Shift Indicator (with 20S/2TB/2TC on in manual mode)		●
Reduced rolling resistance tyres		●



		X2 sDrive18d SAC	X2 sDrive18d SAC	X2 xDrive18d SAC	X2 sDrive20d SAC
Engine type		B47C20U1	B47C20U1	B47C20U1	B47C20U1
Transmission type		manual transmission 6	automatic transmission 8	manual transmission 6	automatic transmission 8
Seats	--	5	5	5	5
Number of Doors	--	5	5	5	5
Veh. length	mm	4360	4360	4360	4360
Width	mm	1824	1824	1824	1824
Height	mm	1526	1526	1526	1526
Width incl. mirrors	mm	2098	2098	2098	2098
Width incl.mirror driver	mm	1054	1054	1054	1054
Width incl.mirror passengers side	mm	1044	1044	1044	1044
Wheelbase	mm	2670	2670	2670	2670
Overhang front	mm	854	854	854	854
Rear overhang	mm	836	836	836	836
Turning circle	m	11.34	11.34	11.34	11.34
Ground clearance	mm	182	182	182	182
Shoulder width front	mm	1412	1412	1412	1412
Shoulder room rear	mm	1369	1369	1369	1369
Elbow width front	mm	1440	1440	1440	1440
Elbowroom rear	mm	1443	1443	1443	1443
Effective legroom front	mm	1024	1024	1024	1024
Effective legroom rear second seating row	mm	933	933	933	933
Max. headroom front	mm	1011	1011	1011	1011
Maximum headroom rear	mm	942	942	942	942
Headroom front/SR	mm	995	995	995	995
Maximum headroom second	mm	941	941	941	941
Knee clearance	mm	75	75	75	75
Luggage volume (Rear seats up)	litres	470	470	470	470
Luggage volume (Rear seats folded)	litres	1355	1355	1355	1355
Fording depth	mm	250	250	250	250
Climbing ability	%	32	32	32	32
Fuel tank capacity (approx.)	litres	51	51	51	51
Curb weight (DIN)	kg	1500	1535	1580	1600
curb weight (EC)	kg	1575	1610	1655	1675
rear Weight distribution (empty car)	%	43	42	43.4	43.1
Gross veh. weight	kg	2080	2115	2160	2190
Payload	kg	580	580	580	590
Axle load limit front	kg	1060	1100	1100	1120
rear axle load limit	kg	1050	1050	1095	1100
Gross veh. weight w.trailer	kg	2160	2195	2240	2270
Rear axle load w. trailer	kg	1170	1170	1215	1220
Payload w. trailer	kg	660	660	660	670
Trailer load braked 12%	kg	1800	1800	1800	2000
Trailer load braked 8%	kg	1800	1800	1800	2000
Trailer load unbraked	kg	750	750	750	750
Trailer nose weight	kg	80	80	80	80
Roof load	kg	75	75	75	75
Engine type	--	B47C20U1	B47C20U1	B47C20U1	B47C20U1
Cylinders	--	4	4	4	4
Valves p.cyl.	--	4	4	4	4
Stroke	mm	90	90	90	90
Bore	mm	84	84	84	84
Displacement	cm³	1995	1995	1995	1995
Compression rate	:1	16.5	16.5	16.5	16.5
Rated engine power [kW]	kW	110	110	110	140
Engine power (HP)	PS	150	150	150	190
Engine power [bHP]	bHP	148	148	148	188
at rpm	1/min	4000	4000	4000	4000
Engine torque	Nm	350	350	350	400
Engine torque	ft. lbs	258	258	258	295
at rpm	1/min	1750-2500	1750-2500	1750-2500	1750-2500
Fuel type	--	diesel	diesel	diesel	diesel
Useable Fuel quality	--	Diesel	Diesel	Diesel	Diesel
recomm.	--	Diesel	Diesel	Diesel	Diesel
Engine oil (filling quantity)	litres	5.5	5.5	5.5	5.5
Output per litre	kW/dm³	55.1	55.1	55.1	70.2
Power to weight ratio	kg/kW	13.6	14	14.4	11.4
Transmission type	--	6MTT350	Aisin BG45-460	AiBG6	Aisin BG45-460
Transmission type	--	manual transmission	automatic transmission	manual transmission	automatic transmission
Gear ratios 1st gear	--	3.923	5.519	3.539	5.519
2nd	--	2.136	3.184	1.923	3.184
3rd	--	1.276	2.05	1.219	2.05
4th	--	0.921	1.492	0.881	1.492
5th	--	0.725	1.235	0.81	1.235
6th	--	0.605	1	0.674	1
7th	--	-	0.801	-	0.801
8th	--	-	0.673	-	0.673
Reverse gear	--	3.538	4.221	3.831	4.221
Final drive ratio	--	3.389	2.851	4.059	2.851
Steering type	--	rack-and-pinion	rack-and-pinion	rack-and-pinion	rack-and-pinion
Power-steering	--	EPS	EPS	EPS	EPS
Steering transmission, overall	:1	15.9	15.9	15.9	15.9
Track front	mm	1563	1563	1563	1563
Width of the rear track	mm	1562	1562	1562	1562
Wheel offset front	mm	52	52	52	52
Wheel offset rear	mm	52	52	52	52
A	m²	2.37	2.37	2.37	2.37
Cx	--	0.28	0.28	0.28	0.28
Air resistance	m²	0.66	0.66	0.66	0.66
Top speed	km/h	207	207	206	221
top speed [mph]	mph	129	129	128	137
0-62mph	s	9.3	9.3	9.2	7.7
50-75mph (5th gear)	s	9.7	-	9.5	-
Fuel Consumption and emissions					
Wheel Cluster 1 (22K, 23E, 24C, 25P, 27B)					
KV01 city	mpg	53.3	55.4	49.6	52.3
KV01 highway	mpg	68.9	68.9	64.2	65.7
KV01 combined	mpg	62.8	62.8	57.6	60.1
KV01 city	l/100km	5.3	5.1	5.7	5.4
KV01 highway	l/100km	4.1	4.1	4.4	4.3
KV01 combined	l/100km	4.5	4.5	4.9	4.7
CO2 combined	g/km	119	118	128	124
Wheel Cluster 2 (1Y9, 1WC, 1UK, 1XU, 1UL, 1XV, 1XW, 22G, 2QL, 24D, 28A, 28C)					
KV01 city	mpg	54.3	54.3	48.7	52.3
KV01 highway	mpg	67.3	67.3	62.8	64.2
KV01 combined	mpg	61.4	61.4	56.5	58.9
KV01 city	l/100km	5.2	5.2	5.8	5.4
KV01 highway	l/100km	4.2	4.2	4.5	4.4
KV01 combined	l/100km	4.6	4.6	5.0	4.8
CO2 combined	g/km	120	121	132	126
Wheel Cluster 3 (1PY, 1XS, 1XT)					
KV01 city	mpg	54.3	54.3	47.1	52.3
KV01 highway	mpg	67.3	64.2	60.1	62.8
KV01 combined	mpg	61.4	60.1	54.3	57.6
KV01 city	l/100km	5.2	5.2	6	5.4
KV01 highway	l/100km	4.2	4.4	4.7	4.5
KV01 combined	l/100km	4.6	4.7	5.2	4.9
CO2 combined	g/km	121	124	137	128
Emission classification (type-certified)	--	EU6	EU6	EU6	EU6
CO	g/km	TBC	TBC	TBC	0.156
NOx	g/km	TBC	TBC	TBC	0.0384
HC	g/km	TBC	TBC	TBC	-
NMHC	g/km	TBC	TBC	TBC	-
HC+NOx	g/km	TBC	TBC	TBC	0.0711
Particles	g/km	TBC	TBC	TBC	0.00033
N-Particles	--	TBC	TBC	TBC	0.25
N-Particles Exponent	--	TBC	TBC	TBC	11
Driving noise	dB(A)	TBC	TBC	TBC	67
Standing noise	dB(A)	TBC	TBC	TBC	74.5
Standing noise / rpm	1/min	TBC	TBC	TBC	3000
SCR Tank	--	Yes	Yes	Yes	Yes
AdBlue tank capacity	litres	20.5	20.5	20.5	12.5
Battery Capacity (low voltage)	Ah	70	70	70	70
System voltage (low voltage)	V	12	12	12	12
Engine type	--	in line	in line	in line	in line
Fuel management	--	TBC	TBC	TBC	TBC
Charging Type	--	TBC	TBC	TBC	TBC
Charging Technique	--	TBC	TBC	TBC	TBC
Injection type	--	Common rail direct injection	Common rail direct injection	Common rail direct injection	Common rail direct injection
Injection technique	--	-	-	-	-
Suspension type front	--	TBC	TBC	TBC	TBC
Rear suspension	--	TBC	TBC	TBC	TBC
Front brake	--	TBC	TBC	TBC	TBC
Rear brake	--	TBC	TBC	TBC	TBC
Generator amperage	A	TBC	TBC	TBC	TBC
Alternator output	W	TBC	TBC	TBC	TBC
BMW EfficientDynamics					
Auto Start-Stop		●	●	●	●
Brake Energy Regeneration		●	●	●	●
ECO PRO mode		●	●	●	●
Electric Power Steering (EPS)		●	●	●	●
Lightweight engineering		●	●	●	●
Optimum Shift Indicator (with 205/2TB/2TC on in manual mode)		●	●	●	●
Reduced rolling resistance tyres		●	●	●	●