X5 xDrive30d xLine

# BMW TwinPower Turbo six-cylinder in-line diesel engine

Common-rail technology Variable vane geometry Diesel Particulate Filter Oil sensor for level and grade

### Transmission

Engine

Eight-speed automatic with Steptronic transmission and gearshift paddles on the steering wheel xDrive

### Wheels and chassis 19" light alloy wheels V-spoke style 735

To reprint down wrote or exponent pice Oracle Andrew State (Construction) and Sport Drive Parformance Control with ECO PRO, Comfort, and Sport Electro-mechanical parking brake with automatic drive-away release and auto-hold function Electric Power Stering (EPS) with evolve oracle and auto-hold function Electric Power Stering (EPS) with evolve oracle and auto-hold function Double-withhone front avia Adaptive 2-ada arise in suscension

### Safety and technology

Active Guard Plus Airbags comprising: Driver, front passenger, rear and side Head airbags for first and second row seats Passenger seat airbag deactivation, front Knee airbag Seat occupancy detection for driver and passenger side Alarm system (Thatcham 1) with remote control and engine immobilise Attentiveness assistant Brake disks with interior ventilation, front and rear Brake Energy Regeneration Brake Force Display Brake lights with LED technology, Dynamic Brake-pad wear indicator Centre lock switch, driver and front passenger door Closing system with central locking Crash sensor activating central locking release, hazard warning lights, fuel cut-off, interior lighting and activation of the safety battery terminal clamp Cruise control with brake function Davtime running lights, LED Deformation zones - front and rear with door reinforcements and bumpers that regenerate to their original shape in impacts of up to 2.5 mph Dynamic Stability Control (DSC) comprising: Anti-lock Braking System (ABS) Automatic Stability Control (ASC) Brake drving Brake fade compensation Brake pre-tensioning Cornering Brake Control (CBC) Dynamic Brake Control (DBC) Dynamic Traction Control (DTC) Electronic Brake-force Distribution (EBD) Hill-start assistant First Aid kit and warning triangle Follow-me-home headlight function Head restraints - front, anti-whiplash Integrated brake system LED Foglights LED headlights LED rear lights Locking wheel holts (Thatcham approved) Mechanical childproof lock, rear doors Park Distance Control (PDC), front and rear Parking Assistant Passive protection for pedestrians Rain sensor with automatic headlight activation and windscreen wiper control Safety battery terminal clamp Seat belts, front and rear - seat belt stopper, seat belt tensioner (front and outer rear seats), belt force limiter Side impact protection Speed limiting function Speed-limit info display Third brake light, spoile Two-tone horn Tyre pressure mon Tyre repair kit Vehicle key Windscreen washer iets, heated

## Interior equipment

Air conditioning, automatic with 2.5-zone control

Ambient interior lighting - 6 pre-designed selectable light designs including dynamic function Compartment in front of cupholde Cup holders (2 front & 2 rear) Door pockets, front and rear Door sill finishers with illuminated BMW designation, front and rear Electric windows - front and rear, with open/close fingertip control, anti-trap facility and comfort closing function all round Electrical steering column with adjustable height and length: activation via control on the steering column Floor mats, velou Footwell lights, front Interior light, rear, centre Interior trim, Dark Aluminium 'Mesh effect' Light inside glove compartmen Lockable glove compartment Luggage compartment floor panel with integral storage trav Luggage compartment light Make-up mirror lights Multi-function controls for leather steering wheel Multifunctional hooks Non-smokers package Power sockets, 12v - 2 x centre console, 1 x luggage compartment Reading lights, front Rear-view mirror, automatically dimming Instrument panel in Sensatec (excluding X5 xDrive30d M Sport) Sport leather steering wheel, three-spoke Start/stop toggle, diamond-shaped trim finisher in pearl chrome Storage tray and compartment with cover in centre console Sun visors with illuminated vanity mirrors Toolkit located in luggage compartment WiFi hotspot

## Exterior equipment

Active Air Stream kidney grille, high-gloss chrome Adaptive air flap control bar, high-gloss black BMW Individual Exterior Line Aluminium satinated Exhaust tailpipes - single, left and right, Chrome finisher Expanded exterior mirror package Exterior mirror housing, body colour Exterior mirrors - electrically adjustable, automatic parking function, heated and driver's anti-dazzle Front grille bars, pearlescent chrome Metallic naintwork Outer and central air intakes on front bumper, high-gloss black with pearlescent chrome finish Roof rails, Matt Aluminiur Side elements, high-gloss black Side window graphic, satin aluminium Tailgate, automatic, two part, top-hinged section which can be opened seperately and manual bottom-hinged section Welcome Light Carpet X5 on tailgate, left xDrive designation on tailgate, right

# Audio and communication

BMW ConnectedDrive Services comprising: BMW Legal Emergency Call BMW Online Services RMW TeleServices BMW Digital Live Cockpit Professional inc. 12.3" digital instrument panel and 12.3" CID, with touch/voice command and gesture control Connected Package Professional, comprimising base services and Connected Drive Teaser package DAB digital radio Enhanced Bluetooth Hands-free facility with wireless charging Favourite buttons Hi-Fi loudspeaker system iDrive Touch Controller with shortcut buttons On-Board Computer (OBC) comprising: Average speed Eucl consumption and range Information display - liquid crystal display Journey computer Outside temperature display Personal Profile functions USB connection, USB type A 1.5A in cupholder, USB Type C 3A in centre armrest

# X5 xDrive40i xLine

Equipment in addition / replacement to X5 xDrive30d xLine

- BMW TwinPower Turbo inline six-cylinder petrol engine Double VANOS High Precision Injection
- Twin-scroll turbocharger with Valvetronic
- Petrol Particulate Filter

### M Sport models

Equipment in addition / replacement to xLine models 20" M light alloy wheels star-spoke style 740 M BMW Individual roof rails high-gloss Shadow Line Door sill inlays with illuminated BMW M designation Exterior trim, High-gloss Shadowline Headlining, Anthracite Interior trim, Aluminium Tetragon M aerodynamic bodystyling M designation on front side panels, left and right M Leather steering wheel M specific floor mats, velou M specific key M specific pedals M specific steering wheel M Sport braking system Run-flat tyres

### X5 M50d

Equipment in addition / replacement to M Sport models 22" M light alloy wheels V-spoke style 747 M Adaptive LED headlights with High-beam Assistant Adaptive M suspension BMW TwinPower Turbo six-cylinder in-line diesel engine Common-rail technology Variable vane geometry Door sill finishers with illuminated M50d designation, front and rear Exhaust tailpipes - single, left and right, Cerium Grey Exterior mirror housing, Cerium Grey harman/kardon speaker syste Kidney grille, Cerium Grey M badge, left and right side panels, Cerium Grey M Sport differential M Sport exhaust system M50d badge on tailgate, right, Cerium Grey Side gill, Cerium Grey Tyre repair kit (replacement for Run-flat tyres)

#### Seats Armrests:

Front and rear, intergrated in door trim Centre cancels, includes storage compartment Onid seat SDFX attachment, rear outer seats (includes too terther) Five seats Leather Vernasca (MC) Seat adjustment - front, electric with driver memory Seat adjustment - front, electric with driver memory Seat head with flap pockt Seat head ing, front Spit Toding rear seat with A020-00 configuration Spits seat, driver and front passenger

	=optionally available			G05			
	=standard equipment =not available = or		+		ť		(%0;
Option Code		X5 40i xLine	X5 40i M sport	X5 30d xLine	X5 30d M sport	X5 M50d	Retail price (incl. VAT at 20%)
aintworl met	k Metallic paintwork	×		×	×	×	ШS
ated: 01/10	A96 - Mineral White C1M - Phytoric Blue C1N - Sunstone metallic (only with 778 on xLine models) C27 - Arctic Grey 416 - Carbon Black Metallic 475 - Black Sapphire	0,0000	0000	0 0 0 0 - 0	000000	000000	£1,0
	Non-metallic paintwork 300 - Alpine White	•	•	•	•	•	
pholster MA	N Leather Vernasca		Ļ		-		
	Learner vernasca MAH9 - Black with contrast stitching I Brown/Black	-		-			
	Not with 456 as part of ZGM or ZGX Leather "Vernasca" design-perforated	•	0	•	0	0	
	MCEW - Nory White I Black MCHF - Coffee I Black						
	MCR - Cognet Black MCSW - Black I Black						
VA	BMW Individual extended leather trim 'Merino'	0	0	0	0	0	5
	VAEW - Nory White I Black VAEF - Coffee I Black VASW - Black I Black VATQ - Tartufo I Black VATQ - Tartufo I Black						
ackages	Only with 756 or xLine models Only with 456. as part of ZGM/ZGX						
ZMS	M Sport Plus 1MA - M Sport exhaust system 1XN - 21" M light alloy wheels Y-spoke style 741 M (1PA - 22" 742 M or 1S9 22" 746 I can be added as pack alternative upgrades) 420 - Sun protection glazing	-	0	-	0	-	£1,
	Comfort	0	0	0	0	0	£2,
	322 - Comfort Access with smart opener 417 - Roller surblind, rear side windows 442 - Heated & Cooled Cupholder 456 - Comfort seals front 4HA - Seat heating front and rear						
	Not with ZGX Comfort Plus	0	0	0	0	0	£4,
	322 - Conflort Access with smart opener 323 - Soft-close doors 417 - Roller surblind, rear side windows 442 - Heated & Cooled Cupholder 456 - Comfort seats front 453 - Seat ventilation, front 4MM - Ambient Air package 417 - Massage function, front 4NB - Automatic air conditioning with 4-zone control 4NB - Automatic air conditioning with 4-zone control						
	Not with ZGM						
	Visibility 5AC - High-beam Assistant 5AZ - BMW Laserlights	-	-	-	- 0	-	<u>£1,</u> ទ្
	Expected availability from 04/2019 production.						
ZOJ	Technology	-	0 -	-	0	-	£1, £1,
-	3DS - BMW Display Key 5DN - Parking Assistant Plus 610 - Head-Up Display 688 - Loudspeaker system - harmanikardon						
-	Including 6F1 - Bowers and Wilkins Diamond Surround Sound System (pack alternative for 688 - Loudspeaker system - harmanikardon)	0	0	0	0	-	£5, £4,
terior tri	ims					_	24,
4KK	Interior trim, Aluminium Tetragon	-	•	-	•	•	
	Interior trim, Dark Aluminium 'Mesh effect'	0			0 0		£
	Interior trim, Fine-wood trim 'Fineline Stripe', brown high-gloss Fine-wood trim poplar grain anthracite-brown open-pored	0			0		3
	Interior trim, BMW Individual interior trim, Plano Black	0			0		£
4WW	Interior trim, BMW Individual fine-wood trim, Ash Grain Silver	0	0	0	0	0	2
ransmis	sion Sport automatic transmission	•	•	•	•	•	
2TB	Sport automatic transmission						

pι	tional Equipment						
				GO	5		
	=optionally available =standard equipment =not available = or	a	oort	e	port		at 20%)
ion le		X5 40i xLine	X5 40i M sport	X5 30d xLine	X5 30d M sport	X5 M50d	Retail price (incl. VAT at 20%)
	and Chassis						
н	M Sport braking system	-	1	-	Ľ		
	Blue painted brake calipers with 'M' designation						
4	M Sport differential	0					On 2VW
	The rear axle differential lock, which is infinitely adjustable depending on the driving situation, prevents a single rear wheel from slipping and hence provides optimal traction in all driving situations						
F	Adaptive M suspension	-	ŀ	-	Ŀ	•	
	Sport suspension settings with tuned adaptive dampers; adjustable via driving modes						
1	Integral Active Steering	0	0			0	£
	Speed-dependent adaptation of the steering angle of front and rear wheels combined with reduced effort applied to steering wheel for more agile handling that is more comfortable when parking. Combined steering of the rear axle.						
ł	M50d - Only with 2VR, 2VW or 4UB Adaptive 2-axle air suspension	•	•		•	0	£1
	Automatic self-levelling suspension:						
	- Manual raising up to 30 km²h by 40 mm (30 km²h to 55 km²h by 20 mm) - Automalic lowening baove approx. 140 km²h by 10 mm (above approx. 200 km²h by 20 mm) - Entire height adjustiment travel of 80mm selectable on five levels via toggle switch on the centre console - Control of height level from outside the vehicle via the 3DS BMW Display Key - Vehicle can be lowered (fr loading) via switch in bottom of tallgate						
	M50d only with 2VH					0	
v	Adaptive M Suspension Professional	-		-	1		£3,
	- Anti roll stabilisation						
	- 2014 Integral Active Steering						
	Not available with 2VR and 4UB Price includes 2VH						
y ai s	nd Technology BMW Display key	0				0	On
							0
	Key size: approx. 90 mm x 55 mm x 15 mm						
	Functional scopes: - LCD colour display incl. touch control panel						
	- display option of vehicle status information (e.g. range, service information, vehicle locking, etc.) - control of the ventilation inside the vehicle						
	<ul> <li>- in combination with option code 2VR 'Adaptive 2-ade air suspension' control of vehicle height from outside (from 12/18 production)</li> <li>- wireless charging of the key</li> </ul>						
	- additional USB charger cable - range of function: 300m						
	Notes: 1 BMW display key and 1 standard vehicle keys are included						
2	Comfort access with smart opener	0	0			0	Or
-	Control access with small opener Access to the vehicle without removing key from pockets or bag. Sensors detect proximity of keys to the vehicle and allow doors to be unlocked by holding the door handle closest to the key. Locking by						ZGM
	Access to the vertice without retroining they from potents of add, set outs detect provinity of resp. To the vertice and allow douts to be indicated by folding the dout in a full educes to the resp. Looking by touching ribbes section of door handle when key is not inside the car. Including touch free opening and closing of the taligate. Access can also be set up within BMW Operating System 7.0 to allow automatic locking and unlocking upon driver approach to the vehicle, with key on their person. An acoustic sound will identify when the vehicle unlocks upon approach and locks upon exit. Includes touch free opening and closing of the taligate.						
	Includes BMW Digital Key technology allowing locking and unlocking of the driver's door and staring of the engine via smartphone, removing the need for a conventional car key. Smartphone needs to be held within 5cm of door handle to lock and unlock, and placed in Wireless Charging smartphone tray to start and drive vehicle. The BMW Digital Key will initially be available for selected Android platform NFC-capable smartphones at launch. One "owner" digital key is provided from factory with a service duration of 1 year. In addition, additional BMW Digital Keys can be purchased via the ConnectedDrive Store and shared with up to five other people with applicable smartphones. Additional keys and have a 1 year service duration from purchase.						
	In addition, from December 2018 production a high quality NFC "Key Card" (credit card sized) is included to enable keyless access to the vehicle for users without a compatible Smartphone. Just like the Digital Key on the smartphone, the Key Card offers the functionalities locking/unlocking and starting the engine. All customers without a capable smartphone (e.g. Apple iPhone) will thereby get a substitute solution.						
2	Adaptive LED headlights	0					2
-	Adaptive LED readignts Expanded lighting functions for improved visibility;					•	ž
	- Adaptive headlights						
	- And-grave sective high beam - Light colour close to that of ordinary daylight						
	- Optimum, homogeneous illumination of the carriageway						
	Includes 5AC High-beam Assistant	0	0			•	0
	Automatic switching on and off of the high-beam headlights depending on the traffic situation. Control via sensor on the front side of the interior mirror.						
	Participate switching on and on or the high rote and reading its depending on the trainic studentic. Control was sensor on the north side of the interior million.						
1	LED fog lights	•	•	•	•	•	
	Integrated into the bumper system, with LED lights in horizontal arrangement						

)pt	tional Equipment						
	=optionally available	-		G	05		(
÷	=standard equipment =not available = or						(%(
ption		Line	A coort			inode ini	Retail price (incl. VAT at 20%)
ode		X5 40i xLine	VE 401 M coort			X5 M50d	Retail p (incl. V/
5AU	Driving Assistant Professional	0					
	Camera/radar-based driver assistance system comprising of the following functions: - Steering and lane control assistant:						
	Supports the driver in keeping to the middle of the lane by means of corrective steering interventions in the speed range of 0–210 km/h. This results in relaxed vehicle operation and relieves the driver of monotonous tasks (particularly in heavy traffic). In narrow passages on motorways (e.g. road works), the steering assistance ensures a proper distance to vehicles at the sides, roadside structures, and lane markings. The driver is nequested to keep both hands on the steering wheld during vehicle guidance to ensure that they are paying attention and able to react if necessary. If this is not complied with, the control is deactivated after a few seconds, and the driver is requested to take full control of the steering.						
	- Active Cruise Control and automatic Speed Limit Assist: Consists of cruise control with approach control, speed limit info, no-overtaking indicator, manual and automatic speed limit assist, front collision warning and brake intervention.						
	- Lare keeping assistant with active side collision protection: Assists the driver in keeping in lare and actively preventing potential side collisions by means of corrective steering interventions in the speed range of 70 km²h to 210 km²h (Lane Change Warning and Lane Departure Warning, side collision warning). A visual warning is displayed in addition to the active steering intervention, and the steering wheel vibrates. Applies to Lane Change Warning and Lane Warning from approx. 20 km²h.						
	- Crossing traffic warning front: Warrs of crossing traffic while leaving/entering a parking space as well as while turning into crossing traffic in situations with restricted visibility. Active at up to 7 km/h. Depending on vehicle configuration, information is shown in the camera display (panoramaSurround View) or in the PDC display.						
	- Evasion aid: Assists in critical approach situations when evading is still possible. Evasion aid is available in the speed range of 30-160 km/h. Reacts to vehicles ahead and pedestrians.						
	- Crossroads warning with city braking function: Braking assistance with visual/acoustic warning incl. active brake intervention in the event of a potential collision with intersecting traffic. Comprises the partial functions: warning in priority situations and at stop signs. Active at up to 85 km/h.						
	- Crossing traffic-warning rear - warns of potential collision with intersecting traffic when reversing out of parking spaces.						
	Rear collision prevention – Detects the potential of rear collisions via rear sensors and warns traffic behind the vehicle by activating hazard lights.						
	- Wrong-way warning: Detects "no entry" signs on motorways, at roundabouts and at one-way roads. Issues a visual/acoustic driver warning.						
٩Z	BMW Laserlights	0	(	o l	C	o c	Onl
	Unique 'X' design with blue 'X' signature on both sides (Illuminated), supports the feeling of width.						
	Functionality - Accent lighting with turn indicators						
	- 3 lighting levels: LED low-beam headlights, LED high-beam headlights with laser module (above 60 km/h) - LED position light, LED daytime driving light in 'L'-shape, LED direction indicator, LED comering light - Adaptive headlights						
	- Incl. BMW Selective Beam, the dazzle-free high-beam assistant from BMW Technical content						
	<ul> <li>- LED for high amount of light and wide illumination</li> <li>- Laser high-beam module doubles the light intensity compared to Bi-LED (up to a range of 500 m)</li> <li>- Light emitted from blue high-performance laser diodes is concentrated to white light with high intensity on a small phosphor plate)</li> </ul>						
	Including specific design elements and exclusive designation 'BMW Laserlight' Includes 5AC						
DM	Parking Assistant Camera and ultrasound-based assistance system consisting of parking assistant, reversing assistant, lateral parking aid and rear view camera.		[				
	Carrier and unassum-based assistance system consisting on parking assistant, reversing assistant, rater a parking assistant. - Parking assistant: The parking assistant facilitates parking into parallel parking spaces as well as leaving parking spaces parallel to the road. For this purpose, the system measures potential parking spaces while driving by at						
	speeds below approx. 35 km/h even without prior activation. After displaying the information in the central display and activation by the driver, the parking assistant completely takes over vehicle control by steering, braking and shifting gears. Activation when reverse gear is engaged or transmission position "R" is selected or manually by button at speeds below 35 km/h. The function can be overridden by the driver at any time.						
	<ul> <li>- Reversing Assistant:</li> <li>While driving forward, the function saves the last 50 m of an entry path taken by the driver themselves at a speed of up to 35km/h in order to follow this path while reversing upon request by the driver. This relieves the driver of steering tasks so they can focus entirely on monitoring the surroundings of the vehicle. The driver remains responsible for longitudinal control via accelerator and brakes (speed below 10 km/h) and for monitoring the surroundings of the vehicle to avoid collisions with objects in the vicinity. While reversing, the function assists the driver with longitudinal control via accelerator and brakes (speed below 10 km/h) and for monitoring the surroundings of the vehicle to avoid collisions with objects in the vicinity. While reversing, the function assists the driver with longitudinal control by reducing driving speed as appropriate.</li> </ul>						
	- Lateral parking aid: Assists in damage minimisation while manoeuvring. Based on information from the Park Distance Control, the system memorises obstacles while driving past and shows their distance to the vehicle sides in the Control Display.						
	- Rear view camera: Supports the driver when reversing into a parking space and manoeuvring at speeds below 20 km/h by showing the area in the rear of the vehicle in the control display. The function provides better visibility while reversing. Interactive tracer lines show the vehicle's trajectory. In combination with Park Distance Control, distance information is displayed inside the camera image. A zoom function for the trailer tow hitch facilitates backing up to couple a trailer. The camera is activated by engaging reverse gear.						
	Please note: the system scopes contained in the optional equipment only provide assistance within defined system limits. It remains the responsibility of the respective driver to react to the actual traffic situation.						
ON	Parking Assistant Plus	0	(	C	C	) (	Only
	Camera and ultrasound-based assistance system consisting of Surround View system and Remote 3D View as well as the functions of option code '5DM - Parking Assistant'.						
	- Surround view system: Offers the camera-based functions: Top View, Panorama View and 3D View. Cameras at the front and rear and in the exterior mirrors provide a 360° view around the vehicle including a three-dimensional visualisation. Panorama View front and rear makes it more safe to approach intersections and exits. In combination with radar-based monitoring of the area in front of the vehicle, the system warns of crossing traffic.						
	crossing trainc. An additional view on the Control Display shows the situation to the right and left of the vehicle. The displayed positioning lines facilitate positioning the vehicle at the stop line. The function is activated by the Panorama View button. Automatic activation is possible via the storage of personal locations. The view towards the front or rear depends on which gear is engaged.						
	- Remote View 3D: Transfer of static images from 3D View to mobile terminal devices via the mobile phone network (only in combination with option code 6AP 'Remote Services'). In surround view, the vehicle and its						
	surroundings can be viewed from any perspective. Rease note: the system scopes contained in the optional equipment only provide assistance within defined system limits. It remains the responsibility of the respective driver to react to the actual traffic						
10	situation. Head-up Display	0		0	o c	5 0	Only
	Full-colour projection onto the windscreen of information related to driving and specific to the situation, with automatic brightness control, 3D graphics for junction view (realistic display of turns and						
	intersections). User-friendly adjustment possible by means of iDrive Controller.						
	Large-scale display with 7° x 3.5° opening angle and a throw of approx. 2.5 m. Display of:						
	- Navigation information in different display modes - Speed - Country-specific display of traffic signs in the relevant colours (e.g. no-overtaking indicator, Speed Limit Info)						
	- Warning information from driver assistance systems - Situational display of entertainment and communication lists - Display of Driving Experience Control modes (via coloured highlighting)						
	- Display of BMW EfficientDynamics functional contents - Check control messages with 3D graphics						
	Display of contents depending on optional equipment ordered.						

0	=optionally available =standard equipment						
-	=standard equipment =not available = or		ort	a	ort		( 20%)
Option Code		X5 40i xLine	X5 40i M sport	X5 30d xLine	X5 30d M sport	X5 M50d	Retail price (incl. VAT at 20%)
ats							
453	Seat ventilation, front	0	0	0	0	0	Only wit ZG
456	Ventilation of front seat base and seat backrest Comfort seats, front	0	0	0	0	0	Only wit
400	For driver and front passenger.				ľ		ZGM or ZG
	Including option code 459 'Seat adjustment, electrical with memory (memory function for passenger seat also) and 'Lumbar support for driver and front passenger'. As opposed to sport seat, electrical						
	adjustment of thighrest, head section of backrest and headrest height. Comfort headrests with manual side adjustment. Activation of seat adjustment for front passenger side by button in door panel (driver's side).						
459	Seat adjustment, electric, with memory	•	•	•	٠	•	S
481	Sport seats for driver and front passenger	•	•	•	٠	•	S
494	Seat heating for driver and front passenger	•	•	•	•	•	S
4HA	Seat heating, front and rear	0	0			0	Only wit ZGM or ZG
4HB	Heat comfort package, front	0	0	0	0	0	£350.0
	Including heated armrests in the front doors as well as heated armrests in the front centre console. Steering wheel heating also included.						
4T7	Massage function, front	0	0	0	0	0	Only wit ZC
	Eight massage programmes selectable via the iDrive menu. Each programme features three intensity levels for muscle activation and relaxation:						
	- Pelvis activation - Torsa activation						
	- Full-body activation - Back message						
	- Loin massage						
	- Torso training - Full-body training						
4UB	Third-row seating	0	0	0	0	0	£1,390.0
	Two acts and fairs forward individually foldable with floor mate assesses and three point inactio and and halte						
	Two extra seats facing forward, individually foldable, with floor mats, armrests and three-point inertia reel seat belts. Second seat row with 40:20:40 backrest split; 10 degrees adjustment for backrest rake; seat fore-and-aft adjustment 80mm. With easy-entry function, cupholders and storage compartment with lid in						
	centre amrest.						
	centre armrest. NOTE: Storage compartment under rear luggage compartment floor is deleted.						
	centre armrest.						
	centre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment		0	-	0	•	Only wit
	centre annrest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB, Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Sport exhaust system	-	0	-	0	•	
1MA	centre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Sport exhaust system Exhaust system with a distinctively sporty sound.	-		-		•	ZN
1MA 328	centre annrest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB, Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Sport exhaust system	-			-		ZN £490.0
1MA 328	centre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Sport exhaust system Exhaust system with a distinctively sporty sound. Aluminium running boards		-		-	-	ZN £490.0
1MA 328	centre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Sport exhaust system Exhaust system with a distinctively sporty sound. Aluminium running boards Towbar, electrically folding		-		-	-	ZN £490.0
1MA 328	certre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Sport exhaust system Exhaust system with a distinctively sporty sound. Aluminium running boards Towbar, electrically folding Operating switch in luggage compartment. Trailer tow hitch can be swivelled electrically until completely recessed underneath the rear apron. Including trailer stabilisation monitor - Towing capacity up to 3.51 Notes:		-		-	-	ZN £490.0
1MA 328	certre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Sport exhaust system Exhaust system Exhaust system with a distinctively sporty sound. Aluminium running boards Towbar, electrically folding Operating switch in luggage compartment. Trailer tow hitch can be swivelled electrically until completely recessed underneath the rear apron. Including trailer stabilisation monitor - Towing capacity up to 3.51		-		-	-	ZN £490.0
1MA 328 3AC	certre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Sport exhaust system Exhaust system Exhaust system with a distinctively sporty sound. Aluminium running boards Towbar, electrically folding Operating switch in luggage compartment. Trailer tow hitch can be swivelled electrically until completely recessed underneath the rear apron. Including trailer stabilisation monitor - Towing capacity up to 3.5t Notes: - please take note of the information on trailer load and trailer nose weight Roof rails, Matt Aluminium		-	0	-	-	2M £490.0 £995.0
1MA 328 3AC	certre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Sport exhaust system Exhaust system Exhaust system Characterized availability from 02/19 production Exhaust system Characterized availability from 02/19 production Equipment M Sport exhaust system Characterized availability form 02/19 production Exhaust system Characterized availability from 02/19 production Characterized availability from 02/19 producting Characterized availability from 02/19 production Characteri	0	-	0	-	-	2490.0 £490.0 £995.0
1MA 328 3AC 3AT	certre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Sport exhaust system Exhaust system Exhaust system with a distinctively sporty sound. Aluminium running boards Towbar, electrically folding Operating switch in luggage compartment. Trailer tow hitch can be swivelled electrically until completely recessed underneath the rear apron. Including trailer stabilisation monitor - Towing capacity up to 3.5t Notes: - please take note of the information on trailer load and trailer nose weight Roof rails, Matt Aluminium	0	- 0	•	-	- 0	2M £490.0 £995.0 2003
1MA 328 3AC 3AT	certre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Sport exhaust system Exhaust system with a distinctively sporty sound. Aluminium running boards Towbar, electrically folding Operating switch in luggage compartment. Trailer tow hitch can be swivelled electrically until completely recessed undereath the rear apron. Including trailer stabilisation monitor - Towing capacity up to 3.5t Notes: - please take note of the information on trailer load and trailer nose weight Roof rails, Matt Aluminium Permissible roof load: 100 kg Only with 3MB XOffroad pack	•	- 0	•	- 0	- 0	2M £490.0 £995.0 2003
1MA 328 3AC	certre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment MSport exhaust system Exhaust system with a distinctively sporty sound. Aluminium running boards Towbar, electrically folding Operating switch in luggage compartment. Trailer tow hitch can be swivelled electrically until completely recessed underneath the rear apron. Including trailer stabilisation monitor - Towing capacity up to 3.5t Notes: - please take note of the information on trailer load and trailer nose weight Roofrails, Matt Aluminium Permissible roof load: 100 kg Ohv with 3MB Xoffroad pock - 4 Xoffroad pock - 4 Xoffroad pock - Xoffroad pock - Xoffroad pocks - Xoffroad pock - Xoffr	•	- 0	•	- 0	- 0	2M £490.0 £995.0 2003
1MA 328 3AC 3AT	centre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on MSOd) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Sport exhaust system Exhaust system with a distinctively sporty sound. Aluminium running boards Towbar, electrically folding Operating switch in luggage compartment. Trailer tow hitch can be swivelled electrically until completely recessed underneath the rear apron. Including trailer stabilisation monitor - Towing capacity up to 3.5t Notes: - please take note of the information on trailer load and trailer nose weight Roof rails, Matt Aluminium Permissible roof load: 100 kg Ohw with 3MB XOffroad Diving Experience Control - AUffroad poeks - 4 XOffroad Diving Experience Control - XOffroad Diving Exper	•	- 0	•	- 0	- 0	2M £490.0 £995.0 2003
1MA 328 3AC 3AT	certre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Spot exhaust system Exhaust system with a distinctively sporty sound. Aluminium running boards Towbar, electrically folding Operating switch in luggage compartment. Trailer tow hitch can be swivelied electrically until completely recessed underneath the rear apron. Including trailer stabilisation monitor - Towing capacity up to 3.5t Notes: - please take note of the information on trailer load and trailer nose weight Roof rails, Matt Aluminium Permissible roof load: 100 kg Only with 3MB XOffroad pock - 4 xOffroad Prodes: xSand, xRocks, xClavel, XSnow - xOffroad Driving Experience Control - XOffroad Prodes: xSand, xRocks, xClavel, XSnow - XOffroad Prode adig targents for the adjustments - Specific polity adjustments - Specific polity adjustments - Specific polity adjustments - XOffroad Prode adig adminesting - XOffroad Prode Adig and possific Hoticaeteristics - XOffroad Prode Adig adjustments - XOffroad Prode X - XOffroad Prodex - XOf	•	- 0	•	- 0	- 0	2M £490.0 £995.0 2003
1MA 328 3AC 3AT	centre armest. NOTE: Storage compatment under rear luggage compatment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Equipment M Sport scharast system Exhaust system with a distinctively sporty sound. Aluminium running boards Towbar, electrically folding Operating switch in luggage compatment. Trailer tow hitch can be swivelled electrically until completely recessed underneath the rear apron. Including trailer stabilisation monitor - Towing capacity up to 3.51 Notes: - please take note of the information on trailer load and trailer nose weight Permissible roof load: 100 kg Only with 3MB XOffroad plack XOffroad plack - 4 xOffroad plack - 4 xOffroad plack - 5 xOstard, sfocks, xGravel, xSnow - xOffroad Ding Experience Control - XOffroad plack - 4 xOffroad plack - 4 xOffroad plack - 4 xOffroad plack - 5 xOstard, sfocks, xGravel, xSnow - xOffroad plack - 5 xOstard, stocks, xGravel, xSnow - xOffroad plack - 5 xOstard and gagestift characteristics - 5 xOstard and yostard chard characteristics - 5 xOstard and yostard chard charact	•	- 0	•	- 0	- 0	2M £490.0 £995.0 2003
328 3AC 3AT 3E3	centre armesi: NOTE: Storage compartment under rear luggage compartment floor is déleted. Only with 2/R (and 2/H on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2/H and 3E3. Expected availability from 02/19 production Exclusion 2019 production 2019 production Exclusion 2019 production 2019 production Exclusion 2019 production 2019 production Exclusion 2019 production 2019 production 2019 production 2019 production Exclusion 2019 production 2019 production 2019 production Exclusion 2019 production 2	•	- 0	•	- 0		2M £490.0 £995.0 0.03 £2,595.0
328 3AC 3AT 3E3	Centre armest. NOTE: Storage compartment inder rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M50d) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Exploring the store of the index system Enfrance system with a distinctively sporty sound. Atuminium numine boards Towbar, electrically folding Operating switch in luggage compartment. Trailer tow hitch can be switelied electrically until completely recessed underneath the rear apron. Including trailer stabilisation monitor - Towing capacity up to 3.5t Notes: - please take note of the information on trailer load and trailer nose weight Reof rails, Mat Atuminium Permissible rool load. 100 kg Crick with 3MB Xoffred anock - 4 Aforhoad Driving Experience Control - Sportic predictional Stored - 4 Aforhoad Driving Experience Control - Sportic predictional Classer, Alcoke, xCareel, Show - 4 Offread anock - 4 Aforhoad Driving Experience Control - Sportic predictional Classer, Head-Up Display and Central Information Display - 4 Motioad Driving 2 Argenet Classer, 4 2 APR MW Individual Exterior Line Atuminium satinated	•	- 0	•	- 0		2M £490.0 £995.0 0.03 £2,595.0
328 3AC 3AT 3E3	centre armest. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2/R (and 2/H on MSOd) and either 456, 4FL or 4HB, Not available with the combination of 2/H and 3E3. Expanded availability from 02/19 production Exclusions and the storage of t	•	- 0	•	- 0		2M £490.0 £995.0 0.03 £2,595.0
328 3AC 3AT 3E3	ortice armsst. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M500) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02119 production Equipment: M Sport exhaust system Edulation multiple Auminium running boards Towbar, electrically folding Opeating switch in luggage compartment. Trailer tow hitch can be switeled electrically until completely recessed undereath the rear apron. Including trailer stabilisation monitor - Towing capability up to 3.51 Note: - Towing capability up to 3.51 - Towing capability	•	- 0	•	- 0		۸۲ ۱. 2693 ۵. 2995 ۵. 03 ۵. 03
328 3AC 3AT 3E3	centre armst.       NOTE: Storage compartment under rear luggage compartment floor is deleted.         Orly with 2/R (and 2/H on M500) and either 456, 4FL or 4HB. Not available with the combination of 2/H and 3E3.         Expected availability from 02/19 production         Chuipment         M Sport exhaust system         Exhaust system with a distinctively sporty sound.         Aluminium running boards         Towbar, electrically folding         Operating switch in luggage compartment. Trailer tow hitch can be swiveled electrically until completely recessed underesth the rear apon. Including trailer stabilisation monitor         - Towing capacity up to 3.5t.         Note:         - please late note of the information on trailer load and trailer nose weight         Roof raits, Matt Aluminium         Permissible nof load: 100 kg         Crive and DWing Spreteriors Control         - A Offmad poach         - 4 Offmad mode: Sand, ARode, xOrawel, xSoraw         - Vorting of Load and graaget function as may apped from and rear         - Origo apped for bold and graaget function as may apped from and rear         - Water schedule bleving Spreteriors Control         - A Offmad poach for bleve alguarter to aster, Head-Up Display and Certral Information Display         - Morade graafity and functional star graad front and rear         - Origo with addia Exterior Line Aluminium satinated	•	- 0	•	- 0		2M £490.0 £995.0 0.03 £2,595.0
1MA 328 3AC 3AT 3E3 3MB	ortice armsst. NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2VR (and 2VH on M500) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3. Expected availability from 02119 production Equipment: M Sport exhaust system Edulation multiple Auminium running boards Towbar, electrically folding Opeating switch in luggage compartment. Trailer tow hitch can be switeled electrically until completely recessed undereath the rear apron. Including trailer stabilisation monitor - Towing capability up to 3.51 Note: - Towing capability up to 3.51 - Towing capability	•	- 0	•	- 0	-	Only wit ZM £490.0 £995.0 £0.0 £2,595.0 £0.0
1MA 328 3AC 3AT 3E3 3MB	centre armsd.       NOTE: Storage compartment under ner luggage compartment floor is deleted.         Orly with 2VR (and 2VH on M500) and either 456, 4FL or 4HB. Not available with the combination of 2VH and 3E3.         Expected availability from 02/19 production         Equipment:         M Sport exhaust system         Exhaust system with a delincthedy sporty sound.         Atuminium running boards         Towbar, electrically folding         Operating availub in luggage compartment. Trailer tow hitch can be swivelled electrically until completely recessed underneath the rear agron. Including trailer stabilisation monitor         - Towing capacity up to 3.51         Notes:         - please take note of the information on trailer load and trailer nose weight         Roof rails, Matt Atuminium         Remainder devices. Stand, shocks, Stand, Show         - 4 Offread modes: Stand, shocks, Varwel, Show         - 4 Offread modes: Stand, shocks, Varwel, Show         - 4 Offread modes: Stand, shocks, Varwel, Show         - Stands and state and and trailer noae weight         - 4 Offread modes: Stand, shocks, Varwel, Show         - 4 Offread modes: Shord, Shocks, Varwel, Show         - 5 Offread blow is bedined noted in the	•	- 0	•	- 0	-	2M £490.0 £995.0 £0.0 £2,595.0
1MA       328       3AC       3AT       3E3       3MB	center armed: NOTE: Storage compartment under rear luggage compartment floor is deleted. Only with 2V4 (md 2V4 on MEDQ) and either 456, 4FL or 4HB. Not available with the combination of 2V4 and 3E3. Expected availability form 02/19 production Expected availability for 02/19 production Cover and availability for 03 production Expected availability for 03 production Expected availability for 03 production on trailer load and trailer nose weight Reformation Reformation Expected availability for 04 production Expected availability for 04 production Expec	•		•	- 0 0	-	2M £490.0 £995.0 £0.0 £2,595.0 £0.0
1MA       328       3AC       3AT       3E3       3MB	Cartle armsd. NDTE: Storage compartment under rear luggage compartment floor is defield. OVer, with 2VR find 2VH on ME0d and efferts 456, 4FL or 4HB, Not available with the combination of 2VH and 3E3. Expected availability from 02/19 production Exclusionent M Sport schalast system Extract system with a districtively sporty sound. Atuminium numbers bards Towbar, effectively footing Operating with in luggage compartment. Trailer tow hitch can be seivelied electrically until completely recessed underseth the rear apron. Including trailer stabilisation monitor - Towing capacity up to 3.51 Note: - a config capacity up to 3.51 Note: - a config capacity up to 3.54 Note: - 4 officied moders: Stard, sPoods, vCasel, S/mow - 4 officied moders: Sta	•		•	- 0 0	-	2M £490.0 5995.0 E0.0 E2,595.0 E0.0
1MA       328       3AC       3AT       3E3       3MB	Contra mends. NOTE: Storage compartment under ner laggage compartment floor is deleted. NOTE: Storage compartment under ner laggage compartment floor is deleted. NOTE: Storage compartment under ner laggage compartment floor is deleted. NOTE: Storage compartment under ner laggage compartment floor is deleted. NOTE: Storage compartment under ner laggage compartment. Explore the availability from 02/19 production Configuration Monot available storage Configuration Monot available storage Configuration Note: Explore the destruction of 2014 and 36:3. Explore the destruction of 2014 and 36:3. Explore the destruction of 2014 and 36:3. Note: - Towing capacity us to 3.5. Note: - Towing capacity us towing us towning towing towing towning towning towin	•		•	- 0 0	-	2M £490.0 5995.0 E0.0 E2,595.0 E0.0
1MA 328 3AC 3AT 3E3 3MB 3MC 4T8	orthe amesi. NOTE: Strage compatiment under new loggage compatiment floor is deleted. Only with 2/H (ard 2/H on MEOG) and effer 4/50, 4/L or 4/HS. Not available with the contribution of 2/H and 3E3. Expected validability from 02/19 production Strainworks. Mainterim munning backs Administra munning backs Codes deletify (solida) Openting switch in loggage compatiment. Tailer tow hitch on be swiedled electrically unit completely necessed underseth the rear apon. Including trailer stabilisation monitor - Towing querity (solida) Openting switch in loggage compatiment. Tailer tow hitch on be swiedled electrically unit completely necessed underseth the rear apon. Including trailer stabilisation monitor - Towing querity (solida) Openting switch in loggage compatiment. Tailer tow hitch on the swiedled electrically unit completely necessed underseth the new apon. Including trailer stabilisation monitor - Towing querity (solida) Openting switch in loggage compatiment. Tailer tow hitch on the swiedled electrically unit completely necessed underseth the new apon. Including trailer stabilisation monitor - Towing querity (solida) Openting switch in loggage compatiment. Tailer tow hitch on the swiedled electrically unit completely necessed underseth the new apon. Including trailer stabilisation monitor - Towing querity (solida) Openting switch in loggage compatiment. - Towing querity of the information on trailer load and trailer note weight - Additional models in load and trailer note weight - Additional models in load under towing and fort at new - Windwind Kala Levier of Levier Querity of trained auritium. - Windwind Kala Levier of Levier Querity (solida) guerity of trained auritium. - Windwind Kala Levier of Levier Querity of trained auritium. - Windwind Kala Levier of Levier Querity of trained auritium. - Windwind Kala Levier of Levier Querity of trained auritium. - Windwind Kala Levier of Levier Querity of trained auritium. - Windwind Kala Levier Ot Levier Querity of trained auritium. - Windwind Kala Levier Querity of tr			•	- 0 0		2M E490.0 E995.0 E0.0 E2.595.0 E0.0 E0.0 S
1MA 328 3AC 3AT	conte amesi: NDTE: Slorge compatiment under ner laggage compatiment floor is deleted. Colvy with 2/R (ard 2/H on MESG) and ether 456, 4/L or 4/B. Not available with the contribution of 2/H and 3E3. Expected availability from 02/19 production Charles availability form 02/19 production Charles availability form 02/19 production Charles availability form 02/19 production Charles availability form 02/19 production Charles availability form Charles availability form 02/19 production Charles availability form Charles avail	•		•	- 0 0		2M £490.0 £995.0 £0.0 £2,595.0
1MA 328 3AC 3AT 3E3 3MB 3MC 4T8	Carte annel: NOTE: Storage compariment under new laggage compartment floor is defeted. Owy with 247 de ad 244 on 4500 and effet 450, 4FL or 4HB. Not available with the contribution of 204 and 3E3. Expected well-billing from 0219 production All sport exhaust system Exhaut system with a definichely sporty sourd. All unhibum numming boards Todars decisitaling folding Copearing switch in Laggage compartment. Trailer tow hitch can be subveiled effectically unit completely recessed underneach the new agron. Including trailer sublisation monitor - Towing questing to is 3.5. Notes: - a fease take role of the information on trailer tow hitch can be subveiled effectically unit completely recessed underneach the new agron. Including trailer sublisation monitor - Towing questing to is 3.5. Notes: - a fease take role to the information on trailer tow hitch can be subveiled effectically unit completely recessed underneach the new agron. Including trailer sublisation monitor - Towing questing to is 3.5. Notes: - a fease take role to at 100 kg Out with 340 <b>Expected substitue</b> - a fease take role to at 100 kg Out with 340 <b>Expected substitue</b> - a fease take role substitue - a fease			•	- 0 0		2M £490.0 £995.0 £0.0 £2,595.0 £0.0
1MA 328 3AC 3AT 3E3 3MB 3MC 4T8	carte amesi. NDTE: Storge compartment under nor logging compartment floor is defeted. Owy with 2M (and 2M on MSO) and effer 450, 4FL or 4HS. Not available with the contribution of 2M4 and 3ES. Expected variability from 02/19 production Advantage of a store of the			•	- 0 0		2h E490.0 E995.0 E0.0 E2,595.0 E0.0 E0.0 S

Oni	tional Equipment						
Ορι	tional Equipment						
0	=optionally available	G05					
• - /	=standard equipment =not available = or						(%
		ine	sport	Line	X5 30d M sport		Retail price (incl. VAT at 20%)
Option Code		X5 40i xLine	X5 40i M sport	X5 30d xLine	30d N	X5 M50d	cl. VA
Audio &	Communication	X5	X5	X5	X5	X5	(in
60A	TV function plus	0	0	0	0	0	£1,050.00
676	Allows for reception of Digital TV (DVB-T) function to Control Display. Includes CI+ module, which enables the car to also receive DVB-T2 encoded TV channels (Pay TV). HiFi loudspeaker system	•	•	•	•	-	Std
0,0	Hi-Fi speaker system, digital amplifier 205 W amplifier power, multi-channel capability.	-		-	-		30
	10 speakers:						
	- 1 centre tweeter in the instrument panel - 1 centre midrange speaker in the instrument panel - 2 weeters in the mirror triangles						
	- 2 midrange speakers in the front door times - 2 midrange speakers in the rear door panels - 2 central bases speakers underneath the front seats						
688	Loudspeaker system - harman/kardon	0	0	0	0	•	Only with: Z0J
	Digital amplifier with individually adjustable equalising, 464 W amplifier power, 9 channels. Speaker bezels with harmankardon designation						
	16 speakers: - 1 centre tweeter in the middle of the instrument panel - 1 centre midrance speaker in the middle of the instrument panel						
	2 Every sin the mirror transfer (with "harman/kardon" designation) - 2 Inidarge speakers in the front door times (with "harman/kardon" designation) - 2 Inidarge speakers in the front door times (with "harman/kardon" designation) - 2 Inidarge speakers in the read out time						
	- 2 central bass speakers underneath the front seats - 2 tweeters in the rear door trims (with "harman/kardon" designation)						
	- 2 midrange speakers in the D-pillar - 2 tweeters in the D-pillar						
654	DAB tuner Enables reception of digital audio programmes.	•	•	•	•	•	Std
6AE	Teleservices	•	•	•	٠	•	Std
	Offers a range of telematic services that provide support and notification of the technical condition of the vehicle. Services include Automatic Service Call (ASC), TeleServices Breakdown Call (B-call), TeleServices Report (TSR), TeleServices Battery Guard (TSBG) and Teleservices Update (TSU).						
	For specific information on these services please contact your Aftersales Service centre.						
6AF	Available and active for the lifetime of the vehicle.	•	•	•	•	•	Std
	Establishment of connection to the responsible rescue centre without involvement of call centre agents. Immediate transmission of the vehicle location and further relevant data. Please note the customer will be served in the language of the country that the vehicle head-unit is registered in regardless of where the call was made.						
6AK	BMW Online Services	•	•	•	•	•	Std
	BMW Online Services include the following services and are initially standard for three years subscription from production and can then be extended or renewed via a customer's ConnectedDrive portal and the ConnectedDrive store.						
	BMW Vehicle Apps. Formerly known as BMW Online. Access to a WAP based online services to view a wide range of general and location-based information. Included Apps are News, Weather and Country Information. Online-based content like News can be read out loud to minimize distraction while driving and offer the maximum in safety and comfort. The weather app shows the weather forecast for the upcoming 4 days. Country information contains all the relevant information when entering a different country with your BMW, for example information on tolls.						
	Remote Software Upgrade. With Remote Software Upgrade your BMW stays up-to-date and is future-proof. The Upgrades are downloaded via a smartphone with the Connected app and ideally a Wi-Fi connection (quicker and therefore recommended) or over the air directly into the car and provide security updates and functionality upgrades. The customers are always informed about the content of every Remote Software Upgrade as there are Release Notes displayed in the car and provide security updates and functionality upgrades. The customers are always informed about the content of every Remote Software Upgrade as there are Release Notes displayed in the car and in the Connected App similar to an iOS upgrade.						
	BMW Connected+. An update of the personalization function in the vehicle and display of smartphone content on the Control Display in the BMW. Including; Send my Routes to Car, Share Live Trip Status, Navigate Door-to-Door and seamless link of My Destinations between you Connected App and vehicle.						
	USB and Over the Air map updates. Manual and Automatic updates of the navigation map data either via USB or over-the-air. A USB map update can be completed via the BMW ConnectedDrive portal to integrate the latest European wide map data, or as soon as a new navigation map version is available for the country that your vehicle is registered in, the update is transferred via the integrated SIM card directly into the vehicle's navigation system, completely over-the-air. During the update process, the navigation system monitory bards process, the navigation system completely very the-air update process, the navigation system completely very the-air update process. The navigation system completely very the add and the add and the integrated and a system completed very the system completed v						
	Intelligent Voice Control. Off-board voice processing offers a functional extension of the intelligent voice assistant through server-based processing of speech input. Examples of the features include online-based points of interest for the navigation (e.g. Italian restaurant in the vicinity), the dictation function for messages and an improvement in the recognition of natural speech input. Benefits at a glance; Flexible input of addresses and points of interest. More up-to-date data for the speech-based search for addresses and points of interest, Improvement in voice recognition for the input of addresses and points of interest. Flexible dictation of text messages and e-mail (Smartphone dependant).						
6C4	Connected Package Professional	•	•	•	•	•	Std
	Included Services are initially standard for three years subscription from production (unless stated) and can then be extended or renewed via a customer's ConnectedDrive portal and the ConnectedDrive store.						
	Remote Services. Openlock doors, display of vehicle location on the map in vehicle finder, flash headlights. Remote 3D View*. Allows real time image to be taken of area surrounding vehicle environment. Access via smartphone app and can be retrieved on the smartphone as a 3D representation.						
	Concierge Services. Direct access to UK based call centre, 24 hours a day, 365 days per year. No Smartphone required within vehicle, calls made using in-built 4G SIM card. Access to telephone and industry directories, points of interest, opening times of cultural facilities, flight information, addresses of restaurants, hotels, emergency pharmacies, cash machines, golf courses etc. Navigation data can be transferred directly to the driver's navigation system, and/or sent as a message to the vehicles control display with additional relevant information when required, e.g. telephone numbers, email addresses.						
	Real-Time Traffic Information (RTTI). Displays real-time traffic information on motorways, roads and urban streets for the driver's current route and recommends potential diversions. Exact display of the traffic situation in real time, with updates being received every 3 minutes. Greater comfort and safety thanks to precise warnings of congestion and hazards (including Heavy Rain, Fog, Slippery Roads). Inclusion of traffic situation on recommended diversions.						
	Connected Navigation. BMW Connected Navigation offers customers a unrivalled navigation experience on their off board touchpoints as well as a unique in car experience. Get proactive suggestions, based on your behaviour and share locations from other apps including Google and Apple maps. Parking Place Assistant to give lintelligent parking route guidance close to your final destination based on the current parking situation, offering car parks close to destination or on-street parking availability. On-Street Parking Information**, shows probability of finding a parking spot. Manage your favourite locations via BMW Connected app.						
	Apple CarPlay (1 year Subscription). Apple CarPlay@ Preparation enables an iPhone@ to be used wirelessly, converiently and safely via the user interface in the vehicle. Smartphone contents and functions such as music, iMessages/SMS, telephony, SIRI and selected third-party apps can thus be displayed and operated in the customary manner via the user interface in the vehicle. Subscription for Apple CarPlay walld for 1 year from production, can be extended thereafter on 1 year, 3 years or lifetime subscriptions.						
	Connected Teaser Package. Gives a 3 month trial period of the following services; Connected Music and In-car productivity (Microsoft Office 365).						
	*Available on vehicles fitted with 5DN Parking Assistant Plus. **Currently available in London, Birmingham, Glasgow, Leeds, Bristol, Liverpool, Sheffield, Manchester, Edinburgh, Cardiff and Belfast.						
L	I. I		I		l		

Jpi	ional Equipment						
•	=optionally available =standard equipment =not available			G	)5		
/ Option Code	= or	X5 40i xLine	VE 40: M coort	VE 204 41 100	X5.30d M chort	50d	Retail price (incl. VAT at 20%)
ooue		X5 40	VE AC		X530	X5 M50d	Retai (incl.
6F1	Bowers & Wilkins Diamond surround sound system Superior 3D-sound through QuantumLogic Immersion. Dynamic equalising through microphone based feedback with five sound options: Studio, Concert 3D, On-stage 3D, Cinema 3D and Lounge 3D. Subtly illuminated speakers in mirror triangles and doors with grills made from etched stainless steel System consists of: 2x 25mm Diamond Nautilus Tweeters 5x 25mm Aluminium Tweeters 7x 100mm Aluminiumside Kevlar Midrange Speakers 4x 40mm 3D mid-tweeters	C					Only wi
6FH	1,475 watt 20-channel amplifier Rear seat entertainment			о (			£2,345.
orn	Area sear entertainment 2x tiltable independent high definition (1,920 x 1,080) 10.2" touch screens in the rear with a Blu-Ray drive. Operation by remote control and includes separate connection options for smart phones, tablets, MP3 layers, USB devices and headphones (2x USB / HDMI / 2x jack plug). Access to all entertainment sources of the vehicle (TV, radio etc.), display of navigation map with POI search, online portal and telephone. Price includes two sets of wireless headphones which Retailers must order separately. Please ensure two sets of headphones are ordered under part number 65.12.2.457.224.						£2,040.
6NW	Telephony with wireless charging  - Improved nerves-nee capacing for mort passenger by provision or a second microprione Blactooth //W-Fi add is streaming Wi-Fi hotspot preparation. Use of SIM card installed in the vehicle. (Only in combination with option code 6WD) Playback of compressed videos via the USB interface Display of compress and one audio player can be paired via Bluetooth + 4 any given time, - Display of orderate tphotes from the address book of a compatible Smartphone on the Control Display by selecting 'Office' or 'Communication' from the menu Display of address book of a compatible Smartphone on the Control Display Software update for multimedia and telephonry via USB interface. Smartphone holder within the centre console featuring inductive charging for compatible mobile telephones (using QI wireless charging format) and connection to the vehicle's external aerial. Includes LED charge level indicator and forgotten mobile phone warring.			•			ę
	To ensure the Smartphone charges function and connects to the external aerial, the Smartphone must be positioned with its back flat to the charging surface. For Smartphones without an inductive charging function, special charging cases are available to purchase via BMW Parts and Accessories for selected devices. Extended functionality may depend on the features of the Bluetooth / USB device in use. For confirmation, please check the Bluetooth Compatibility Checker on www.bmw.co.uk.						
6WD	WiFi hotspot					•	5
	Enables connection of mobile devices to the internet via the SIM card installed in the vehicle. Depending on the local LTE availability, up to 10 devices can surf the internet with max. 100 Mbit/s. Its use is subject to cost, data plans can be purchased via the mobile network operator when connected to the vehicle.						
6U3	BMW Live Cockpit Professional	•	•	•	•	•	5
	<ul> <li>Display cluster consisting of a fully digital, freely programmable 12.3" instrument display and a high-resolution (1920x1080 pixels) 12.3" Control Display incl. split screen function</li> <li>BMW Operating System 7.0 with variable, configurable widgets that display information in real time.</li> <li>Initiative operation options through natural voice control, direct-delection buttoms: Dive Controliber with trun and press function, touch operation on the Control Display or gesture control.</li> <li>Widgets (e.g. media player with abum cover, whicle status, etc.)</li> <li>Personal user account: enables on injection and authemication of vehicle user with their stored profiles (via key and PIN); all settings related to the respective person (seat, air conditioning, entertainment, etc.) are adopted together with the profile.</li> <li>Vienn avaigation is not active, an orientation map can be shown on the instrument display, when navigation is active, a roadbook with all required instructions is displayed (alternatively, display in the HUD)</li> <li>Navigation function (maivajation data is loaded into the navigation unit when the vehicle is delivered) with image of the current course of the road, arrow pointer, map display north-up, heading-up and perspective view, 3D landmarks, Micro City Models, free-text second for addresses and special destinations, destination, guidance instructions with adv-coord function</li> <li>- Laid drive-supported system including up to 50 GB memory for audio files (34 GB music files and 16 GB Cornected Music); quadruple ture with diversity reception, RDS and TMC</li> <li>- 20 LSB connections for daring smartphones and tablets and transfering data (e.g. meta players). Bluetooth / Wiri interface for wireless connection of mobile terminal devices (e.g. Bluetooth audio streaming) and Wiri hotspot preparation (use of SIM card installed in the vehicle for keeping the customer mobile; intelligent Emergency Call, Teleservices, online services (e.g. ewat</li></ul>						
6U8	Gesture Control Specifically defined functions can be controlled in the detection range above the front centre console using hand gestures:	•		•			5
	<ul> <li>Specifically defined functions can be controlled in the detection range above the ronic define console using rand gestures:</li> <li>Use of simple hand gestures to interact with the infotainment system (e.g., swiping, pointing, turning, pushing). Functions that can be operated by gestures include volume control, accepting and rejecting an incoming telephone call, closing externally triggered pop-ups (e.g., traffic news), speech dialogue, confirmation of Check Control messages, triggering of a personally configured function and Surround View (360°).</li> <li>Destination guidance of the navigation system can be continued and cancelled with gestures such as "pointing" or "swiping".</li> <li>Permanetty available gestures for direct interaction (e.g. volume)</li> <li>Context-specific gestures as a reaction (e.g. rejecting an incoming telephone call)</li> <li>Operating aid through the display of currently available gesture interactions</li> </ul>						

•	~	weakenak i walakia			G0:	5		
Control         Control <t< th=""><th>• - /</th><th>=standard equipment =not available</th><th>ine</th><th>sport</th><th>ine</th><th>sport</th><th></th><th>ce - at 20%)</th></t<>	• - /	=standard equipment =not available	ine	sport	ine	sport		ce - at 20%)
Note:         Control         Control <thc< th=""><th></th><th></th><th>X5 40i xLi</th><th>X5 40i M :</th><th>X5 30d xL</th><th>X5 30d M</th><th>X5 M50d</th><th>Retail price (incl. VAT at 20%)</th></thc<>			X5 40i xLi	X5 40i M :	X5 30d xL	X5 30d M	X5 M50d	Retail price (incl. VAT at 20%)
Instrumental set			0	0	0	0	0	£4
301         Ministance         7         0 <t< td=""><td></td><td>- Thicker side windows in laminated safety glass - Thicker windscreen (5 mm instead of 4.5 mm)</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>		- Thicker side windows in laminated safety glass - Thicker windscreen (5 mm instead of 4.5 mm)						
India of Control	323		0	0	0	0	0	Only
<ul> <li>In the control operations:</li> <li>Control operation:</li> <li>Control operatioperation:</li> <li< td=""><td></td><td>position and locked</td><td></td><td></td><td></td><td></td><td></td><td></td></li<></ul>		position and locked						
Image: Support of the state interacted Y syntal         Image: S	IA2		0	0	0	0	0	£5
A single of the field of the		- Volume control iDrive controller						
IV.         Yane & Control System         0	AW	Intrument panel in Sensatec	•	٠	•	Ŀ	•	
2)       Sign Type C, proceedings the state as a start BMA (account)       2       V								
2: concreations for multi-conclusted in the second multi-concent is and one second multi-concent is and	1FL		0	0	0		0	£1
No.       4-construction in the integrate of headed integrate of								
Process insignation       Process insignation<		Travel & Comfort components will be made available via original BMW Accessories						
<ul> <li>Section adjustment of an exception of the section and indication andication and indication andication and inditation and indicat</li></ul>	NB		0	0	0	0	0	On
NM       Andbeet air       Image: In the Vertice Interest, Intersity of the control can be control der in these stages with Discontrol times outsite bus states but in the 3. Control Display. Two elections of the gover constanteent in each case. Can be control de in these stages with Discontrol times states but in the 3. Control Display. Two elections are the gover constanteent in each case. Can be control de in these stages with Discontrol times states but in the 3. Control Display. Two elections are the gover constanteent in each case. Can be control with BMW accessores. The state but contains two scattes Bus Due to 1. Contain Display the two. 2.       Image: Ima		-Separate adjustment of air volume and air distribution for driver, front passenger and rear passengers - Automatic programme with 5 intensity levels, separate adjustment for driver, front passenger and rear passengers - Separate setting of temperature stratification for driver and front passenger and rear passengers - Separate at conditioning control panel for temperature stratification on some function buttons - Separate at conditioning control panel for temperature spassengers in the rear centre console - SYNC function driver settings apply to the entire vehicle interior - Residual heat utilisation - Automatic air recirculation control (AUC) - Maximum cooling (MAX AC) for driver and front passenger as well as rear passengers - Glove compartment, can be cooled - Foging sensor and solar sensor, microfilter and activated carbon filter - Audiany centralition - Budination control (AUC) - Audiany centralition - Cover passengers in the B-pillars						
al: location: and sources for the vehicle interior: interesting with the sources can be controlled in these stages via Dive controlled on tables. The sources Display, Two sources Display,	M		0	0	0	0	0	On
returnert part and door upper arm timip parteds linkabed in leafter:		Air ionisation and scents for the vehicle interior. Intensity of the scents can be controlled in three stages via iDrive controller or button in the air-conditioning control panel. Image in the Control Display. Two						
returnert part and door upper arm timip parteds linkabed in leafter:	45	DBU be divided in demonstration of divided in testing						
Instrument parel top section and door upper-am time parels in Wakespare Back leader with seam pattern	15					ľ		£1,
Two-part percentic glass not, with electric actuation of glass not and sun protection with floating headliner, front glass panel can be lifted with one-tooch function, plus sliding function and wind deflector.       Image: Comparison of Compa		- Instrument panel top section and door upper-arm trim panels in 'Walknappa' Black leather with seam pattern						
Converient opering and locking with whick less, tops release.       Set Locase down in the province in	7	Sky Lounge panoramic glass sunroof	0	0	0	0	0	£2
- Integrated LED light graphics       - Regrated LED light graphics       - Regrated LED light graphics         - Column filt light setting with limitant drag draphic surfaces in the glass (over 15,000 light points)       - Regrated LED light graphics         - Column filt light setting with limitant drag draphic surfaces in the glass (over 15,000 light points)       - Regrated LED light graphics         - Column filt light setting with the six predefined colurs within the antipering draghtered for the different points       - Regrated LED light graphics         - Column filt light setting within the six predefined colurs within the antipering draghtered for the different points       - Regrated LED light graphics         - Regrated LED light setting within the six predefined colurs within the antipering draghtered for the different points       - Regrated LED light setting within the six predefined colurs within the antipering draghtered for the different points       - Regrated LED light setting within the six predefined colurs within t		Two-part panoramic glass roof, with electric actuation of glass roof and sun protection with floating headliner, front glass panel can be lifted with one-touch function, plus sliding function and wind deflector. Convenient opening and closing with vehicle key, trap release.						
13       Lucasade-compartment separating net       0		Integrated LED light graphics - Colouruhi light setting with illuminated graphic surfaces in the glass (over 15,000 light points)						
<ul> <li>- Can be attached to the attachment points on the roof edge behind the first or second seat row</li> <li>- Each be attached to the attachment points on the roof edge behind the first or second seat row</li> <li>- the pattition ret includes a bet height adjustment for the different positions</li> <li>- Roller sumblind</li> <li>Roller sumblind</li> <li>Roller sumblind</li> <li>Roller sumblind</li> <li>Roller sumblind</li> <li>Roller sumblind</li> <li>Roller sumblind</li> <li>Lucasace compartment package</li> <li>Roller sumblind</li> <li></li></ul>								
- the partition net includes a belt height adjustment for the different positions - Includinon storane has for cartition net in lucase convartment       Image: Convertine the different positions - Includinon storane has for cartition net in lucase convartment       Image: Convertine the different positions - Includinon storane has for cartition net in lucase convartment       Image: Convertine the different positions - Includinon storane has for cartition net in lucase convartment.       Image: Convertine the different positions - Includinon storane has for cartition net in lucase convertine the Flex net       Image: Convertine the different positions - Includinon storane has for cartition net in lace as a anti-slip to help secure cargo when vehicle is in motion. Storane net net field in lucase convertine the Flex net       Image: Convertine the different positions - Includinon uption vulbe - 3rd row seating: Storane net net field in lucase convertinent - Flex net       Image: Convertine the different position with stationary - rails are also anti-slip to help secure cargo when vehicle is in motion. Storane net net field in lucase convertinent - Flex net       Image: Convertine the different position with stationary - rails are also anti-slip to help secure cargo when vehicle is in motion. Storane net net field in lucase convertinent - Flex net       Image: Convertine the different position with stationary - rails are also anti-slip to help secure cargo when vehicle is in motion. Storane net net field in lucase convertinent - Flex net       Image: Convertine the different position with stationary - rails are also anti-slip to help secure cargo when vehicle is in motion. Storane net net field in lucase convertinent - Flex net       Image: Convertine the different position with station with option the secure convertine thelp withows. Reduces heat rise inside the passenger compartment s	13		0	0	0	0	0	£
7       Roller sumblind Roller blind for near side windows, manually operated       0		- the partition net includes a belt height adjustment for the different positions						
Image and the set of the	17		0	0	0	0	0	Or
Electronically adjustable cover for luggage compartment.       Automated sliding rails to assist with loading of cargo whilst stationary - rails are also anti-slip to help secure cargo when vehicle is in motion.       Storage net on left flag in luggage compartment         Flex net       In combination with option '4UB - 3rd row seating':       Storage net on left flag in luggage compartment         Flex net       In combination with option '4UB - 3rd row seating':       Storage net on left flag in luggage compartment         Storage net on left flag in luggage compartment       Performant       Performant       Performant         Parkened glass for ner screen and near side windows. Reduces heat rise inside the passenger compartment when the car is in direct surlight. More strongly tinted glass from the B pillar back means that the glass in the rear compartment absorbs more of the sur's rays.       Performant       Performant <td< td=""><td></td><td>Roller blind for rear side windows, manually operated</td><td></td><td></td><td></td><td></td><td></td><td>ZGM</td></td<>		Roller blind for rear side windows, manually operated						ZGM
Automated sliding rails to assist with loading of cargo whilst stationary - rails are also anti-slip to help secure cargo when vehicle is in motion.       Image: Strate reit on left flag in luqgage compartment         In combination with option '4UB - 3rd row seating':       Strate reit on left flag in luqgage compartment         Flex net       In combination with option '4UB - 3rd row seating':         Strate reit on left flag in luqgage compartment         Flex net       Image: Compartment option '4UB - 3rd row seating':         Strate reit on left flag in luqgage compartment         Flex net       Image: Compartment option '4UB - 3rd row seating':         Strate reit on left flag in luqgage compartment         Flex net       Image: Compartment option '4UB - 3rd row seating':         Strate reit on left flag in luqgage compartment         Part of left flag in luqgage compartment         Part of left flag in luqgage compartment         Part of left flag in luqgage         Part of left flag in luggage         Part	18	Luggage compartment package	0	0	0	0	0	£
In combination with option '4UB - 3rd row seating':         Storage net on left flap in luggage compartment         Flex net         O         Sup protection dazing         Darkened glass for rear screen and rear side windows. Reduces heat rise inside the passenger compartment when the car is in direct sunlight. More strongly tinted glass from the B pillar back means that the glass in the rear compartment absorbs more of the sun's rays.       Image: Colored Cupholder         2       Heated & Cooled Cupholder       Image: Colored Cupholder in the centre console       Image: Col		Automated sliding rails to assist with loading of cargo whilst stationary - rails are also anti-slip to help secure cargo when vehicle is in motion. Storage net on left flag in luggage compartment						
20       Sun protection diazing         Dakened glass for rear screen and rear side windows. Reduces heat rise inside the passenger compartment when the car is in direct surlight. More strongly tinted glass from the B pillar back means that the glass in the rear compartment absorbs more of the surfs rays. <ul> <li>Heated &amp; Cooled Cupholder</li> <li>- Heated and cooled cupholder in the centre console</li> <li>- Can be activated individually by buttors (left and right)</li> <li>- Art conditioning function visualised by ambient light (blue and red)</li> </ul> 75         Headlining, Anthracite <ul> <li>Image: Cooled Cupholder</li> <li>- Can be activated individually by buttors (left and right)</li> <li>- Art conditioning function visualised by ambient light (blue and red)</li> </ul>		In combination with option '4UB - 3rd row seating':	0	0	0	0	0	
<ul> <li>Darkened glass for rear screen and rear side windows. Reduces heat rise inside the passenger compartment when the car is in direct sunlight. More strongly tinted glass from the B pillar back means that the glass in the rear compartment absorbs more of the sun's rays.</li> <li>Heated &amp; Cooled Cupholder         <ul> <li>-Heated and cooled cupholder in the centre console</li> <li>-Can be activated individually by buttors (left and right)</li> <li>-Air conditioning function visualised by ambient light (blue and red)</li> </ul> </li> <li>Headlining, Anthracite</li> </ul>								
<ul> <li>Heated and cooled cupholder in the centre console</li> <li>Can be activated individually by buttors (left and right)</li> <li>Air conditioning function visualised by ambient light (blue and red)</li> <li>Headlining, Anthracite</li> </ul>	:0	Darkened glass for rear screen and rear side windows. Reduces heat rise inside the passenger compartment when the car is in direct sunlight. More strongly tinted glass from the B pillar back means that the	0	0	0	0	0	£
- Heated and cooled cupholder in the centre console - Can be activated individually by buttors (left and right) - Air conditioning function visualised by ambient light (blue and red)  Headlining, Anthracite						L		
Can be activated individually by buttors (left and right)     Air conditioning function visualised by ambient light (blue and red)     Headlining, Anthracite	2	- Heated and cooled cupholder in the centre console	0		0		0	Or ZGM
		- Can be activated individually by buttons (left and right)						
	5		0	•	0	•	•	2
Headlining, parcel shelf, pillar trims and sun visors in anthracite		Headlining, parcel shelf, pillar trims and sun visors in anthracite						

Ορί	tional Equipment						
				G05			
• • ·	=optionally available =standard equipment =not available = or	Q	oort	ne	port		a at 20%)
Option Code		X5 40i xLine	X5 40i M sport	X5 30d xLine	X5 30d M sport	X5 M50d	Retail price (incl. VAT at 20%)
Alloy Wh		×			×	×	
258	Run-flat tyres Run-flat tyres available and included with select alloy wheels. Please refer to the alloy wheel section below.	0	0	0		-	£0.00
2PA	Where a customer opts for an alloy wheel without run-flat tyres they will receive 2VC Tyre repair kit instead. Locking wheel bolts	•	•	•	•	•	Std
2VB	Tyre pressure monitoring	•	•	•	•	•	Std
2VC	Tyre repair kit	0	0	0	0	•	£0.00
	Tyre repair kit available and included with select alloy wheels where 258 Run-flat tyres are not included. Please refer to the alloy wheel section below. Tyre sealant bottle. Electronically operated 12V compressor (for connection to 12V socket).			_			
	19" light alloy wheels V-spoke style 735         9 J × 19 / tyres 265/50 R 19	•	-	•	-	-	20.00
1TC	20" M light alloy wheels Star-spoke style 740 M Bicolour with mixed tyres and runflat tyres Front: 9 J x 20 / tyres 275/45 R20 Rear: 10.5 J x 20 / tyres 305/40 R20	-	•	-	•	-	20.00
1SE	20" light alloy wheels V-spoke style 738 Bicolour with mixed tyres and runflat tyres Front: 9 J × 20 / tyres 275/45 R 20 Rear: 10.5 J × 20 / tyres 305/40 R 20	0	-	0	-	-	£1.575.00
1XN	21" M light alloy wheels Y-spoke style 741 M Bicolour with mixed tyres and runflat tyres Front: 9,5 J x 21 / tyres 275/40 R21 Rear: 10,5 J x 21 / tyres 315/35 R21	-	0	-	0	-	£1.350.00
1XD	21" light alloy wheels Y-spoke style 744 Bicolour with mixed tyres and runflat tyres Front: 9,5 J x 21 / tyres 275/40 R21 Rear: 10,5 J x 21 / tyres 315/35 R21	0	-	0	-	-	£2.475.00
1SM	22" M light alloy wheels V-spoke style 747 M Bicolour with mixed tyres Front: 9.5 J × 22 / tyres 275/35 R 22 Rear: 10.5 J × 22 / tyres 315/30 R 22	-	-	-	-	•	£0.00
1PA	22" M light alloy wheels Double-spoke style 742 M Bicolour with mixed tyres	-	0		0	-	£1,995.00 £0.00
	Front: 9.5 J × 22 / tyres 275/35 R 22 Rear: 10.5 J × 22 / tyres 315/30 R 22	-	-	-	-	0	
1S9	In combination with ZMS M Sport Plus package 22" BMW Individual light alloy wheels V-spoke style 746 I with mixed tyres	-	- 0	0	0 - 0	-	£645.00 £3,250.00 £2,250.00
	Front: 9.5 J × 22 / tyres 275/35 R 22 Rear: 10.5 J × 22 / tyres 315/30 R 22	-	-	-	-	-	£2,250.00 £250.00
	In combination with ZMS M Sport Plus package	-	0	-	0	-	£900.00