

MINI Countryman - 2025 MY US (U25)		
	Countryman S ALL4	JCW Countryman ALL4
BASIC DATA SUMMARY		
Transmission type	DCT automatic - Getrag	DCT Sport automatic - Getrag
Engine description	B48A2002	B48A20T2
Seats	5	5
Vehicle configuration/class	5-door SUV	5-door SUV
Drivetrain	All-wheel drive	All-wheel drive
Gearbox		
ICE main gearbox - type	DCT automatic - Getrag	DCT Sport automatic - Getrag
ICE main gearbox - number of gears	7	7
Axle drive front axle - ratio	1	1
ICE AWD transfer case - ratio	0.576	0.576
Axle drive rear axle - ratio	1.737	1.737
Total internal ratios gearbox - 1st	16.991	16.991
Total internal ratios gearbox - 2nd	9.965	10.588
Total internal ratios gearbox - 3rd	6.236	7.076
Total internal ratios gearbox - 4th	4.276	4.91
Total internal ratios gearbox - 5th	3.397	4.001
Total internal ratios gearbox - 6th	2.654	3.273
Total internal ratios gearbox - 7th	2.157	2.522
Total internal ratios gearbox - R	15.363	16.323
Engine Data - Internal Combustion		
ICE - maximum rpm	6500	6500
ICE - rated power - SAE hp	241 @ 4500 rpm	312 @ 5750 rpm
Engine torque - ft-lbs	295 @ 1500 rpm	295 @ 2000 rpm
ICE - valves per cylinder	4	4
Emission classification (type-certified)	SULEV30	ULEV 50
ICE - rpm(s) to rated torque, 1/min	1500 - 4000	2000 - 4500
ICE - rpm(s) to rated power, 1/min	4500 - 6500	5750 - 6500
ICE - engine code	B48A2002	B48A20T2
ICE - fuel type	Gasoline	Gasoline
ICE - gasoline octane number power rating	AKI 93	AKI 93
ICE - gasoline octane number minimum	AKI 87	AKI 87
ICE - gasoline octane number recommended	AKI 91	AKI 91
ICE - gasoline max. ethanol share	E15	E15
ICE - cylinders	4	4
ICE - compression ratio x:1	10.5	9.5
ICE - displacement, cm ³	1998	1998
ICE - stroke, mm	94.6	94.6
ICE - bore, mm	82	82
ICE - bore - inch	3.23	3.23
ICE - stroke - inch	3.72	3.72
ICE - displacement - inch ³	121.93	121.93
Interior		
Total number seats	5	5
Front row seating	2	2

Second row seating	3	3
Head room 1st seat row with sunroof, mm	1034	1034
Head room 1st seat row with sunroof, inch	40.7	40.7
Head room 2nd seat row with sunroof, mm	960	960
Head room 2nd seat row with sunroof, inch	37.8	37.8
Shoulder room 1st seat row, mm	1416	1416
Shoulder room 1st seat row, inch	55.7	55.7
Shoulder room 2nd seat row, mm	1392	1392
Shoulder room 2nd seat row, inch	54.8	54.8
Leg room 1st seat row, mm	1026	1026
Leg room 1st seat row, inch	40.4	40.4
Leg room 2nd seat row, mm	941	941
Leg room 2nd seat row, inch	37	37
Knee clearance 2nd seat row, mm	63	63
Elbow width 1st seat row, mm	1459	1459
Elbow width 2nd seat row, mm	1430	1430
Luggage volume ft ³ (rear seats up/down)	24.98 - 56.18	24.98 - 56.18
Offroad data		
Ground clearance @ curb weight, mm	203	202
Ground clearance @ curb weight, inch	8	8
Ground clearance front axle @ curb weight, mm	203	202
Ground clearance rear axle @ curb weight, mm	230	228
Departure angle @ curb weight (A106-2 OTD) °	25.5	25
Approach angle @ curb weight (A106-1 OTD) °	18.5	18.7
Ramp angle @ curb weight (A147 OTD) °	20.2	20
Exterior		
Minimum turning circle, m	11.6	11.8
Minimum turning clearance circle, ft	38.1	38.7
Vehicle height, mm	1657	1655
Vehicle height, inch	65.2	65.2
Vehicle width, mm	1843	1843
Vehicle width, inch	72.6	72.6
Vehicle width at side mirrors, mm	2069	2069
Vehicle width at side mirrors, inch	81.5	81.5
Wheelbase, mm	2692	2692
Wheelbase, inch	106	106
Vehicle length, mm	4444	4447
Width at driver's mirror, mm	1041	1041
Width at passenger's mirror, mm	1028	1028
Overhang rear, mm	884	884
Overhang rear, inch	34.8	34.8
Overhang front, mm	868	871
Overhang front, inch	34.2	34.3
Performance		
Top speed - mph	130/150	130/155
0-60 mph, s	6.2	5.2
Wheel/Tires/Track		
Standard tires (AS, non-RF)	225/55 R18 AS	245/45 R19 AS
Standard rims	7.5X18	8X19
track rear (inch), inch	62	62.5
track front (inch), inch	62	62.4

Steering		
Power-steering	EPS	EPS
Steering transmission, overall, x:1	13.5	13.5
Trailer towing		
trailer tongue weight, kg	158	N/A
trailer towing capacity unbraked, kg	750	N/A
trailer towing capscity braked 12% category I and II, kg	1587	N/A
gross vehicle wieght with trailer 12% category I and II, kg	3832	N/A
Vehicle weights - US		
vehicle curb weight US - lbs	3777	3836
GAWR - rear axle - lbs	2624	2590
GVWR - lbs	4949	4960
GAWR - front axle - lbs	2524	2546
Payload - lbs	1100	1089
Max roof load - lbs	165	165
Fuel Tank		
Fuel tank capacity US (gallons)	14.3	14.3
MINI USA Corporate Communications, 2024 www.miniusanew.com		