



BMW Motorrad



BMW R nineT

A motorcycle for the true rider. The BMW R nineT displays a casually cool look which, in spite of all the details, makes it unmistakably a member of the BMW family. And aspects such as riding dynamics, design and sound lay the foundation for a unique and authentic classic roadster.

TECHNICAL DATA

- **Type:** Air/oil-cooled flat twin ("Boxer") 4-stroke engine, two camshafts and four radially aligned valves per cylinder, central counter balancer shaft
- **Capacity:** 1,170 cc
- **Rated Output:** 81 kW (110 hp) at 7,750 rpm
- **Max. Torque:** 116 Nm at 6,000 rpm
- **Max. Speed:** Over 200 km/h
- **Weight:** 222 kg (Unladen weight, road ready, fully fuelled)
- **Seat Height:** 805 mm
- **Inner Leg Curve:** 1,795 mm
- **Usable Tank Volume:** 18 ltr.
- **Reserve:** Approx. 3 ltr.
- **Wheel Base:** 1,487 mm
- **Wheels:** Spoke Wheels
- **Tyre, Front:** 120/70 ZR 17"
- **Tyre, Rear:** 180/55 ZR 17"



BMW Motorrad

DESCRIPTION

STANDARD

RUNNING GEAR

BMW Motorrad ABS, BMW Motorrad Paralever, Twin Disk Front Brake, Single Disk Rear Brake, Hydraulic Rear Spring Preload Adjuster, Handlebar Conical Aluminium, Side Stand with Starter Inhibit, Spoke Wheels, Upside Down Fork, Front Wheel Location with Fork Stabilizer, Continuously Adjustable Rear Rebound Damping

✓

ELECTRICS

Turn Indicator Smoked Glass, Electronic Immobiliser, Low-Beam Headlamp Height Adjustment, LED Taillight, Single Wire System (CAN-Bus), Power Socket, Speedometer and Revolution Counter, Hazard Warning Flasher, LED Turn Indicator-White

✓

EQUIPMENT

On-Board Computer, On-Board Literature, Toolkit, One-Key System for Ignition, Steering, Fuel Filler Cap and Dual-Seat Locks, Handbrake Lever and Clutch Lever Adjustable, Chrome-Plated Header, Two-Section Dual-Seat

✓

SPECIAL FEATURE

Carbon Filter

✓

Price (Ex-showroom)

17,45,000



BMW R nineT
Black Storm Metallic

Optional Equipment: Aluminium Fuel Tank 1 (with Sanded Weave Weld), Automatic Stability Control (ASC), Aluminium Fuel Tank 2 (with Visible Weave Weld).

**MAKE
LIFE A
RIDE.**

Disclaimer: Subject to change in design and equipment. Subject to error. The motorcycles displayed herein may contain optional equipment. This will only be explicitly indicated where pictures of motorcycle show optional equipment.

The new BMW R nineT and R nineT Urban G/S. Table of contents.



Kindly note that this is an international product press kit. For Indian specifications, please refer to the specification sheet.

1. Overall concept. (Short version)	2
2. Technology.	6
3. Design and colour concept.	10
4. Equipment program.	14
5. Engine output and torque.	16
6. Technical specifications.	17

1. Overall concept. (Short version)



The new R nineT and R nineT Urban G/S: refined roadster with boutique manufacturing character and boxer feeling in a classic enduro outfit.

When BMW Motorrad launched the R nineT in 2013, it was clearly more than just a roadster based on a classic role model. From the outset, the R nineT combined classic motorcycle design and modern technology with sophisticated craftsmanship, as demonstrated by the aluminium fuel tank with brushed side surfaces, for example. In numerous components, the model also reflected the R nineT team's fond attention to detail. The new R nineT likewise radiates this boutique manufacturing character, supported by a range of optimised features.

The new R nineT Urban G/S is quite different in style but equally classic in character. For more than 35 years, the abbreviation GS in conjunction with BMW Motorrad is been virtually synonymous with a sense of freedom and the passion for adventure on two wheels, both on-road and off-road. The R nineT Urban G/S draws on the genes of the very first and legendary BMW R 80 G/S of the year 1980, transporting them into the modern era with contemporary technology in the form of a classic enduro-style BMW motorcycle with boxer engine.

Both of the new BMW Heritage models feature the potent, air/oil-cooled boxer engine with a capacity of 1 170 cc and an output of 81 kW (110 hp) combined with a 6-speed gearbox. The two variants are both designed to meet the requirements of the EU4 pollutant class. Their exhaust systems in stainless steel with the tailpipe positioned on the left reflects classic styling.

Modular frame concepts with individual scope for customising.

Modular frame concepts provide great scope for altering the appearance and character of the two BMW boxer models according to individual preference, for example by adding different seats from the range of BMW Motorrad accessories. In the R nineT, the frame comprises four components as before: a front main frame, a rear main frame, a removable end piece and a detachable passenger frame. In the R nineT Urban G/S the frame consists of three components: a front and rear main frame with integrated end piece and a passenger frame.

R nineT now with fully adjustable upside-down fork and optimised suspension geometry. R nineT Urban G/S with suspension in enduro style.

As before, a high-quality upside-down telescopic fork takes care of front wheel control in the new R nineT, though this is now designed as a fully adjustable component. With a view to even greater steering precision, directional stability and cornering neutrality, the new edition of the R nineT has also been optimised in terms of suspension geometry. In the R nineT Urban G/S there is a conventional telescopic fork at the front while the BMW Paralever is applied in conjunction with a central spring strut at the rear, as in the R nineT.

The R nineT now has wired-spoke wheels in the dimensions 3.5 x 17 inches and 5.5 x 17 inches respectively, with tyres in the sizes 120/70 ZR 17 at the front and 180/55 ZR 17. As before, radially mounted 4-piston monoblock brake calipers ensure sound, ABS-regulated deceleration in conjunction with floating brake discs.

The R nineT Urban G/S is supplied with light alloy cast wheels. The large 19-inch front wheel with 120/70 ZR 19 tyre is in keeping with the typical enduro-style look of a classic bike. This is matched perfectly at the rear with a 17-inch wheel bearing a 170/60 ZR 17 tyre. The new BMW boxer can be ordered ex works with the optional extra of deep-treaded off-road tyres which further enhances its classic style (standard trim: road tyres) and also with filigree wired-spoke wheels. With 4-piston brake calipers, steel-wrapped brake lines and a brake disc diameter of 320 millimetres, a high-performance ABS brake system here again ensures effective and stable deceleration. In order to prevent the rear wheel from spinning on slippery roads, there is the option of ASC (Automatic Stability Control) which is available ex works.

The new R nineT: purist roadster with boutique manufacturing character and the option of individual colours ex works.

In its new edition, the R nineT once more features the laid-back elegance and proportions of a classic BMW roadster. From all angles, the R nineT is defined by a blend of classic and modern elements of motorcycle design style combined with high-quality surfaces.

While the instrument cluster of the R nineT previously comprised two circular instruments for speedometer and engine speed display, perfectly integrated in the classic layout, the new design now features two separate instrument casings for an even more impressive appearance.

Nothing has changed in the new edition of the R nineT in terms of its boutique manufacturing character and there are numerous details which fans will love: these include the 18-litre aluminium fuel tank with elaborately brushed side surfaces, the aluminium trim panel featuring an embossed R nineT inscription which runs across the air intake duct on the right-hand side and much more besides.

While the R nineT conveyed its classic character in virtually perfect style with Blackstorm metallic combined with silver and metallic contrasts, the new R nineT nonetheless manages to go one better in this regard: to match the black-coated components such as the frame and engine housing, the Paralever swinging arm and the housing of the rear-wheel drive are now also finished in black.

For the first time, two individual paint finishes with boutique manufacturing character are available for the R nineT ex works as optional equipment items. In this way, BMW Motorrad has expanded the customising range to include the area of paintwork for the first time. The special paint finish “Blackstorm metallic / Vintage” underscores the boutique manufacturing character of the aluminium fuel tank in Blackstorm metallic / silver with a yellow application bearing the start number “21”. The latter is applied by hand and gives the bike a refined used look. The model is supplied with an aluminium hump seat and passenger pad.

The second special paint finish “Blueplanet metallic / Aluminium” emphasises the classically refined character of the R nineT with a touch of fresh style. Based on the clear-finished aluminium fuel tank with ground weld seam and aluminium hump seat – both hand-brushed – the centre section of the fuel tank and hump are finished in Blueplanet metallic with a golden surround. The colour Blueplanet metallic is also to be found on the front mudguard.

R nineT Urban G/S: traditional colouring and styling in the style of the first BMW R 80 G/S.

A look at the R nineT Urban G/S reveals it to be the spitting image of its ancestor, and it even reproduces the latter’s colour concept virtually without alteration. Just like more than 35 years ago, the fuel tank and the high-positioned front mudguard are finished in striking Lightwhite non-metallic, with a matching headlamp mask whose styling is geared entirely towards the BMW G/S style of that era. As before, the R nineT Urban G/S features fuel tank decor in two tones of blue and a two-man seat in bright red – a colour combination that interprets the BMW Motorsport colours of former years. This echoing of past times is supported by a frame finished in black.

Harmoniously matching the headlamp mask, the instrument cluster consists of a speedometer designed as an analog circular instrument, indicator lamps and a two-line LCD screen. High-end details also characterise the R nineT Urban G/S. These include the numerous aluminium forged parts such as fork bridges, the clamp for the aluminium double-buttet tubular handlebars and much more besides.

One interesting detail solution in terms of creating a classic enduro look is the dual-section front mudguard. The front splash guard is attached to the lower fork bridge, thereby skilfully conveying a sense of classic enduro style. The rear splash guard is mounted just above the front wheel in conjunction with a fork stabiliser.

The highlights of the new BMW R nineT and R nineT Urban G/S:

- Potent flat-twin boxer engine with a capacity of 1 170 cc and an output of 81 kW (110 hp) that meets EU4 requirements.
- Modular frame concepts with scope for customising, allowing individualisation according to personal taste.
- R nineT with new wired-spoke wheels.
- R nineT Urban G/S with light alloy cast wheels and 19-inch front wheel in enduro style.
- 320-millimetre twin disc brake at the front.
- ABS as standard.
- ASC (Automatic Stability Control) as an ex works option.
- 2-in-1 exhaust system.
- High-end details such as fork bridges made of forged aluminium with a clear anodised finish.
- R nineT in classic roadster design in Blackstorm metallic in conjunction with a black frame and drivetrain.
- R nineT Urban G/S in the enduro style of the first R 80 G/S dating back to the year 1980.
- R nineT Urban G/S in Lightwhite non-metallic combined with fuel tank decor in two blue tones with a bright red seat – echoing BMW Motorsport colours of past years.

2. Technology.



Distinctive, air-cooled boxer engine for classic motorcycle enjoyment and dynamic riding fun.

The longitudinally mounted 2-cylinder boxer engine with power transmission via universal-shaft drive has been synonymous with BMW motorcycles for more than 90 years. Like no other motorcycle engine, the air-cooled BMW Motorrad boxer power unit enthral riders with its unmistakable and authentic design, its powerful torque and its unique, throaty sound.

The BMW R nineT and the R nineT Urban G/Se both feature the familiar air/oil-cooled boxer engine with 101-millimetre bore and 73-millimetre stroke, creating a capacity of 1 170 cc. Its peak output is 81 kW (110 hp) at 7 750 rpm and the maximum torque of 116 Nm goes on stream at 6 000 rpm, with a maximum engine speed of 8 500 rpm.

Both new models of the BMW Motorrad Heritage world of experience have been designed to meet the requirements of the EU4 pollutant class. This involved fitting the motorcycles with such features as a new engine mapping, a fuel system with carbon canister for fuel tank ventilation and an exhaust system with an altered catalytic converter that has a larger cross-section.

Control of the four valves is via two overhead chain-driven camshafts (DOHC) per cylinder. Valve activation is taken care of by very light and therefore speed-resistant rocker arms, and valve clearance compensation is by means of light hemispherical shims. Power transmission to the rear wheel is via the well-established 6-speed gearbox and the universal-shaft drive.

Individually designed exhaust systems for a powerful boxer sound and an authentic look.

The exhaust systems in stainless steel, each with rear silencer on the left-hand side, likewise contribute to creating a classic BMW with air-cooled boxer engine in the roadster and enduro style respectively. While the new R nineT interprets the concept of a classic, sporty roadster with rear silencers arranged vertically, the snugly fitting rear silencer of the R nineT Urban G/S reflects the philosophy of the original GS as a masterly, authentic variation on the BMW boxer theme for light off-road use.

The exhaust system has an electric servomotor and an acoustic valve controlled by opening and closing cables so as to meet the desire for a sonorous boxer sound while still complying with the noise emissions directive ECE R41-04. What is more, a large-size catalytic converter ensures even more effective exhaust gas cleaning.

The range of Original BMW Motorrad Accessories also gives customers various individualisation exhaust system options so as to be able to adapt the character of the two R nineT Heritage variants entirely according to personal taste.

Modular frame concepts with wide-ranging variation options.

The new R nineT and R nineT Urban G/S also respond to the desire on the part of many motorcycle fans to be able to make technical and visual modifications – commonly known as customising – by providing a steel tubular space frame concept.

In the R nineT the latter comprises four components as before: a front main frame, a rear main frame, a removable end piece and a detachable passenger frame. In the R nineT Urban G/S the frame consists of three components: a front and rear main frame with integrated end piece and a passenger frame. The frame components are bolted onto one another.

R nineT now with optimised suspension geometry and fully adjustable upside-down telescopic fork.

With a view to even greater steering precision, directional stability and cornering neutrality, the new edition of the R nineT has also been optimised in terms of suspension geometry. The wheelbase is now 8 millimetres longer at 1 487 millimetres and the steering head angle has been reduced from 64.5 degrees to 63.2 degrees. This also brings about an extension of the castor from 102.5 to 107.9 millimetres.

As before, front wheel suspension is taken care of in the new R nineT by a high-quality upside-down telescopic fork borrowed from the supersports model S 1000 RR, but it has now been designed as a fully adjustable component with configurable damping compression and rebound stage as well as an adjustable spring rest, thereby enabling the suspension set-up to be geared even more precisely to the rider's individual preferences. The spring travel is 120 millimetres.

R nineT Urban G/S with classic telescopic fork and gaiters.

In keeping with the style of a classic enduro bike, a conventionally structured telescopic fork with a tube diameter of 43 millimetres and a spring travel of

125 millimetres performs the function of front wheel control in the R nineT Urban G/S. As was common in enduro models in the past, classic rubber gaiters protect the exposed, sensitive slide areas of the fork tubes from stone impact.

Well-proven rear suspension by means of Paralever.

The functions of rear wheel control in the new representatives of the BMW Motorrad Heritage world of experience are performed in well-proven fashion by the Paralever single-sided swinging arm, as is also used in the other BMW Motorrad Heritage models. Suspension and damping functions are taken care of by a central spring strut with a spring finished in white in each case. The spring rest is adjustable and rebound-stage damping can be set to continuously variable levels. In the new R nineT the spring travel is 120 millimetres, in the R nineT Urban G/S it is 140 millimetres with a view to possible use in light terrain.

R nineT with new wired-spoke wheels as well as new handbrake and clutch controls.

As was previously the case, contemporary wired-spoke wheels rekindle the flair of bygone days in the new R nineT. It features redesigned wheels with black anodised light alloy flat shoulder rims, cast aluminium hubs, stainless steel spokes and tubed tyres. The wheel dimensions are 3.5 x 17 inches and 5.5 x 17 inches respectively. The tyre size at the front is 120/70 ZR, while on the back of the R nineT a tyre of the size 180/55 ZR 17 is mounted.

Sound deceleration is taken care of as before by radially mounted 4-piston monoblock brake calipers in conjunction with steel-wrapped brake lines and floating brake discs with a diameter of 320 millimetres. However, for use in the R nineT they have been combined with a new main brake cylinder. As part of this alteration, the manual clutch cylinder for activating the clutch has also been changed. At the rear, deceleration is ensured by a single-disc brake with a diameter of 265 millimetres and a 2-piston floating caliper. Like all BMW motorcycles, the new R nineT is fitted with BMW Motorrad ABS as standard, and the option ASC (Automatic Stability Control) is now also available as an ex works option.

R nineT Urban G/S with light alloy cast wheels and coarsely toothed footrests for a rustic enduro style.

The R nineT Urban G/S is supplied with light alloy cast wheels. The large 19-inch front wheel with 120/70 ZR 19 tyre is in keeping with the typical look of a classic bike in enduro style. This is matched perfectly at the rear with a 17-inch wheel bearing a tyre of the size 170/60 ZR 17. The new BMW boxer can be ordered ex works with the optional extra of deep-treaded off-road tyres

which further enhances its classic style (standard trim: road tyres) and with filigree wired-spoke wheels.

The footrest system highlights the bike's rustic character. Coarsely toothed steel footrests provide stable, secure support in all conditions. The technical counterpart to the impressive contemporary riding dynamics of the new R nineT Urban G/S is a twin disc brake. With 4-piston brake calipers, steel-wrapped brake lines and a brake disc diameter of 320 millimetres, it ensures high-performance and stable deceleration even when travelling at speed. At the rear there is a single-disc brake with a diameter of 265 millimetres and a 2-piston floating caliper. The R nineT Urban G/S is likewise fitted as standard with the BMW Motorrad ABS. This R nineT variant also offers the option of ASC (Automatic Stability Control) ex works so as to prevent the rear wheel from spinning on slippery roads.

3. Design and colour concept.



The new R nineT: purist roadster with boutique manufacturing character.

In the new edition, the R nineT once more features the laid-back elegance and proportions of a classic BMW roadster with its hallmark boxer engine, compact aluminium fuel tank with brushed side surfaces and a slim rear. And regardless of which variations the customer selects from the BMW Motorrad range of accessories – the R nineT always cuts a fine figure, whether with raised or lowered exhaust system, sporty aluminium hump or two-man seat.

The deliberate reduction of the styling to the essential design elements of a classic motorcycle ensures that the new R nineT also stylishly expresses its character with a small number of carefully created components. From all angles, the R nineT continues to be defined by a blend of classic and modern elements of motorcycle design style combined with high-quality surfaces.

Front section with newly designed circular instruments.

The new R nineT also acquires a rustic expression of dynamic performance and supremacy from the classic circular instrument combined with the gold anodised tubes of the upside-down fork. While the instrument cluster previously comprised two circular instruments for speedometer and engine speed display, aesthetically integrated in this classic layout, the new design now features two separate instrument casings for an even more impressive appearance.

In their simplicity, they entirely follow classic principles while still making use of modern technology. For example the R nineT also has an on-board computer as standard which provides a large and clear display on a segmented screen that shows the most important information such as time, active gear, remaining range, trip distance, service interval and average speed and fuel consumption.

Attention to detail packaged in classic colours – optionally now also available with an individual paint finish ex works.

As the founder of the BMW Motorrad Heritage world of experience, the R nineT made a striking impression from the outset with its exceptionally high standard of craftsmanship and its boutique manufacturing character. Nothing has changed in this regard in the new edition of the R nineT, so there are

numerous details which fans will love: these include the 18-litre aluminium fuel tank with elaborately brushed side surfaces, the aluminium trim panel featuring an embossed R nineT inscription which runs across the air intake duct on the right-hand side and the fork bridges with conically tapered screw bosses.

The latter – like the conically shaped mount for the steering damper and the footrest system – are aluminium forged parts with a blasted and subsequently clear anodised surface. The clamp for the double-buttet aluminium tubular handlebars, also made of aluminium, bears the embossed BMW Motorrad inscription, and on the steering head the riveted type plate reminiscent of historical BMW motorcycles reflects the R nineT team's fond attention to detail.

While the R nineT previously conveyed its classic character in virtually perfect style with Blackstorm metallic combined with silver and metallic contrasts, the new R nineT nonetheless manages to go one better in this regard: to match components such as the frame and engine housing, which are painted black as before, the Paralever swinging arm and the housing of the rear-wheel drive are now also finished in black. This creates an even more authentic, classic appearance for the R nineT.

For the first time, two individual paint finishes with boutique manufacturing character are available for the R nineT ex works as optional equipment items. In this way, BMW Motorrad has expanded the customising range to include the area of paintwork for the first time. The special paint finish “Blackstorm metallic / Vintage” makes every R nineT a unique specimen. The boutique manufacturing character of the aluminium fuel tank in Blackstorm metallic with hand-brushed side surfaces in clear gloss finish is reinforced with a yellow application bearing the start number “21”. The manually applied individual brushing gives this application a refined used look. The aluminium hump seat matching this special paint finish is included, and the passenger pad is supplied as standard.

The second special paint finish available for selection is the individual design “Blueplanet metallic / Aluminium”. This colour variant is based on the hand-brushed and clear finished aluminium fuel tank with ground weld seam and the likewise hand-brushed aluminium hump seat. The centre section of the fuel tank and hump seat are additionally finished in the colour Blueplanet metallic with a golden surround. Correspondingly, the front mudguard also features a finish in Blueplanet metallic. This colour scheme underscores the classic, refined character of the R nineT with a touch of fresh style. Here again, the passenger pad is supplied as standard.

The R nineT Urban G/S: echoing the original, classic enduro feeling of a bygone era.

BMW GS – a concept that has been an integral part of the motorcycling world for more than 35 years and has long come to be synonymous with a sense of freedom and the desire for adventure among both on-road and off-road fans on two wheels. The unparalleled career of BMW GS began in 1980 with the launch of the R 80 G/S.

At the time it was not only the first large-series enduro with two cylinders, it also established itself as the first serial-production BMW with a single-sided rear swinging arm, the so-called BMW Monolever, later leading to the development of the BMW Paralever.

The hallmark features of the 50 hp founder of the universal category of travel enduro bikes included its technical conception as being suitable for off-road riding but also its colour scheme. White was drawn from the palette of BMW Motorsport colours at the time, while the seat was finished in a striking bright red.

The R nineT Urban G/S revives the traditional colour concept of the first R 80 G/S.

A look at the R nineT Urban G/S reveals it to be the spitting image of its ancestor, and it reproduces the latter's colour concept virtually without alteration. Just like more than 35 years ago, the fuel tank and the high-positioned front mudguard are finished in striking Lightwhite non-metallic, with a matching headlamp mask whose styling is geared entirely towards the BMW G/S style of that era.

Like its role model, the R nineT Urban G/S features fuel tank decor in two tones of blue and a two-man seat in bright red – a colour combination that interprets the BMW Motorsport colours of former years. This echoing of past times is supported by a frame finished in black. The light alloy cast wheels and drivetrain are likewise finished in black.

Slim, wiry and perfect for relaxed gliding along country roads or for light off-road excursions.

With its narrow front silhouette combined with the classic circular headlamp and the headlamp mask, the R nineT Urban G/S has a look of agility, dynamic performance and supreme riding on many terrain types. Its wiry appearance is further reinforced by the narrow 19-inch front wheel and the light impression of the rear section.

Harmoniously matching the headlamp mask, the instrument cluster consists of a speedometer designed as an analog circular instrument, indicator lamps and a two-line LCD screen which displays the most important information such as time and trip distance.

Harmoniously created, high-end details in the R nineT Urban G/S, too.

Like all models of the BMW Motorrad Heritage world of experience, the R nineT Urban G/S also benefits from harmoniously integrated and stylistically authentic details. Aluminium forged parts such as the fork bridges, the mount for the steering damper and the clamp for the double-buttet aluminium tubular handlebars with embossed BMW Motorrad inscription convey a high degree of high-end quality, for example.

The dual-section front mudguard features another interesting detail solution. The front splash guard is mounted on the lower fork bridge and therefore high above the front wheel, thereby skilfully highlighting the classic BMW enduro style of the R nineT Urban G/S. The rear splash guard is mounted just above the front wheel and bolted to the slider tubes via a fork stabiliser.

4. Equipment program.



BMW optional equipment and Original BMW Motorrad Accessories for wide-ranging customisation.

An extensive BMW Motorrad program is available to individualise the R nineT and R nineT Urban G/S.

BMW optional extras are supplied directly ex works and are integrated in the production process. Original BMW Accessories are installed by the BMW Motorrad dealer or by customers themselves. These are features which can be retrofitted, too.

BMW optional equipment.


- Cross-spoke wheels (R nineT Urban G/S only).
- Automatic Stability Control ASC.
- Heated grips.
- LED turn indicators.
- Hand-brushed aluminium fuel tank with ground/visible weld seam.
- Chrome-plated manifold (R nineT Urban G/S only).
- Alarm system.
- Exclusive to the R nineT:
 - Special paint finish Blackstorm metallic / Vintage.
 - Special paint finish Blueplanet metallic / Aluminium.

Original BMW Motorrad Accessories.

- Air filter housing cover right/left in hand-brushed aluminium.
- Radiator trim right/left in hand-brushed aluminium.
- Aluminium fuel tank, hand-brushed with ground or visible weld seam.
- Knee pads for fuel tank side surfaces.
- Hump cover, aluminium or hand-brushed aluminium (R nineT only).
- Back pad for hump cover (cover fabric as for R nineT seat or Alcantara).
- Single seat, red or brown with luggage carrier (R nineT Urban G/S only).
- Seat, low (R nineT Urban G/S only).
- R nineT rider seat (R nineT Urban G/S only).
- Comfort passenger seat with grab straps.
- Custom rider seat.
- Aluminium handlebar end piece (R nineT Urban G/S only).
- Barrel-type instrument cluster, chrome matt.
- Protective grille for headlamp (not for use on public roads).

- Windshield in hand-brushed aluminium (R nineT only).
- Scrambler windshield (R nineT only).
- Ignition lock cover in Granite Grey.
- HP Carbon parts: ignition lock cover, intake snorkel cover, throttle body cover, front wheel cover (R nineT only), hump cover (R nineT only), belt cover, cylinder head covers.
- HP sports silencer.
- R nineT rear silencer (for the R nineT Urban G/S).
- Chrome-plated manifold (R nineT Urban G/S only).
- Cylinder head covers in 2V style.
- Cylinder head covers, black, silver or chrome-plated.
- Cylinder head covers, aluminium or plastic.
- Crash bar.
- Hand protector left/right (R nineT Urban G/S only).
- High End steering damper (adjustable).
- Stub handlebars with fork clamp (R nineT only).
- Mechanically processed parts: footrest system (adjustable), passenger footrests, hand lever, belt cover, cylinder head covers, oil filler cap, swinging-arm pivot mount cover, headlamp cover, handlebar end cover, rear axle cover, rear axle bearing cover.
- Tank rucksack and rear bag with attachment.
- Saddle bags on passenger seat.
- Alarm system.
- Classic emblem (R nineT Urban G/S only).

5. Engine output and torque. The new BMW R nineT and R nineT Urban G/S.



6. Technical specifications. The new R nineT.



BMW R nineT		
Engine		
Capacity	cc	1 170
Bore/stroke	mm	101/73
Output	kW/hp	81/110
at engine speed	rpm	7 750
Torque	Nm	116
at engine speed	rpm	6 000
Type	Air/oil-cooled 2-cylinder boxer engine	
No. of cylinders	2	
Compression/fuel	12.0:1 / premium unleaded (95-98 RON)	
Valve/accelerator actuation	DOHC	
Valves per cylinder	4	
Ø intake/outlet	mm	39/33
Ø throttle valves	mm	50
Engine control	BMS-MP	
Emission control	Closed-loop 3-way catalytic converter	
Electrical system		
Alternator	W	720
Battery	V/Ah	12/14 maintenance-free
Headlight	W	60/55 H4
Starter	kW	1.2
Power transmission - gearbox		
Clutch	Hydraulically activated dry clutch	
Gearbox	Constant-mesh 6-speed gearbox	
Primary ratio	1.737	
Transmission ratios	I	2.375
	II	1.696
	III	1.296
	IV	1.065
	V	0.939
	VI	0.848
Rear wheel drive	Universal shaft	
Transmission ratio	2.91	
Suspension		
Frame construction type	Tubular space frame in steel, engine self-supporting	
Front wheel control	Upside down telescopic fork, Ø 46 mm	
Rear wheel control	BMW Paralever	
Total spring travel, front/rear	mm	120/120
Wheel castor	mm	107.9
Wheelbase	mm	1 487
Steering head angle	°	63.2
Brakes	front	Hydraulically activated twin disc brake, Ø 320 mm
	rear	Single-disc brake Ø 265 mm
ABS	BMW Motorrad ABS	

BMW R nineT		
Wheels		Spoke wheel
	front	3.5 x 17"
	rear	5.5 x 17"
Tyres	front	120/70 ZR 17
	rear	180/55 ZR 17
Dimensions and weights		
Total length	mm	2 175
Total width with mirrors	mm	900
Seat height	mm	803
DIN unladen weight, road ready	kg	222
Permitted total weight	kg	430
Fuel tank capacity	l	18
Performance figures		
Fuel consumption (WMTC)	l/100 km	5.3
0–100 km/h	s	3.5
Top speed	km/h	200

The new R nineT Urban G/S.

BMW R nineT Urban G/S		
Engine		
Capacity	cc	1 170
Bore/stroke	mm	101/73
Output	kW/hp	81/110
at engine speed	rpm	7 750
Torque	Nm	116
at engine speed	rpm	6 000
Type	Air/oil-cooled 2-cylinder boxer engine	
No. of cylinders	2	
Compression/fuel	12.0:1 / premium unleaded (95-98 RON)	
Valve/accelerator actuation	DOHC	
Valves per cylinder	4	
Ø intake/outlet	mm	39/33
Ø throttle valves	mm	50
Engine control	BMS-MP	
Emission control	Closed-loop 3-way catalytic converter	
Electrical system		
Alternator	W	720
Battery	V/Ah	12/14 maintenance-free
Headlight	W	60/55 H4
Starter	kW	1.2
Power transmission - gearbox		
Clutch	Hydraulically activated dry clutch	
Gearbox	Constant-mesh 6-speed gearbox	
Primary ratio	1.737	
Transmission ratios	I	2.375
	II	1.696
	III	1.296
	IV	1.065
	V	0.939
	VI	0.848
Rear wheel drive	Universal shaft	
Transmission ratio	2.91	
Suspension		
Frame construction type	Tubular space frame in steel, engine self-supporting	
Front wheel control	Telescopic fork, Ø 43 mm	
Rear wheel control	BMW Paralever	
Total spring travel, front/rear	mm	125/140
Wheel castor	mm	110.6
Wheelbase	mm	1 527
Steering head angle	°	61.5
Brakes	front	Hydraulically activated twin disc brake, Ø 320 mm
	rear	Single-disc brake Ø 265 mm
ABS	BMW Motorrad ABS	

BMW R nineT Urban G/S		
Wheels		Aluminium cast wheel
	front	3.0 x 19"
	rear	4.5 x 17"
Tyres	front	120/70 ZR 19
	rear	170/60 ZR 17
Dimensions and weights		
Total length	mm	2 175
Total width with mirrors	mm	870
Seat height	mm	850
DIN unladen weight, road ready	kg	221
Permitted total weight	kg	430
Fuel tank capacity	l	17
Performance figures		
Fuel consumption (WMTC)	l/100 km	5.3
0–100 km/h	s	3.6
Top speed	km/h	200